3 2044 106 366 586

F1
42
H86
1762

Library

Arnold Arboretum



of

Harvard University

Rebound February 1966

GULIELMI HUDSONI
Regiæ Societatis Socii et Pharmacopæi Londinenſis.

4300
11

Flora Anglica,

EXHIBENS

PLANTAS

PER

Regnum Angliæ ſponte creſcentes,

DISTRIBUTAS

Secundum Syſtema Sexuale:

CUM

DIFFERENTIIS SPECIERUM,
SYNONYMIS AUTORUM,
NOMINIBUS INCOLARUM,
SOLO LOCORUM,
TEMPORE FLORENDI,
OFFICINALIBUS PHARMACOPÆORUM.

LONDINI:

Impenſis AUCTORIS: Proſtant venales apud J. NOURSE in the Strand, et C. MORAN in Covent-Garden.

M.DCC.LXII.

a.

PRÆFATIO.

PAUCIS lectorem præfari necessarium duxi, tum ut eum admonerem quid in hac Flora expectare debeat, tum ut notas quasdam compendii gratiâ usurpatas explicarem.

Fundamentum hujus operis quoad *Catalogum* plantarum Raii synopsis agnoscitur, et agnosci debet; quantulum enim intactum reliquit vir ille diligentissimus, accuratissimus, et addere licet, sagacissimus, confitentibus tum popularibus suis, tum exteris; qui floram ejus inter optimas et perfectissimas uno ore numerant? si nullum igitur post ejus tempora augmentum accepisset ipsa scientia botanica nihil pene pro plantis anglicanis dignoscendis ulterius desideraretur, quam nova

ſynopſeos editio, cujus exemplaria hodie apud bibliopolas omnino non inveniuntur. At exortum eſt his diebus novum ſidus, quod orbi botanico lucem affudit ne in ſomnis quidem antea viſam; magnus ſcilicet ille Linnæus, qui partes plantarum minutiſſimas, vel prius neglectas, vel non omnino obſervatas in conſpectum producendo, plene illuſtrando, et rite nominando fundamentum jecit novæ methodo ſimplici, compendioſæ, certæ; quam et conſtantiâ plane admirandâ toti regno vegitabili adhuc cognito feliciter applicuit.

Hunc igitur virum egregium quoad *methodum* per omnia, quatenus licuit, ſecutus ſum.

Eſſentiales characteres ex Syſtemate naturæ edit. ultim. adduxi; quando autem novum genus occurrebat, characterem naturalem ad ejus exemplar, prout in *Genera plantarum* exhibetur adjunxi.

Quoad Synonyma, ut vocantur, ſive Characteres Specificos, primo loco eos adhibui quos idem author in *Species plantarum* dedit; quotieſcunque certum fuit eum plantam deſcripſiſſe; aliter novum characterem, ejus veſtigiis inſiſtens conſtruxi; poſtea ſynonyma adjeci ex Bauhini pinace, Raio, Gerardo, Parkinſono et variis authoribus hodiernis deprompta.

Nomina plerumque Anglica ex Raio, Gerardo, &c. appoſui; quædam mutavi exemplo

et

et hortatu Domini Stillingfleet motus, ut generica obtinerem, quod optandum eſſet per omnia, ut confuſioni quæ hodie regnat finis aliquando imponatur; quando autem nulla occurrebant meo jure, ut opinor, impoſui.

Quoad loca natalia plantarum ſatis duxi indicaſſe ſolum, quo maxime vulgares ſponte proveniunt; locum vero rariorum ſemper notavi ex Raii Synopſi ultima Editione et ex obſervationibus ſive propriis, ſive amicorum.

Plantarum naturam quoad durationem indicavi ſignis ſequentibus; viz. ☉ annuam, ♂ biennem, ♃ perennem innuit.

Hoc ſignum ♄ fruticem vel arborem deſignat.

Numeri I, II, III, &c. tempus florendi indicant, viz. Januarium, Februarium, Martium, &c.

Plantas cultas non autem indigenas omnino omiſi, ut Avenam ſativam, Triticum ſativum, Solanum tuberoſum, &c.

Plantæ quæ ſine culturâ non raro inveniuntur extra hortorum pomæria, ſed quæ ab origine propagationem eorum rejectamentis debeat aſteriſco * diſtinguuntur.

Hanc occaſionem lubens amplector gratias agendi amicis, qui mihi plantas pro eorum benevolentia ſuppeditarunt inter quos nominandi ſunt Domini Alchorne, Bolton, Collinſon, Lyons, Miller, Watſon, M. D. Wilmer, M. D. præcipue vero D. Stillingfleet, qui et hoc et aliis amicitiæ officiis privatim et publice functus eſt.

Cæterum quamvis nihil ſciens prætermiſſi quod confere potuit elucidando rem ſubjectam, non labori peperci, nullam occaſionem neglexi libros conſulendi, herbaria ſicca evolvendi et plantas vivas examinandi et deſſecandi, ut opus omnibus numeris abſolutum prodiret; conſcius ſum tamen me nullo modo ſcopum attigiſſe, præſertim quoad claſſem cryptogamium, quæ ad hæc uſque tempora quantum ſcio, obſcura manet, et mihi plurimum moleſtiæ creavit. In uno iſtius claſſis ordine, viz. Fungorum me multum deficere agnoſco; nec ſine aliis Dillenis, aliis Micheliis extricare ſe quiſquam poterit, cum hunc ordinem experientia edoctus affirmare poſſum, ut Linnæi verbis utar, etiamnum Chaos eſſe, neſcientibus Botanicis in his, quid ſit Species, quid Varietas.

NO-

Nomina Auctorum Explicata.

Act. pariſ. Memoires de l'Academie Royale des Sciences. Paris. 4to.

Act. Lond. Acta Philoſophica Regiæ Societatis Londinenſis. Lond. 4to.

Act. upſ. Acta Regiæ Societatis Upſalienſis. Holmiæ. 4to.

Amm. St. rar. ruth. Joannis Ammani Stirpium rariorum in Imperio Ruthenico, &c. Petrop. 1739. 4to.

Barr. Icon. Jacobi Barrelieri Icones Plantarum per Galliam, Hiſpaniam et Italiam obſervatarum. Paris. 1714. fol.

Blackſ. ſpec. bot. J. Blackſtone Specimen Botanicum. Lond. 1746. 8vo.

Blackſ. cat. pl. ejuſdem Catalogus Plantarum circa Harefield. Lond. 1737.

Bauh. pin. et pr. Caſpari Bauhini Pinax et Prodromus Theatri Botanici. Baſil. 1671. 4to.

Bauh.

NOMINA AUCTORUM EXPLICATA.

Bauh. th. Ejuſdem Theatrum Botanicum. ibid. 1658.

Bauh. hiſt. Joannis Bauhini Hiſtoria Plantarum univerſalis. 3. Ebrod. 1650. fol.

Bocc. pl. rar. Pauli Boccone Plantarum rariorum Siciliæ Icones et Deſcriptiones. Oxon. 1674. 4to.

Bocc. muſ. Ejuſdem muſæum Plantarum Rariorum. Venet. 1697. 4to.

Boerh. ind. Hermanni Boerhaave Index alter Plantarum. Lugdb. 1720. 4to.

Breyn. cent. Jacobi Breynii Centuria Plantarum Gedani. 1678. fol.

Breyn. cent. pr. Ejuſdem Prodromus Faſciculus Plantarum. ibid. 1689. 4to.

Buddl. hort. ſicc. Adami Buddleii Hortus Siccus Plantarum Angliæ.

Buxb. en. pl. hal. Joannis Chriſtiani Buxbaum Enumeratio Plantarum in Agro Hallenſi. Halæ Magdeb. 1721. 8vo.

Buxb. cent. Ejuſdem Plantarum minus cognitarum Centuriæ quatuor. I. et II. 1728. III. 1729. IV. 1733. 4to. Petrop.

Cæſalp. Andreas Cæſalpinus de Plantis. Florent. 1583. 4to.

Cat. giſſ. Joannis Jacobi Dillenii Catalogus Plantarum circa giſſam. Giſſæ. 1719. 8vo.

Cat

NOMINA AUCTORUM EXPLICATA.

Cat. nott. Car. Deering Catalogus Plantarum circa Nottinghamiam. Nottingh. 1738. 8vo.

Cat. pl. angl. Joannis Raii Catalogus Plantarum Angliæ. Lond. 1688. 12mo.

Cat. cant. Ejuſdem Catalogus Plantarum circa Cantabrigiam. *Cant.* 1633. 12mo.

Cluſ. Caroli Cluſii Rariorum Stirpium per Hiſpaniam obſervatarum. Antw. 1601. fol.

Col. ecph. Fabii Columnæ Ecphraſis I. et II. minus cognitarum raroriumque Stirpium. Romæ. 1616. 4to.

Comm. cat. Joannis Commelini Catalogus Plantarum Hollandiæ. Amſtel. 1685. 12mo.

Dalib. pariſ. M. Dalibardi Floræ Pariſinæ prodromus. Paris. 1750. 8vo.

Dill. muſc. Joannis Jacobi Dillenii Hiſtoria Muſcorum. Oxon. 1741. 4to.

Dalech. lugd. Jacobi Dalechampii Hiſtoria generalis Plantarum. Lugd. 1584. fol.

Dod. pempt. Remberti Dodonæi Stirpium Hiſtoriæ Pemptades Sex. Antw. 1616.

Fl. jen. Henrici Bernhardi Ruppii Flora Jenenſis. Francofurt. 1726. 8vo.

Fl. ſibir. Joannis Georg. Gmelini Flora Siberica. 2. Petrop. 1750. 4to.

Fl. ſuec. Caroli Linnæi Flora Suecica. Ed. I. Lugdb. 1745. II. Stockh. 1755. 8vo.

Pl.

NOMINA AUCTORUM EXPLICATA.

Fl. lapp. Ejuſdem Flora Lapponica. Amſt. 1737. 8vo.

Fl. pruſſ. Joannis Loeſelii Flora Pruſſica. Regimont. 1703. 4to.

Fuchſ. Leonardi Fuchſii Hiſtoria Plantarum. Baſil. 1542. fol.

Ger. Em. Joannis Gerardi Hiſtoria Plantarum a Thoma Johnſon Emaculata. Lond. 1633. et 1636. fol.

Gron. virg. Joannis Fred. Gronovii Flora Virginica. 2. Leid. 1739. 8vo.

Gled. fung. Joan. Gottlieb. Gleditchii Methodus Fungorum. Berol. 1753. 8vo.

Guett. ſtamp. D. Guettardus Obſervations ſur les Plantes. 2. Pariſ. 1747. 12mo.

Hiſt. ox. Roberti Moriſoni et Jacobi Bobarti Hiſtoria Plantarum Oxonienſis. 3. Oxon. 1680.

Hall. helv. Alberti Halleri Enumeratio Stirpium Helveticarum. Gotting. 1742. fol.

Hort reg. monſpel. Petri Magnol. Hortus Regius Monſpelienſis. Monſp. 1697. 8vo.

Johnſ. Thomæ Johnſoni Itinera Botanica. Lond. 1632. 1634. 8vo.

Lin. gen. pl. Caroli Linnæi Genera Plantarum. Lugdb. 1752. 8vo.

Lin. phil. bot. Ejuſdem Philoſophia Botanica. Holmiæ. 1751. 8vo.

Lin.

NOMINA AUCTORUM EXPLICATA.

Lin. hort. upſ. Ejuſdem Hortus Upſalienſis. Holmiæ. 1748. 8vo.

Lin. hort. cliff. Ejuſd. Hortus Cliffortianus. Amſtel. 1737. fol.

Lin. virid. cliff. Ejuſd. Viridiarum Cliffortianum. Amſtel. 1737. 8vo.

Lin. mat. med. Ejuſd. Materia Medica. Holmiæ. 1749. 8vo.

Lin. it. oeland. Ejuſd. Iter Oelandicum. Holmiæ. 1745. 8vo.

Lin. it. W-goth. Ejuſd. Iter Weſtrogothicum. Holmiæ. 1745. 8vo.

Lin. it. ſcan. Ejuſd. Iter Scanicum. Holmiæ. 1751. 8vo.

Lin. amoen. acad. Ejuſd. Amoenitates Academicæ. I. Lipſiæ. 1749. II. Holmiæ. 1751. III. Amſtel. 1756. IV. et V. Lugdb. 1760. 8vo.

Lin. ſpec. pl. Ejuſd. Species Plantarum. Holmiæ. 1753.

Lob. ic. Matthiæ Lobelii Icones Plantarum. Antw. 1581. 4to.

Lob. ob. et adv. Ejuſdem Obſervationes et Adverſaria. Lond. 1605. fol.

Magn. bot. monſp. Petri Magnol Botanicum Monſpelienſe. Monſpel. 1686. 8vo.

Mart. cent. Joannis Martyn Centuria Plantarum. Lond.

Mart. tourn. Ejuſd. Tournefort's Hiſtory of Plants. 2. Lond. 1732.

Mentz. pug. ic. Chriſtiani Mentzelii Index Plantarum et Pugillus. Berol. 1696. fol.

Merr.

NOMINA AUCTORUM EXPLICATA.

Merr. pin. Chriſtophori Merret Pinax Rerum Naturalium Britannicarum. Lond. 1667. 8vo.

Mich. nov. gen. Petri Antonii Michelii Nova Plantarum Genera. Florent. 1729. 4to.

Park. Joannis Parkinſoni Theatrum Botanicum. Lond. 1640. fol.

Park. par. Ejuſd. Paradiſus Terreſtris. Lond. 1656. fol.

Phyt. Brit. Phytologia Britannica. Lond. 1650.

Pet. herb. brit. Jacobi Petiveri Herbarium Britannicum. Lond. fol.

Pet. Gaz. Ejuſd. Gazophylaceum. 2 vols. fol. Lond. 1711.

Pet. conc. gr. Ejuſd. Concordia Graminum. Lond. fol.

Pet. muſ. Ejuſd Muſæum. Lond. 1703. 8vo.

Pluk. alm et phyt. Leonardi Plukenetii Almageſtum Botanicum et Phytographia. Lond. fol. diverſo tempore edita.

Pont. Julii Pontiderae Compendium Tabularum Botanicarum. Patavii. 1720. 4to.

R. Syn. Joannis Raii Synopſis Methodica Stirpium Britannicarum. Ed. I. 1690. II. 1696. III. Lond. 1724. 8vo.

R. hiſt. Ejuſd. Hiſtoria Plantarum. 3. Lond. 1686. et 1704. fol.

R. meth. Ejuſd. Methodus Plantarum emendata et aucta. ibid. 1703. 8vo.

Riv. irr. mon. ic. Auguſti Quirini Rivini Ordines Plantarum Flore Irregulari Monopetalo, Tetrapetalo et Pentapetalo. Lipſiæ 1691. et 1699. fol.

Roy.

NOMINA AUCTORUM EXPLICATA.

Roy. lugdb. Adriani Van Royen Floræ Leidenſis Prodromus. Lugdb. 1740. 8vo.

Sauv. monſp. Fr. Sauvages Flora Monſpelienſis. Hagæ. 1751. 8vo.

Sch. agr. Joannis Jacobi Scheuchzeri Agroſtagraphia, ſive Graminum Juncorum Cyperorum Cyperoidum iiſque affinium Hiſtoria, Tigurii. 1719. 4to.

Sibb. ſcot. il. Roberti Sibbaldi Scotia Illuſtrata. Edinb. 1684 fol.

Spig. Iſag. Andreæ Spigelii Iſagoge in Rem Herbariam. Lugdb. 1633.

Tab. Jacobi Theodori Tabernæmontani Icones Plantarum. Franc. 1690. 4to.

Trag. Hieronymi Tragi Stirpium Hiſtoria. Argentor. 1552. 4to.

Turn. Gulielmi Turneri Hiſtoria Plantarum. Lond. 1551.

Tourn. Joſephi Pitton Tournefort Inſtitutiones Rei Herbariæ. Pariſ. 1700. 4to.

Vaill. pariſ. Sebaſtiani Vaillant Botanicon Pariſienſe. Lugdb. et Amſtel. 1727. fol.

ER-

ERRATA.

PAG. 5. lin. 30. pro calycebus lege calycibus. p. 19. l. 4. paluſtre. p. 22. l. 6. muticis. p. 29. l. 30. ariſtatæ. p. 32. l. 13. pratenſis. p. 38. l. 26. nemoralis. p. 39. l. 6. paniculato. p. 44. l. 21. et in pratis. p. 47. l. 30. prato. p. 48. l. 7. ſalinas et antiquas. ib. cis. p. 52. l. 4. ſubovata. p. 62. l. 14. Graſs. p. 69. l. 12. pinguibus. p. 75. l. 21. ne una. p. 78. l. 6. deciduus. p. 79. l. 12. Belladonna. p. 90. l. 1. petiolis. p. 95. l. 19. capitales. p. 96. l. 9. umbella. p. 97. l. 2. Involucra umbellis. p. 98. l. 5. radiatæ. ib. l. 6. ſuborbiculatus. p. 104. l. 10. ſubhumidas. p. 105. l. 28. adde, Anglis, Hemlock Dropwott. p. 109. l. 1. cerefolium. p. 123. l. 13. flores. p. 136. l. 2. Eboracenſibus, Weſtmorlandicis, Cumberlandicis. p. 410. l. 26. terminali. p. 144. l. 2. filamenta. p. 145. l. 34. chamælea. p. 156. l. 3. coloratus. p. 161. l. 36. uniflora. p. 167. l. 9. polyſperma. p. 168. l. 1. paniculato. ib. 40. Triplow. p. 169. l. 3. murum. ib. 26. cuculatiæ. p. 170. l. 33. minimum. p. 179. l. 20. Lythrum. p. 186. l. 6. prominentibus. p. 188. l. 4. beam. p. 189. l. 24. pomis baſi. p. 195. l. 37. præſertim ubi &c. p. 216. l. 2. ungues. p. 220. l. 16. Nep. p. 225. l. 26. floralibus. p. 226. l. 31. lateribus. p. 229. l. 24. bilabiati. p. 242. l. 19. brevior. p. 250. l. 29. Iris. p. 255. l. 13. codded. p. 256. l. 28. fugaciſſimis. p. 259. l. 22. Apulus. p. 268. l. 1. in littoribus. p. 287. l. 6. lupulinum. ib. 19. deflecteus. p. 309. l. 14. ariſtis. ib. 17. floſculoſis. p. 318. l. 10. folii. p. 332. l. 17. uele ad. p. 342. l. 26. linearis. p. 344. l. 23. petiolatis. p. 354. l. 22. Betula. p. 361. l. 7. dele *. ib. 14. adde *. ib. 21. adde *. p. 370. l. 19. Germina. p. 372. l. 13. tria. p. 384. l. 16. Pteris. p. 399. l. 14. individuo. ib. 21. incubitu. p. 404. l. 39. aggeres. p. 406. l. 15. ſcoparium. p. 410. l. 10. adde ſhort Bryum. p. 437. l. 2. foliolo. p. 440. l. 5. Anthera. p. 448. l. 26. ater. p. 490. l. 13. fluviatilis. p. 495. l. 32. truncis.

Classis I.

MONANDRIA

MONOGYNIA.

SALICORNIA *Lin. Gen. plant.* 10.

Calyx ventriculosus, integer. *Petala* nulla, *Semen* unicum.

SALICORNIA articulis apice crassioribus obtusis. *europæa.*
Lin. mat. med. 8. *Sp. plant.* 3.
Salicornia geniculata annua. *Tourn.* 51. *R. Syn.* 136.
Kali geniculatum annuum. *Bauh. pin.* 289. *Ger. Em.* 535. *Park.* 280.
β Kali geniculatum perenne fruticosius procumbens. *R. Syn.* 136.
γ Salicornia myosuroides procumbens, surculis longissimis. *R. Syn.* 137.
δ Salicornia ramosior procumbens, foliis brevibus purpurascentibus. *R. Syn.* 137.
ε Salicornia erecta, foliis brevibus cupressiformibus. *R. Syn.* 137.
Anglis, Marsh Sampire, Jointed Glasswort, or Saltwort.
Habitat *in littoribus maritimis frequens.* ☉ VIII. IX.

HIPPURIS *Lin. Gen. pl.* 11.

Calyx nullus, *Petala* nulla, *Stigma* simplex. *Semen* unicum.

HIPPURIS. *Fl. lapp.* 1. *Fl. suec.* 2. *Sp. Pl.* 4. *vulgaris.*
Limnopeuce. *Cord. hist.* 150. *R. Syn.* 136.
Equisetum palustre, brevioribus foliis, polyspermum. *Bauh. pin.* 15.
Cauda equina fœmina. *Ger. Em.* 1114.
Equisetum palustre alterum brevioribus setis. *Park.* 1200.

Anglis Mare's-tail.
Habitat *in fontibus, paludibus, ſolo profundo limoſo, in ſtagnis prope* Hornſey. 4. V.

DIGYNIA.

CALLITRICHE *Lin. Gen. pl.* 13.

Calyx nullus. *Petala* duo. *Semen* unicum ovale, nudum.

verna. 1. CALLITRICHE foliis ſuperioribus ovalibus, floribus androgynis. *Lin. Syſt. Nat.* 844.
Stellaria. *Cat. Giſſ. app.* 119. *t.* 6. *R. Syn.* 289.
Stellaria aquatica. *Bauh. pin.* 141. *Park.* 1282.
Alſine paluſtris ſerpyllifolia. *Ger. Em.* 614.
β Stellaria minor et repens. *Cat. Giſſ.* 120. *R. Syn.* 289.
Anglis, vernal Starwort, Star-headed Water Chickweed.
Habitat *in foſſis et aquis quietis ubique.* ⊙. IV.---VIII.

Autumnalis. 2. CALLITRICHE foliis omnibus linearibus apice bifidis, floribus hermaphroditis. *Lin. Syſt. Nat.* 844.
Stellaria aquatica longifolia. *Pet. H. br. t.* 6. *f.* 4. *R. Syn.* 290.
Lenticula aquatica anguſtifolia, folio in apice diſſecto. *Fl. pr.* 140. *t.* 38.
Anglis, Autumnal Starwort.
Habitat *cum priore frequens.* ⊙. IX.

Claſſis

Classis II.

DIANDRIA

MONOGYNIA.

* *Flores inferi, monopetali, regulares.*

LIGUSTRUM. 18.

Corolla quadrifida. *Bacca* tetrasperma.

LIGUSTRUM. *Hort. cliff.* 6. *Fl. suec.* 5. *Sp. pl.* 76. *J. Bauh. hist. I.* 528. *Ger. Em.* 714. *Park.* 1446. *R. Syn.* 465. *vulgare.*

Ligustrum germanicum. *Bauh. pin.* 475.

Anglis, Privet, or Prim.

Habitat *in sylvis et sepibus.* ♄ V.

** *Flores inferi, monopetali, irregulares. Fructus capsulares.*

VERONICA. 25.

Cor. quadrifida rotata: lacinia infima angustiore. *Capsula* bilocularis.

* *Spicatæ.*

1. VERONICA spica terminali, foliis oppositis crenatis obtusis; caule adscendente simplicissimo. *Sp. pl.* 10. *Fl. suec.* 10. *spicata.*

Veronica spicata minor. *Bauh. pin.* 247. *R. Syn.* 279.

Veronica recta minima. *Ger. Em.* 527.

Veronica erecta angustifolia. *Park.* 550.

Anglis, Upright spiked male Speedwell, or Fluellin.

Habitat *in pratis et pascuis. In several Closes adjoining to* Newmarket Heath, *beyond* Botlesham. *R. Syn. in pascuis circa* Horseheath Hall, *in comitatu* Cantabrigiensi. D. Miller. ♃ VI.

hybrida. 2. VERONICA ſpica terminali, foliis oppoſitis obtuſe ſerratis, caule erecto. *Sp. pl.* 11.
Veronica ſpicata Cambrobritanica, bugulæ ſubhirſuto folio. *R. Syn.* 278. *t.* 11.
Anglis, Welſh Speedwell.
Habitat *ad latera montis cujuſdam*, Craig Wreidhin *dicti in comitatu* Montis Gomerici Walliæ, D. Lhwyd *invenit* ♃. VII.

officinalis. 3. VERONICA ſpicis lateralibus pedunculatis, foliis oppoſitis, caule procumbente. *Sp. pl.* 11.
Veronica mas ſupina et vulgatiſſima. *Bauh. pin.* 246. *R. Syn.* 281.
Veronica vera et major. *Ger. Em.* 626.
Veronica mas vulgaris et ſupina. *Park.* 550.
Anglis, male Speedwell.
Habitat *in paſcuis ſterilibus et ericetis.* ♃. V.
Pharm. Veronicæ *Herba.*

** *Corymboſo-racemoſæ.*

ſerpyllifolia. 4. VERONICA racemo terminali ſubſpicato, foliis ovatis glabris crenatis. *Sp. pl.* 12.
Veronica pratenſis ſerpyllifolia. *Bauh. pin.* 247.
Veronica pratenſis minor. *Park.* 551. *R. Syn.* 279.
Veronica minor. *Ger. Em.* 627.
Veronica fœmina quibuſdam, aliis Betonica Pauli ſerpyllifolia. *Bauh. hiſt. III.* 366.
Anglis, Paul's Betony, little or ſmooth Speedwell.
Habitat *in pratis et paſcuis paſſim.* ♃. V.

Becabunga. 5. VERONICA racemis lateralibus, foliis ovatis planis, caule repente. *Fl. ſuec.* 14. *Sp. pl.* 12.
Veronica aquatica rotundifolia, Becabunga dicta minor. *R. Syn.* 280.
Anagallis aquatica minor, folio ſubrotundo. *Bauh. pin.* 252.
Anagallis aquatica vulgaris, ſive Becabunga. *Park.* 1236.
Anagallis, ſive Becabunga. *Ger. Em.* 620.
Anglis, common Brooklime.
Habitat *in foſſis et rivulis.* ♃. VI.
Pharm. Becabungæ *Herba.*

6. VE-

6. VERONICA racemis lateralibus, foliis lanceolatis ſerratis, caule erecto. *Sp. pl.* 12. *Fl. ſuec.* 13. *Anagallis.* △.
Veronica aquatica longifolia media. *R. Syn.* 280.
Anagallis aquatica minor folio oblongo. *Baugh. pin.* 252.
Anagallis aquatica folio oblongo crenato. *Park.* 1237.
Anagallis aquatica minor. *Ger. Em.* 620.
Anglis, long-leaved Water-ſpeedwell.
Habitat *in foſſis et paluſtribus.* ♃. VII.

7. VERONICA racemis lateralibus, pedicellis pendulis, foliis linearibus integerrimis. *Sp. pl.* 12. *Fl. ſuec.* 17. *ſcutellata.*
Veronica aquatica anguſtifolia minor. *R. Syn.* 280.
Anagallis aquatica anguſtifolia ſcutellata. *Bauh. pin.* 252.
Anglis, narrow-leaved Water-ſpeedwell.
Habitat *in paluſtribus, in ericeto* Hampſtediano *et* Putnejano, ♃. VI.

8. VERONICA floribus racemoſis lateralibus, foliis ovatis rugoſis dentatis ſeſſilibus, caule debili. *Sp. drys. pl.* 13. *chamæ-*
Veronica foliis oppoſitis plicatis dentatis, ſcapis ex alis inferioribus laxe ſpicatis. *Hort. Cliff.* 8.
Chamædrys ſylveſtris. *Ger. Em.* 657. *R. Syn.* 281.
Chamædrys ſpuria minor rotundifolia. *Bauh. pin.* 249.
Chamædrys ſpuria ſylveſtris. *Park.* 107.
Anglis, wild Germander.
Habitat *in pratis et paſcuis.* ♃. V.

9. VERONICA racemis lateralibus paucifloris calycibus hirſutis, foliis ovatis rugoſis crenatis petiolatis, caule debili. *Cent.* 1. *Syſt. N.* 849. *montana.*
Veronica chamædryoides foliis pediculis oblongis inſidentibus. *R. Syn.* 281.
Chamædryi ſpuriæ affinis, rotundifolia ſcutellata. *Bauh. pin.* 249.
Anglis, ſtalked Speedwell. Pet. H. Br. t. 51. f. 4.
Habitat *in ſylvis humidis et ad ſepes, in* Charlton Wood, *the lower part, plentifully.* Mr. J. Sherard. *R. Syn.* ♃. V.

*** *Pe-*

**** Pedunculis unifloris.*

arvenſis. 10. VERONICA floribus ſolitariis, foliis cordatis inciſis ſeſſilibus.
Veronica floribus ſolitariis, foliis cordatis inciſis pedunculo longioribus. *Sp. pl.* 13. *Fl. ſuec.* 20.
Veronica floſculis ſingularibus, cauliculis adhærentibus. *R. Syn.* 279.
Alſine veronicæ foliis, floſculis cauliculis adhærentibus. *Bauh. pin.* 250.
Alſine foliis veronicæ. *Ger. Em.* 613.
Alſine foliis ſubrotundis veronicæ. *Park.* 762.
Anglis, Speedwell or Chickweed.
Habitat *in agris et muris antiquis.* ☉. V.

agreſtis. 11. VERONICA floribus ſolitariis, foliis cordatis inciſis petiolatis.
Veronica floribus ſolitariis, foliis cordatis inciſis pedunculo brevioribus. *Sp. pl.* 13. *Fl. ſuec.* 16.
Veronica floribus ſingularibus, in oblongis pediculis, Chamædryfolia. *R. Syn.* 279.
Alſine foliis Triſſaginis. *Ger. Em.* 616. *Park.* 764.
Alſine chamædryfolia, floſculis pediculis oblongis inſidentibus. *Bauh. pin.* 250.
Anglis, Germander-ſpeedwell, or Chickweed.
Habitat *in arvis ruderatis, cultis frequens.* ☉ V.

hederifolia. 12. VERONICA floribus ſolitariis, foliis cordatis planis quinquelobis. *Sp. pl.* 13. *Fl. ſuec.* 21.
Veronica floſculis ſingularibus, Hederulæ folio, Morſus gallinæ minor dicta. *R. Syn.* 280.
Alſine Hederulæ folio. *Bauh. pin.* 250.
Alſine Hederulæ folio minor. *Park.* 760. 762.
Alſine hederacea. *Ger. Em.* 616.
Anglis, Ivy-leaved Speedwell, or ſmall Henbit.
Habitat *in agris ruderatis, cultis frequens,* ☉. IV. V.

triphyll'os. 13. VERONICA floribus ſolitariis, foliis digitato-partitis pedunculo brevioribus. *Sp. pl.* 14. *Fl. ſuec.* 22.
Veronica foliis alternis: inferioribus quinque partitis, ſuperioribus tripartitis, floribus ſolitariis. *Hort. cliff.* 9.

Veronica

Veronica floſculis ſingularibus, foliis laciniatis, erecta. *R. Syn.* 280.
Alſine triphyllos cœrulea. *Bauh. pin.* 250.
Alſine triphyllos ſive laciniata. *Park.* 760.
Alſine recta. *Ger. Em.* 612.
Anglis, Trifid Speedwell.
Habitat *in arvis arenoſis*, *at* Rowton *in* Norfolk, *betwixt the town and the highway, twelve miles before you come to* Norwich; *and at* Methwold *in* Suffolk, *between the two windmills and the warren lodge*, &c. J. Williſel. *R. Syn.* ☉. V. VI.

PINGUICULA. 28.

Cor. ringens, calcarata. *Cal.* bilabiatus, quinquefidus. *Capſ.* unilocularis.

1. PINGUICULA nectario cylindraceo longitudine petali. *Fl. lapp.* 11. *Fl. ſuec.* 21. *Sp. pl.* 17. *Roy. lugdb.* 304. *vulgaris.*
Pinguicula Geſneri. *Bauh. Hiſt. III.* 546. *R. Syn.* 281.
Pinguicula ſive ſanicula Eboracenſis. *Park.* 532. *Ger. Em.* 788.
Sanicula montana flore calcari donato. *Bauh. pin.* 243.
Anglis, Butterwort, or Yorkſhire Sanicle.
Habitat *in uliginoſis in comitatibus* Eboracenſi, Weſtmorlandico, Cumberlandico, *&c. on* Shooter's Hill, *and the little bog at* Charleton. *R. Syn.* 4. V.

2. PINGUICULA nectarii apice incraſſato. *Sp. pl.* 17. *luſitanica.*
Pinguicula flore minore carneo. *R. Syn.* 281. *Hiſt. I.* 752.
Viola paluſtris, Pinguicula dicta, luſitanica. *Griſ. luſit.*
Anglis, Cornwal Butterwort.
Habitat *in* Cornubia *locis paluſtribus circa* Kilkhampton, *et alibi*. *R. Syn.* 4. V.

UTRICULARIA. 29.

Corolla ringens, calcarata. *Cal.* diphyllus, æqualis. *Capſ.* unilocularis.

vulgaris. 1. UTRICULARIA nectario conico. *Fl. lapp.* 14. *Sp. pl.* 18. *Fl. ſuec.* 24.
Lentibularia. *Riv. mon* 78. *R. Syn.* 286.
Milleſolium aquaticum lenticulatum. *Bauh. pin.* 141.
Milleſolium aquaticum flore luteo galericulato. *Bauh. hiſt. III.* 783. *Park.* 1258.
Milleſolium paluſtre galericulatum. *Ger. Em.* 828.
Anglis, Common-hooded Milfoil.
Habitat *in aquis ſtagnantibus, paludibus et foſſis, in ſtagnis prope* Hornſey. 4. VI. VII.

minor. 2. UTRICULARIA nectario carinato. *Fl. ſuec.* 29. *Sp. pl.* 18.
Lentibularia minor. *Pet. H. Br. t.* 36. *f.* 12. *R. Syn.* 286.
Milleſolium paluſtre galericulatum minus, flore minore. *Pluk. Ph. t.* 99. *f.* 6.
Anglis, leſſer-hooded Milfoil.
Habitat *in foſſis et paludibus limoſis. Found by* Mr. Dent *on* Feverſham-moor *in* Cambridgeſhire. *Both ſorts obſerved by* Mr. Lawſon *in the Ditches by the Cauſeway over the Moſs to the* Fell-end, *near* Witherſlack, Weſtmorland; *in the River on* Hounſlow Heath, *by* Mr. Dandridge. *R. Syn.* 4. VI. VII.

*** *Flores inferi, monopetali, irregulares, Fructus gymnoſpermi.*

LYCOPUS. 31.

Cor. quadrifida: lacinia unica emarginata. *Stam.* diſtantia. *Sem.* quatuor, retuſa.

europæus. LYCOPUS foliis ſinuato-ſerratis. *Sp. pl.* 21. *Fl. ſuec.* 31.
Lycopus paluſtris glaber. *Tourn.* 191. *R. Syn.* 236.
Marrubium paluſtre glabrum. *Bauh. pin.* 230.
Marrubium aquaticum. *Ger. Em.* 700. vulgare *Park.* 1230.

Anglis,

Anglis, Water Horehound.
Habitat *ad ripas fluviorum et lacuum, ſolo ſabuloſo.* 4. VII.

SALVIA. 36.

Cor. inæqualis. *Filamenta* tranſverſe pedicello affixa.

1. SALVIA foliis cordato-oblongis crenatis: ſummis amplexicaulibus, verticillis ſubnudis, corollis galea glutinoſis. *Sp. pl.* 25. *Fl. ſuec.* 32. *pratenſ*
Sclarea pratenſis foliis ſerratis, flore cæruleo. *Tourn.* 179. *R. Syn.* 237.
Horminum pratenſe foliis ſerratis. *Bauh. pin.* 238.
Horminum ſylveſtre vulgare. *Park.* 55.
Horminum ſylveſtre Fuchſii. *Ger. Em.* 760.
Anglis, Meadow Clary.
Habitat *in ſepto* Cobhamiano *in* Eſſexia, *a D.* Watſio *obſervatus.* 4.

2. SALVIA foliis ſinuato-ſerratis, corollis calyce anguſtioribus. *Sp. pl.* 25. *verbenaca* X
Horminum ſylveſtre Lavendulæ flore. *Bauh. pin.* 239. *Park.* 57. *R. Syn.* 237.
Horminum ſylveſtre. *Ger. Em.* 760.
Anglis, common Engliſh wild Clary.
Habitat *in pratis et paſcuis frequens.* 4. V. *
Pharm. Horminı *ſemina.*

**** *Flores ſuperi.*

CIRCÆA. 24.

Corolla dipetala. *Calyx* diphyllus ſuperus. *Sem.* unum biloculare.

1. CIRCÆA caule erecto, racemis pluribus. *Sp. pl.* 9. *lutetiana*
Fl. ſuec. 6.
Circæa lutetiana. *Lob. ic.* 266. *Ger. Em.* 351. *R. Syn.* 289.
Circæa lutetiana major. *Park.* 351.
Solanifolia Circæa dicta major. *Bauh. pin.* 168.
Anglis, Enchanters Nightſhade.
Habitat *in locis umbroſis humidis et ad ſepes paſſim.* 4. VI. VII.

2. CIR-

* About Sudbury in Suffolk; Andover in Hants.

x *alpina.* 2. CIRCÆA caule adſcendente, racemo unico. *Sp. pl.* 9. *Fl. ſuec.* 7.
Circæa calyce colorato. *Fl. lapp.* 3.
Circæa minima foliis brevioribus dentatis Hall. helv. 456.
Circæa lutetiana minor. *Park.* 351.
Circæa minima. *Column. Ecphr.* 2. *p.* 79. *t.* 80.
Solanifolia Circæa alpina. *Bauh. pin.* 168.
Anglis, Mountain Enchanters Nightſhade.
Habitat *ad radices montium in Comitatibus* Weſtmorlandico, Eboracenſi, &c. *circa* Dallam Tower *in agro* Weſtmorlandico. ♃. VIII. *At the foot of Broadway-hills, before one comes into Broadway, on the left side of the road*

DIGYNIA.

ANTHOXANTHUM. 40.

Cal. Gluma bivalvis, uniflora. *Cor.* Gluma bivalvis, acuminata. *Sem.* unicum.

odoratum. 1. ANTHOXANTHUM ſpica oblonga ovata, floſculis ſubpedunculatis ariſta longioribus. *Sp. pl.* 28. *Fl. ſuec.* 33.
Gramen vernum ſpica brevi laxa. *R. Syn.* 389. 398.
Gramen pratenſe ſpica flaveſcente. *Bauh. pin.* 3. *Th.* 44.
Gramen Anthoxanthon ſpicatum. *Bauh. Hiſt. II.* 466.
Gramen alopecurum vernum pratenſe, ſpica flaveſcente. *Hiſt. Ox. III. p.* 193. *ſ.* 8. *t.* 7. *f.* 25.
Anglis, vernal, or Spring Graſs.
Habitat *in pratis et paſcuis* ♃. V.

BUFONIA. 41.

Cal. Tetraphyllus. *Cor.* 4petala. *Capſ.* unilocularis bivalvis diſperma.

tenuifolia. 1. BUFONIA. *Sp. pl.* 123.
Alſinoides. *R. Syn.* 346.

Herniaria

Herniaria anguſtiſſimo gramineo folio, erecta. *Magn. Hort.* 97. *t.* 97.

Alſine polygonoides tenuifolia, floſculis ad longitudinem caulis velut in ſpicam diſpoſitis. *Pluk. Ph. t.* 75. *f.* 3.

Anglis, Baſtard Chickweed.

Habitat *in maritimis circa* Boſtoniam *agri* Lincolnienſis. *On* Hounſlow-heath. Mr. Doody. *R. Syn.* 2. V.

Claſſis

Claſſis III.

TRIANDRIA

MONOGYNIA.

* *Flores ſuperi.*

VALERIANA. 43.

Cal. nullus. *Cor.* monopetala, baſi hinc gibba, ſupera. *Sem.* unicum.

officinalis. 1. VALERIANA floribus triandris, foliis omnibus pinnatis. *Mat. Med.* 21. *Sp. pl.* 31. *Fl. ſuec.* 34. Valeriana ſylveſtris major. *Bauh. pin.* 164. *Fl. lapp.* 14. *Ger. Em.* 1075. *Park.* 122. *R. Syn.* 200.
β Valeriana ſylveſtris major montana. *Bauh. pin.* 164.
Anglis, Great wild Valerian.
Habitat *in ſepibus, ſylvis, paludibus, frequens.* β *in paſcuis montoſis.* ♃. VI.
Pharm. Valerianæ *Radix.*

dioica. 2. VALERIANA floribus triandris dioicis, foliis radicalibus ovatis, caulinis pinnatis.
Valeriana floribus triandris dioicis, foliis pinnatis integerrimis. *Sp. pl.* 31. *Fl. ſuec.* 35. *Syſt. Nat.* 860.
Valeriana paluſtris minor. *Bauh. pin.* 164.
Valeriana ſylveſtris minor. *Park.* 122. *Lob.* 715. *R. Syn.* 200.
Valeriana minor. *Ger. Em.* 1075. *Riv. mon.* 3.
× β Valeriana ſylveſtris ſeu paluſtris minor altera. *R. Syn.* 200.
Anglis, ſmall wild or marſh Valerian. *both varieties in long-*
Habitat *in paſcuis humidis.* ♃. VI. *Eham.*

Locuſta. 3. VALERIANA floribus triandris, caule dichotomo, foliis linearibus. *Sp. pl.* 33. *Fl. ſuec.* 36.
Valerianella arvenſis præcox humilis ſemine compreſſo. *Mor. Umb. R. Syn.* 201.

Vale-

Valeriana campeſtris inodora major. *Bauh. pin.* 165.
Lactuca agnina. *Ger. Em.* 310. *Park.* 812.
β Valerianellæ vulgaris ſpecies major ſerotina. *Mor. prælud.* 319.
γ Lactuca agnina ſeu Valerianella foliis ſerratis. *R. Syn.* 201.
Anglis, Lambs-lettuce, or Corn-ſallet.
Habitat *in arvis et agris.* ☉. IV. V.

CROCUS. 63.

Cor. Sexpartita, æqualis. *Stigmata* convoluta.

*1. CROCUS ſpatha univalvi radicale, corollæ tubo longiſſimo. *Sp. pl.* 35. *ſativus.*
Crocus, *Bauh. hiſt. II.* 637. *Ger. Em.* 151. ſativus. *Bauh. pin.* 651.
Anglis, Saffron.
Habitat *in agro* Cantabrigienſi, *et* Eſſexienſi Saffronwalden *oppidum colitur.* R. Syn. 4. VIII.
Pharm. Croci *ſtigma.*

IRIS. 57.

Cor. Sexpartita. *Petalis* alternis reflexis. *Stigmata* petaliformia.

1. IRIS corollis imberbibus, petalis interioribus ſtigmate minoribus, foliis enſiformibus. *Syſt. Nat.* 863. *Sp. pl.* 38. *Fl. ſuec.* 37. *Pſeudacorus.*
Iris paluſtris lutea. *Ger. Em.* 50. *R. Syn.* 374.
Acorus adulterinus. *Bau. pin.* 34.
Acorus paluſtris, ſive Pſeudo-iris et Iris lutea paluſtris. *Park.* 1219.
β Iris paluſtris pallida. *R. Syn.*
Anglis, yellow water Flower-de-luce.
Habitat *in udis, fluviis, paludoſis frequens.* 4. VII.
Pharm. *Acori paluſtris Radix.*

2. IRIS corollis imberbibus, petalis interioribus patentiſſimis, caule unangulato, foliis enſiformibus. *Syſt. Nat.* 863. *Sp. pl.* 39. *fœtidiſſima.*
Gladiolus fœtidus. *Bauh. pin.* 30.
Xyris. *Ger. Em.* 60. ſeu ſpatula fœtida. *Park.* 256.
Anglis, ſtinking Gladdon, or Gladwyn.

Habitat

Habitat *in ſylvis et ad ſepes, prope* Hornſey; *in ſylvula prope* Charleton *in* Cantio. ♃. VI. VII.
Pharm. Iris fœtidæ *Radix.*

*** *Flores Graminei valvulis Glumæ calycinæ.*

SCHOENUS. 60.

Glumæ paleaceæ, univalves, congeſtæ. *Cor.* 0. *ſem.* unicum, ſubrotundum.

* *Culmo tereti.*

Mariſcus. 1. SCHOENUS culmo tereti, foliis margine dorſoque aculeatis. *Fl. ſuec.* 38. *Sp. pl.* 42.
Cyperus longus inodorus germanicus. *Bauh. pin.* 14.
Cyperus longus inodorus ſylveſtris. *Ger. Em.* 29. *Park.* 1263. *R. Syn.* 426.
Pſeudo-cyperus paluſtris foliis et carina ſerratis. *Sch. agroſt.* 376.
Anglis, long-rooted baſtard Cyperus.
Habitat *in paludibus*; *on* Hinton Moor, *near* Cambridge, *plentifully*; *alſo in boggy places by the river* Thame *at* Dorſthill, *near* Tamworth, *in* Warwickſhire; *and by the ſea ſide between* Penſans *and* Marketjeu *in* Cornwall. ♃. VII. VIII.

nigricans. 2. SCHOENUS culmo tereti nudo, capitulo ovato, involucri diphylli valvula altera ſubulata longa. *Sp. pl.* 43. *Fl. ſuec.* 39. *Dalib. pariſ.* 113.
Juncus lævis minor, paniculâ glomerata nigricante. *Cat. pl. An.* 174. *R. Syn.* 430. *Hiſt. Ox. III.* 243. *t.* 10. *f.* 28.
Gramen ſparteum nigro capitulo. *Merr. pin.*
Anglis, round black-headed Bog-ruſh.
Habitat *in paludibus ceſpitoſis, et turfoſis.* ♃. VI.

ferrugineus. 3. SCHOENUS culmo tereti nudo, ſpica duplici, involucri valvula majore ſpicam æquante. *Sp. pl.* 43. *Fl. ſuec.* 40.
Juncello accedens graminifolia plantula capitulis Armeriæ proliferæ. *Lbwyd. R. Syn.* 430.
Gramen Cyperoides minimum Caryophylli proliferi capitulo ſimplici ſquamato. *Hiſt. Ox. III.* 246. *t.* 12. *f.* 40.

Anglis,

Anglis, brown baſtard Cyperus.
Habitat *in paludibus turfoſis*, *on the mountains of* Wales, *R. Syn. in* Weſtmorlandia *frequens*. 4. VII.

** *Culmo triquetro.*

4. SCHOENUS culmo ſubtriquetro nudo, ſpica diſticha, involucro monophyllo. *Sp. pl.* 43. *compreſſus.*
Gramen cyperoides ſpica ſimplici compreſſa diſticha. *Pluk. Ph. t.* 34. *f.* 9. *Sch. Agroſt.* 490. *Hiſt. Ox. III.* 245. *R. Syn.* 425.
Anglis, compreſſed baſtard Cyperus.
Habitat *in paludibus ceſpitoſis*, *in comitatu* Weſtmorlandico *frequens*; *about* Chiſſelhurſt *in* Kent; *and in the Rill near* Dulwich Wells. *R. Syn.* 4. VII.

5. SCHOENUS culmo ſubtriquetro folioſo, floribus faſciculatis, foliis ſetaceis. *Sp. pl.* 44. *Fl. ſuec.* 41. *albus.*
Cyperus minor paluſtris hirſutus, paniculis albis, paleaceis. *Hiſt. Ox. III.* 239. *t.* 9. *f.* 39. *R. Syn.* 427.
Gramen cyperoides albis glumis. *Merr. pin.*
Gramen junceum leucanthemum. *Ger. Em.* 30.
Anglis, white flowered Ruſh-graſs.
Habitat *in paluſtribus*. Mr. Doody *obſerved it on* Bagſhot Heath; Mr. Petiver *in a low bog between* Wickham *and* Croydon. *R. Syn. in comitatibus*, Eboracenſi, Lancaſtrienſi *ubique*. 4. VII.

CYPERUS. 61.

Glumæ paleaceæ, diſtiche imbricatæ. *Cor.* 0. *Sem.* unicum nudum.

1. CYPERUS culmo triquetro folioſo, umbella folioſa ſupera decompoſita; pedunculis nudis, ſpicis alternis. *Roy. lugdb.* 50. *Mat. med.* 29. *Sp. pl.* 45. *longus.*
Cyperus longus. *Ger. Em.* 30. odoratus. *Park.* 145. *R. Syn.* 425.
Cyperus odoratus radice longa. ſ. Cyperus Off. *Bauh. pin.* 14.
Anglis, ſweet Cyperus, or Engliſh Galingale.
Habitat *in paludibus*. *Found by* Mr. Newton, *in the iſle*

iſle of Purbeck, Dorſetſhire, *near a chapel on the ſide that looks towards* Portland *iſland.* *R. Syn.* 4. VII.

Pharmac. Cyperi longi *Radix.*

SCIRPUS. 62.

Glumæ paleaceæ, undique imbricatæ. *Cor.* 0. *Sem.* unicum imberbe.

* *Spica unica.*

paluſtris. 1. SCIRPUS culmo tereti nudo, ſpica ſubovata imbricata. *Sp. pl.* 47.
Scirpus equiſeti capitulo majori. *Tourn.* 528. *R. Syn.* 428. *Sch. agroſt.* 360.
Juncus equiſeti capitulis, major. *Bauh. pin.* 12.
Juncus aquaticus capitulis equiſeti. *Park.* 1196.
Juncus minor capitulis equiſeti. *Ger. Em.* 34.
Anglis, Club-ruſh.
Habitat *in foſſis, paludibus, fluviis frequens.* 4. VII.

ceſpitoſus. 2. SCIRPUS culmo ſtriato nudo, ſpica bivalvi terminali longitudine calycis, radicibus ſquamula interſtinctis. *Fl. ſuec.* 43, *Sp. pl.* 48.
Scirpus montanus capitulo breviori. *Tourn.* 528. *Sch. agr.* 363. *t.* 7. *f.* 18. *R. Syn.* 429.
Juncus parvus paluſtris, cum parvis capitulis equiſeti. *Pluk. Ph. t.* 406.
Anglis, Dwarf Club-ruſh.
Habitat *in paludibus ceſpitoſis; in pratis udis et locis paluſtribus circa* Middleton *vicum in agro* Warvicenſi. Mr. Doody *obſerved it in very dry places among Heath, and near a foot high.* *R. Syn.* 4. VII.

acicularis. 3. SCIRPUS culmo tereti nudo ſetiformi, ſpica ovata bivalvi, ſeminibus nudis. *Fl. ſuec.* 44. *Sp. pl.* 48. *Dalib. pariſ.* 17.
Scirpus minimus capitulis equiſeti. *Cat. Giſſ.* 165. *R. Syn.* 429.
Juncellus omnium minimus capitulis equiſeti. *Hiſt. Ox. III.* 145. *t.* 10. *f.* 37. *Pluk. Ph. t.* 40. *f.* 7.
Anglis, the leaſt upright Club-ruſh.

Habita

Habitat *in paluſtribus*; *in ericeto* Hounſlejano *verſus* Hampton, *invenit* D. Doody. R. ſyn. 4. VIII.

4. SCIRPUS culmis teretibus nudis alternis caule folioſo flaccido. *Sp. pl.* 48. *fluitans.*
Scirpus foliis linearibus planis alternatim faſciculatis, ſpica terminali. *Guett. Stamp.* 141.
Scirpus equiſeti capitulo minor. *Sch. agr.* 365. *t.* 7. *f.* 20. *R. Syn.* 431.
Juncellus, capitulis equiſeti, minor fluitans. *Bauh. pin.* 12.
Gramen junceum clavatum minimum. *R. Hiſt.* 1310. *Hiſt. Ox. III.* 230. *t.* 10. *f.* 31. *Pluk. Ph. t.* 35. *f.* 1.
Anglis, floating Club-ruſh.
Habitat *in foſſis et paludibus*, *in the ponds of* Wandſworth Common, *next the new churchyard in* Surrey. 4. VII. VIII.

** *Culmo tereti polyſtachio.*

5. SCIRPUS culmo tereti nudo, ſpicis ovatis pluribus pedunculatis terminalibus. *Fl. ſuec.* 46. *Sp. pl.* 48. *lacuſtris.*
Scirpus paluſtris altiſſimus. *Tourn.* 528. *R. Syn.* 428.
Juncus maximus s. Scirpus major. *Bauh. pin.* 12. *theatr.* 178.
Juncus lævis maximus. *Park.* 1191.
Juncus aquaticus maximus. *Ger. Em.* 35.
β Juncus s. Scirpus medius. *Bauh. pin.* 12.
γ Juncus aquaticus major caule carinato. *Doody. R. Syn.*
Anglis, Bull-ruſh.
Habitat *in ſtagnis et fluviis frequens.* 4. VII. VIII.

6. SCIRPUS culmo tereti nudo, ſpicis ſubgloboſis glomeratis pedunculatis, involucro diphyllo inæquali mucronato. *Sp. pl.* 49. *Holoſchoenus.*
Scirpus maritimus, capitulis rotundioribus glomeratis. *Tourn.* 528. *R. Syn.* 429.
Juncus acutus maritimus, capitulis rotundis. *Bauh. pin.* 11.
Juncus acutis maritimus alter. *Park.* 1196.

Anglis, Round-headed Bull-ruſh.
Habitat *in litoribus maritimis*. *Found by* Mr. Stephens *in* Brounton Boroughs *in* Devonſhire; *in* Somerſetſhire *and* Hampſhire. *Pet. conc. gr. R. Syn.* 429. 4. VII.

ſetaceus. 7. SCIRPUS culmo nudo ſetaceo, ſpicis lateralibus ſubſolitariis ſeſſilibus. *Sp. pl.* 49. *Fl. ſuec.* 45.
Scirpus foliaceus humilis. *C. Giſſ.* 158. *R. Syn.* 430.
Juncellus omnium minimus. Chamæſchænos. *Lob. adv.* 44. *Hiſt. Ox. III.* 232 *t.* 10. *f.* 23.
Juncellus inutilis ſive Chamæſchænos. *Bauh. pin.* 12. *pr.* 22.
Gramen junceum minimum capitulo ſquamoſo. *Bauh. pin.* 6. *pr.* 13.
Gramen junceum maritimum exile Plimmoſtii. *Park.* 1270. *ic.* 1271. *deſcr.*
Anglis, the leaſt Ruſh.
Habitat *in arenoſis humidioribus*. ☉. VII. VIII.

*** *Culmo triquetro, Panicula nuda.*

mucronatus. 8. SCIRPUS culmo triquetro nudo acuminato, paniculâ conglomerata nuda. *Sp. pl.* 50.
Juncus acutus maritimus caule triangulo. *Bauh. pin.* 11. *pr.* 22. *Fl.* 175. *Park.* 1194. *Hiſt. Ox.* 232. *t.* 10. *f.* 20.
Juncus acutus maritimus caule triquetro, rigido, mucrone pungente. *Pluk. Ph. t.* 40. *f.* 1. *R. Syn.* 429.
β Juncus acutus maritimus, caule triquetro maximo molli, procerior noſtras. *Pluk. Ph. t.* 40. *f.* 2.
Anglis, pointed Bull-ruſh.
Habitat *in litoribus maritimis*; *ad ripam* Thameſis *fluvii tam infra quam ſupra* Londinum. *R. Syn.* 4. VII. VIII.

**** *Culmo triquetro, Panicula foliacea.*

maritimus. 9. SCIRPUS culmo triquetro, panicula conglobata foliacea, ſpiculârum ſquamis trifidis; intermedia ſubulata. *Sp. pl.* 51. *Fl. ſuec.* 47.

Cyperus

Cyperus culmo triquetro, panicula foliacea, pedunculis ſimpliſſimis ſpicis confertis. *Roy. lugdb.* 50.
Gramen cyperoides panicula ſparſa majus. *Bauh. pin.* 6.
Gramen cyperoides paluſtris panicula ſparſa majus. *Park.* 1266. *R. Syn.* 425.
β Cyperus rotundus inodorus Anglicus. *Bauh. pin.* 14. *Anglis*, round rooted baſtard Cyperus.
Habitat *in litteribus maritimis, et ad ripas fluviorum frequens.* 4. VIII.

10. SCIRPUS culmo triquetro folioſo, umbella foliacea, pedunculis nudis ſupra-decompoſitis, ſpicis confertis. *Sp. pl.* 51. *Fl. ſuec.* 48. *ſylvaticus.*
Gramen cyperoides miliaceum *Bauh pin.* 6. *Th.* 90.
Pſeudo-cyperus miliaceus. *Park.* 1171.
Cyperus gramineus Bauh. *Hiſt. II.* 504. *R. Syn.* 426. miliaceus. *Ger. Em.* 30.
Anglis, Millet Cyperus-graſs.
Habitat *in aquoſis, et ſylvis humidis inter* Hampſtead *et* Highgate, *by the* Thame *ſide near* Tamworth *in* Warwickſhire; *in a brook near* Haverford-weſt *in* Pembrokeſhire. Mr. Dale *obſerved it by the river* Blackwater, *at a Mill below* Bocking *in* Eſſex. *R. Syn.* 4. VII.

ERIOPHORUM. 63.

Glumæ paleaceæ, undique imbricatæ. *Cor.* 0. *Sem.* 1. lana longiſſima cinctum.

1. ERIOPHORUM culmis teretibus, foliis planis, ſpicis pedunculatis. *Sp. pl.* 52. *Fl. ſuec.* 49. *Dalib. pariſ.* 18. *polyſtachion.*
Eriophorum ſpicis pendulis. *Fl. lapp.* 28. *Roy. Lugdb.* 51.
Gramen pratenſe tomentoſum panicula ſparſa. *Bauh. pin.* 4.
Gramen tomentarium. *Ger. Em.* 29.
Gramen junceum lanatum, vel juncus bombycinus vulgaris. *Park.* 1271.
Linagroſtis. *Tab. Hiſt.* 599. *R. Syn.* 435.
Anglis, Cotton-graſs.

Habitat *in pratis humidis, paludibus, ceſpitoſis.* 4. VI. VII.

vaginatum. 2. ERIOPHORUM culmis vaginatis teretibus, ſpica paleacea. *Sp. pl.* 52. *Fl. ſuec.* 50. *Dalib. pariſ.* 18.
Juncus capitulo lanuginoſo. ſ. Schœnolaguros. *Bauh. pin.* 12.
Gramen juncoides lanatum alterum Danicum. *Park.* 1271.
Anglis, Hare's-tail-ruſh.
Habitat *in paludibus alpinis, ſolo ceſpitoſo, in comitatu* Weſtmorlandico *frequens. On the great bog beyond* Joan Cole's, *towards* Croydon, Mr. Sherard. *R. Syn.* 4. II.—IV.

NARDUS. 65.

Calyx nullus. *Cor.* bivalvis.

ſtricta. 1. NARDUS ſpica ſetacea recta. *Sp. pl.* 53. *Fl. ſuec.* 52.
Gramen ſparteum juncifolium. *Bauh. pin.* 5. *R. Syn.* 393.
Spartum parvum Batavicum et Anglicum. *Park.* 1199.
Spartum noſtras parvum lobelio. *Ger. Em.* 43.
Anglis, Mat-graſs.
Habitat *in paluſtribus et ericetis frequens.* 4. VI. VII.

DIGYNIA.

PHALARIS. 69.

Cal. bivalvis, carinatus, longitudine æqualis, corollam includens.

canarienſis. * 1. PHALARIS panicula ſubovata ſpiciformi, glumis carinatis. *Sp. pl* 54.
Phalaris major ſemine albo. *Bauh. pin.* 28. *Hiſt. Ox.* 186. *t.* 3. *f.* 1.
Phalaris. *Ger. Em.* 86.
Anglis, manured Canary graſs.
Habitat *in ruderatis et ad vias.* ⊙. VI.—IX.

2. PHA-

2. PHALARIS ſpica ovata; calycis valvulis dorſo ciliatis, culmo ramoſo. *arenaria.*
Phleum ſpica ovata ciliata, caule ramoſo. *Sp. pl.* 60.
Gramen typhinum maritimum minus. *R. Syn.* 398. *Pluk. Ph. t.* 33. *f.* 8.
Gramen typhinum Danicum minus. *Park.* 1170.
Anglis, Sea Canary-graſs.
Habitat *in arena mobili juxta mare.* ⊙. VII.

3. PHALARIS panicula oblonga ventricoſa. *Sp. pl.* 55. *arundinacea.*
Arundo foliis planis panicula ſpicata, ſpiculis confertis. *Hort. cliff.* 26.
Gramen arundinaceum aceroſa gluma noſtras. *Park.* 1273. *Hiſt. Ox. III.* 203. *t.* 6. *f.* 14. *R. Syn.* 400.
Gramen aquaticum paniculatum latifolium. *Bauh. pin.* 6.
β Gramen arundinaceum aceroſa gluma Jerſejanum. *D. Sherard.*
Anglis, Reed Canary-graſs.
Habitat *ad ripas fluviorum.* ♃. VII.

PANICUM. 70.

Cal. trivalvis; valvula tertia minima.

1. PANICUM ſpica tereti, involucellis biſloris faſciculato-piloſis, ſeminibus nervoſis. *Syſt. Nat. II.* 870. *viride.*
Gramen paniceum ſpica ſimplici lævi. *R. Syn.* 393.
Gramen panici effigie ſpica ſimplici. *Ger. Em.* 17.
Gramen paniceum ſpica ſimplici ἐλυμάγρωσις. *Bauh. pin.* 8. *Park.* 1154.
β Gramen paniceum ſpica aſpera. *Bauh. pin.* 8.
Anglis, Green Panick-graſs.
Habitat *in arvis prope* Batterſea *copioſe.* ⊙. VII. VIII.

2 PANICUM ſpicis alternis conjugatiſque, ſpiculis ſubdiviſis, glumis ariſtatis hiſpidis, rachi quinquangulari. *Sp. pl.* 56. *Cruſgalli.*
Gramen paniceum ſpica diviſa. *Bauh. pin.* 8. *R. Syn.* 394.

Panicum vulgare. *Ger, Em.* 85.
Panicum ſylveſtre Herbariorum. *Park.* 1154.
Anglis, Looſe Panick-graſs.
Habitat *cum priore.* ⊙. VIII.

ſanguinale. 3. PANICUM ſpicis digitatis baſi interiore nodoſis, floſculis geminis nuticis, vaginis foliorum punctatis. *Sp. pl.* 57.
Gramen dactylon latiore folio. *Bauh. pin.* 8. *Th.* 114.
Iſchæmon ſylveſtre latiore folio. *Park.* 1178.
Iſchæmon vulgare. *Ger. Em.* 27.
Anglis, Cock's-foot Panick-graſs.
Habitat *in arvis inter* Batterſea *et* Wandſworth; *plentifully in the ploughed fields about* Elden *in* Suffolk. T. Williſell. *R. Syn.* ⊙. VIII.

dactylon. 4. PANICUM ſpicis digitatis patentibus; baſi interiore villoſis, floribus ſolitariis, ſarmentis repentibus. *Sp. pl.* 58.
Gramen Dactylon, folio arundinaceo, majus aculeatum. *Bauh. pin.* 7.
Gramen Dactyloides radice repente. *Ger. Em.* 28.
Gramen canarium iſchæmi paniculis. *Park.* 1179.
Gramen repens cum panicula graminis Mannæ. *Bauh. Hiſt. II.* 459.
Anglis, creeping Panick-graſs.
Habitat *in arenoſis. Found by* Mr. Newton *on the ſandy ſhores between* Penſans *and* Marketjeu *in* Cornwall *plentifully. R. Syn.* ♃. VII.

PHLEUM. 71.

Cal. bivalvis, linearis truncatus, apice bicuſpidato. *Cor.* incluſa.

pratenſe. 1. PHLEUM ſpica cylindrica longiſſima; glumis ciliatis.
Pleum ſpica cylindrica longiſſima. *Fl. lapp.* 26. *Fl. ſuec.* 50. *Sp. pl.* 54.
Gramen typhoides maximum ſpica longiſſima. *Bauh. pin.* 4. *Th.* 49. *Hiſt. Ox. III.* 188. *t.* 4. *f.* 1.

Gramen

Gramen typhinum majus ſeu primum. *Ger. Em.* 11. *R. Syn.* 398.
Gramen typhinum medium ſ. vulgatiſſimum. *Park.* 1170.
β Gramen typhinum minus. *Ger. Em.* 11. *Park.* 1170.
Anglis, Meadow Cat's-tail-graſs.
Habitat *in pratis et paſcuis.* ♃. VII.

2. PHLEUM panicula cylindrica ſpiciformi, glumis glabris, culmo ſubramoſo. *paniculatum.*
Anglis, branched Cat's-tail-graſs.
Habitat *in pratis infra* King's Weſton *prope* Briſtolium. ♃. VII.

3. PHLEUM ſpica ovato-oblonga baſi ſterili, culmo ſubrepente, radice bulboſa. *Syſt. Nat.* 871. *nodoſum.*
Gramen nodoſum ſpica parva. *Bauh. pin.* 2. *pr.* 3.
Anglis, bulboſe Cat's-tail-graſs.
Habitat *in paſcuis et ad vias ubique.* ♃. VII. VIII.

ALOPECURUS. 72.

Calyx bivalvis. *Corolla* univalvis.

1. ALOPECURUS panicula cylindrica ſpiciformi, culmo erecto. *pratenſis.*
Alopecurus culmo ſpicato erecto. *Roy. lugdb.* 54. *Fl. ſuec.* 59. *Sp. pl.* 60.
Gramen alopecuroides majus. *Ger. Em.* 10.
Gramen phalaroides ſpica molli ſive Germanicum. *Bauh. pin.* 4.
Gramen phalaroides majus, ſive Italicum. *Bauh. pin.* 4. *Park.* 1164.
Anglis, Meadow Fox-tail-graſs.
Habitat *in pratis et paſcuis ubique.* ♃. V.

2. ALOPECURUS ſpica cylindrica longiſſima glumis glabris; culmo ſuberecto. *myoſuroides.*
Gramen myoſuroides majus, ſpica longiore, ariſtis rectis. *R. Syn.* 397.
Gramen typhoides ſpica anguſtiore. *Bauh. pin.* 4. *Th.* 53.

Gramen alopecuroides ſpica longa majus et minus. *Park.* 1169.
Gramen alopecuroides minus. *Ger. Em.* 10.
β Gramen myoſuroides minus, ſpica breviore ariſtis recurvis. *R. Syn.* 397.
Anglis, Field Fox-tail-graſs.
Habitat *in arvis, et ad vias.* ♃. VII. VIII.

bulboſus. 3. ALOPECURUS ſpica cylindrica, culmo erecto, radice bulboſa.
Gramen myoſuroides nodoſum. *R. Syn.* 397.
Anglis, bulboſe Fox-tail-graſs.
Habitat *in paſcuis et pratis. In the firſt field next the road before you go into* Northfleet. Dr. Wilmer. ♃. VI.

geniculatus. 4. ALOPECURUS culmo ſpicato infracto. *Fl. ſuec.* 60. *Sp. pl.* 60.
Gramen aquaticum geniculatum ſpicatum. *Bauh. pin.* 3. *Th.* 41. *R. Syn.* 396.
Gramen fluviatile ſpicatum. *Ger. Em.* 14.
Gramen aquaticum ſpicatum. *Park.* 1275.
β Gramen fluviatile album. *Tab. Icon.*
Anglis, Flote Fox tail graſs.
Habitat *in aquoſis.* ♃. VI.—VIII.

STIPA. 84.

Calyx bivalvis, uniflorus. *Cor.* valvula exteriore ariſta terminali : baſi articulata.

pennata. 1. STIPA ariſtis lanatis. *Sp. pl.* 78.
Gramen ſparteum pennatum. *Bauh. pin.* 5. *Th.* 70. *R. Syn.* 393.
Spartum Auſtriacum pennatum. *Cluſ. Hiſt.* 2. *p.* 221. *Ger. Em.* 42.
Anglis, Feather-graſs.
Habitat *in montoſis. Found by Dr.* Richardſon *in company with* Thomas Lawſon, *on the Limeſtone rocks hanging over a little valley called* Longſleadale, *about ſix miles north of* Kendal *in* Weſtmoreland. *R. Syn.* ♃. VII. VIII.

DAC-

DACTYLIS. 80.

Cal. bivalvis, acutus; altera valvula majore.

1. DACTYLIS ſpicis ſparſis ſecundis ſcabris numeroſis. *Læſt. hiſp.* 115. *Sp. pl.* 71. *cynoſuroides.*
Spartum Eſſexianum, ſpica gemina clauſa. *Pet. conc. gr.* 35. *R. Hiſt. III. App.* 248. *Syn.* 393.
Gramen ſparteum ſerotinum, capite bifido vel gemino. *Merr. pin.*
Anglis, Smooth Cock's-foot-graſs.
Habitat *in paludibus.* *At* Crixey Ferry *in* Eſſex. Mr. Buddle *found it in the marſhes on the river* Wallfleet, *near* Fambridge Ferry *in* Dengey Hundred, *in* Eſſex; *and Mr.* J. Sherard *in the* Swail, *near the mouth of* Feverſham Creek, *about* Auguſt *and* September. *R. Syn.* ☉.

2. DACTYLIS panicula ſecunda glomerata. *Sp. pl.* 71. *Fl.* 87. *glomeratus.*
Poa floſculis confertis uno verſu diſpoſitis. *Hort. cliff.*
Gramen ſpicatum ſolio aſpero. *Bauh. pin.* 3. *pr.* 59. *Th.* 45.
Gramen pratenſe ſpica multiplici rubra. *Park.* 1161.
Gramen panicula toroſa pratenſe aſperum. *Hiſt. Ox. III.* 202. *t.* 6. *f.* 38.
Calamagroſtis toroſa panicula. *Park.* 1182.
Anglis, rough Cock's-foot-graſs.
Habitat *in pratis et paſcuis.* ♃. VI.—VIII.

MILIUM. 73.

Cal. bivalvis, uniflorus, corollam ſubexcedens. *Stigmata* penicilliformia.

1. MILIUM floribus paniculatis diſperſis muticis. *Sp. pl.* 61. *Fl. ſuec.* 61. *effuſum.*
Gramen miliaceum. *Lob. ic.* 3. *Ger. Em.* 6. *Bauh. hiſt. II.* 462. *R. Syn.* 402.
Gramen ſylvaticum panicula miliacea ſparſa. *Bauh. pin.* 8.
Gramen miliaceum vulgare. *Park.* 1153.

Anglis,

Anglis, Millet-graſs.
Habitat *in ſylvis humidis frequens.* ⊙. VI. VII.

AGROSTIS. 74.

Cal. bivalvis, uniflorus, corolla paulo minor. *Stigmata* longitudinaliter hiſpida.

* *Ariſtate.*

ſpicaventi. 1. AGROSTIS petalo exteriore ariſta recta ſtricta longiſſima, panicula patula. *Syſt. Nat.* 872. *Sp. pl.* 61. *Fl. ſuec.* 62.
Gramen ſegetum panicula arundinacea. *Bauh. pin.* 3. *Th.* 35.
Gramen agrorum. Lobelii. *Bauh. hiſt. II.* 461.
Gramen agrorum venti ſpica. *Park.* 1158.
Gramen arundinaceum. *Ger. Em.* 5.
Gramen miliaceum majus, glumis ariſtatis, ſpadiceis et pallidis. *Pet. conc. gr. n.* 122. 123. *R. Syn.* 405.
Anglis, Silky Bent-graſs.
Habitat *in arvis paſſim.* ⊙. VII.

canina. 2. AGROSTIS calycibus coloratis, petalorum ariſta dorſali recurva. *Fl. ſuec.* 65. *Sp. pl.* 62.
Gramen ſupinum canenum paniculatum, folio varians. *Bauh. pin.* 1.
Gramen paniculatum ſupinum, ad infima culmorum genicula, foliorum capillarium faſciculis donatum. *Sch. agr.* 141.
Anglis, brown Bent-graſs.
Habitat *in pratis humidis frequens.* ♃. VII. VIII.

rubra. 3. AGROSTIS panicula lanceolata ſpiciformi, calyce floſculo triplo longiore, petalorum ariſta dorſali recurva.
Agroſtis panicula parte florente patentiſſima, petalo exteriore glabro terminato ariſta tortili recurva. *Fl. ſuec.* 64. *Sp. pl.* 62.
Panicum ſerotinum arvenſe ſpica pyramidata. *Tourn.* 515. *R. Syn.* 394.
Gramen ſerotinum ſpica laxa pyramidali. *R. hiſt.* 1288.

Gramen

Gramen alopecuro accedens, ex culmi geniculis ſpicas cum petiolis longiuſculis promens. *Pluk. phyt. t.* 33. *f.* 6.
Anglis, red Bent-graſs.
Habitat *in pratis et paſcuis. In* Inſula Shepey *copioſe.* ⊙. VII.

** *Muticæ.*

4. AGROSTIS paniculæ ramulis divaricatis muticis, culmo repente, calycibus æqualibus. *Fl. ſuec.* 65. *Sp. pl.* 62. *ſtoloniſera*
Agroſtis culmo repente foliis radicalibus breviore, folii ſuprema vagina ventricoſa. *Fl. ſuec. ed. I.* 61.
Gramen montanum miliaceum minus, radice repente. *R. Syn.* 402.
Gramen caninum ſupinum minus. *Bauh. pin.* 1. *Sch. agr.* 128.
β Gramen miliaceum folio anguſtiſſimo. *Pet. conc. gr.* 116.
γ Gramen miliaceum anguſtifolium, glumis perexiguis. *Pet conc. gr.* 117.
Anglis, creeping Bent-graſs.
Habitat *in pratis et paſcuis ſubhumidis ſed rarius.* 4. VIII.

5. AGROSTIS panicula coarctata mutica, calycibus æqualibus hiſpidiuſculis coloratis ; culmo repente. *paluſtris.*
Gramen miliaceum majus, panicula ſpadicea. *Pet. conc. gr.* 118. *R. Syn.* 464.
β Gramen miliaceum majus panicula viridi. *Pet. conc. gr.* 119.
Anglis, Marſh Bent-graſs.
Habitat *in foſſis et locis uliginoſis frequens.* 4. VII.

6. AGROSTIS panicula capillari patente, calycibus ſubulatis æqualibus hiſpidiuſculis coloratis floſculis muticis. *Roy. lugdb.* 59. *Dalib. pariſ.* 23. *Sp. pl.* 62. *capillaris.*
Gramen montanum panicula ſpadicea delicatiore. *Bauh. pin.* 3.
Gramen miliaceum locuſtis minimis, panicula fere arundinacea. *R. meth. em.* 177. *Syn.* 402.

Gramen

Gramen pratenſe vulgare panicula fere arundinacea. *Bauh. hiſt. II.* 461.
Anglis, Fine Bent-graſs.
Habitat *in pratis et paſcuis ubique.* ♃. VIII.

ſylvatica. 7. AGROSTIS panicula coarctata mutica, calycibus æqualibus, corolla ante floreſcentiam calyce breviore, poſtea duplo longiore.
Gramen miliaceum ſylveſtre glumis oblongis. *Pet. oonc. gr.* 121. *R. Syn.* 404.
Anglis, Wood Bent-graſs.
Habitat *in ſylvis humoſis. Firſt diſcovered by* Mr. Buddle *in* Biſhop's-wood, Hampſtead. *R. Syn. in ſylvula* Hornſey-wood *dicta.* ♃. VIII.

minima. 8. AGROSTIS panicula mutica filiformi. *Sp. pl.* 63.
Nardus panicula ſpicata, floribus ſolitariis alternis *Guett. ſtamp.* 155. *Dalib. pariſ.* 155.
Gramen minimum paniculis elegantiſſimis. *Bauh. pin.* 2. *Sch. agr.* 40. *Hiſt. Ox. III.* 200. *t.* 2. *f.* 10.
Gramen minimum. *Bauh. hiſt. II.* 465. *Dalech. hiſt.* 425.
Gramen minimum anglo-britanicum. *Lob. ill.* 20. *R. Syn. pl. dub.*
Anglis, ſmall Bent-graſs.
Habitat *in* Wallia D. Stillingfleet *invenit.*

** *Flores biflori vagi.*

AIRA. 75.

Cal. bivalvis, biflorus, floſculi abſque interjecto rudimento.

* *Muticæ.*

criſtata. 1. AIRA panicula ſpicata, floribus muticis pedunculo longioribus glumis acuminatis inæqualibus. *Roy. Lugdb.* 61. *Sp. pl.* 63.
Gramen ſpica criſtata ſubhirſutum. *Bauh. pin.* 2. *Hiſt. Ox. III* 194. *t.* 4. *f.* 7.
Gramen pumilum ſpica purpuro-argentea molli. *R. Syn.* 396.

Anglis,

Anglis, criſted Hair-graſs.
Habitat *in pratis montanis ſterilibus. On* Blackheath. *Pet. conc. gr.* 4. VII. VIII.

2. AIRA panicula coarctata, floribus pedunculatis muticis convoluto-ſubulatis, foliis planis. *Syſt. Nat.* 873. *Sp. pl.* 63. *Fl. ſuec.* 67. *cærulea.*
Poa ſpiculis ſubulatis, panicula rara contracta. *Fl. lapp.* 29.
Gramen pratenſe ſerotinum panicula longa purpuraſcente. *R. Syn.* 404. *Hiſt. Ox. III.* 201. *t.* 5. *f.* 22.
Gramen pratenſe ſpica Lavendulæ. *Merr. Pin.*
Anglis, Purple Hair-graſs.
Habitat *in locis uliginoſis, ceſpitoſis, ſteriliſſimis, frequens.* 4. VIII.

3. AIRA panicula patente, floribus muticis lævibus calyce longioribus, foliis planis. *Syſt. Nat.* 873. *Fl. ſuec.* 68. *Sp. pl.* 64. *aquatica.*
Aira culmo inferiore repente, floſculis muticis calyce longioribus, altero pedunculato. *Roy. lugdb.* 60.
Gramen miliaceum aquaticum. *R. Syn.* 402. *Sch. agr.* 218.
Gramen caninum ſupinum paniculatum dulce. *Bauh. pin.* 2. *Bauh. hiſt. II.* 459.
Gramen miliaceum fluitans ſuavis ſaporis. *Merr. pin.*
Gramen exile tenuifolium Canario ſimile. ſ. Gramen dulce. *Park.* 1174.
Anglis, Water Hair-graſs.
Habitat *in aquoſis et ad ripas fluviorum.* 4. VI. VII.

** *Ariſtate.*

4. AIRA foliis planis, panicula patente, petalis baſi villoſis ariſtatiſque; ariſta erecta brevi. *Fl. ſuec.* 70. *Sp. pl.* 64. *cæſpitoſa.*
Gramen ſegetum altiſſimum panicula ſparſa. *Bauh. pin.* 3. *Hiſt. Ox. III.* 199. *t.* 5. *f.* 1.
Gramen ſegetum panicula ſpecioſa. *Park.* 1158.
Gramen ſegetale. *Ger. Em.* 5.

Gramen

Gramen miliaceum ſegetale majus. *Pet. conc. gr.* 114. *R. Syn.* 403.
Anglis, Turfy Hair-graſs.
Habitat *in pratis et ſylvis humidis frequens.* 4. VII. VIII.

flexuoſa. 5. AIRA foliis ſetaceis, culmis ſubnudis, panicula divaricata pedunculis flexuoſis. *Fl. ſuec.* 71. *Sp. pl.* 65.
Aira panicula rara calycibus fuſcis. *Fl. lapp.* 49.
Gramen paniculatum locuſtis parvis purpuro-argenteis majus et perenne. *R. Syn.* 407.
Gramen avenaceum panicalatum alpinum, foliis capillaceis brevibus, locuſtis purpuro-argenteis et ariſtatis *Sch. agr. t.* 4. *f.* 4.
Gramen avenaceum capillaceum minoribus glumis. *Bauh. pin.* 10.

montana. β Aira foliis ſetaceis panicula anguſtata, floſculis baſi piloſis ariſtatis; ariſta tortili longiore. *Fl. ſuec.* 72. *Sp. pl.* 65.
Gramen nemoroſum paniculis albis, capillaceo folio. *Bauh. pin.* 7. *pr.* 14. *th.* 97. *Hiſt. Ox. III.* 300. *t.* 7. *f.* 6. *R. Syn.* 407.
Anglis, Mountain Hair-graſs.
Habitat *in ericetis et paſcuis ſterilibus.* 4. VII. VIII.

ſetacea. 6. AIRA foliis ſetaceis, panicula ſecunda coarctata, ariſtis floſculis duplo longioribus recurvis.
Anglis, ſmall leaved Hair-graſs.
Habitat *in ericeto* Strattonienſi *in comitatu* Norfolk. D. Stillingfleet *reperit.* 4. VII. VIII.

caneſcens. 7. AIRA foliis ſetaceis; ſummo paniculam inferne obvolvente. *Roy. lugdb.* 60. *Fl. ſuec.* 74. *Sp. pl.* 65.
Aira foliis ſetaceis ariſtis ex baſi glumarum calycem æquantibus. *Hort. cliff.* 495.
Gramen foliis junceis, radice jubata. *Bauh. pin.* 5. *Th.* 72.
Gramen miliaceum maritimum molle. *Pet. conc. gr.* 126. *R. Syn.* 405.
Anglis, Grey Hair graſs.
Habitat *in arenoſis maritimis.* 4. VII.

8 AIRA

8. AIRA foliis ſetaceis; vaginis angulatis floribus paniculato-ſpicatis, floſculis baſi ariſtatis. *Fl. ſuec.* 75. *Sp. pl.* 65. *præcox.*
Gramen parvum præcox panicula (potius ſpica) laxa caneſcente. *R. Syn.* 407. *Pluk. ph. t.* 33. *f.* 9.
Gramen minimum ſpica brevi habitiore noſtrum. *R. Syn. ed.* 2. *p.* 252.
Anglis, early Hair graſs.
Habitat *in arenoſis et ſterilibus frequens.* ⊙. V. VI.

9. AIRA foliis ſetaceis, panicula divaricata, floribus ariſtatis diſtantibus. *Sp. pl.* 66. *caryophyllea.*
Aira foliis ſubulatis, ariſtis a baſi floſculorum tortilibus, floſculo altero pedunculato. *Roy. lugdb.* 60. *Dalib. pariſ.* 26.
Gramen paniculatum, locuſtis purpureo-argenteis annuum. *R. Syn.* 407.
Gramen paniculatum purpureo-argenteum, locuſtis parvis annuum. *Hiſt. Ox. III.* 200. *t.* 5. *f.* 11.
Caryophyllus arvenſis glaber minimus. *Bauh. pin.* 105.
Anglis, Silver Hair-graſs.
Habitat *in paſcuis arenoſis ubique.* ⊙. VII.

MELICA. 76.

Calyx bivalvis, biflorus. *Rudimentum* floris inter floſculos.

1. MELICA petalis imberbibus, panicula nutante ſimplici. *Sp. pl.* 66. *nutans.*
Melica floribus ſub culmo pendulis. *Fl. lapp.* 36.
Gramen avenaceum nemorenſe, glumis rarioribus exfuſco xerampelinis. *R. Syn.* 403.
Gramen avenaceum locuſtis rarioribus. *Bauh. pin.* 10.
Gramen avenaceum ſpica mutica rariore gluma. *Hiſt. Ox. III. t.* 7. *f.* 49.
Gramen locuſtis rubris. *Park.* 1151. *Baub. hiſt. II.* 434.
β Gramen avenaceum locuſtis rubris montanum. *Bauh. pin.* 10.

Anglis,

Anglis, Melic-graſs.
Habitat *in ſylvis ſubhumidis frequens.* 4. VI. VII.

*** *Flores multiflori vagi.*

BRIZA. 7.

Cal. bivalvis, multiflorus. *Spicula* diſticha; valvulis cordatis.

media. 1. BRIZA ſpiculis ovatis, calyce floſculis breviore. *Fl. ſuec.* 86. *Sp. pl.* 70.
Gramen tremulum. *Bauh. hiſt. II.* 469. majus. *Bauh. pin.* 2. *R. Syn.* 412.
Gramen tremulum ſ. phalaris media Anglica prima an ſecunda. *Park.* 1165.
Phalaris pratenſe. *Ger. Em.* 86.
Anglis, middle Quaking-graſs, Cow-quakes, and Ladies-hair.
Habitat *in pratis et paſcuis.* 4. VI.

minor. 2. BRIZA ſpiculis triangulis, calyce floſculis longiore. *Sp. pl.* 70.
Gramen tremulum minus, panicula parva. *Bauh. pin.* 2. *Hiſt. Ox. III.* 208. *t.* 6. *f.* 47.
Gramen tremulum minus, panicula ampla, locuſtis parvis triangulis. *R. Syn.* 412.
Anglis, ſmall Quaking-graſs.
Habitat *in paſcuis. In* Jerſey. Dr. Sherard. *R. Syn.* 4. VII.

POA. 77.

Cal. bivalvis, multiflorus. *Spicula* ovata: valvulis ovato-acuminatis.

aquatica. 1. POA panicula diffuſa, ſpiculis ſexfloris linearibus. *Fl. ſuec.* 81. *Sp. pl.* 67.
Poa panicula diffuſa, ſpiculis ſexfloris linearibus muticis compreſſis. *Act. ſtockh.* 1741. *p.* 185.
Gramen paniculatum aquaticum latifolium. *Bauh. pin.* 3. *Hiſt. Ox. III.* 201. *t.* 6 *f.* 25.
Gramen paluſtre paniculatum altiſſimum. *Bauh. pin.* 3.

Gramen

Gramen aquaticum majus. *Ger. Em.* 6. 411.
Anglis, Reed Meadow-graſs.
Habitat *ad ripas fluviorum, et in paludibus.* 4. VII. VIII.

2. POA panicula diffuſa, ſpiculis ſubtrifloris baſi pubeſcentibus, culmo erecto tereti. *Syſt. Nat.* 874. *Sp. pl.* 67. *trivialis.*
Gramen pratenſe paniculatum medium. *Bauh. pin.* 2. *R. Syn.* 409.
Gramen pratenſe minus. *Bauh. hiſt. II.* 542. *Park.* 1156. *Ger. Em.* 2.
Anglis, common Meadow-graſs.
Habitat *in pratis et paſcuis ubique.* 4. VI.—VIII.

3. POA panicula diffuſa, ſpiculis quinquefloris, glabris culmo erecto tereti. *Fl. ſuec.* 82. *Sp. pl.* 67. *pratenſis.*
Gramen pratenſe paniculatum majus latiore folio, Poa Theophraſti. *Bauh. pin.* 2. *th.* 28. *R. Syn.* 409.
Gramen pratenſe. *Ger. Em.* 2. vulgatius. *Park.* 1156.
Anglis, great Meadow-graſs.
Habitat *in pratis et paſcuis prope* Mary-le-bon. 4. VI. VII.

4. POA panicula coarctata ſecunda, culmo obliquo compreſſo. *Fl. ſuec.* 84. *Sp. pl.* 68. *compreſſa.*
Poa ſpiculis ovatis compreſſis muticis, panicula ſecunda contracta. *Act. ſtockh.* 1741. *p.* 184.
Gramen pratenſe medium culmo compreſſo, *Bud. H. S. R. Syn.* 409.
Gramen murorum, radice repente. *Bauh. pin.* 2, *pr.* 2.
Gramen paniculatum, radice repente, culmo compreſſo. *Vaill. pariſ.* 91. *t.* 18. *f.* 5.
Anglis, creeping Meadow-graſs.
Habitat *in locis ſiccis, tectis, muris. On the walls about* Eltham, Mr. J. Sherard. *R. Syn. in pratis prope* Mary-le-bon. ⊙. VI.

anguſtifolia. 5. POA panicula diffuſa ſpiculis quadrifloris pubeſcentibus, culmo erecto tereti. *Fl. ſuec.* 81. *Sp. pl.* 67.
Poa ſpiculis ovato-oblongis, foliis ſubulatis. *Fl. lapp.* 52.
Gramen pratenſe paniculatum majus anguſtiore folio. *Bauh. pin.* 2. *pr.* 5. *Hiſt. Ox. III.* 201. *t.* 5. *f.* 19.
Anglis, narrow leaved Meadow-graſs.
Habitat *in ſylvis et ſepibus.* ⊙. VII.

bulboſa. 6. POA panicula ſecunda patentiuſcula, ſpiculis quadrifloris. *Sp. pl.* 70.
Poa culmorum baſi tuberoſa. *Guet. ſtamp. I.* 168. *Dalib. pariſ.* 29.
Gramen arvenſe, panicula criſpa. *Bauh. pin.* 3. *Barr. ic.* 703.
Gramen arvenſe, panicula criſpa longiore noſtraſ. *Pluk. alm.* 176.
Anglis, bulboſe Meadow graſs.
Habitat *in pratis et paſcuis*; *prope* Clapham *in comitatu* Surrienſi. 4. VI.

ſetacea. 7. POA panicula diffuſa, ſpiculis trifloris pubeſcentibus, foliis radicalibus ſetaceis.
Anglis, Hair-leaved Meadow-graſs.
Habitat *in paſcuis ſiccis prope* Mary-le-bon. ⊙. V. VI.

annua. 8. POA panicula diffuſa angulis rectis, ſpiculis obtuſis culmo obliquo compreſſo. *Fl ſuec.* 85. *Sp. pl.* 68 *Dalib. pariſ.* 28.
Gramen pratenſe minus ſeu vulgatiſſimum. *R. Syn.* 408.
Gramen pratenſe minimum album et rubrum. *Park.* 1156. *Ger. Em.* 3.
Gramen pratenſe paniculatum minus. *Bauh. pin.* 3. *Th.* 31.
Anglis, annual Meadow-graſs, or Suffolk graſs.
Habitat *in pratis et paſcuis ubique.* ⊙. IV.—IX.

nemoralis. 9. POA panicula attenuata, ſpiculis ſubifloris mucronatis ſcabris, culmo incurvo. *Sp pl* 69.

Gramen

Gramen ſylvaticum, panicula tenui e raris locuſtis compoſita. *Dill. lat. giſſ.* 57.
Gramen paniculatum anguſtifolium alpinum, locuſtis rarioribus et anguſtioribus non ariſtatis. *Sch. agr.* 164. *t.* 2. *f.*
Anglis, Wood Meadow-graſs.
Habitat *in ſylvis et umbroſis.* ☉. VI.

10. POA panicula ſubſpicata, ſpiculis ſecundis coarctatis, foliis convolutis. *maritima.*
Gramen paniculatum maritimum vulgatiſſimum. *R. Syn.* 409.
β Gramen caninum maritimum paniculatum. *R. Syn.* 410.
Anglis, Sea Meadow-graſs.
Habitat *in littoribus maritimis ubique.* ♃. VI. VII.

11. POA panicula lanceolata ſubramoſa, paniculis alternis ſecundis. *rigida.*
Poa panicula lanceolata ſubramoſa, floribus alternis ſecundis. *Roy. lugdb.* 62. *Guett. ſtamp.* 62.
Gramen loliaceum murorum duriuſculum ſpica erecta rigida. *Hiſt. Ox. III.* 182. *t.* 2. *f.* 9.
Gramen panicula multiplici. *Bauh. pin.* 3. *pr.* 6. *Park.* 1157.
Gramen exile duriuſculum in muris et aridis proveniens. *R. Syn.* 410.
Anglis, Hard Meadow-graſs.
Habitat *in muris, tectis, et arenoſis frequens.* ☉. VII.

12. POA ſpicata, ſpiculis alternis ſeſſilibus, ſubſexfloris. *loliacea.*
Gramen pumilum Loliaceo ſimile. *R. Syn.* 395.
Gramen exile duriuſculum maritimum foliolis circumvolutis, veluti junceis brevibus. *Pluk. phyt. t.* 32. *f.* 7.
Anglis, ſpiked Meadow-graſs.
Habitat *in arenoſis maritimis frequens.* ♃. V. VI.

FESTUCA. 82.

Cal. bivalvis, Spicula oblonga, teretiuſcula, glumis acuminatis.

* *Panicula ſecunda.*

ovina. 1. FESTUCA panicula ſecunda coarctata ariſtata, culmo tetragono nudiuſculo, foliis ſetaceis. *Fl. ſuec.* 91. *Sp. pl.* 73.
Poa ſpiculis ovato anguſtis ariſtato-acuminatis. *Fl. lapp.*
Gramen capillaceum, locuſtellis pennatis non ariſtatis. *Pluk. Ph. t.* 34. *f.* 2. *R. Syn.* 410.
Gramen loliaceum, foliis brevibus junceis, minus. *Hiſt. Ox. III.* 182. *t.* 3. *f.* 13.
Gramen foliis junceis brevibus majus, radice nigra. *Bauh. pin.* 5. *Sch. agr.* 276.

vivipora. β Feſtuca ſpiculis viviparis. *Fl. ſuec.* 913.
Gramen ſparteum montanum, ſpica foliacea graminea majus et minus. *R. Syn.* 410. *t.* 22. *f.* 1.
Anglis, Sheep's Feſcue-graſs.
Habitat *in paſcuis ſiccioribus, præſertim glareoſis*; β *in montibus* Eboracenſibus, Weſtmorlandicis, Cambro-britanicis, *frequens.* 4. VI. VII.

duriuſcula 2. FESTUCA panicula nutante inferne ramoſa, ſpicis adſcendentibus hiſpidis, foliis ſetaceis. *Roy. lugdb.* 68. *Sp. pl.* 74.
Gramen pratenſe, panicula duriore laxa unam partem ſpectante. *R. Syn.* 413. *t.* 19. *f.* 1. *Sch. agr.* 285.
Gramen tenue duriuſculum et pene junceum. *Bauh. hiſt. II.* 463.
Anglis, hard Feſcue-graſs.
Habitat *in pratis et paſcuis ſiccioribus.* 4. VI.

rubra. 3. FESTUCA panicula ſecunda ſcabra ſpiculis ſexfloris ariſtatis; floſculo ultimo mutico, culmo ſemitereti. *Fl. ſuec.* 92. *Sp. pl.* 73.
Gramen alpinum pratenſe, panicula duriore laxa ſpadicea, locuſtis majoribus. *Sch. agr.* 287.
Anglis, Purple Feſcue-graſs.
Habitat *in paſcuis ſiccis.* 4. VI.

4. FESTUCA

4. FESTUCA panicula ſecunda, ſpiculis erectis, calycis altera valvula integra, altera acuminata. *Sp. pl.* 75. *bromoides.*
Feſtuca ſpicis erectis ad unum latus, palea altera calycina minima, altera acuminata. *Roy. lugdb.* 68.
Gramen paniculatum bromoides minus, paniculis ariſtatis unam partem ſpectantibus. *R. Syn.* 415. *hiſt.* 1287. *Pluk. phyt. t.* 33. *f.* 10.
Anglis, barren Feſcue-graſs.
Habitat *in paſcuis arenoſis.* ⊙. V. VI.

5. FESTUCA panicula ſpicata nutante, calycibus minutiſſimis muticis, floribus ſcabris: ariſtis longis; *myuros.*
Syſt. Nat. 876. *Sp. pl* 74.
Gramen murorum ſpica longiſſima. *Ger. Em.* 31. *Hiſt. Ox. III.* 215. *t.* 7. *f.* 43. *R. Syn.* 415.
Gramen ſpica nutante longiſſima. *Park.* 1162.
Anglis, Wall Feſcue-graſs.
Habitat *in muris et locis agrorum ſterilioribus et ſiccioribus.* ⊙. VI.

6. FESTUCA panicula erecta, ſpiculis linearibus muticis, foliis planis. *pratenſis.*
Gramen paniculatum elatius, ſpicis longis muticis et ſquamoſis. *R. Syn.* 411.
Anglis, Meadow Feſcue-graſs.
Habitat *in pratis et poſcuis.* 4. VI. VII.

** *Panicula æquali.*

7. FESTUCA panicula ſecunda ramoſa erecta, ſpiculis ſubariſtatis; exterioribus teretibus. *Fl. ſuec.* 94. *elatior.*
Sp. pl. 75.
Gramen loliaceum, ſpica diviſa, pratenſe majus. *Hiſt. Ox. III.* 184. *t.* 2. *f.* 15.
Gramen paniculatum nemoroſum, latiore folio glabrum, panicula nutante non ariſtata. *R. Syn.* 411.
β Gramen arundinaceum aquaticum panicula avenacea. *R. Syn.* 411.
Anglis, Tall Feſcue-graſs.
Habitat *in pratis et paſcuis ſed rarius.* 4. VII.

decumbens 8. FESTUCA panicula erecta, ſpiculis ſubovatis muticis, calyce floſculis majore, caule decumbente. *Fl. ſuec.* 93. *Sp. pl.* 75.
Gramen avenaceum parvum procumbens, paniculis non ariſtatis. *R. Syn. 2d. ed.* 262. *3d. ed.* 408. *Pluk. ph. t.* 34. *f.* 1.
Gramen triticeum paluſtre humilius, ſpica mutica breviore. *Hiſt. Ox. III.* 177. *e.* 1. *f.* 6.
Anglis, ſmall Feſcue-graſs.
Habitat *in paſcuis ſterilibus ſubhumidis.* ♃. VIII.

fluitans. 9. FESTUCA panicula ramoſa erecta, ſpiculis ſubſeſſilibus teretibus muticis. *Fl. ſuec.* 95. *Sp. pl.* 75.
Gramen aquaticum cum longiſſima panicula. *Bauh. hiſt. II.* 490. *R. Syn.* 412.
Gramen fluviatile. *Ger. Em.* 14. *Park.* 1275.
Gramen aquaticum fluitans, multiplici ſpica. *Bauh. pin.* 2.
Anglis, Flote Feſcue-graſs.
Habitat *in foſſis et aquoſis ubique.* ♃. VI. VII.

loliacea. 10. FESTUCA ſpicata, ſpiculis alternis ſeſſilibus compreſſis muticis.
Anglis, ſpiked Feſcue-graſs.
Habitat *ad vias et in paſcuis ſed rarius*; *prope* Vauxhall. ♃. VI.

ſylvatica. 11. FESTUCA ſpicata, ſpiculis alternis ſubdiſtichis ſeſſilibus ariſtatis.
Feſtuca culmo alternatim ſpicato, ſpicis teretibus. *Fl. lapp.* 29. *Roy. lugdb.* 67.
Feſtuca graminea nemoratis latifolia mollis. *Bauh. pin.* 10.
Gramen avenaceum dumetorum ſpicatum. *R. Syn.* 394.
Anglis, Wood Feſcue-graſs.
Habitat *in ſylvis et ſepibus frequens.* ♃. VII.

BRO-

BROMUS. 83.

Cal. bivalvis. *Spicula* oblonga, teres, diſticha; ariſta infra apicem.

1. BROMUS panicula patente, ſpiculis ovatis: ariſtis rectis. *Fl. ſuec.* 96. *Sp. pl.* 76. *ſecalinus.*
Feſtuca culmo paniculata, ſpicis compreſſo-ovatis. *Fl. lapp.* 28.
β Bromus panicula erecta coarctata. *Sp. pl.* 78. hordeaceus.
Feſtuca avenacea hirſuta, paniculis minus ſparſis. *R. Syn.* 413.
Gramen avenaceum pratenſe, panicula ſquamata et villoſa. *Hiſt. Ox. III.* 213. *t.* 7. *f.* 18.
γ Feſtuca avenacea ſpicis habitioribus glumis glabris. *R. Syn.* 414.
Gramen avenaceum ſegetale majus gluma turgidiore. *Hiſt. Ox. III.* 212. *t.* 7. *f.* 16.
δ Gramen avenaceum pratenſe, gluma tenuiore glabra. *Hiſt. Ox. III.* 213. *t.* 7. *f.* 19.
ε Feſtuca avenacea ſpicis ſtrigoſioribus, e glumis glabris compactis. *R. Syn.* 414.
Anglis, Field Brome-graſs.
Habitat *in pratis et paſcuis.* γ. δ. *in arvis.* ☉. V. VI.

2. BROMUS panicula nutante, ſpiculis ovato oblongis. *Fl. ſuec.* 97. *Sp. pl.* 77. *arvenſis.*
Bromus culmo paniculato, ſpicis compreſſis. *Fl. lapp.* 27.
Bromus herba. *Dod. p.* 540.
Feſtuca graminea effuſa juba. *Bauh. pin.* 192.
Feſtuca elatior paniculis minus ſparſis, locuſtis oblongis ſtrigoſis, ariſtis purpureis ſplendentibus. *R. Syn.* 414.
Anglis, Corn Brome-graſs.
Habitat *inter ſegetes prope* Southamptoniam D. Sherard *invenit. R. Syn. prope* Graveſend *copioſe.* ♃. VII.

3. BROMUS panicula ſimplici erecta, ſpiculis ovato-oblongis, foliis involutis piloſis. *erectus.*
Anglis, upright Brome-graſs

Habitat *in cretaceis circa* Rocheſter, Dartford, *and* Graveſend, *in* Cantio. ♃. VI.

ciliatus. 4. BROMUS panicula nutante, foliis utrinque vaginiſque ſubpiloſis glumis ciliatis. *Sp. pl.* 76.
Feſtuca avenacea ſterilis ſpicis erectis. *R. Syn.* 413. *Pluk. Ph. t.* 299. *f.* 2.
Feſtuca avenacea ſterilis, pediculis brevioribus et ſpicis erectis. *Hiſt. Ox. III.* 212. *t.* 7. *f.* 13.
Anglis, Wall Brome-graſs.
Habitat *in tectis muris et paſcuis ſiccisſimis.* ☉. V.

ſterilis. 5. BROMUS panicula patula, ſpiculis oblongis diſtichis, glumis ſubulato ariſtatis. *Sp. pl.* 77.
Feſtuca avenacea ſterilis elatior ſeu Bromos Dioſcoridis. *Bauh. pin.* 9. *Th.* 146. *Hiſt. Ox. III.* 212. *t.* 7. *f.* 11. *R. Syn.* 412.
Bromos herba ſive avena ſterilis. *Park.* 1147.
Bromos ſterilis. *Ger. Em.* 16.
Anglis, barren Brome-graſs.
Habitat *in ſylvis, ſepibus et ad margines agrorum frequens.* ☉. VI. VII.

giganteus. 6. BROMUS panicula nutante, ſpiculis quadrifloris ariſtis brevibus. *Fl. ſuec.* 99. *Sp. pl.* 77. *It. ſcan.* 394.
Gramen ſylvaticum glabrum panicula recurva. *Vaill. pariſ.* 93. *t.* 18. *f.* 3.
Gramen avenaceum glabrum, panicula e ſpicis raris ſtrigoſis compoſita, ariſtis tenuiſſimis. *R. Syn.* 415.
Gramen bromoides aquaticum latifolium, panicula ſparſa tenuiſſime ariſtata. *Sch. agr.* 264. *t.* 5. *f.* 17.
Anglis, tall Brome-graſs.
Habitat *in ſylvis et ſepibus ſubhumidis.* ♃. VIII.

ramoſus. 7. BROMUS panicula ramoſa nutante ſcabra, ſpiculis linearibus decemfloris ariſta longioribus, foliis ſcabris.
Feſtuca graminea nemoralis latifolia mollis. *Bauh. pin.* 9. *th.* 144.

Gramen

Gramen avenaceum dumetorum panicula ſparſa. *R. Syn.* 415.
Gramen avenaceum dumetorum, juba longiore ſpica diviſa. *Hiſt. Ox. III.* 213. *t.* 7. *f.* 27.
Anglis, Wood Brome-graſs.
Habitat *in ſylvis et ſepibus frequens.* ⊙. VII. VIII.

8. BROMUS culmo indiviſo, ſpicis alternis ſubſeſſilibus teretibus, floſculis ariſta longioribus. *pinnatus.*
Bromus culmo indiviſo, ſpicis alternis ſubſeſſilibus teretibus. *Fl. ſuec.* 100. *Sp. pl.* 78.
Gramen ſpica brizæ majus. *Bauh. pin.* 9. *pr.* 19. *th.* 133. *R. Syn.* 392.
Anglis, ſpiked Brome-graſs.
Habitat *in pratis ſiccis. In coppices and hedges about* Oxford. *On all the heaths and commons for twenty miles on this ſide* York. *R. Syn. Circa* Dover, *in* Cantio *frequens.* ♃. VI.

AVENA. 85.

Cal. bivalvis, multiflorus; ariſta dorſali contorta.

1. AVENA calycibus trifloris, receptaculo calycem excedente petalis dorſo ariſtatis. *Amoen. acad. III.* 401. *nuda.*
Avena nuda. *Bauh. pin.* 23. *hiſt. II.* 433. *Ger. Em.* 77. *Park.* 1134. *R. Syn.* 389.
Anglis, naked Oats or Pilcorn.
Habitat *in arvis ſed rarius. In extrema* Cornubia *prope* Belerium, *promontorium copioſe ferit*ur. *R. Syn. in* Staffordſhire, Dr. Plot. ⊙. VII.

2. AVENA panicula patente, calycibus trifloris floſculis baſi piloſis. *Fl. ſuec.* 101. *Sp. pl.* 80. *fatua.*
Avena ſylveſtris piloſa, ariſtis recurvis. *Hiſt. Ox. III.* 209. *t.* 7. *f.* 5.
Feſtuca utriculis lanugine flaveſcentibus. *Bauh. pin.* 10.
Ægilops quibuſdam ariſtis recurvis, ſ. Avena piloſa. *Bauh. hiſt. II.* 433. *R. Syn.* 389.
Ægilops bromoides. *Ger. Em.* 77. Belgarum. *Park.* 1148.

Anglis,

Anglis, bearded Oat-graſs.
Habitat *in arvis, prope* Stockwell *in* Comitatu Surrienſi. ☉. VIII.

pratenſis. 3. AVENA calycibus quinquefloris, panicula ſpicata, foliis involutis.
Avena calycibus quinquefloris, panicula ſpicata. *Fl. ſuec.* 104. *Sp. pl.* 80.
Gramen avenaceum montanum ſpica ſimplici, ariſtis recurvis. *R. Syn.* 405. *t.* 21. *f.* 1.
Anglis, Meadow Oat-graſs.
Habitat *in ericetis, pratis montoſis præſertim ſola cretaceo.* ♃. VII.

pubeſcens. 4. AVENA calycibus ſubtrifloris baſi piloſis, foliis planis pubeſcentibus.
Gramen avenaceum hirſutum, ſ. glabrum panicula purpuro-argentea ſplendente. *R. hiſt.* 1909. *Syn.* 406. *t.* 21. *f.* 2.
Anglis, rough Oat-graſs.
Habitat *in pratis et paſcuis ſiccioribus. Supra* Banſtead Downs *copioſe.* ♃. VI.

elatior. 5. AVENA calycibus biſloris, floſculo hermaphrodito mutico, maſculo ariſtato. *Fl. lapp.* 98. *ſuec.* 102. *Sp. pl.* 79.
Gramen nodoſum avenacea panicula. *Bauh. pin.* 2. *pr.* 3. *R. Syn.* 406.
Gramen caninum nodoſum. *Ger. Em.* 23. ſ. bulboſum vulgare. *Park.* 1175.
β Gramen avenaceum elatius, juba longa ſplendente. *R. meth. em.* 179.
Anglis, Tall Oat-graſs.
Habitat *in pratis et paſcuis.* ♃. VII. VIII.

flaveſcens. 6. AVENA panicula laxa, calycibus trifloris brevibus, floſculis omnibus ariſtatis. *Roy. lugdb.* 66. *Sp. pl.* 80. *Fl. ſuec.* 103.
Gramen avenaceum pratenſe elatius, panicula flaveſcente, locuſtis parvis. *R. Syn.* 407.
Gramen avenaceum, ſpica ſparſa flaveſcente, locuſtis parvis. *Raii. hiſt. Ox. III.* 215. *t.* 7. *f.* 42.
Anglis,

Anglis, yellow Oat-graſs.
Habitat *in pratis et paſcuis ubique*. ♃. VII.

ARUNDO. 87.

Cal. bivalvis. Floſculi congeſti, lana cincti.

1. ARUNDO calycibus quinquefloris, panicula laxa. *Roy. lugdb.* 66. *Gron. virg.* 137. *Sp. pl.* 81. *Fl. ſuec.* 105. *phragmites.*
Arundo vulgaris ſive phragmites Dioſcoridis. *Bauh. pin.* 17.
Arundo vallatoria. *Ger. Em.* 36. *R. Syn.* 401.
Harundo vulgaris ſive vallatoria. *Park.* 1208.
Anglis, common Reed-graſs.
Habitat *in fluviis, Lacubus, foſſis, ubique*. ♃. VII.

2. ARUNDO calycibus unifloris, culmo ramoſo. *Fl. lapp.* 42. *ſuec.* 107. *Sp. pl.* 82. *Calamagroſtis.*
Gramen arundinaceum panicula molli ſpadicea majus. *Bauh. pin.* 7. *Sch. agr. pr. t.* 5. *R. Syn.* 401.
Gramen tomentorium arundinaceum. *Ger. Em.* 9.
Calamagroſtis ſ. Gramen tomentoſum. *Park.* 1182.
Anglis, branched Reed-graſs.
Habitat *in ſylvis et ſepibus ſubhumidis. Inter* Newington & Hornſey. ♃. VI. VII.

3. ARUNDO calycibus unifloris, panicula erecta, foliis ſubtus glabris. *Sp. pl.* 81. *Fl. ſuec.* 106. *epigejos.*
Arundo panicula coarctata erecta integra, foliis inferne glabris. *Fl. ſuec. ed.* 1. 101.
Gramen arundinaceum paniculatum montanum, panicula ſpadiceo viridi, ſemine pappoſo. *Sch. agr.* 124.
Calamagroſtis minor glumis rufis et viridibus. *Pet. conc. gr. n.* 69.
Anglis, ſmall Reed-graſs.
Habitat *circa* Oundle *in comitatu* Leiceſterienſi. *R. Syn.* ♃. VII.

4. ARUNDO calycibus unifloris, foliis involutis mucronato-pungentibus. *Sp. pl.* 82. *Fl. ſuec.* 108. *arenaria.*

Gramen

Gramen ſparteum ſpicatum foliis mucronatis longioribus vel ſpica ſecalina. *Bauh. pin.* 5. *th.* 67. *R. Syn.* 393.
Spartum marinum noſtras. *Park.* 1198.
Spartum anglicanum. *Ger. Em.* 42.
Anglis, Sea Reed-graſs.
Habitat *in littoribus maritimis.* ♃. VI. VII.

**** *Flores multiflori, inſidentes Receptaculi elongati dentibus.*

LOLIUM. 90.

Involucrum monophyllum, fixum. *Cal.* o. *Spicula* multiflora.

perenne. 1. LOLIUM ſpicis muticis, radice perenni. *Hort. cliff.* 24. *Sp. pl.* 83.
Gramen loliaceum anguſtiore folio et ſpica. *Bauh. pin.* 9. *R. Syn.* 395.
Lolium rubrum. *Ger. Em.* 78. f. Phœnix *Park.* 1145.
β Gramen loliaceum paniculatum. *R. Syn.* 395.
Anglis, perennial Darnel-graſs.
Habitat *ad vias et pratis ſiccioribus ubique.* ♃. VI.

temulentum. 2. LOLIUM ſpica ariſtata, radice annua. *Syſt. nat.* 879. *Sp. pl.* 83.
Lolium album. *Ger. Em.* 78. *Park.* 1146. *R. Syn.* 396.
Gramen loliaceum ſpica longiore. *Bauh. pin.* 9. *th.* 121.
Anglis, annual Darnel-graſs.
Habitat *in arvis.* ☉. VII. VIII.

ELYMUS. 91.

Involucrum diphyllum. *Spiculæ* geminæ.

arenarius. 1. ELYMUS foliis mucronato-pungentibus. *It. ſcan.* 336. *Sp. pl.* 83.
Secale ſpiculis geminatis. *Fl. ſuec.* 1, 106.
Gramen caninum maritimum ſpica triticea noſtras. *R. Syn.* 390. *Sch. agr.* 6.

Gra-

Gramen caninum maritimum ſpicatum. *Bauh. pin.* 1.
Gramen caninum geniculatum maritimum ſpicatum. *Park.* 1277.
Anglis, Sea Lyme-graſs.
Habitat *in littoribus maritimis frequens.* 4. V. VI.

TRITICUM. 94.

Cal. bivalvis, ſubtriflorus, ſeſſilis, obtuſiuſculus, acutus.

1. TRITICUM calycibus ſubulatis trifloris acuminatis. *repens.* *Sp. pl.* 86.
Gramen ſpica triticea repens vulgare, caninum dictum. *R. Syn.* 390.
Gramen caninum. *Ger. Em.* 23. vulgatius. *Park.* 1173. *Hiſt. Ox. III.* 178. *t.* 1. *f.* 8.
Gramen caninum arvenſe ſ. Gramen Dioſcoridis. *Bauh. pin.* 1. *th.* 7.
Anglis, common Wheat-graſs, Dog's-graſs, Quick-graſs, or Couch-graſs.
Habitat *in agris ubique.* 4. VI.—VIII.
Pharmac. Graminis canini *Radix.*

2. TRITICUM calycibus ſubulatis quadrifloris ariſtatis. *caninum.* *Sp. pl.* 86.
Elymus ſpiculis rectis involucro deſtitutis; infimis geminis. *Fl. ſuec.* 112. *Syſt. Nat.* 879.
Gramen caninum ariſtatum radice non repente, ſylvaticum. *R. Syn.* 390.
Gramen caninum non repens elatius, ſpica ariſtata. *Hiſt. Ox. III.* 177. *t.* 1. *f.* 2.
Anglis, bearded Wheat-graſs.
Habitat *in ſylvis et ſepibus. In* Stokenchurch *woods plentifully*; *circa* Croydon, D. Doody; *near* Settle *in* Yorkſhire, Mr. J. Sherard. *R. Syn. in via inter* Greenwich & Woolwich. 4. VI. VII.

3. TRITICUM calycibus truncatis quinquefloris, foliis involutis. *junceum.* *Cent. pl.* 13. *Syſt. Nat.* 880.
Gramen maritimum, ſpica loliacea foliis pungentibus noſtras. *Pluk. Ph. t.* 33. *f.* 4. *a.*

Gramen

Gramen phoenicoides foliis convolutis, junceis ac pungentibus alterum. *Bauh. hiſt. II.* 478.

β Gramen loliaceum maritimum ſupinum ſpica craſſiore. *Tourn.* 516. *R. Syn.* 391.

γ Gramen caninum maritimum ſpica foliacea. *Bauh. pin.* 2.

Anglis, Sea Wheat-graſs.

Habitat *in littoribus maritimis paſſim.* ♃. VI. VII.

HORDEUM. 93.

Involucrum hexaphyllum, triflorum.

murinum. 1. HORDEUM floſculis lateralibus maſculis ariſtatis. *Sp. pl.* 85.

Hordeum ſpurium vulgare. *Park.* 1147.

Gramen ſecalinum et ſecale ſylveſtre. *Ger. Em.* 73. *R. Syn.* 391.

Gramen hordeaceum minus et vulgare. *Bauh. pin.* 9.

β Gramen ſecalinum. *Ger. Em.* 29.

γ Gramen ſecalinum paluſtre et maritimum. *R. Syn.* 392.

Anglis, Wall Barley-graſs, or Way-bennet.

Habitat *ad vias et muros*, β *in pratis humidis*, γ *in pratis maritimis.* ☉. IV. ad VIII.

SECALE. 92.

Involucrum diphyllum, biflorum.

villoſum. 1. SECALE glumarum ciliis villoſis, ſquamis calycinis cuneiformibus. *Sp. pl.* 84.

Gramen ſecalinum majus ſylvaticum. *Hiſt. Ox. III.* 180. *R. Syn.* 393.

Gramen hordeaceum montanum ſpica ſtrigoſiori brevius ariſtata. *Sch. agr. pr. t.* 1.

Anglis, Wood Rye-graſs.

Habitat *in ſylvis et ſepibus. In* Stokenchurch *woods in* Oxfordſhire, *plentifully*, Mr. Bobart. *In the woods a mile weſt from* Peterſfield, *Mer. pin. In the high woods by* Hambleton, *in the road from* Henley

ley *to* Great Marlborough, Mr. J. Sherard *and* Mr. Rand. *R. Syn.* ⊙. VII.

CYNOSURUS. 81.

Cal. bivalvis, multiflorus; *Recept.* unilaterale.

1. CYNOSURUS bracteis pinnatifidis. *Sp. pl.* 72. *Fl. ſuec.* 88. *criſtatus.*
Gramen criſtatum. *Bauh. hiſt. II.* 468. *Ger. Em.* 29. *R. Syn.* 398.
Gramen criſtatum anglicum. *Park.* 1159.
Gramen pratenſe criſtatum, ſ. Gramen ſpica criſtata læve. *Bauh. pin.* 3. *th.* 43.
β Gramen criſtatum quadratum ſ. quatuor criſtatum glumarum verſibus. *R. Syn.* 399.
Anglis, crested Dog-tail-graſs.
Habitat *in pratis et paſtuis.* ♃. VIII.

2. CYNOSURUS bracteis pinnato-paleaceis ariſtatis. *echinatus.*
Roy. lugdb. 64. *Sp. pl.* 72.
Gramen alopecuroides ſpica aſpera. *Bauh. pin.* 4.
Gramen alopecuroides ſpica aſpera brevi. *Park.* 1168. *R. Syn.* 397.
Anglis, rough Dog tail graſs.
Habitat *in arenoſis. Common on all the ſandy grounds in* Jerſey; Mr. J. Sherard. ⊙. VII.

3. CYNOSURUS bracteis integris. *Sp. pl.* 72. *Fl. ſuec.* 89. *cæruleus.*
Gramen glumis variis. *Bauh. pin.* 10. *pr.* 21.
Gramen parvum montanum ſpica craſſiore purpuro-cærulea brevi. *R. Syn.* 399.
Anglis, blue Dog-tail-graſs.
Habitat *in pratis montoſis. In prate* Helſ-fellnab, *prope* Kendal, *et alibi in* Weſtmorlandia. ♃. VII.

4. CYNOSURUS panicula ſubſpicata, floſculis ſimplicibus biariſtatis. *Sp. pl.* 73. *Fl. ſuec.* 90. *paniceus.*
Panicum floribus conglomerato-ſpicatis lævibus ariſta dimidio brevioribus. *Fl. ſuec. ed. l.* 54.
Alopecuros maxima anglica. *Park.* 1166. *R. Syn.* 396.

Alope-

Alopecuros altera maxima anglica paludoſa. *Ger. Em.* 88.

Gramen alopecuroides anglobritannum maximum. *Bauh. pin.* 4.

Anglis, bearded Dog-tail-graſs.

Habitat *in riguis herbidis comitatus* Southamptoniæ *proxime ſalinis et antiquis ædes* Drayton *vocatas, eis mare, duobus miliaribus Anglicis a* Portſmouth *ex adverſo vectis inſulæ plurima*; *itemque in udis foſſis lacuſtribus* Eſſexienſis *comitatus juxta* Thameſis *amoeniſſima fluente. At* Purfleet *in* Eſſex, *over againſt the mill towards* Raynam, *on the other ſide of the great ditch*; Mr. Newton. *R. Syn.* 4. VII.

TRIANDRIA.

MONTIA. 96.

Cal. diphyllus. *Cor.* monopetala, irregularis. *Capſ.* unilocularis, trivalvis.

fontana. 1. MONTIA. *Fl. lapp.* 30. *ſuec.* 115. *Sp. pl.* 87.
Montia aquatica minor. *Mich. gen.* 18. *t.* 13. *f.* 2.
Cameraria arvenſis minor. *Dill. giſſ.* 46.
Alſine parva paluſtris tricoccos, portulacæ aquaticæ ſimilis. *R. Syn.* 252.
Portulaca arvenſis. *Bauh. pin.* 288.
Anglis, Water Chickweed.
Habitat *ad fontes et ſcaturagines.* ⊙. IV.

Claſſis

Classis IV.

TETRANDRIA

MONOGYNIA.

* *Flores monopetali, monospermi, superi.* Aggregati.

DIPSACUS. 107.

Cal. communis polyphyllus; *proprius* superus. *Recept.* paleaceum.

1. DIPSACUS foliis sessilibus serratis, aristis fructus recurvis. *fullonum.*
   Dipsacus foliis sessilibus serratis. *Sp. pl.* 97.
   Dipsacus sativus. *J. Bauh. hist. III.* 73. *Bauh. pin.* 385. *Ger. Em.* 1167. *Park.* 983. *R. Syn.* 192.
   Carduus fullonum. *Lob. ic.* 17.
   Anglis, manured Teasel.
   Habitat *ad sepes.* ♂. VII.
   Pharmac. Dipsaci sativi *Radix.*

2. DIPSACUS foliis sessilibus serratis, aristis fructus erectis. *sylvestris.*
   Dipsacus sylvestris aut Virga pastoris major. *Bauh. pin.* 385.
   Dipsacus sylvestris. *Ger. Em.* 1167. *Park.* 984. *R. Syn.* 192.
   Anglis, wild Teasel.
   Habitat *in incultis frequens.* ♂. VII.

3. DIPSACUS foliis petiolatis appendiculatis. *Sp. pl.* 97. *pilosus.*
   Dipsacus sylvestris capitulo minore, vel Virga pastoris minor. *Bauh. pin.* 385.

Dipſacus minor ſeu virga paſtoris. *Ger. Em.* 1168. *R. Syn.* 192.
Virga Paſtoris. *Park.* 984.
Anglis, ſmall wild Teaſel.
Habitat *in aquoſis et ad ſepes.* ♃. VIII.

SCABIOSA. 108.

Calyx communis polyphyllus ; *proprius* duplex ſuperus. *Receptaculum* paleaceum.

* *Corollulis quadrifidis.*

ſucciſa. 1. SCABIOSA corollulis quadrifidis æqualibus, caule ſimplici, ramis approximatis, foliis lanceolato-ovatis. *Fl. ſuec.* 119. *mat. med.* 41. *Sp. pl.* 98.
Scabioſa radice ſucciſa, flore globoſo. *R. Syn.* 191.
Succiſa glabra et hirſuta. *Bauh. pin.* 269.
Morſus Diaboli. *Ger. Em.* 726.
Morſus Diaboli vulgaris, flore purpureo. *Park.* 491.
Anglis, Devil's-bit.
Habitat *in pratis et paſcuis.* ♃. VI.—VIII.

arvenſis. 2. SCABIOSA corollulis quadrifidis radiantibus, caule hiſpido foliis pinnatifidis hiſpidis. *Syſt. Nat.* 889. *Sp. pl.* 99.
Scabioſa caule et foliis hirſutis, imis ovatis, ſuperioribus ſemipinnatis. *Hall. helv.* 669.
Scabioſa pratenſis hirſuta. *Bauh. pin.* 269.
Scabioſa major vulgaris. *Ger. Em.* 719.
Scabioſa vulgaris pratenſis. *Park.* 484.
Scabioſa major communior folio laciniato. *Bauh. hiſt. III.* 2.
Anglis, common field Scabious.
Habitat *in pratis et arvis.* ♃. VIII.
Pharmacop. Scabioſæ *Herba.*

** *Corollulis quinquefidis.*

columbaria. 3. SCABIOSA corollulis quinquefidis radiantibus, foliis radicalibus ovatis crenatis, caulinis pinnatis ſetaceis. *Sp. pl.* 99.
Scabioſa capitulo globoſo major et minor. *Bauh. pin.* 270.

Scabioſa

Scabioſa minor campeſtris. *Park.* 487.
Scabioſa minor ſive Columbaria. *Ger. Em.* 719.
Anglis, the leſſer field Scabious.
Habitat *in paſcuis montoſis, et ſiccioribus; ſupra* Dupper's *hill prope* Croydon. 2. VI. VII.

** *Flores monopetali, monocarpii, inferi.*

CENTUNCULUS. 135.

Cal. quadrifidus. *Cor.* quadrifida patens. *Stam.* brevia. *Capſ.* unilocularis, circumſciſſa.

1. CENTUNCULUS. *Cat. giſſ.* 161. *app.* 111. *t.* 5. *minimus. R. Syn.* 1. *Fl. ſuec.* 136. *Sp. pl.* 116.
Anagallis, paludoſa minima, foliis ſubrotundis alternis. *Vaill. Pariſ.* 12. *t.* 4. *f.* 2.
Alſine paluſtris minima, floſculis albis, fructu coriandri exiguo. *Mentz. pug. t.* 4. *f.* 5.
Anglis, baſtard Pimpernel.
Habitat *in agris arenoſis ſubhumidis. On the low marſhy ground near the paper-mills on* Hounſlow-heath; D. Watſon. *Blackſ. ſpec. bot. in paſcuo ante vicum* Chiſſelhurſt *loco ſubudo. R. Syn.* ☉. VI.

PLANTAGO 133.

Cal. quadrifidus. *Cor.* quadrifida: limbo reflexo. *Stam.* longiſſima. *Capſ.* bilocularis circumſciſſa.

1. PLANTAGO foliis ovatis glabris, ſcapo tereti, ſpica floſculis imbricatis. *Sp. pl.* 112. *Fl. ſuec.* 129. *major.*
Plantago latifolia vulgaris. *Park.* 493.
Plantago latifolia. *Ger. Em.* 419. ſinuata. *Bauh. pin.* 189.
β Plantago latifolia glabra minor. *Bauh. pin.* 189.
Anglis, great Plantain, or Waybread.
Habitat *in pratis et ad vias ubique.* ☉. VI. VII.
Pharmac. Plantaginis *Herba, Semina.*

2. PLANTAGO foliis ovato-lanceolatis pubeſcentibus, ſpica cylindrica, ſcapo tereti. *Sp. pl.* 113. *Hort. cliff.* 36. *Fl. ſuec.* 130. *media.*
Plantago major incana. *Park.* 493. *R. Syn.* 314.
Plantago incana. *Ger. Em.* 419.

Plantago latifolia incana. *Bauh. pin.* 189.
Anglis, hoary Plaintain.
Habitat *in paſcuis glareoſis et ad vias.* ♃. VII. VIII.

lanceolata. 3. PLANTAGO foliis lanceolatis, ſpica ſubovato nuda, ſcapo angulato. *Fl. ſue.* 131. *Sp. pl.* 113.
Plantago lanceolata. *Bauh. hiſt. III.* 505.
Plantago anguſtifolia major. *Bauh. pin.* 189.
Plantago quinquenervia. *Ger. Em.* 422. major. *Park.* 495.
Anglis, Ribwort, or Ribwort-plantain.
Habitat *in pratis et paſcuis ubique.* ♃. VI. VIII.

heſſingii. 4. PLANTAGO foliis linearibus ſubdentatis, ſcapo tereti, ſpica cylindrica, bracteis carinatis membranaceis.
Plantago foliis linearibus ſubdentatis, ſcapo tereti, ſpica ovata, bracteis carinatis membranaceis. *Læſt. hiſp.* 124. *Sp. pl.* 115. ?
Plantago marina. *Ger. Em.* 423. *R. Syn.* 315. vulgaris. *Park.* 498.
Anglis, Sea-plantain.
Habitat *in paluſtribus maritimis.* ♃. VII.

maritima. 5. PLANTAGO foliis ſemicylindraceis integerrimis baſi lanatis, ſcapo tereti. *Sp. pl.* 114. *Fl. ſuec.* 133.
Eaten by the Icelanders.
Plantago ſcapo ſpicato, foliis linearibus ſubtus convexis. *Fl. lapp.* 63.
Plantago maritima major tenuifolia. *Tourn.* 127.
Coronopus, *Ger. Em.* 425. maritima major. *Bauh. pin.* 190.
Anglis, narrow-leaved Plantain.
Habitat *in littoribus maritimis inter* Newcaſtle & Morpeth *in* Northumbria. ♃. VI. VII.

Coronopus. 6. PLANTAGO foliis linearibus pinnato-dentatis, ſcapo tereti.
Plantago foliis linearibus dentatis, ſcapo tereti. *Sp. pl.* 115.
Plantago foliis linearibus pinnato-dentatis. *Hort. cliff.* 37.
Plantago foliis laciniatis, Coronopus dicta. *R. Syn.* 315.

Coronopus

Coronopus vulgaris ſive Cornu Cervinum. *Park.* 502.
Coronopus ſylveſtris hirſutior. *Bauh. pin.* 190.
Cornu Cervinum. *Ger. Em.* 427.
β Plantago gramineo folio hirſuto minor, capitulo rotundo brevi. *R. Syn.* 316.
Anglis, Buckſhorn-plantain, Star of the Earth.
Habitat *in glareoſis.* ☉. VII. VIII.
Pharmac. Coronopi *Herba.*

7. PLANTAGO foliis lineari-lanceolatis baſi lanatis, ſpica ſubrotunda, ſcapo tereti. *montana.*
Plantago alpina anguſtifolia. *Bauh. hiſt. III.* 506. *R. Syn.* 315.
Anglis, Mountain-plantain.
Habitat *in rupibus* Trivylcaugh *ſupra lacum* Lhyn Bochlyn Sancti Pariſii; *D. Lhwyd. R. Syn.* ♃. VII.

8. PLANTAGO foliis ſubulatis, ſcapo unifloro. *Syſt. Nat.* 896. *Fl. ſuec.* 135. *Fl. lapp.* 64. *Sp. pl.* 115. *uniflora.*
Plantago paluſtris gramineo folio, monanthos pariſienſis. *Tourn.* 128. *R. Syn.* 316.
Plantago floribus femineis ſeſſilibus ad exortum ſcapi uniflori maris. *Juſſ. act.* 1742. *p.* 131. *t.* 7.
Gramen junceum ſive Holoſteum minimum paluſtre, capitulis quatuor longiſſimis ſtaminibus donatis. *Hiſt. Ox. III.* 230. *t.* 9. *f.* 30. *Pluk. Ph. t.* 35. *f.* 2.
Anglis, Graſs-leaved Plantain.
Habitat *in paluſtribus, arenoſis. Ad* Hoſeley Lough *in* Northumberland; *D. Richardſon. R. Syn. in ericeto* Hounſlejano *prope* Witton. ♃. VII.

** *Flores monopetali, monocarpi ſuperi.*

SANGUISORBA. 136.

Cal. diphyllus. *Germen* inter calycem corollamque.

1. SANGUISORBA ſpicis ovatis. *Hort. cliff.* 39. *Fl. ſuec.* 137. *Sp. pl.* 116. *officinalis.*

Sanguiſorba major flore ſpadiceo. *Bauh. hiſt. III.* 2. 120. *R. Syn.* 203.
Pimpinella ſanguiſorba major. *Bauh. pin.* 160.
Pimpinella major vulgaris. *Park.* 582.
Pimpinella ſylveſtris. *Ger. Em.* 1045.
β Sanguiſorba minor. *Bauh. hiſt. III.* 2. 113.
Anglis, Burnet.
Habitat *in pratis et paſcuis ſubhumidis*, β *in paſcuis montoſis.* ♃.
Pharm. Pimpinellæ *Herba.*

* *Flores monopetali, dicocci, ſuperi.* Stellatæ.

RUBIA. 119.

Cor. monopetela, campanulata. *Baccæ* duæ, monoſpermæ.

anglica. 1. RUBIA foliis quaternis. *Roy. lugdb.* 254. *Sp. pl.* 109.
Rubia quadrifolia aſperima lucida peregrina. *Herm. lugdb.* 523.
Rubia ſylveſtris. *Park.* 274.
Anglis, wild Madder.
Habitat *in rupe* S. Vincentii, *prope* Briſtolium, *& in ſepibus in* Devonia *frequens.* ♃. VII. VIII.

SHERARDIA. 112.

Cor. monopetala infundibuliformis, *Semina* bina, tridentata.

arvenſis. 1. SHERARDIA foliis omnibus verticillatis, floribus terminalibus. *Sp. pl.* 102. *Fl. ſuec.* 120.
Sherardia. *Dill. gen.* 96. *Hort. cliff.* 33.
Rubeola arvenſis repens cærulea. *Bauh. pin.* 334. *pr.* 145. *R. Syn.* 225.
Rubeola minor pratenſis cærulea. *Park.* 276.
Anglis, little Field-madder.
Habitat *in arvis*, ☉. V. VI.

ASPERULA.

ASPERULA. 113.

Cor. monopetala, infundibuliformis. *Sem.* duo globoſa.

1. ASPERULA foliis octonis lanceolatis, floribus faſciculatis pedunculatis. *Fl. ſuec.* 121. *Sp. pl.* 103. *odorata.*
Aſperula *Ger. Em.* 1224. *R. Syn.* 224. odorata. *Park.* 563.
Aſperula ſ. Rubeola montana odorata. *Bauh. pin.* 334.
Anglis, Woodroof.
Habitat *in ſylvis et umbroſis.* ♃. V.
Pharm. Aſperulæ odoratæ *Herba.*

2. ASPERULA foliis quaternis linearibus, ſuperioribus oppoſitis caule erecto, floribus quadrifidis. *Syſt. Nat.* 891. *cynanchica*
Aſperula foliis inferioribus ſenis, intermediis quaternis ſubulatis triquetris, floribus quadrifidis. *Sp. pl.* 104.
Rubeola foliis quaternis, ſeminibus glabris, floribus umbellatis. *Hall. helv.* 458.
Rubeola vulgaris quadrifolia lævis, floribus purpurantibus. *Tourn.* 130. *R. Syn.* 225.
Rubia cynanchica. *Bauh. pin.* 333. *hiſt. III.* 723.
Synanchica. *Lugd.* 1185. *Ger. Em.* 1120.
Aſperula repens Geſneri ſ. Saxifraga altera Cæſalpini. *Park.* 453.
Anglis, Squinancy-wort.
Habitat *in montoſis ſiccioribus, præſertim cretaceis.* ♃. VII.

GALIUM. 117.

Cor. monopetala, plana. *Sem.* bina ſubrotunda.

* *Fructu glabro.*

1. GALIUM foliis octonis linearibus ſulcatis, ramis floriferis brevibus. *Hort. cliff.* 34. *Mat. med.* 46. *Sp. pl.* 107. *Fl. ſuec.* 123. *verum.*
Gallium caule erecto, foliis plurimis verticillatis linearibus. *Fl. lapp.* 61.
Gallium luteum. *Bauh. pin.* 335. *Ger. Em.* 1126. *Park.* 564. *R. Syn.* 224.

Anglis, yellow Ladies Bedſtraw, or Cheeſe-rening.
Habitat *in pratis ad viarum agrorumque margines, locis ſiccis frequens.* ♃. VII. VIII.
Pharmacop. Gallii *Herba.*

X *Mollugo.* 2. GALIUM foliis octonis ovato-linearibus ſubſerratis patentiſſimis mucronatis, caule flaccido, ramis patentibus. *Sp. pl.* 107.
Mollugo vulgartior. *Park.* 565. *R. Syn.* 223.
Rubia ſylveſtris lævis. *Bauh. pin.* 333.
Rubia ſylveſtris. *Ger. Em.* 1118.
Anglis, wild Madder, or great baſtard Madder.
Habitat *in ſepibus et ericetis frequens.* ♃. VI. VII.

montanum 3. GALIUM foliis ſenis obovatis mucronatis glabris, caule proſtrato, pedunculis ternatis.
Mollugo montana minor Gallio albo ſimilis. *R. hiſt. I.* 482. *Syn.* 224.
Gallium album minus. *Pet. H. Br. t.* 30. *f.* 6.
Anglis, mountain Ladies Bedſtraw.
Habitat *in montoſis.* ♃. VII.

uliginoſum. 4. GALIUM foliis ſenis lanceolatis retrorſum ſerrato-aculeatis mucronatis rigidis, corollis fructu majoribus. *Fl. ſuec.* 127.
Aparine paluſtris minor Pariſienſis, flore albo. *Tourn.* 114. *Vaill. pariſ.* 14. *Fl. lapp.* 58. *R. Syn.* 225.
Rubia quædam minor. *Bauh. hiſt. III.* 2. 716.
Anglis, marſh Gooſe-graſs.
Habitat *in ericetis et paſcuis humidioribus frequens, in ericeto* Hampſtediano *prope* Londinum *copioſe.* ♃. VII. VIII.

erectum. 5. GALIUM foliis octonis glabris lanceolatis mucronatis, caule ſuberecto, panicula terminali, pedunculis dichotomis.
Anglis, ſmall mountain baſtard Madder.
Habitat *in paſcuis montoſis humidiuſculis.* ♃. VIII.

puſillum. 6. GALIUM foliis octonis hiſpidis linearibus acuminatis ſubimbricatis, pedunculis dichotomis. *Sp. pl.* 106.
Rubeola ſaxatilis. *Bauh. pin.* 334. *pr.* 145.

Anglis,

Anglis, the leaſt Ladies Bedſtraw.
Habitat *in montibus prope* Kendal, *in comitatu* Weſtmorlandico, 4. VIII.

7. GALIUM foliis quaternis obovatis inæqualibus, caulibus diffuſis. *Fl. ſuec.* 126. *Sp. pl.* 105. *paluſtre.*
Gallium paluſtre album. *Bauh. pin.* 335.
Gallium album. *Ger. Em.* 1126. *Bauh. hiſt. III.* 721.
Molluginis vulgationis varietas minor. *Park.* 565. *R. Syn.* 224.
Anglis, white Ladies Bedſtraw.
Habitat *ad ripas fluviorum et in pratis humidioribus.* 4. VII.

8. GALIUM foliis ſenis lanceolatis carinatis ſcabris retrorſum aculeatis, geniculis ſimplicibus, fructibus glabris. *Sp. pl.* 106. *ſpurium.*
Aparine ſemine lævore. *R. Syn.* 225. *hiſt.* 484.
Aparine lævis. *Park.* 567.
Anglis, Gooſe-graſs with ſmoother ſeeds.
Habitat *in arvis ſed rarius.* ☉. VI.

** *Fructu hiſpido.*

9. GALIUM foliis octonis lanceolatis carinatis ſcabris retrorſum aculeatis, geniculis villoſis, fructu hiſpido. *Sp. pl.* 108. *Aparine.* ✕
Aparine vulgaris. *Bauh. pin.* 334. *Park.* 567.
Aparine. *Ger. Em.* 1122. *Bauh. hiſt. III.* 713. *R. Syn.* 225.
Anglis, Cleavers, or Gooſe-graſs.
Habitat *in cultis et ruderatis ubique.* ☉. V. VIII.
Pharm. Aparines *Herba.*

10. GALIUM foliis verticillatis, pedunculis bifloris fructibus hiſpidis. *Sp. pl.* 108. *pariſienſe.*
Gallium pariſienſe tenuifolium, flore atro purpureo. *Tourn.* 664.
Aparine foliis lineari-lanceolatis acuminatis flaccidis, corollis fructu majoribus. *Roy. lugdb.* 255.
Aparine minima. *R. Syn.* 225. *t.* 9. *f.* 1.

Anglis,

Anglis, the leaſt Gooſe-graſs.
Habitat *in muris et pratis ſterilibus ſubhumidis*. ♃. VII.

boreale. 11. GALIUM foliis quaternis lanceolatis trinerviis glabris, caule ſuberecto, ſeminibus hiſpidis. *Fl. lapp.* 60. *ſuec.* 124. *Sp. pl.* 108.
Mollugo montana erecta quadrifolia. *R. Syn.* 224.
Rubia erecta quadrifolia. *Bauh. hiſt. III.* 716.
Rubia pratenſis lævis, acuto folio. *Bauh. pin.* 333. *pr.* 145.
Anglis, Croſſwort-madder.
Habitat *in pratis montoſis, in comitatibus* Weſtmorlandico & Eboracenſi. ♃. VI.—VIII.

Flores tetrapetali ſuperi.

CORNUS. 139.

Involucrum tetraphyllum ſæpius. *Petala* ſupera quatuor. *Drupa* nucleo biloculari.

ſanguinea. 1. CORNUS arborea, cymis nudis. *it. W-goth.* 32. *Sp. pl.* 117.
Cornus umbellis involucro multoties longioribus. *Hort. cliff.* 38. *Roy. lugdb.* 249. *Hall. helv.* 463.
Cornus femina. *Bauh. pin.* 447. *Ger. Em.* 1467. *Park.* 1521. *R. Syn.* 460.
Anglis, the female Cornel, Dog-berry-tree, Gatter-tree, or Prickwood.
Habitat *in ſepibus et ſylvis*. ♄. VI.

herbacea. 2. CORNUS herbacea, ramis binis. *Fl. lapp.* 65. *t.* 5. *f.* 3. *Sp. pl.* 118.
Cornus pumila herbacea, Chamæpericlymenum dicta. *Dill. alth.* 108. *t.* 91.
Chamæpericlymenum. *Park.* 1461. *Ger. Em.* 1296. *R. Syn.* 261.
Periclymenum humile. *Bauh. pin.* 302.
Anglis, dwarf Honeyſuckle.
Habitat *in* Northumbriæ *montibus* Cheviotici *dictis*. *R. Syn. in* Pickering *moor in comitatu* Eboracenſi. ♃. VI.

Flores

Flores incompleti inferi.

ALCHEMILLA. 153.

Calyx octofidus. *Cor.* nulla. *Sem.* conicum.

1. ALCHEMILLA foliis lobatis. *Fl. ſuec.* 141. *Sp. pl.* 123. Alchemilla foliis ſimplicibus. *Fl. lapp.* 66. *vulgaris.*
Alchemilla. *Ger. Em.* 949. *R. Syn.* 158. vulgaris. *Bauh. pin.* 319.
Alchemilla major vulgaris. *Park.* 538.
Anglis, Ladies Mantle.
Habitat *in pratis et paſcuis montoſis.* ♃. VI.—VIII.
Pharmac. Alchemillæ *Herba.*

2. ALCHEMILLA foliis lobatis, plicatis, acute ſerratis, ſericeis. *minor.*
Alchemilla alpina pubeſcens minor. *Tourn.* 508. *Pluk. Ph. t.* 240. *f.* 1.
Anglis, the leaſt Ladies Mantle.
Habitat *in montibus* Weſtmorlandicis. ♃. VII.

3. ALCHEMILLA foliis digitatis ſerratis. *Fl. ſuec. alpina.* 142. *Sp. pl.* 123.
Alchemilla alpina pentaphyllos. *R. Syn.* 158.
Pentaphyllum petroſum, Heptaphyllum Cluſii. *Ger. Em.* 988.
Tormentilla alpina folio fericeo. *Bauh. pin.* 326.
Tormentilla argentea. *Park.* 393.
Anglis, Cinquefoil Ladies Mantle.
Habitat *in montoſis. In rupibus juxta ſtagnum* Hulſwater *dictum inveni, non longe a* Penrith Cumberlandiæ *oppido; non procul a* Kendal *in* Weſtmorlandia, *in vallicula umbroſa* Longſledale *dicta.* D. Richardſon. *R. Syn.* ♃. VII.

D Y-

DIGYNIA.

APHANES. 154.

Cal. octofidus. *Cor.* o. *Sem.* bina, nuda.

arvenſis. 1. APHANES. *Hort. cliff.* 39. *Fl. ſuec.* 143. *Gron. virg.* 17. *Sp. pl.* 123.
Percepier Anglorum. *Lob.* 727. *Ger. Em.* 1594. *R. Syn.* 159.
Polygonum ſelinoides. *Park.* 449.
Chærophyllo nonnihil ſimilis. *Bauh. pin.* 152.
Alchemilla minima montana. *Col. Ec.* 145. *t.* 146.
Anglis, Purſley-piert.
Habitat *in arvis et paſcuis ſiccioribus et glareoſis frequens.* ⊙. V.

TETRAGYNIA.

POTAMOGETON. 160.

Cal. o. *Petala* quatuor. *Stylus* nullus. *Sem.* quatuor.

natans. 1. POTAMOGETON foliis oblongo-ovatis petiolatis natantibus. *Sp. pl.* 126.
Potamogiton rotundifolium. *Bauh. pin.* 193. *R. Syn.* 148.
Potamogiton latifolium. *Ger. Em.* 821.
Fontalis major latifolia vulgaris. *Park.* 1254.
Anglis, broad leaved Pondweed.
Habitat *in fluviis et ſtagnis paſſim.* ♃. VIII.

perfoliatum. 2. POTAMOGETON foliis cordatis amplexicaulibus. *Sp. pl.* 126.
Potamogiton perfoliatum. *R. hiſt. I.* 188. *Syn.* 149.
Potamogiton foliis latis ſplendentibus. *Bauh. pin.* 193.
Potamogiton. 3. Dodonæi. *Ger. Em.* 822.

Pota-

β Potamogiton rotundifolium alterum. *Loſæl. fl. pr.* 205. *t.* 15.
Anglis, perfoliated Pondweed.
Habitat *in fluviis frequens.* ♃. VI. VII.

3. POTAMOGETON foliis lanceolatis planis in petiolos deſineniibus. *Hort. cliff.* 40. *Fl. ſuec.* 147. *Sp. pl.* 126. *lucens.*
Potamogiton aquis immerſum folio pellucido, lato, oblongo, acuto. *R. Syn.* 148.
Potamogiton foliis anguſtis ſplendentibus. *Bauh. pin.* 193.
Potamogiton longis acutis foliis. *Ger. Em.* 822.
Anglis, long leaved Pondweed.
Habitat *in fluviis et lacubus.* ♃. VI.

4. POTAMOGETON foliis lanceolatis alternis undulatis ſerratis. *Roy. lugdb.* 212. *Fl. ſuec.* 148. *Sp. pl.* 126. *criſpum.*
Potamogiton f. fontinalis criſpa. *Bauh. hiſt. III.* 778. *R. Syn.* 149.
Potamogeton foliis criſpis f. Lactuca ranarum. *Bauh. pin.* 193.
Tribulus aquaticus minor Quercus floribus. *Ger. Em.* 824.
Tribulus aquaticus minor prior. *Park.* 1248.
Anglis, the greater Water-caltrops.
Habitat *in fluviis, foſſis, ſtagnis ubique.* ♃. V. VI.

5. POTAMOGETON foliis lanceolatis oppoſitis ſubundulatis. *Sp. pl.* 126. *ſerratum.*
Potamogeton f. Fontalis media lucens. *Bauh. hiſt. III.* 777. *R. Syn.* 149.
Potamogeton longo ſerrato folio. *Bauh. pin.* 193.
Tribulus aquaticus minor, Moſcatellæ floribus. *Ger. Em.* 823.
Tribulus aquaticus minor alter. *Park.* 1248.
β Potamogeton folio anguſto pellucido fere gramineo. *Doody. R. Syn.* 148.
Anglis, the leſſer Water-caltrops, or Frog's-lettuce.
Habitat *in fluviis leniter fluentibus.* ♃. VI.

6. PO-

compreſſum. 6. POTAMOGETON foliis linearibus obtuſis caule compreſſo. *Fl. ſuec.* 149. *Sp. pl.* 127.
Potamogeton caule compreſſo, folio graminis canini. *R. hiſt. I. Syn.* 149.
Anglis, ſmall branched Pondweed with a flat ſtalk.
Habitat *in fluviis. In* Cambridge *and many other rivers. R. Syn.* 4. VI. VII.

gramineum. 7. POTAMOGETON foliis lineari-lanceolatis alternis ſeſſilibus ſtipula latioribus. *Fl. ſuec. Sp. pl.* 127.
Potamogiton gramineum latiuſculum foliis et ramificationibus denſe ſtipatis. *Budd. H. Sic. Vol.* 27. *R. Syn.* 149. *t.* 4. *f.* 3.
β Potamogiton gramineum latum. *Pet. h. br. t.* 5. *f.* 10.
Anglis, glaſs leaved Pondweed.
Habitat *in foſſis prope* Deptford. *R. Syn.* 4.

puſillum. 8. POTAMOGETON foliis linearibus oppoſitis alterniſque diſtantibus: baſi patentibus, caule tereti. *Fl. ſuec.* 153. *Sp. pl.* 127. *Dalib. pariſ.* 56.
Potamogiton puſillum, gramineo folio, caule tereti. *R. hiſt.* 190. *Syn.* 150.
Potamogeton minimum capillaceo folio. *Bauh. pin.* 193. *pr.* 101.
Potamogeton gramineum anguſtifolium. *Pet. h. br. t.* 5. *f.* 11.
Anglis, ſmall graſs-leaved Pondweed.
Habitat *in foſſis et ſtagnis.* 4. VI. VIII.

pectinatum. 9. POTAMOGETON foliis ſetaceis parallelis aproximatis diſtichis. *Fl. ſuec.* 150. *Sp. pl.* 127. *Dalib. pariſ.* 55.
Potamogiton millefolium, ſeu foliis gramineis ramoſum. *R. Syn.* 150.
Potamogeton gramineum ramoſum. *Bauh. pin.* 193.
Millefolium tenuifolium. *Ger. Em.* 828.
Anglis, Fennel-leaved Pondweed.
Habitat *in fluviis. In fluvio* Serpentine *river dicto in* Hyde-park *prope* Londinum. 4. VI.

10. PO-

10. POTAMOGETON foliis linearibus alternis diſtinctis inferne vaginantibus. *Fl. ſuec.* 152. *Sp. pl.* 127. *marinum.*
Potamogiton maritimum ramoſiſſimum, grandiuſculis capitulis, capillaceo folio noſtras. *Pluk. Ph. t.* 216. *f.* 5. *R. Syn.* 150.
Potamogeton ſœniculaceum. *Pet. h. br. t.* 5. *f.* 13.
Anglis, Sea Pondweed.
Habitat *in foſſis maritimis. In foſſis pone* Sheerneſs, *abunde. R. Syn.* 4. VIII.

RUPPIA. 161.

Cal. o. *Cor.* o. *Sem.* quatuor pedicellata.

1. RUPPIA. *Hort. cliff.* 436. *It. W-goth.* 186. *Fl. ſuec.* 154. *Sp. pl.* 54. *maritima.*
Buccaferra maritima foliis acutiſſimis. *Mich. gen.* 72. *t.* 35.
Potamogiton maritimum gramineis longioribus foliis, fructu fere umbellato. *Pluk. Alm.* 305. *R. Syn.* 135.
Potamogiton maritimum puſillum alterum, ſeminibus ſingulis longis pediculis inſidentibus. *Pluk. Ph. t.* 248. *f.* 4.
Potamogiton maritimum puſillum alterum. *R. hiſt. I.* 190.
Anglis, Sea-graſs.
Habitat *in maritimis. In foſſis in inſula* Shepey *copioſe.* 4. VIII.

SAGINA. 162.

Cal. tetraphyllus. *Petala* quatuor. *Capſ.* quadrilocularis, quadrivalvis.

1. SAGINA ramis procumbentibus. *Fl. lapp.* 157. *ſuec. Sp. pl.* 128. *procumbens.*
Alſinella muſcoſo flore repens. *Cat. giſſ.* 81. *R. Syn.* 345.
Saxifraga graminea puſilla, flore parvo tetrapetala. *R. Syn.* 2. 206.
Saxifraga anglicana alſine folio. *Ger. Em.* 568.
Saxifraga puſilla graminea, flore parvo herbido et muſcoſo. *Merr. pin.*

Alſine

Alſine ſaxifraga perexigua tenuifolia, flore parvo tetrapetalo radice reptatrice. *Pluk. alm.* 23.
Caryophyllus minimus muſcoſus noſtras. *Park.* 1340.
β Saxifraga anglica Alſine folia annua. *Plot. hiſt. n. ox. t.* 9. *f.* 7.
γ Saxifraga graminea puſilla foliis brevioribus, craſſioribus et ſucculentioribus. *R. Syn.* 345.
Anglis, Pearl-wort, or Chickweed Breakſtone.
Habitat *in muris, tectis, pratis arenoſis ubique.* ⊙. VI.

erecta. 2. SAGINA caule erecto ſubunifloro. *Sp. pl.* 128.
Alſinella foliis caryophylleis. *Cat. giſſ.* 47. *R. Syn.* 344. *t.* 15. *f.* 4.
Alſine tetrapetalos Caryophylloides, quibuſdam Holoſteum minimum. *R. Syn. ed.* 2. 206.
Alſine verna glabra. *Vaill. pariſ.* 6. *t.* 3. *f.* 2.
Anglis, the leaſt Stichwort.
Habitat *in paſcuis glareoſis frequens.* ⊙. IV. V.

Claſſis

Claſſis V.

PENTANDRIA
MONOGYNIA.

* *Flores monopetali, inferi tetraſpermi.* Aſperifoliæ R.

MYOSOTIS. 165.

Cor. hypocrateriformis, quinquefida, emarginata : fauce clauſa fornicibus.

MYOSOTIS ſeminibus nudis : foliorum apicibus calloſis. *Syſt. Nat.* 915. *Fl. ſuec.* 175. *Sp. pl.* 131. *ſcorpioides*

Myoſotis foliis hirſutis. *Hort. cliff.* 45.

Myoſotis ſcorpioides hirſuta. *Park.* 691. *R. Syn.* 229.

Myoſotis ſcorpioides hirſuta. *Ger. Em.* 337.

Echium ſcorpioides arvenſe. *Bauh. pin.* 254.

β Myoſotis ſcorpioides latifolia hirſuta. *Merr. pin. R. Syn.* 229. *t.* 9. *f.* 2.

γ Myoſotis ſcorpioides hirta minor. *Merr. pin. R. Syn.* 229.

Echium ſcorpioides minus floſculis luteis. *Bauh. pin.* 254.

♪ Myoſotis ſcorpioides paluſtris. *Ger. Em.* 337. *R. Syn.* 229.

Echium ſcorpioides paluſtre. *Bauh. pin.* 254.

Anglis, Mouſe-ear ſcorpion-graſs.

Habitat *in pratis exaridis ubique.* β *in foſſis, et ad ſcaturagines et fontes.* ♃. IV.—VIII.

LITHOSPERMUM. 166.

Cor. infundibuliformis fauce perforata, nuda. *Cal.* quinquepartitus.

1. LITHOSPERMUM ſeminibus lævibus, corollis vix calycem ſuperantibus, foliis lanceolatis. *Syſt. Nat.* 913. *Sp. pl.* 133. *officinale.* ✗

Lithoſpermum majus erectum. *Bauh. pin.* 258.

Lithoſpermum minus. *Ger. Em.* 609.

Lithoſpermum vulgare minus. *Park.* 432.
Lithoſpermum ſeu milium ſolis. *Bauh. hiſt.* 3. 590. *R. Syn.* 228.
Anglis, Gromwell, Gromill or Graymill.
Habitat *in locis glareoſis et aridis. Circa* Briſtolium *copioſe*; *in ſylva* Charlton *wood dicta in* Cantio; Dr. Wilmer. ♃. V. VI. *Near Hadleigh in Suffolk.*
Pharmac. Lathoſpermi *ſemina.*

purpuro cærulcum. 2. LITHOSPERMUM ſeminibus lævibus, corollis calycem multoties ſuperantibus. *Hort. cliff.* 46. *Sp. pl.* 132.
Lithoſpermum minus repens latifolium. *Bauh. pin.* 258.
Lithoſpermum majus. *Ger. Em.* 609.
Lithoſpermum vulgare majus. *Park.* 258.
Lithoſpermum majus Dodonæi, flore purpureo, ſemine Anchuſæ. *Bauh. hiſt. III.* 572. *R. Syn.* 229.
Anglis, the leſſer creeping Gromwell.
Habitat *in paſcuis montoſis. On the top of a buſhy hill near* Denbigh *town in* Wales, *on the north ſide of the town*; *alſo in* Somerſetſhire, *not far from* Taunton. *R. Syn.* ♃. VI.

X *arvenſe.* 3. LITHOSPERMUM ſeminibus rugoſis, corollis vix calycem ſuperantibus. *Fl ſuec.* 160. *Sp. pl.* 132.
Lithoſpermum arvenſe radice rubra. *Bauh. pin.* 258. *Park.* 432. *R. Syn.* 227.
Anchuſa degener facie Milii ſolis. *Ger. Em.* 610.
Anglis, baſtard Alkanet.
Habitat *in arvis frequens.* ☉. V. VI.

ANCHUSA. 167.

Cal. infundibuliformis fauce clauſa fornicibus.

ſempervirens. 1. ANCHUSA pedunculis diphyllis capitatis. *Sp. pl.* 134.
Bugloſſum latifolium ſempervirens. *Bauh. pin.* 256.
Borrago ſempervirens. *Ger. Em.* 797. *R. Syn.* 227.
Anglis, evergreen Alkanet.
Habitat *in ruderatis. Near* Hornſplace *near* Rocheſter *in Kent*, *R. Syn. Juxta* Vauxhall *prope* Londinum. ♃. V. VI.

CY-

CYNOGLOSSUM. 168.

Cor. infundib. fauce clauſa fornicibus. *Semina* depreſſa, interiore tantum latere ſtylo affixa.

CYNOGLOSSUM ſtaminibus corolla brevioribus, foliis lato-lanceolatis tomentoſis ſeſſilibus. *officinale.* ✕
Fl. ſuec. 162. *Sp. pl.* 134.
Cynogloſſum foliis lanceolato-ovatis, corollis calycem æquantibus. *Roy. lugdb.* 406. *Mat. med.* 60.
Cynogloſſum majus vulgare. *Bauh. pin.* 257. *Ger. Em.* 804. *Park.* 511.
β Cynogloſſum folio virenti. *Bauh. hiſt. III.* 600. *R. Syn.* 226.
Anglis, Hound's-tongue.
Habitat *in ruderatis et ad vias.* β *In the* London *road, between* Kelveden *and* Witham *in* Eſſex; *but more plentifully about* Braxted *by the way-ſides. At* South-end *by* Eltham, *Mr.* J. Sherard. *In a hedge facing the road on* Stamford-hill, *between* Newington *and* Toddenham. *R. Syn.* 4. VI.
Pharmac. Cynogloſſi *Radix.*

PULMONARIA. 169.

Cor. infundib. fauce pervia. *Cal.* priſmatico-pentagonus.

1. PULMONARIA foliis radicalibus ovato-cordatis *officinalis.*
ſcabris. *Sp. pl.* 135. *Mat. med.* 62. *Hall. helv.* 516.
Pulmonaria foliis Echii. *Ger. Em.* 808.
Symphytum maculoſum ſ. Pulmonaria latifolia. *Bauh. pin.* 259.
Pulmonaria latifolia. *Park.* 248.
Anglis, Bugloſs-cowſlips, or long-leaved Sage of Jeruſalem.
Habitat *in nemoroſis. In a wood by* Holbury-houſe, *in the new foreſt*, Hampſhire. *R. Syn.* 4. V.

2. PULMONARIA calycibus abbreviatis, foliis ovatis, *maritima.*
caule ramoſo procumbente. *Sp. pl.* 136.
Cerinthe foliis ovatis petiolatis. *Hort. cliff.* 48. *Roy. lugdb.* 408.

Cerinthe maritima procumbens. *Dill. elth.* 75. *t.* 65. *f.* 75.
Echium marinum. *Phyt. Br. Cat. Angl. R. Syn.* 228.
Bugloſſum marinum. *Pet. H. Br. t.* 29. *f.* 3.
Cynogloſſum procumbens glaucophyllon maritimum noſtras floribus purpuro-cæruleis ſeminibus lævibus, *Pl. ph. t.* 172. *f.* 3.
Bugloſſum dulce ex Inſulis Lancaſtriæ. *Park.* 765.
Anglis, Sea Bugloſs.
Habitat *in maritimis et arena mobili. Near* Whitehaven *in* Cumberland, *and againſt* Bigger *in the iſle of* Walney, *in* Lancaſhire, Mr. Lawſon. *Near* Trefarthen *in* Angleſea, *and in abundance by the river* Euyſni, *in the way from* Dinardinlle *to* Clynog *in* Carnarvonſhire, Mr. Lhwyd. *R. Syn.* 4. VII.

SYMPHYTUM. 170.

Corollæ limbus tubulato-ventricoſus: fauce clauſa radiis ſubulatis.

X *officinale.* 1. SYMPHYTUM foliis ovato-lanceolatis decurrentibus. *Mat. med.* 61. *Fl. ſuec.* 165. *Sp. pl.* 136.
Symphytum majus vulgare. *Park.* 523.
Symphytum, conſolida major. *Bauh. pin.* 259. *Ger. Em.* 660.
β Symphytum flore purpureo. *Merr. pin.*
Anglis, Comfrey.
Habitat *in aquoſis et ad ripas fluviorum.* 4.
Pharmacop. Conſolidæ majoris *Radix.*

BORAGO. 172.

Corolla rotata: fauce radiis clauſa.

X *officinalis.* * 1. BORAGO foliis omnibus alternis, calycibus patentibus. *Sp. pl.* 137.
Borrago hortenſis. *Ger. Em.* 797. *R. Syn.* 228.
Borrago floribus cæruleis et albis. *Bauh. hiſt. III.* 574.
Bugloſſum latifolium, Borrago. *Bauh. pin.* 256.
Anglis, Borage.
Habitat *in ruderatis viis, muris, frequens.* 4. VI. VIII.
Pharm. Borraginis *Folia, Flores.*

AS-

ASPERUGO. 173.

Cal. fructus compreſſus lamellis plano parallelis, ſinuatis.

1. ASPERUGO. *Fl. lapp.* 76. *Fl. ſuec.* 159. *Sp. pl.* 138. *Hall. helv.* 522. *procumbens.*
Bugloſſum ſylveſtre, caulibus procumbentibus. *Bauh. pin.* 257. *Hiſt. Ox. III.* 439. *t.* 26. *f.* 13.
Borago minor ſylveſtris. *Park.* 765.
Aparine major. *Plinii Ger. Em.* 1122.
Anglis, ſmall wild Bugloſs, great Gooſe-graſs, and German Madwort.
Habitat *in ruderatis quinquibus. By* Boxley *in* Suſſex, *and in the* Holy Iſland. *R. Syn.* 228. *prope* Purfleet *in* Eſſex; *D.* Alchorne. ⊙. IV. V.

LYCOPSIS. 174.

Corollæ tubus incurvatus.

1. LYCOPSIS foliis lanceolatis hiſpidis, calycibus floreſcentibus erectis. *Fl. lapp.* 77. *Fl. ſuec.* 167. *Sp. pl.* 139. *arvenſis.*
Bugloſſum ſylveſtre minus. *Bauh. pin.* 256. *Park.* 765.
Bugloſſa ſylveſtris minor. *Ger. Em.* 799. *R. Syn.* 227.
Anglis, ſmall wild Bugloſs.
Habitat *in arvis et ad vias frequens.* ⊙. VI.—IX.

ECHIUM. 175.

Corolla irregularis, fauce nuda.

1. ECHIUM caule ſimplici erecto, foliis caulinis lanceolatis hiſpidis, floribus ſpicatis lateralibus ſtaminibus corollam æquantibus. *Mill. Dict. Hort. edit.* 6. *vulgare.*
Echium caule ſimplici erecto, foliis caulinis lanceolatis hiſpidis, floribus ſpicatis lateralibus. *Hort. cliff.* 43. *Roy. lugdb.* 407. *Sp. pl.* 139.
Echium vulgare. *Bauh. pin.* 254. *Bauh. hiſt. III.* 586. *Park.* 414. *Ger. Em.* 802. *R. Syn.* 227.
Anglis, Vipers Bugloſs.

Habitat *in arvis et ad vias*; *in agro* Cantiano *frequens*. 4. VII.
Pharmacop. Echii *Herba*, *Flores*.

anglicum. 2. ECHIUM caule ſimplici erecto, foliis lanceolato-linearibus hiſpidis, floribus ſpicatis lateralibus. Staminibus corolla longioribus. *Mill. Dict. hort. edit.* 6.
Echium alterum ſive Lycopſis Anglica. *Merr. pin. R. Syn.* 228.
Lycopſis Anglica Lobelii.
Anglis, Engliſh Vipers Bugloſs.
Habitat *in arvis paſcuis ſterilioribus et ad vias frequens*. 4. VIII.

italicum. 3. ECHIUM corollis ſubæqualibus vix calycem excedentibus: margine villoſis. *Syſt. Nat.* 916. *Sp. pl.* 139.
Lycopſis. *Bauh. pin.* 255. *Park.* 519. *Ger. Em.* 802. *R. Syn.* 227.
Anglis, Wall Vipers Bugloſs.
Habitat *in arenoſis*. *In the iſle of* Jerſey, *on the ſandy grounds, near* S. Hilary, *plentifully*. 4. VII.

* *Fl. monopetali, inferi, angioſpermi.*

PRIMULA. 180.

Involucrum umbellulæ. *Corollæ* tubus cylindricus: ore patulo.

vulgaris. 1. PRIMULA foliis dentatis rugoſis, ſcapo unifloro.
Primula veris vulgaris. *Park.* 536. *R. Syn.* 284.
Primula veris minor. *Ger. Em.* 781.
Verbaſculum ſylvarum majus ſingulari flore. *Bauh. pin.* 241.
Anglis, common Primroſe.
Habitat *in ſylvis ſepibus et ericetis ubique*. 4. IV. V.

veris. 2. PRIMULA foliis dentatis rugoſis, ſcapo multifloro.
Primula foliis dentatis rugoſis. *Sp. pl.* 142.
Primula veris major. *Ger. Em.* 781. *R. Syn.* 284.
Verbaſculum pratenſe odoratum. *Bauh. pin.* 241.

Para-

Paralyſis vulgaris pratenſis flore flavo ſimplici odorato. *Park. th.* 535. *Par.* 244.

β Verbaſculum pratenſe aut ſylvaticum inodorum. *Bauh. pin.* 241.

Primula pratenſis inodora lutea. *Ger. Em.* 780. *R. Syn.* 284.

Anglis, α Pagils or Cowſlips. β Great Cowſlips or Oxflips.

Habitat *in pratis* ♃. IV. V.

Pharmacop. Paralyſis *Flores.*

3. Primula foliis crenatis glabris, florum limbo plano. *farinoſa.*
Fl. ſuec. 172. *Sp. pl.* 143.

Primula veris flore rubro. *Ger. Em.* 783.

Verbaſculum umbellatum alpinum minus. *Bauh. pin.* 247. *R. Syn.* 285.

Paralyſis minor flore rubro. *Park. par.* 246.

Anglis, Bird's-eye.

Habitat *in paludibus montoſis in comitatibus* Weſtmorlandico *et* Eboracenſi *copioſe.* ♃. V.

MENYANTHES. 185.

Corolla hirſuta. *Stigma* bifidum. *Capſ.* unilocularis.

1. MENYANTHES foliis ternatis. *Fl. ſuec.* 173. *lapp. trifolia.* 80. *Hall. helv.* 487. *Sp. pl.* 145.

Menianthe paluſtre triphyllum latifolium et anguſtifolium. *Tourn.* 117. *R. Syn.* 285.

Trifolium paluſtre. *Bauh. hiſt. II.* 389. *Bauh. pin.* 327.

Trifolium paludoſum. *Ger. Em.* 1194. *Park.* 1212.

Anglis, Marſh Trefoil, or Buck-bean.

Habitat *in paluſtribus et aquoſis frequens.* ♃. VI. VII.

Pharmacop. Trifolii paludoſi *Herba.*

2. MENYANTHES foliis cordatis integerrimis, corollis ciliatis. *Sp. pl.* 145. *Nymphoides.*

Nymphæa lutea minor flore fimbriato. *Bauh. hiſt. II.* 772. *Bauh. pin.* 194. *R. Syn.* 368.

Anglis, fringed Water-lilly.

Habitat *in fluviis et foſſis majoribus.* ♃. VI. VII.

HOTTONIA. 186.

Cor. hypocrateriformis. *Stam.* tubo corollæ impoſita. *Capſ.* unilocularis.

paluſtris. 1. HOTTONIA pedunculis verticillato-multifloris. *Syſt. Nat.* 919

Hottonia. *Boerh. ind. alt.* 207. *R. Syn.* 285. *Sp. pl.* 145.

Millefolium aquaticum ſeu Viola aquatica caule nudo. *Bauh. pin.* 141.

Millefolium aquaticum floridum ſeu Viola aquatica. *Park.* 1256.

Viola paluſtris. *Ger. Em.* 826.

Anglis, Water-violet.

Habitat *in foſſis et paludibus frequens.* ♃. VII. VIII. **VI**

LYSIMACHIA. 188.

Cor. rotata. *Capſ.* globoſa, mucronata, decemvalvis.

* *Pedunculis multifloris.*

✕ *vulgaris.* 1. LYSIMACHIA paniculata racemis terminalibus. *Fl. ſuec.* 175. *Sp. pl.* 146.

Lyſimachia foliis lanceolatis, racemo compoſito terminali. *Virid. cliff.* 415. *Roy. lugdb.* 416.

Lyſimachia lutea. *Bauh. hiſt. II.* 901. *Ger. Em.* 474. *R. Syn.* 282.

Lyſimachia lutea major. *Bauh. pin.* 245. vulgaris *Park.* 544.

β Lyſimachia lutea foliis brevioribus et obtuſis, floribus in ſummitate congeſtis. *R. Syn.* 282.

Anglis, yellow Willow-herb, or Looſeſtrife.

Habitat *in paludibus nemoroſis et ad ripas fluviorum.* ♃. VI. VII.

Pharmac. Lyſimachiæ *Herba.*

thyrſiflora. 2. LYSIMACHIA racemis lateralibus pedunculatis. *Fl. ſuec.* 176. *Sp. pl.* 147.

Lyſimachia ex alis foliorum thyrſifera. *Fl. lapp.* 82.

Lyſimachia lutea flore globoſo. *Ger. Em.* 475. *Park.* 544. *R. Syn.* 283.

Lyſimachia

Lyſimachia bifolia flore globoſo luteo. *Bauh. pin.* 245.
Anglis, tufted Loofeſtrife.
Habitat *in paludibus et ad ripas fluviorum ſed rarius.* *Found by* Mr. Dodſworth *in the* Eaſt Riding *of* Yorkſhire. *In* Nynnech, tiked, Angleſea, Mr. Lhwyd. *By* Kings-Langley *in* Hertfordſhire. *Ph. Br. R. Syn.* 4. VI.

Brickhills Ely

** *Pedunculis unifloris.*

3. LYSIMACHIA foliis ovatis acutis, floribus ſolitariis, caule procumbente. *Hort. cliff.* 52. *Roy. lugdb.* 416. *Sp. pl.* 148. *nemorum.*
Anagallis lutea. *Ger. Em.* 618. nemorum. *Bauh. pin.* 252.
Anagallis flore luteo. *Park.* 558.
Anglis, yellow Pimpernell of the Woods.
Habitat *in ſylvis et umbroſis humidioribus.* 4. V. VI.

4. LYSIMACHIA foliis ſubcordatis, floribus ſolitariis caule repente. *Fl. ſuec.* 177. *Sp. pl.* 148. *Hall. Helv.* 481. *Nummularia.*
Nummularia. *Ger. Em.* 630. vulgaris *Park.* 555.
Nummularia major lutea. *Bauh. pin.* 309.
Anglis, Moneywort.
Habitat *in pratis et paſcuis humidis.* 4. VI.

5. LYSIMACHIA foliis ovatis acutiuſculis, pedunculis folio longioribus, caule repente. *Sp. pl.* 148. *tenella.*
Lyſimachia foliis orbiculatis planis, floribus ſolitariis rubellis caule repente. *Sauv. monſp.* 135.
Nummularia minor flore purpuraſcente. *Bauh. pin.* 310. *Park.* 555. *Ger. Em.* 630. *R. Syn.* 283.
Anglis, purple Moneywort. Bagshot heath XXI miles from London.
Habitat *in paludibus ceſpitoſis.* 4. VII. VIII.

ANAGALLIS. 189.

Corolla rotata. *Capſ.* circumſciſſa.

1. ANAGALLIS foliis indiviſis, caule procumbente. *arvenſis.* *Sp. pl.* 148. *Fl. ſuec.* 178.

Ana-

Anagallis flore phæniceo. *Bauh. pin.* 252. *Park.* 558. *R. Syn.* 282.
Anagallis mas. *Ger. Em.* 617.
β Anagallis phænicea foliis amplioribus ex adverſo quaternis. *Pluk. alm.* 29. *R. Syn.* 282.
γ Anagallis fœminea. *Ger. Em.* 617. *R. Syn.* 282. cæruleo flore. *Bauh. pin.* 252.
♂ Anagallis terreſtris flore albo. *R. Syn.* 282.
Anglis, male Pimpernel, γ female Pimpernel.
Habitat *in arvis, et locis arenoſis*, γ *in arvis inter* Camberwell *et* Stockwell. ☉. V.—VIII.

CONVOLVULUS. 198.

Cor. campanulata, plicata. *Stigm.* duo. *Capſ.* bilocularis: loculis diſpermis.

* *Caule volubili.*

arvenſis. 1. CONVOLVULUS foliis ſagittatis utrinque acutis, pedunculis unifloris. *Fl. ſuec.* 181. *Sp. pl.* 153. *Dalib. pariſ.* 65.
Convolvulus minor vulgaris. *Park.* 171. *R. Syn.* 275.
Convolvulus minor arvenſis. *Bauh. pin.* 294.
Smilax lævis minor. *Ger. Em.* 861.
β Convolvulus arvenſis minimus. *D. Dent. R. Syn.* 276.
γ Convolvulus flore minimo ad unguem fere ſecto. *R. Syn.* 276.
Anglis, ſmall Bindweed.
Habitat *in arvis et ad vias ubique.* ♃. VI. VII.

ſepium. 2. CONVOLVULUS foliis ſagittatis poſtice truncatis, pedunculis tetragonis unifloris. *Syſt. nat.* 922. *Sp. pl.* 152.
Convolvulus major albus. *Bauh. pin.* 294. *Park.* 163. *R. Syn.* 275.
Smilax lævis major. *Ger. Em.* 861.
Anglis, great Bindweed.
Habitat *in ſepibus ſubhumidis.* ♃. VII. VIII.

** *Caule*

** *Caule proſtrato.*

3 CONVOLVULUS foliis reniformibus, pedunculis unifloris. *Sp. pl.* 159. *Mat. med.* 81. *Soldanella.*
Convolvulus maritimus Soldanella dicta. *R. Syn.* 276.
Soldanella marina. *Ger. Em.* 861.
Soldanella maritima minor. *Bauh. pin.* 295.
Soldanella vulgaris. *Park.* 161.
Anglis, Sea Bindweed. Scottiſh Scurvy-graſs.
Habitat *in littoribus maritimis frequens.* 4. VII.

POLEMONIUM. 200.

Cor. quinquepartita. *Stam.* ſquamis baſin corollæ claudentibus inſerta. *Stigma* trifidum. *Capſ.* trilocularis, ſupera.

1. POLEMONUM foliis pinnatis floribus terminalibus erectis calycibus tubo corollæ longioribus. *Syſt. Nat.* 925. *Sp. pl.* 162. *cæruleum.*
Valeriana cærulea. *Bauh. pin.* 164.
Valeriana græca. *Ger. Em.* 1076. *Park.* 122.
Anglis, great Valerian, Ladder to Heaven, and Jacob's Ladder.
Habitat *in dumetis infra* Malham-cove, *eundo ab oppido ad* Malham-cove *dextrorſum, ad ſiniſtram enim re una invenitur planta*; Dr. Richardſon. *R. Syn.* 280. 4. VI. *on the Hills between Morton in marsh & Broadway.*

VERBASCUM. 217.

Cor. rotata, ſubinæqualis. *Capſ.* bilocularis, bivalvis.

1. VERBASCUM foliis decurrentibus utrinque tomentoſis. *Vir. cliff.* 13. *Mat. med.* 90. *Fl. ſuec.* 195. *Sp. pl.* 177. *Thapſus.*
Verbaſcum caule ſimplici ſuperne floribus ſeſſilibus clavato, foliis utrinque lanigeris. *Hort. cliff.* 55.
Verbaſcum mas latifolium luteum. *Bauh. pin.* 239. *R. Syn.* 287.
Verbaſcum album vulgare, ſive Thapſus barbatus communis. *Park.* 60.
Thapſus barbatus. *Ger. Em.* 773.

Anglis,

Anglis, great white Mullein, High-taper, Cow's Lungwort.

Habitat *in locis cretaceis, arenoſis, ſteriliſſimis paſſim.* ♂. VII.

Pharmac. Verbaſci *Folia.*

Lychnitis. 2. VERBASCUM foliis cuneiformi-oblongis. *Hort. upſ.* 45. *Sp. pl.* 177.

Verbaſcum foliis ovato-acutis ſubtus villoſis, crenatis, ſpicis laxis lateralibus et terminalibus. *Hort. cliff.* 54.

Verbaſcum flore albo parvo. *Bauh. hiſt. III.* 873. *R. Syn.* 287.

Verbaſcum Lichnitis flore albo parvo. *Bauh. pin.* 240.

Verbaſcum mas foliis longioribus. *Park.* 60.

Verbaſcum Lichnitis Matthioli. *Ger. Em.* 775.

β Verbaſcum pulverulentum flore luteo parvo. *Bauh. hiſt. III.* 872. *R. Syn.* 287.

Anglis, Hoary Mullein, or white flowered Mullein.

Habitat *in locis arenoſis et cretaceis, in agro* Cantiano *frequens.* β *circa mœnia* Nordovici *urbis*; *et ad* Buriam *oppidum. R. Syn.* ♂. VII.

nigrum. 3. VERBASCUM foliis cordato-oblongis petiolatis. *Mat. med.* 91. *Sp. pl.* 178.

Verbaſcum foliis ovatis crenatis ſubtus tomentoſis caule angulato. *Vir. cliff.* 13. *Roy. lugdb.* 421. *Dalib. pariſ.* 91.

Verbaſcum nigrum flore parvo, apicibus purpureis. *Bauh. hiſt. III.* 873. *R. Syn.* 288.

Verbaſcum nigrum flore ex luteo purpuraſcente. *Bauh. pin.* 240.

Verbaſcum nigrum. *Ger. Em.* 775. vulgare *Park.* 61.

Verbaſcum nigrum ſalvifolium luteo flore. *Lob. adv.* 241. 466.

Anglis, Sage-leaved black Mullein.

Habitat *ad vias in agro* Cantiano *paſſim.* ♃. VII.

Blattaria. 4. VERBASCUM foliis amplexicaulibus oblongis glabris, pedunculis ſolitariis. *Hort. upſ.* 46. *Sp. pl.* 178.

Verbaſcum foliis glabris ſerrato-dentatis, radicalibus ſinuatis. *Roy. lugdb.* 421. *Sauv. monſp.* 276.

Blattaria

Blattaria lutea. *Bauh. hiſt. III.* 874. *R. Syn.* 288.
Blattaria lutea folio longo laciniato. *Bauh. pin.* 240.
Blattaria flore luteo. *Park.* 64.
Blattaria Plinii. *Ger. Em.* 776.
Anglis, yellow Moth Mullein.
Habitat *in paſcuis glareoſis. Prope* Charlton *in* Cantio.
⊙. VI.

VINCA. 261.

Cor. contorta Folliculi duo, erecti. *Semina* nuda.

1. VINCA caulibus procumbentibus, foliis lanceolato-ovatis. *Sp. pl.* 209. *minor.*
Vinca Pervinca minor. *Ger. Em.* 894. *R. Syn.* 268.
Vinca Pervinca vulgaris. *Park.* 380.
Clematis daphnoides minor. *Bauh. pin.* 301. *Bauh. hiſt. II.* 130.
Anglis, Periwinckle.
Habitat *in ſepibus et ſylvis ſed rarius. In ſylvula prope* Hampſtedium. ♃. V. *
Pharm. Vincæ *Herba.*

2. VINCA caulibus erectis, foliis ovatis. *Sp. pl.* 209. *major.*
Clematis daphnoides major. *Bauh. pin.* 302. *R. Syn.* 268.
Clematis daphnoides latifolia, ſ. Vinca Pervinca major. *Park.* 380.
Clematis daphnoides, ſ. Pervinca major. *Ger. Em.* 894.
Anglis, the greater Periwinckle.
Habitat *in ſylvis et ſepibus paſſim.* ♃. V.

HYOSCYAMUS. 219.

Cor. infundibuliformis, obtuſa. *Stamina* inclinata.
Capſ. operculata, bilocularis.

1. HYOSCYAMUS foliis amplexicaulibus. *Hort. cliff.* 56. *Mat. med.* 86. *Fl. ſuec.* 199. *Sp. pl.* 179. *niger.*
Hyoſcyamus vulgaris. *Bauh. hiſt. III.* 627. *R. Syn.* 274.
Hyoſcyamus niger. *Ger. Em.* 353. ſ. vulgaris. *Bauh. pin.* 169. *Park.* 362.
Anglis,

* By the road-side, on the left hand, as one ascends the hill in going from Enham to Andover, plentifully.

Anglis, common Henbane.
Habitat *ad Pagos, vias, foſſas, ruderata.* ☉. VI.
Pharmac. Hyoſcyami *Radix, Semina, Herba.*

DATURA. 218.

Cal. infundibul. plicata. *Cal.* tubuloſus, angulatus, deſiduus. *Capſ.* tetravalvis.

Stramonium. * 1. DATURA pericarpiis ſpinoſis erectis ovatis. *Fl. ſuec.* 198. *Sp. pl.* 179.
Stramonium fructu ſpinoſo oblongo, flore albo. *Tourn.* 119.
Solanum pomo ſpinoſo oblongo, flore calathoide, Stramonium vulgo dictum. *R. Syn.* 266.
Solanum fœtidum, pomo ſpinoſo oblongo, flore albo. *Bauh. pin.* 164.
Stramonium ſpinoſum. *Ger. Em.* 349.
Anglis, Thorny Apple.
Habitat *in ruderatis circa Londinum paſſim.* ☉. VII.
Pharmac. Stramonii *Herba.*

SOLANUM. 224.

Cor. rotata. Antheræ ſubcoalitæ, apice poro gemino dehiſcentes. *Bacca* bilocularis.

nigrum. 1. SOLANUM caule inermi herbaceo, foliis ovatis dentato-angulatis, umbellis nutantibus. *Mat. med.* 94. *Fl. ſuec.* 200. *Sp. pl.* 186.
Solanum vulgare. *Park.* 346. *R. Syn.* 264.
Solanum officinarum. *Bauh. pin.* 166.
Solanum hortenſe. *Ger. Em.* 339. ſ. vulgare baccis nigris. *Bauh. hiſt. III.* 608.
β Solanum hortenſe ſ. vulgare baccis luteis. *Bauh. hiſt. III.* 608.
Anglis, Garden or common Nightſhade.
Habitat *in ruderatis.* ☉. VI. VII.
Pharmac. Solani *Herba, Fructus.*

Dulcamara. 2. SOLANUM caule inermi fruteſcente flexuoſo, foliis ſuperioribus haſtatis, racemis cymoſis. *Mat. med.* 95. *Fl. ſuec.* 201. *Sp. pl.* 71.

Solanum

Solanum lignoſum ſ. Dulcamara. *Park.* 350. *R. Syn.* 265.
Solanum ſcandens ſ. Dulcamara. *Bauh. pin.* 167.
Amara Dulcis. *Ger. Em.* 350.
β Solanum lignoſum ſ. Dulcamara marina. *R. Syn.* 265.
Anglis, Woody Nightſhade, or Bitter-ſweet.
Habitat *in ſepibus humidis paſſim.* ♃. VI. VII.
Pharmac. Dulcamaræ. *Radix*, *Folia*, *Cortex*.

ATROPA. 222.

Cor. campanulata. *Stamina* diſtantia. *Bacca* globoſa, bilocularis.

1. ATROPA caule herbaceo, foliis ovatis integris. *Sp. pl.* 181. *Balladonna.*
Balladonna. *Cluſ. Pann.* 504. *R. Syn.* 265.
Solanum lethale. *Park.* 346. *Ger. Em.* 340.
Solanum melanoceraſus. *Bauh. pin.* 166.
Anglis, Deadly Nightſhade, or Dwale.
Habitat *in ſylvis*, *ſepibus*, *ruderatis*. *In* Chuckſtone, *near* Rocheſter, *in* Kent; *about* Fulborn *in* Cambridgeſhire, Sutton Cofield *in* Warwickſhire. *R. Syn.* *Among the Box going down to* Darking, Surry. Dr. Wilmer. *By the Road-ſide, under the Park Wall, between* Temsford-mills *and* Welwyn, Hertfordſhire. Dr. Watſon. *Bl. ſpec.* 93. ♃. VI. VII.

** *Flores monopetali ſuperi.*

SAMOLUS. 205.

Cor. rotata. *Stamina* munita ſquamulis corollæ. *Capſ.* unilocularis.

1. SAMOLUS. *Hort. cliff.* 51. *Fl. ſuec.* 192. *Sp. pl.* 171. *valerandi.*
Samolus Valerandi. *Bauh. hiſt. III.* 791. *R. Syn.* 283.
Anagallis aquatica rotundo folio non crenato. *Bauh. pin.* 283.
Anagallis aquatica rotundifolia. *Ger. Em.* 620.
Anagallis aquatica 3. Lob. folio ſubrotundo non crenato. *Park.* 1237.
Anglis, round-leaved Water-pimpernel.

Habitat

Habitat *in paluſtribus, in pratis humidis inter* Greenwich *et* Woolwich. 4. VI.

LONICERA. 210.

Cor. monopetala, irregularis. *Bacca* polyſperma, bilocularis.

Periclymenum. 1. LONICERA capitulis ovatis imbricatis terminalibus; foliis omnibus diſtinctis. *Mat. med.* 68. *It. ſcan.* 305. *Fl. ſuec.* 193. *Sp. pl.* 173.
Caprifolium Germanicum. *Dod. pempt.* 411. *R. Syn.* 458.
Periclymenum. *Ger. Em.* 891.
Periclymenum ſ. caprifolium vulgare. *Park.* 1460.
Periclymenum non perfoliatum Germanicum. *Bauh. pin.* 302.
β Periclymenum foliis quercinis. *Merr. pin.*
Anglis, common Honeyſuckle, or Woodbine.
Habitat *in ſepibus.* ♄. V. VII.
Pharmac. Caprifolii. *Folia, Flores.*

CAMPANULA. 201.

Cor. campanulata fundo clauſo valvis ſtaminiferis. *Stigma* trifidum. *Capſ.* infera, poris lateralibus dehiſcens.

* *Foliis lævioribus anguſtioribus.*

rotundifolia. 1. CAMPANULA foliis radicalibus reniformibus, caulinis linearibus. *Fl. lapp.* 83. *Fl. ſuec.* 184. *Sp. pl.* 163. *Dalib. pariſ.* 66.
Campanula rotundifolia. *Ger. Em.* 452. *R. Syn.* 277.
Campanula minor ſylveſtris rotundifolia. *Park.* 651.
Campanula minor rotundifolia vulgaris. *Bauh. pin.* 93.
β Campanula minor rotundifolia alpina. *Bauh. pin.* 93.
Anglis, leſſer round-leaved Bell-flower.
Habitat *in ericetis et paſcuis ſterilibus frequens.* 4. VIII.

patula. 2. CAMPANULA foliis ſtrictis: radicalibus lanceolato-ovalibus, panicula patula. *Sp. pl.* 163.
Campanula eſculentæ facie, ramis et floribus patulis. *Dill. elth.* 68. *t.* 58. *f.* 68.

Anglis,

Anglis, Field Bell-flower.
Habitat *in ſylvis et ſepibus. In* Buddon *wood, near* Loughborough, *in* Leiceſterſhire; Mr. Pultney. 4. VII. VIII.

3. CAMPANULA caule unifloro. *Fl. lapp.* 85. *t.* 9. *f.* 5. 6. *ſuec.* 185 *Sp. pl.* 163. *uniflora.*
Anglis, Mountain Bell-flower.
Habitat *in* Wallia, D. Stillingfleet *invenit. In montibus ſupra* Graſmere, *in* Weſtmorlandia. 4. VII. VIII.

4. CAMPANULA foliis undulatis: radicalibus lanceolato-ovalibus panicula coarctata. *Hort. upſ.* 40. *Sp. pl.* 164. *Rapunculus.*
Rapunculus eſculentus. *Bauh. pin.* 92. *R. Syn.* 276.
Rapunculus eſculentus vulgaris. *Park.* 648.
Rapuntium parvum. *Ger. Em.* 453.
Anglis, Rampions.
Habitat *in aggeribus foſſarum et arvis ſed rarius. Prope* Croydon *in agro* Surrienſi. 4. VIII.

** *Foliis ſcabris latioribus.*

5. CAMPANULA foliis ovato-lanceolatis, caule ſimpliciſſimo tereti, floribus ſolitariis pedunculatis, fructibus cernuis. *Vir. Cliff.* 17. *Sp. pl.* 165. *Roy. lugdb.* 245. *latifolia.*
Campanula maxima foliis latiſſimis. *Bauh pin.* 94. *R. Syn.* 276.
Trachelium majus Belgarum. *Park.* 643. ſive Giganteum. *Ger. Em.* 448.
Anglis, Giant Throatwort.
Habitat *in dumetis et ſepibus. In the mountainous part of* Derbyſhire, Staffordſhire, Yorkſhire, *and elſewhere in the north of* England *plentifully. R. Syn.* 4. VII. VIII.

6. CAMPANULA caule angulato, foliis petiolatis, calycibus ciliatis, pedunculis trifloris. *Fl. ſuec.* 189. *Sp. pl.* 166. *Trachelium.*

Campanula vulgatior foliis Urticæ, vel major et aſperior. *Bauh. pin.* 94. *R. Syn.* 276.
Trachelium majus. *Ger. Em.* 448. flore purpureo. *Park.* 644.
Anglis, great Throatwort, or Canterbury Bells.
Habitat *in ſylvis et ſepibus.* ♃. VII. VIII.

glomerata. 7. Campanula caule angulato ſimplici, floribus ſeſſilibus, capitulo terminali. *Fl. ſuec.* 190. *it. gotl.* 196. *it. ſcan.* 306. *Sp. pl.* 166.
Campanula pratenſis flore conglomerato. *Bauh. pin.* 94. *R. Syn.* 277.
Trachelium minus. *Park.* 644. *Ger. Em.* 449.
Anglis, leſſer Throatwort, or Canterbury Bells.
Habitat *in paſcuis montoſis et cretaceis frequens.* ♃. VII.

*** *Caule ſubdiviſo.*

hybrida. 8. CAMPANULA caule baſi ſubramoſo ſtricto, foliis oblongis crenatis, calycibus aggregatis corolla longioribus, capſulis priſmaticis. *Sp. pl.* 168.
Campanula arvenſis erecta, vel Speculum Veneris minus. *Park.* 1331. *Ger. Em.* 439. *R. Syn.* 278.
Campanula arvenſis minima erecta. *Hiſt. Ox. II.* 457. *t.* 2. *f.* 22.
Anglis, the leſſer Venus Looking-glaſs, or codded Corn-violet.
Habitat *in arvis ſed rarius. In arvis inter* Northfleet *et* Stone, *in* Cantio, *copioſe.* ☉. VI. VII.

hederacea. 9. CAMPANULA foliis cordatis quinquelobis petiolatis glabris, caule laxo. *Dalib. pariſ.* 68. *Sp. pl.* 169.
Campanula Cymbalariæ foliis. *Ger. Em.* 452. *Park.* 652. *R. Syn.* 277.
Campanula Cymbalariæ foliis, vel folio hederaceo. *Bauh. pin.* 93.
Anglis, tender Ivy-leaved Bell-flower.
Habitat *in locis umbroſis humidis. On many moiſt and watery banks in the weſt of* England, *eſpecially in* Cornwal *and* Devonſhire; *I have found it alſo in the* North, *as about* Sheffield *in* Yorkſhire, Mr. Lawſon

Lawſon. *In* Bagley *wood, near* Oxford. R. Syn. *In* Wallia *frequens.* D. Stillingfleet. 4. V. VIII.

PHYTEUMA. 203.

Cor. rotata laciniis linearibus, quinquepartita. *Stigma* trifidum. *Capſ.* trilocularis.

1. PHYTEUMA capitulo ſubrotundo, foliis ſerratis: radicalibus cordatis. *Sp. pl.* 170. *orbiculare.*
Rapunculus corniculatus montanus. *Ger. Em.* 455. *R. Syn.* 278.
Rapunculus alopecuroides orbiculatus. *Park.* 648.
Rapunculus folio oblongo, ſpica orbiculari. *Bauh. pin.* 92.
Anglis, horned Rampions, with a round head or ſpike of flowers.
Habitat *in paſcuis ſiccis. On the Downs of* Suſſex *and* Hampſhire. *R. Syn.* 4. VII.

Flores pentapetali inferi.

RHAMNUS. 235.

Cal. tubuloſus: ſquamis ſtamina munientibus. *Cor.* nulla. *Bacca.*

1. RHAMNUS ſpinis terminalibus, floribus quadrifidis dioicis. *Fl. ſuec.* 202. *Sp. pl.* 193. *catharticus.*
Rhamnus catharticus. *Bauh. pin.* 478. *hiſt. I.* 55. *R. Syn.* 466.
Rhamnus ſolutivus. *Ger. Em.* 1337. ſ. ſpina infectoria vulgaris. *Park.* 243.
Anglis, Buckthorn, or purging Thorn.
Habitat *in ſylvis et ſepibus.* ♄. IV. V.
Pharmac. Spinæ Cervinæ *Baccæ.*

2. RHAMNUS inermis, floribus monogynis hermaphroditis, foliis integerrimis. *Fl. ſuec.* 203. *Mat. med.* 73. *Sp. pl.* 193. *Frangula.*
Frangula ſeu Alnus nigra baccifera. *Park.* 240. *R. Syn.* 465.
Alnus nigra baccifera. *Bauh. pin.* 428. *hiſt. I.* 560.
Alnus nigra ſive Frangula. *Ger. Em.* 1469.

Anglis, the black berry-bearing Alder.
Habitat *in ſylvis et ſepibus.* ♄. IV. V.
Pharmac. Frangulæ *Cortex.*

EUONYMUS. 240.

Cor. pentapetala. *Capſ.* pentagona, quinquelocularis, quinquevalvis, colorata. *Sem* calyptrata.

europæus. 1. EUONYMUS floribus pleriſque quadrifidis. *Fl. ſuec.* 204. *Sp. pl.* 197.
Euonymus foliis oblongo-ovatis. *Hort. cliff.* 38.
Euonymus vulgaris. *Park.* 241. *R. Syn.* 468.
Euonymus vulgaris granis rubentibus. *Bauh. pin.* 428.
Euonymus Theophraſti. *Ger. Em.* 1468.
Anglis, Spindletree, or Prickwood.
Habitat *in ſepibus et ſylvis.* ♄. IV. V.

** *Flores pentapetali ſuperi.*

RIBES. 247.

Petala quinque et ſtamina calyci inſerta. *Stylus* bifidus. *Bacca* polyſperma.

rubrum. * 1. RIBES inerme, racemis glabris pendulis, floribus planiuſculis. *Hort. cliff.* 82. *Mat. med.* 99. *Sp. pl.* 200. *Fl. ſuec.* 205.
Ribes vulgaris fructu rubro. *Ger. Em.* 1593. *R. Syn.* 456.
Ribes fructu rubro. *Park.* 1561.
Groſſularia ſylveſtris rubra. *Bauh. pin.* 455.
β Groſſularia vulgaris fructu dulci. *Bauh. pin.* 455.
γ Ribes fructu parvo. *Merr. pin.*
Anglis, Currants.
Habitat *in ſylvis et ſepibus. In ſylvis in ſeptentrionali comitatus* Eboracenſis *parte, inque* Dunelmenſi *Epiſcopatu et* Weſtmorlandia, D. Johnſon. *R. Syn.* ♄. V.
Pharmac. Ribium *Baccæ.*

alpinum. 2. RIBES inerme, racemis erectis: bracteis flore longioribus. *Sp. pl.* 200.
Ribes alpinus dulcis. *Bauh. hiſt. II.* 98.

Anglis,

Anglis, ſweet Mountain-currants.
Habitat *in ſylvis et ſepibus. In agro* Eboracenſi *invenit*, D. Dodſworth; *in ſepibus juxta* Bradford *abundat*, D. Richardſon. *R. Syn.* ♄. V.

3. RIBES inerme, racemis piloſis floribus oblongis. *Sp. nigrum. pl.* 201. *Fl. ſuec.* 207.
Ribes nigrum vulgo dictum folio olente. *Bauh. hiſt. II.* 98. *R. Syn.* 456.
Ribes fructu nigro. *Park.* 1562. *Ger. Em.* 1593.
Groſſularia non ſpinoſa fructu nigro. *Bauh. pin.* 455.
Anglis, black Currants, or Squinancy Berries.
Habitat *in ſylvis humidis et ad ripas fluviorum. We obſerved it at* Abington *in* Cambridgeſhire, Blunham *in* Bedfordſhire, *in* Warwickſhire, Weſtmoreland *and* Cumberland. *By the* Hoppet-bridge *near* Braintree. *R. Syn.* ♄. V.

HEDERA. 249.

Petala quinque, oblonga. *Bacca* quinqueſperma, calyce cincta.

1. HEDERA foliis ovatis lobatiſque. *Fl. lapp.* 91. *Sp. Helix. pl.* 75.
Hedera communis major et minor. *Bauh. hiſt. II.* 111.
Hedera arborea. *B. pin.* item major ſterilis. *Bauh. pin.* 305.
Hedera arborea ſive ſcandens et corymboſa communis. *Park.* 678.
Hedera helix. *Ger. Em.* 858.
Anglis, Ivy.
Habitat *in ſylvis et ſepibus.* ♄. X.
Pharmac. Hederæ *Folia*, *Baccæ*, *Gummi.*

* *Flores incompleti ſuperi.*

ILLECEBRUM. 256.

Cal. pentaphyllus, cartilagineus. *Cor.* o. *Stigma* ſimplex. *Capſ.* quinquevalvis, monoſperma.

1. ILLECEBRUM floribus verticillatis nudis, caulibus procumbentibus. *Sp. pl.* 206. *verticillatum.*

Corrigiola. *Cat. giſſ. app. ſuppl.* 169. *R. Syn.* 160.
Polygonum ſerpilliſolium verticillatum. *R. Syn. ed. I.* 160.
Polygonum parvum flore albo verticillato. *Bauh. hiſt. III.* 378.
Polygala repens. *Park.* 1333. nivea. *Bauh. pin.* 215.
Anglis, verticillate Knot-graſs.
Habitat *in paluſtribus udis et humidioribus paſcuis circa* Penſans *oppidum et alibi verſus extremum* Cornubiæ *angulum. R. Syn.* 4. VII.

GLAUX. 257.

Cal. monophyllus. *Cor.* 5. *Capſ.* unilocularis, quinquevalvis, quinqueſperma.

maritima. 1. GLAUX. *Hort. cliff.* 43. *Fl. ſuec.* 210. *Sp. pl.* 207.
Glaux foliis elliptico-oblongis. *Fl. lapp.* 72.
Glaux maritima. *Bauh. pin.* 215. *R. Syn.* 285. minor. *Park.* 1283.
Glaux exigua maritima. *Ger. Em.* 562.
Anglis, Sea Milkwort, or black Saltwort.
Habitat *in littoribus maritimis.* 4. VII.

** *Flores incompleti inferi.*

THESIUM. 258.

Cal. monophyllus, cui ſtamina inſerta. *Sem.* unicum.

Linophyllon. 2. THESIUM panicula foliata, foliis linearibus. *Fl. ſuec.* 211. *Sp. pl.* 207.
Linaria adulterina. *Ger. Em.* 555. *R. Syn.* 202.
Linaria montana floſculis albicantibus. *Bauh. pin.* 213.
Pſeudo linaria montana alba. *Park.* 459.
Anglis, baſtard Toad-flax.
Habitat *in paſcuis montoſis præſertim ſolo cretaceo. As upon* Gogmagog *hills, and* Newmarket *heath. R. Syn. prope* Baſingſtoke *in* Hampſhire. 4. VI. VII.

DIGYNIA.

* *Flores monopetali inferi.*

SWERTIA. 284.

Cor. rotata. *Nectariferi* pori ad baſin laciniarum corollæ. *Capſ.* unilocularis, bivalvis.

1. SWERTIA corollis quinquefidis, foliis radicalibus ovalibus. *Sp. pl.* 226. *perennis.*
Gentiana paluſtris latifolia. *Bauh. pin.* 188.
Gentiana XII. punctato flore. *Cluſ. hiſt. I.* 316.
Gentiana Pennei minor. *Ger. Em.* 433.
Anglis, Marſh Gentian.
Habitat *in* Wallia, D. Richardſon *invenit.* 4. VIII.

GENTIANA. 285.

Cor. monopetala. *Capſ.* bivalvis, unilocularis. *Receptaculis* duobus longitudinalibus.

* *Corollis quinquefidis ſubcampaniformibus.*

1. GENTIANA corollis quinquefidis campanulatis oppoſitis pedunculatis, foliis linearibus. *Sp. pl.* 228. *Fl. ſuec.* 228. *Pneumonanthe.*
Gentiana floribus terminalibus raris, corollis erectis plicatis, foliis linearibus. *Hort. cliff.* 80.
Gentiana paluſtris anguſtifolia. *Bauh. pin.* 188. *R. Syn.* 274.
Gentiana autumnalis Pneumonanthe dicta. *Park.* 406.
Pneumonanthe. *Ger. Em.* 438.
Anglis, Calathian Violet.
Habitat *in pratis humidioribus. In pratis* Strattonienſi, D. Stillingfleet *invenit*; *prope* Tunbridge, Dr. Wilmer; *in paluſtribus prope* Milthorp *in comitatu* Weſtmorlandico *copioſe.* 4. VIII.

** *Corollis quinquefidis infundibuliformibus.*

2. GENTIANA corollis quinquefidis hypocrateriformibus fauce barbatis. *Sp. pl.* 230. *Fl. ſuec.* 229. *Amarella.*

Gentianella pratenſis flore lanuginoſo. *Bauh. pin.* 188. *R. Syn.* 276.
Gentianella fugax autumnalis elatior, centaurii minoris foliis. *R. Syn.* 275.
Gentianella fugax minor. *Ger. Em.* 437.
Anglis, Autumnal Gentian, or Fellwort.
Habitat *in paſcuis ſiccioribus.* ⊙. VII. VIII.

Centaurium. 3. GENTIANA corollis quinquefidis infundibuliformibus, caule dichotomo. *Sp. pl.* 229.
Centaurium minus. *Bauh. pin.* 278. *R. Syn.* 286.
Centaurium minus flore purpureo et albo. *Bauh. hiſt. III.* 353.
Centaurium minus vulgare. *Park* 272.
Centaurium parvum. *Ger. Em.* 547.
Anglis, leſſer Centory.
Habitat *in paſcuis ſiccioribus et ſterilioribus.* ⊙. VI. VIII.
Pharm. Centaurii minoris *Herba, Flores.*

*** *Corollis quadrifidis.*

campeſtris. 4. GENTIANA corollis quadrifidis fauce barbatis. *Sp. pl.* 231. *Fl. ſuec.* 230.
Gentiana corollo hypocrateriformi, tubo villis clauſo, calycis foliis alternis majoribus. *Fl. lapp.* 94.
Gentianella fugax verna ſeu præcox. *R. Syn.* 275.
Gentianella alpina verna minor. *Bauh. pin.* 188.
Gentiana purpurea minima. *Col. ecph. I.* 232. *t.* 221.
Anglis, vernal dwarf Gentian.
Habitat *in paſcuis montoſis. Found by Mr. Fitz-Roberts on the back ſide of* Halſefellnab, *near* Kendal; *as alſo in the parks on the other ſide of* Kendal, *and on the back of* Birkhag. *R. Syn.* ⊙. VII.

filiformis. 5. GENTIANA corollis quadrifidis imberbibus, caule dichotomo filiformi. *Sp. pl.* 231.
Gentiana caule dichotomo, foliis lineari-lanceolatis, floribus infundibuliformibus quadrifidis longiſſime pedunculatis. *Guett. ſtamp. I.* 305. *Dalib. pariſ.* 82.

Centau-

Centaurium paluſtre luteum minimum. *R. Syn.* 286. *Vaill. pariſ.* 32. *t.* 6. *f.* 3.
Anglis, Marſh Centory.
Habitat *in paluſtribus. I found it towards the end of* Cornwal *in rotten marſhy ground. R. Syn.* ⊙. VII.

CUSCUTA. 156.

Cal. quinquefidus. *Cor.* monopetala quinquefida. *Capſ.* bilocularis. *Sem.* duo.

1. CUSCUTA floribus ſeſſilibus. *Sp. pl.* 124. *Fl. ſuec.* 144. *europæa.*
Cuſcuta major. *Bauh. pin.* 219. *R. Syn.* 281. f. Caſſutha. *Ger. Em.* 577. *Park.* 10.
Anglis, Dodder, Hellweed, or Devil's Guts.
Habitat *in arvis et ericetis paſſim.* ⊙. VII.
Pharm. Cuſcutæ ſ. Epithymi *Herba.*

* *Flores incompleti.*

CHENOPODIUM. 273.

Cal. pentaphyllus, pentagonus. *Cor.* nulla. *Sem.* unicum lenticulare, ſuperum.

* *Foliis anguloſis.*

1. CHENOPODIUM foliis triangulari-ſagittatis integerrimis. *Fl. ſuec.* 214. *Sp. pl.* 218. *Bonus Henricus.*
Blitum perenne Bonus Henricus dictum. *Hiſt. Ox. II.* 599. *t.* 30. *f.* 1. *R. Syn.* 156.
Bonus Henricus. *Bauh. hiſt. II.* 965. *Ger. Em.* 329.
Lapathum unctuoſum. *Park.* 1225.
Lapathum ſylveſtre latifolium I. ſeu unctuoſum folio triangulo. *Bauh. pin.* 115.
Anglis, common Engliſh Mercury, or Allgood.
Habitat *in ruderatis, et ad vias, muros, agros paſſim.* ♃. VIII.
Pharmac. Boni Henrici *Herba.*

2. CHENOPODIUM foliis triangularibus ſubdentatis, racemis confertis ſtrictiſſimis caule approximatis longiſſimis. *Fl. ſuec.* 215. *Sp. pl.* 218. *urbicum.*

Che-

Chenopodium latifolium minus ramoſum, petiolatis longiſſimis exfoliorum alis conſertim naſcentibus. *Buxb. hall.* 69. *t.* 1.

Chenopodium erectum, foliis triangularibus dentatis, ſpiſis e foliorum alis plurimis longis erectis tenuibus. *R. Syn.* 155.

Anglis, upright Blite.

Habitat *in ruderatis.* ⊙. VIII. IX.

rubrum. 3. CHENOPODIUM foliis cordato-triangularibus obtuſiuſculis dentatis, racemis erectis compoſitis ſubfolioſis caule brevioribus. *Syſt. Nat.* 948. *Fl. ſuec.* 217. *Sp. pl.* 218.

Chenopodium erectum, foliis ſubtriangularibus antice ſinuato-dentatis, racemis erectis folioſis lateralibus. *Hort. cliff.* 85. *Roy. lugdb.* 219.

Blitum Pes anſerinus acutiore folio. *R. Syn.* 154.

Atriplex ſylveſtris latifolia acutiore folio. *Bauh. pin.* 119.

Atriplex ſylveſtris latifolia altera. *Ger. Em.* 328.

Anglis, ſharp-leaved Gooſefoot.

Habitat *in ſimetis et ruderatis frequens.* ⊙. VIII.

murale. 4. CHENOPODIUM foliis ovatis acutis dentatis, racemis ramoſis nudis. *Fl. ſuec.* 216. *Sp. pl.* 219.

Blitum Pes anſerinus dictum. *R. Syn.* 154.

Atriplex ſylveſtris latifolia. *Bauh. pin.* 119.

Pes anſerinus. *Ger. Em.* 328. *Park.* 749.

β Blitum Moriſono atriplex procumbens folio ſinuato lucido craſſo dictum. *Hiſt. Blæſ. R. Syn.*

Anglis, common Gooſefoot, or Sowbane.

Habitat *in locis cultis, ruderatis frequens.* ⊙. VIII.

hybridum. 5. CHENOPODIUM foliis cordatis angulato-acuminatis, racemis ramoſis nudis. *Fl. ſuec.* 220. *Sp. pl.* 219.

Chenopodium foliis triangulari-ſagittatis: infra medium ſinuato-dentatis, racemis longiſſimis. *Hort. cliff.* 84. *Roy. lugdb.* 219.

Chenopodium Stramonii folio. *R. Syn.* 154. *Vaill. pariſ.* 36. *t.* 7. *f.* 2.

Cheno-

Chenopodio affinis, folio lato, laciniato, in longiſſimum mucronem procurrente, florum ramulis ſparſis. *R. hiſt. III.* 123.

β Blito Pes anſerinus dicto ſimilis. *R. Syn.* 154.
Anglis, Maple-leaved Blite.
Habitat *in ruderatis, ſimetis paſſim.* ⊙. VIII.

6. CHENOPODIUM foliis rhomboideo-triangulis erosis poſtice integris: ſummis oblongis, racemis erectis. *Fl. ſuec.* 218. *Sp. pl.* 219. *album.*
Chenopodium foliis inferioribus ovatis acutis antrorſum dentatis: ſummis lanceolatis. *Hort. cliff.* 85.
Chenopodium ſylveſtre, opuli folio. *Vaill. pariſ.* 36. *t.* 7. *f.* 1.
Blitum atriplex ſylveſtre dictum. *R. Syn.* 154.
Atriplex folio ſinuato candicante. *Bauh. pin.* 119.
Atriplex ſylveſtris vulgatior ſinuata major. *Park.* 748.
Atriplex vulgaris. *Ger. Em.* 326.
β Blitum folio ſubrotundo. *R. Syn* 155.
Anglis, common Orache.
Habitat *in ſimetis, cultis, ruderatis.* ⊙. VIII.

7. CHENOPODIUM foliis rhomboideis dentato-ſinuatis, racemis ramoſis ſubnudis. *Fl. ſuec.* 219. *Sp. pl.* 219. *viride.*
Chenopodium folio oblongo integro. *Dill. cat. giſſ.* 154.
Chenopodium foliis integris racemoſum. *D. Dale. R. Syn.* 155.
β Chenopodium craſſo et obtuſo oleæ folio. *R. Syn.* 156.
Anglis, green Blite.
Habitat *in cultis paſſim.* ⊙.

8. CHENOPODIUM foliis deltoideis ſinuato-dentatis rugoſis glabris uniformibus, racemis terminalibus. *Cent. pl. II. Syſt. Nat.* 948. *ſerotinum.*
Blitum ficus folio. *Pet. H. Br. t.* 8. *f.* 3. *R. Syn.* 155.
Atriplex vulgaris ſylveſtris folio oblongo anguſto magno, utrinque ſinu donato, fructu multo racemoſo. *Buddl. H. S. IV.* 38.

Anglis,

Anglis, late flowered Blite.
Habitat *in fimetis ruderatis paſſim.* ⊙. VIII. IX.

glaucum. 9. CHENOPODIUM foliis ovato-oblongis repandis, racemis nudis ſimplicibus glomeratis. *Fl. ſuec.* 221. *Sp. pl.* 220.
Chenopodium anguſtifolium laciniatum minus. *Tourn.* 506. *R. Syn.* 155.
Blitum procumbens folio botryoide ſubtus incano. *D. Rand.*
Blitum quercus folio. *Pet. H. Br. t.* 8. *f.* 1.
Anglis, Oak-leaved Blite.
Habitat *in ruderatis frequens.* ⊙. VIII.

** *Foliis integris.*

Vulvaria. 10. CHENOPODIUM foliis rhombeo-ovatis iutegerrimis floribus conglomeratis. *Fl. ſuec.* 222. *Mat. med.* 108. *Sp. pl.* 220.
Blitum fœtidum Vulvaria dictum. *R. Syn.* 156.
Atriplex olida. *Ger. Em.* 327. ſive ſylveſtris fœtida. *Park.* 749.
Atriplex fœtida. *Bauh. pin.* 119. *hiſt. II.* 974.
Anglis, ſtinking Orache.
Habitat *in ruderatis et ad vias, et muros, frequens.* ⊙. VIII.

polyſpermum. 11. CHENOPODIUM foliis ovatis integerrimis caule decumbente cymis dichotomis. *Fl. ſuec.* 223. *Sp. pl.* 220.
Chenopodium Betæ folio. *Tourn.* 506. *R. Syn.* 157.
Blytum polyſpermum. *Bauh. pin.* 118. *Park.* 753.
Anglis, round-leaved Blite, or Allſeed.
Habitat *in cultis, fimetis ruderatis paſſim.* ⊙.

maritimum. 12. CHENOPODIUM foliis ſubulatis ſemycilindricis. *Sp. pl.* 221.
Blitum Kali minus album dictum. *R. Syn.* 156.
Kali minus. *Ger. Em.* 535. album *Park* 749.
Kali minus album ſemine ſplendente. *Bauh. pin.* 289.
Anglis, Sea Blite, or white Glaſſwort.
Habitat *in littoribus maritimis frequens.* ⊙. VIII.

13. CHE-

13. CHENOPODIUM foliis linearibus teretibus carnoſis, caule fruticoſo. *Hort. cliff.* 806. *Sp. pl.* 221. *ſum.* *frutico-*
Blitum fruticoſum maritimum, Vermicularis frutex dictum. *R. Syn.* 156.
Sedum minus fruticoſum. *Bauh. pin.* 284.
Vermicularis frutex minor. *Ger. Em.* 523.
Vermicularis fruticoſa altera. *Park.* 731.
Anglis, Shrub Stonecrop, or Glaſſwort.
Habitat *in littoribus maritimis* Norfolchiæ, Devoniæ, Cornubiæ, &c. ♄. VIII.

SALSOLA. 275.

Cal. pentaphyllus. *Cor.* o. *Capſ.* monoſperma. *Sem.* cochleatum.

1. SALSOLA herbacea decumbens, foliis ſubulatis ſpinoſis ſcabris, calycibus marginatis exillaribus. *Syſt. Nat.* 949. *Kali.*
Salſola herbacea foliis ſubulatis mucronatis, calycibus ovatis exillaribus. *Sp. pl.* 222. *Fl. ſuec.* 225.
Kali ſpinoſum cochleatum. *Bauh. pin.* 289. *R. Syn.* 159.
Anglis, prickly Glaſſwort.
Habitat *in littoribus maritimis paſſim.* ⊙. VII. VIII.

BETA. 274.

Cal. pentaphyllus. *Cor.* o. *Sem.* reniforme, intra ſubſtantiam baſeos calycis.

1. BETA. *Hort. cliff.* 83. *Mat. med.* 113. *Roy. lugdb.* 220. *Sp. pl.* 222. *vulgaris.*
Beta ſylveſtris maritima. *Bauh. pin.* 157. *Park.* 750.
Beta alba et rubra. *Ger. Em.* 319.
Anglis, Sea Beet.
Habitat *in littoribus maritimis ubique.* ♂. VIII.
Pharmac. Betæ rubræ et albæ Radix, Folia.

HER-

HERNIARIA. 272.

Cal. quinquepartitus. *Cor.* nulla. *Stamina* quinque ſterilia. *Capſ.* monoſperma.

glabra. 1. HERNIARIA glabra. *Bauh. hiſt. III.* 378. *Sp. pl.* 218.
Herniaria. *Ger. Em.* 569. *R. Syn.* 160.
Polygonum minus, ſeu Millegrana major. *Bauh. pin.* 281.
Millegrana major, ſeu Herniaria vulgaris. *Park.* 446.
Anglis, ſmooth Rupture-wort.
Habitat *in glareoſis. In promontorio* Cornubienſi, *the* Lizard-point *dicto Herniariam glabram copioſam inveni.* ☉. VII.

hirſuta. 2. HERNIARIA hirſuta. *Bauh. hiſt. III.* 379. *R. Syn.* 161.
Anglis, rough Rupture-wort.
Habitat *in pratis glareoſis ſed rarius in pratis juxta* Colney-hatch *prope* Barnet. ☉. VII. VIII.

lenticulata. 3. HERNIARIA.
Polygonum maritimum longius radicatum noſtras, ſerpyllifolio circinato craſſo nitente. *R. Syn.* 161.
Polygonum minus lentifolium. *Bauh. pin.* 282. *pr.* 131.
Polygonum minus monſpelienſe. *Park.* 446. *Pluk. ph. t.* 53. *f.* 3.
Polygonum folio circinata. *Pet. h. br. t.* 10. *f.* 6.
Anglis, Sea Rupture-wort.
Habitat *in littoribus maritimis. In littore Sabrinano, non procul a* Weſton *ſupra mare. D. Pluk. R. Syn.* 4.?

ULMUS. 281.

Cal. quinquefidus. *Cor.* o. *Bacca* exſucca compreſſo-membranacea.

campeſtris 1. ULMUS foliis ovatis duplicato-ſerratis baſi inæqualibus. *Sp. pl.* 225.
Ulmus vulgatiſſima folio lato ſcabro. *Ger. Em.* 1480. *R. Syn.* 468.

Ulmus

Ulmus campeſtris et Theophraſti. *Bauh. pin.* 426.
Ulmus vulgaris. *Park.* 1404.
β Ulmus minor folio anguſto ſcabro. *Ger. Em.* 1480. *R. Syn.* 469.
Anglis, common Elm.
Habitat *in ſepibus.* ♄. IV.
Pharm. Ulmi *Folia, cortex medius.*

2. ULMUS foliis oblongo-ovatis duplicato-ſerratis baſi *glabra.* inæqualibus, cortice glabro.
Ulmus folio latiſſimo ſcabro. *Ger. Em.* 1481. *R. Syn.* 469.
Ulmus latiore folio. *Park.* 1404.
β Ulmus folio glabro. *Ger. Em.* 1481. *Park.* 1404.
Anglis, broad-leaved Elm, or Wych-haſel.
Habitat *in ſepibus.* ♄. IV.

* *Flores pentapetali ſuperi diſpermi. Umbellatæ.*

A. *Involucro univerſali partialique.*

ERYNGIUM. 287.

Flores capitati. Receptaculo paleaceo.

1. ERYNGIUM foliis radicalibus ſubrotundis plicatis *maritiſpinoſis*, capitulis pedunculatis. *It. oel.* 151. *Fl. mum. ſuec.* 233. *Sp. pl.* 233.
Eryngium maritimum. *Bauh. pin.* 386.
Eryngium marinum. *Ger. Em.* 1162. *Park.* 986. *R. Syn.* 222.
Anglis, Sea holly, or Eryngo.
Habitat *in littoribus maritimis.* ♃. VII. VIII.
Pharmac. Eryngii *Radix.*

2. ERYNGIUM foliis radicalibus pinnatis tripartitis. *campeſtre. Sp. pl.* 233.
Eryngium vulgare. *Bauh. hiſt. III.* 85. *pin.* 386. *R. Syn.* 222.
Eryngium mediterraneum. *Ger. Em.* 1162. ſ. campeſtre. *Park.* 986.
Anglis, common Eryngo.
Habitat *in paſcuis maritimis. On a rock which you deſcend to the ferry from* Plymouth *over into* Cornwal;

it

it was alſo ſent me by Mr. Thornton, *who obſerved it not far from* Daventry *in* Northamptonſhire, *beſide the old* Roman Way, *called* Watling ſtreet, *near a Village called* Brookhall; *obſerved by* Mr. Lawſon *on the ſhore called* Friar gooſe, *near* Newcaſtle *upon* Tyne. *R. Syn. Below* Melling *in* Yorkſhire *plentifully. Blackſ. ſpec. bot.* 4. VII. VIII.

HYDROCOTYLE. 288.

Umbellæ ſimplex: *Involucro* tetraphyllo. *Petala* integra. *Sem.* ſemiorbiculato compreſſa.

vulgaris. 1. HYDROCOTYLE foliis peltatis, umbellis quinquefloris. *Sp. pl.* 234.
Hydrocotyle foliis peltatis orbiculatis undique emarginatis. *Hort cliff.* 88. *Fl. ſuec.* 234.
Hydrocotyle vulgaris. *Tour.* 328. *R. Syn.* 222.
Cotyledon paluſtris. *Ger. Em.* 529. *Park.* 1214.
Ranunculus aquaticus, Cotyledonis folio. *Bauh. pin.* 180.
Anglis, Marſh Pennywort, or White-rot.
Habitat *in paluſtribus.* 4. V.

SANICULA. 289.

Umbellæ confertæ, ſubcapitatæ. *Fructus* ſcaber. *Flores* diſci abortientes.

europæa. 1. SANICULA foliis radicalibus ſimplicibus, floſculis omnibus ſeſſilibus. *Hort. cliff.* 90. *Fl ſuec.* 235. *Sp. pl.* 235.
Sanicula officinarum. *Bauh. pin.* 319.
Sanicula ſ. Diapenſia. *Ger. Em.* 948. *R. Syn.* 221.
Sanicula vulgaris ſive Diapenſia. *Park.* 532.
Anglis, Sanicle.
Habitat *in ſylvis et ſepibus. Sylva* Charlton *wood dicta in* Cantio. 4. V. VI.
Pharmac. Saniculæ *Herba.*

BU-

BUPLEURUM. 291.

Involucrum umbellula majora, pentaphylla. *Fructus* ſubrotundus, compreſſus, ſtriatus.

1. BUPLEURUM involucris univerſalibus nullis, foliis perfoliatis. *Hort. upſ.* 64. *Sp. pl.* 236. *rotundifolium.*
Bupleurum perfoliatum rotundifolium annuum. *Tourn.* 310. *R. Syn.* 221.
Perfoliata vulgaris. *Ger. Em.* 536. *Park.* 580.
Perfoliata vulgatiſſima ſeu arvenſis. *Bauh. pin.* 272.
Anglis, Thorow-wax.
Habitat *in arvis. Circa* Lewiſham *in* Cantio, D. Alchorne *reperit.* ☉. VII. *in a field near Andover, bordering upon long mead & Shepherd's ſpring.*
Pharmac. Perfoliatæ *Herba.*

2. BUPLEURUM umbellis ſimplicibus alternis pentaphyllis ſubtrifloris. *Sp. pl.* 238. *tenuiſſimum.*
Bupleurum foliis linearibus acutis ſeſſilibus. *Hort. cliff.* 104.
Bupleurum minimum. *Col. Ec. I.* 247. *Park.* 587. *R. Syn.* 221.
Bupleurum anguſtiſſimo folio. *Bauh. pin.* 278.
Anglis, the leaſt Hares-ear.
Habitat *in paſcuis ſed rarius. Near* Elleſley, *in the road from* Cambridge *to* St. Neots; *on a bank by the northern road, a little beyond* Huntington; *at* Malden *in* Eſſex, *in the marſhes by the river ſide, plentifully*; *at* Haſtings *in* Suſſex; *and near the ferry in the iſle of* Thanet. *R. Syn.* ☉. VII. VIII.

ECHINOPHORA. 292.

Fructus pedunculis immerſi. *Flores* varii abortientes.

1. ECHINOPHORA foliolis ſubulato-ſpinoſis integerrimis. *Sp. pl.* 239. *ſpinoſa.*
Echinophora maritima ſpinoſa. *Tourn.* 656. *R. Syn.* 220.
Crithmum maritimum ſpinoſum. *Bauh. pin.* 288. ſeu Paſtinaca marina. *Park.* 1286.
Crithmum ſpinoſum. *Ger. Em.* 533.
Anglis, prickly Sampire, or Sea Parſnep.
Habitat *in littoribus maritimis. Obſerved by* Mr. Law-

ſon *at* Rooſebeck *in* Low-Fournies, Lancaſhire; *on the ſea beach, in the way from* Feverſham *to* Sea-Salter. *Blackſ. ſp. bot.* 4. VII.

TORDYLIUM. 293.

Corolla radicatæ, omnes hermaphroditæ. *Fructus* ſuborbiculatis, margine crenatus. *Involucra* longa indiviſa.

latifolium. 1. TORDYLIUM umbella conferta nudiuſcula, foliis pinnatis; foliolis lanceolatis inciſo-ſerratis. *Sp. pl.* 240.

Caucalis umbella univerſali trifida, partialibus pentaſpermis, foliis pinnatis ſerratis. *Hort. cliff.* 91. *Roy. lugdb.* 95.

Caucalis arvenſis echinata latifolia. *Bauh. pin.* 152. *R. Syn.* 219.

Caucalis apii foliis, flore rubro. *Ger. Em.* 1021.

Echinophora arvenſis latifolia purpurea. *Park.* 920.

Anglis, purple flowered great baſtard Parſley.

Habitat *inter ſegetes in agro* Cantabrigienſi *et alibi. R. Syn.* ☉. VI. VII.

nodoſum. 2. TORDYLIUM umbellis ſimplicibus ſeſſilibus, ſeminibus exterioribus hiſpidis. *Sp. pl.* 240.

Caucalis nodoſa echinato ſemine. *Bauh. pin.* 153. *Ger. Em.* 1022. *Park.* 921. *R. Syn.* 220.

Anglis, knotted Parſley.

Habitat *ad margines agrorum frequens.* ☉ V.

CAUCALIS. 294.

Cor. radiatæ, diſci maſculæ. *Fructus* ſetis hiſpidus. *Involucra* integra.

arvenſis. 1. CAUCALIS umbella conferta, involucro univerſali monophyllo, ſeminibus oblongis, foliolis ovato lanceolatis pinnatifidis.

Caucalis ſegetum minor, Anthriſco hiſpido ſimilis. *R. hiſt. I.* 468. *ſyn.* 220.

Caucalis pumila ſegetum Goodyero. *Ger. Em.* 1022.

Anglis, ſmall corn Parſley.

Habitat *in arvis frequens.* ☉. VIII.

2. CAU-

2. CAUCALIS umbella conferta, feminibus globoſis, foliolis ovatis pinnatifidis. *Anthriſcus.*
Tordylium umbella conferta, foliolis ovato-lanceolatis pinnatifidis. *Sp. pl.* 240. *Fl. ſuec.* 236.
Caucalis minor floſculis rubentibus. *Ger. Em.* 1022. *R. Syn.* 219.
Caucalis minor flore rubente. *Park.* 921.
Caucalis ſemine aſpero, floſculis rubentibus. *Bauh. pin.* 153.
Anglis, hedge Parſley.
Habitat *in ſepibus.* ♂. VIII.

3. CAUCALIS ſeminum aculeis triglochidibus uncinatis: pilis verticillatis hiſpidis. *Guett. ſtamp.* 80. *Dalib. pariſ.* 85. *Sp. pl.* 242. *leptophyllа.*
Caucalis tenuifolia, floſculis ſubrubentibus. *R. hiſt. I.* 697. *ſyn.* 219.
Caucalis arvenſis echinata parvo flore et fructu. *Bauh. pin.* 152.
Caucalis tenuifolia purpurea. *Park.* 920.
Anglis, fine-leaved baſtard Parſley.
Habitat *in arvis circa* Kingſton *in agro* Cantabrigienſi. *R. Syn.* ☉. VII.

DAUCUS. 296.

Corollæ ſubradiatæ, omnes hermaphroditæ. *Fructus* pilis hiſpidis.

1. DAUCUS ſeminibus hiſpidis. *Hort. cliff.* 88. *Sp. pl.* 242. *Carota.*
Daucus vulgaris. *Cluſ. hiſt.* 198. *R. Syn.* 218.
Paſtinaca tenuifolia ſylveſtris. *Bauh. pin.* 155. *Ger. Em.* 1028. *Park.* 902.
β Daucus ſativus radice lutea et alba. *Tourn.* 307.
γ Daucus ſativus radice atro-rubente. *Tourn.* 307.
δ Daucus maritimus lucidus. *Tourn.* 307.
Anglis, wild Carrot, or Bird's-neſt.
Habitat *in pratis et paſcuis ubique.* ♂. VI. VII.
Pharmac. Dauci ſylveſtris *ſemina.*

CONIUM. 299.

Fructus ſubgloboſus, quinqueſtriatus, utrinque crenatus.

maculatum. 1. CONIUM ſeminibus ſtriatis. *Hort. upſ.* 92. *Roy. lugdb.* 107. *Sp. pl.* 243.
Cicuta major. *Bauh. pin.* 160.
Cicuta. *Lob. ic.* 732. *Ger Em.* 1061. *Dorſt.* 83. *Fuchſ* 406. *Dodon. pempt.* 461. *Geſn. Coll.* 68.
Cicuta vera. *Geſn. Hort.* 253.
Cicuta vulgaris major. *Park.* 933. *Cluſ. hiſt. II.* 200.
Anglis, Hemlock.
Habitat *ad maceries et ſepes frequens.* ☉. VI. VII.
Pharmac. Cicutæ *herba.*

ATHAMANTA. 301.

Fructus ovato-oblongus ſtriatus.

Libanotis. 1. ATHAMANTA foliis bipinnatis planis, umbella hemiſpherica, ſeminibus hirſutis. *Sp. pl.* 244.
Apium petræum ſeu montanum album. *Bauh. hiſt. III.* 105. *R. Syn.* 210.
Daucus montanus apii folio albicans. *Bauh. pin.* 157.
Daucus montanus pimpinellæ ſaxifragæ hircinæ folio noſtras Dubrienſis. *Pluk. ph. t.* 173. *f.* 1.
Anglis, mountain ſtone Parſley.
Habitat *in pratis ſiccis. On* Gogmagog *hills in* Cambridgeſhire, *inter* St. Albans *et* Stoney-Stratford. ♃. VIII. IX.

Meum. 2. ATHAMANTA foliolis capillaribus, ſeminibus ſtriatis. *Hort. cliff.* 93. *upſ.* 60. *Mat. med.* 126. *Sauv. monſp.* 182. *Sp. pl.* 245.
Meum foliis anethi. *Bauh. pin.* 148.
Meum. *Ger. Em.* 1052. *R. Syn.* 207. vulgatius. *Park.* 888.
Anglis, common Spignel, Meu, Bald or Bawd-money.
Habitat *in pratis montoſis in comitatibus* Weſtmorlandico, Eboracenſi, Lancaſtrienſi, Cumberlandico, *frequens. It is found near* Dolgehle *in* Merioneth-ſhire. *R. Syn.* ♃. V.
Pharmac. Athamantæ *Radix.*

PEU-

PEUCEDANUM. 302.

Fructus ovatus, utrinque ſtriatus, ala cinctus. *Involucra* breviſſima.

1. PEUCEDANUM foliis quinquies tripartitis filiformibus linearibus. *Sp. pl.* 245. *officinale.*
Peucedanum foliis quinquies tripartitis lineari-ſubulatis integerrimis. *Hort. cliff.* 93. *Mat. med.* 126.
Peucedanum. *Ger. Em.* 1054. *R. Syn.* 206. Germanicum. *Bauh. pin.* 146.
Peucedanum vulgare. *Park.* 880.
Anglis, Hogs-fennel, Sulphur-wort, Hareſtrong.
Habitat *in paluſtribus maritimis. Prope* Shoreham *in* Suſſexia, Walton *non procul ab* Harvico *in* Eſſexia; *about a quarter of a mile below* Feverſham, *by the river ſide*, Mr. J. Sherard. *R. Syn.* 4. VI.
Pharmac. Peucedani *Radix.*

2. PEUCEDANUM foliis pinnatis, foliolis pinnatifidis: laciniis linearibus oppoſitis, caule ramoſiſſimo patulo. *minus.*
Peucedanum pumilum. *Ger. Em.* 1054.
Peucedanum minus. *Park.* 880. *Bauh. pin.* 149. *R. Syn.* 217.
Selinum montanum pumilum Cluſii, foliis Foeniculi aut Peucedani, flore albo, ſemine Selini. *Bauh. hiſt. III.* 17.
Anglis, Rock Parſley.
Habitat *in paſcuis montoſis. On* St. Vincent's *rock near* Briſtol. *R. Syn.* 8. V.

CRITHMUM. 303.

Fructus ovalis, compreſſus.

1. CRITHMUM foliolis lanceolatis carnoſis. *Sp. pl.* 246. *maritimum.*
Crithmum marinum. *Ger. Em.* 553. *Dod. p.* 705. *R. Syn.* 217.
Crithmum ſ. Foeniculum marinum minus. *Bauh. pin.* 288.
Crithmum marinum vulgare. *Park.* 1286.
Anglis, Sampire.

Habitat *in littoribus maritimis.* ♃. VIII.
Pharmac. Crithmi *Herba.*

HERACLEUM. 307.

Fructus ellipticus, emarginatus, compreſſus, ſtriatus, *Cor.* difformis. *Involucrum* caducum.

Sphondylium. 1. HERACLEUM foliolis pinnatifidis. *Hort. cliff.* 103. *Sp. pl.* 249.
Sphondylium. *Ger. Em.* 1009. *R. Syn.* 205. vulgare *Park.* 953.
Sphondylium vulgare hirſutum. *Bauh. pin.* 157.
Sphondylium quibuſdam vel Branca urſina Germanica, *Bauh. hiſt. III.* 2. 160.
β Sphondylium majus aliud laciniatis foliis. *Park.* 953.
Anglis, Cow Parſnep. Cow-mumble quibusdam.
Habitat *in ſepibus, pratis et paſcuis ubique.* ♂. VII.
Hog-weed in Sussex. gather'd for Hogs.

LIGUSTICUM. 308.

Fructus oblongus quinqueſulcatus utrinque. *Corollæ* æquales.

ſcoticum. 1. LIGUSTICUM foliis biternatis. *Sp. pl.* 250. *Fl. ſuec.* 244.
Liguſticum ſcoticum apii folio. *Tourn.* 324. *R. Syn.* 214.
Apium ſcoticum et apium marinum quibuſdam. *R. Syn.* 2*d. ed.* 109.
Anglis, Scottiſh Sea Parſley.
Habitat *in clivis maritimis ſed rarius.* ♂. VII.

Cornubiense. 2. LIGUSTICUM foliis decompoſitis inciſis: radicalibus ternatis lanceolatis integerrimis. *Cent. pl.* 137.
Smyrnium tenuifolium noſtras. *R. hiſt. III.* 254. *Syn.* 209 *t.* 8.
Saxifraga Cornubiæ. *Pet. H. Br. t.* 26. *f.* 9.
Anglis, Cornwal Saxifrage.
Habitat *in* Cornubia. ♃. VII.

ANGELICA. 309.

Fructus ſubrotundus, angulatus, ſolidus, ſulcis utrinque 3.

1. AN-

1. ANGELICA foliis æqualibus ovato-lanceolatis ſerratis. *Hort. cliff.* 97. *Fl. ſuec.* 246. *Sp. pl.* 251. *ſylveſtris.*
Angelica ſylveſtris. *Ger. Em.* 999. *Park.* 940. *R. Syn.* 208.
Angelica ſylveſtris major. *Bauh. pin.* 145.
Anglis, wild Angelica.
Habitat *in ſylvis, ſepibus paludoſis.* ♃. VI. VII.

SIUM. 510.

Fructus ſubovatus, ſtriatus. *Involucrum* polyphyllum. *Petala* cordata.

1. SIUM foliis pinnatis, umbella terminali. *Hort. cliff.* 98. *Sp. pl.* 251. *latifolium.*
Sium latifolium foliis variis. *Merr. pin. R. Syn.* 211.
Sium latifolium. *Bauh. pin.* 154.
Sium majus latifolium. *Ger. Em.* 256.
Sium Dioſcoridis ſ. Paſtinaca aquatica major. *Park.* 1240.
Anglis, great Water Parſnep.
Habitat *in fluviis, paludibus; in pratis paludoſis inter* Rotherhithe *et* Deptford. *R. Syn.* ♃. VII. VIII.

2. SIUM foliis pinnatis, umbellis axillaribus ſubſeſſili bus. *Sp. pl.* 251. *nodiflorum.*
Sium umbellatum repens. *Ger. Em.* 256. *R. Syn.* 211.
Sium aquaticum procumbens, ad alas floridum. *Hiſt. Ox. III.* 283. *t.* 5. *f.* 3.
Anglis, creeping Water Parſnep.
Habitat *in fluviis et foſſis ubique.* ♃. VII. VIII.

3. SIUM foliis pinnatis, umbellis axillaribus pedunculatis, involucro univerſali pinnatifido. *erectum.*
Sium ſive apium paluſtre foliis oblongis. *Bauh. pin.* 154. *R. Syn.* 211.
Sium majus anguſtifolium. *Ger. Em.* 256.
Sium minus alterum. *Park.* 1241.
Sium erectum foliis ſerratis, *D. Doody. R. Syn.* 211.
Anglis, upright Water Parſenep.
Habitat *in foſſis, rivulis et ad ripas fluviorum.* ♃. VII.

SISON. 311.

Fructus ovatus, ſtriatus. *Involucrum* ſubtetraphyllum.

Amomum. 1. SISON foliis pinnatis, umbellis erectis. *Roy. lugdb.* 105. *Sp. pl.* 252.
Siſon quod Amomum officinis noſtris. *Bauh. pin.* 154.
Siſon vulgare, vel Amomum Germanicum. *Park.* 914.
Sium aromaticum Siſon off. *Tourn.* 308. *R. Syn.* 211.
Petroſelinum Macedonicum Fuchſii. *Ger. Em.* 1016.
Anglis, baſtard Stone Parſley.
Habitat *in ſylvis et ad ſepes ſubhumidis.* 4. VIII. IX.
Pharmac. Amomi *ſemina.*

ſegetum. 2. SISON foliis pinnatis, umbellis cernuis. *Roy. lugdb.* 105. *Sp. pl.* 252.
Sium terreſtre, umbellis rarioribus. *Hiſt. Ox. III.* 283. *t.* 5. *f.* 6.
Sium arvenſe ſive ſegetum. *Tourn.* 308. *R. Syn.* 211.
Selinum Sii foliis. *Ger. Em.* 1018.
Selinum ſegetale. *Park.* 932.
Anglis, Corn Parſley, or Honewort.
Habitat *in arvis et ad ſepes ſolo humido aut lutoſo.* ♂. VII.

inundatum. 3. SISON repens umbellis bifidis. *It. ſcan.* 397. *Sp. pl.* 252.
Sium foliis ſubmerſis capillaribus, emerſis pinnatis. *Roy lugdb.* 105.
Sium minimum, foliis imis ferulaceis. *Hiſt. Ox. III.* 223. *t.* 9. *f.* 5.
Sium puſillum foliis variis N. D. *Ph. Br. R. Syn.* 212.
Anglis, the leaſt Water Parſnep.
Habitat *in foſſis, ſtagnis locis inundatis paſſim. In* Ericeto Putnejano *et* Hounſlejano *verſus* Hampton; *in the ponds on* Wandſworth *common. Blackſ. ſpec. Bot. inter* Newington *et* Hornſey. ☉. V. VI.

OENANTHE. 314.

Floſculi ſeſſiles, difformes, in diſco ſteriles. *Fructus* calyce coronatus.

fiſtuloſa. 1 OENANTHE ſtoloniſera, foliis caulinis pinnatis filiformibus fiſtuloſis. *Sp. pl.* 254. Oenan-

Oenanthe aquatica. *Bauh. pin.* 162. *R. Syn.* 210.
Oenanthe paluſtris ſeu aquatica. *Park.* 895.
Filipendula aquatica. *Ger. Em.* 1060.
β Oenanthe aquatica triflora, caulibus fiſtuloſis. *Hiſt. Ox. III.* 289. *t.* 7. *f.* 8.
Anglis, Water Dropwort.
Habitat *in foſſis et paludibus frequens.* ♃. VII.

2. OENANTHE foliis radicalibus cuneatis fiſſis; caulinis integris linearibus longiſſimis ſimplicioribus. *Syſt. Nat.* 960. *Sp. pl.* 255. *pimpinelloides.*
Oenanthe Apii folio. *Bauh. pin.* 162.
Oenanthe ſtaphylini folio aliquatenus accedens. *Bauh. hiſt. III.* 191.
Oenanthe aquatica Pimpinellæ ſaxifragæ diviſura noſtras. *Pluk. ph. t.* 49. *f.* 4.
Anglis, Pimpernel Dropwort.
Habitat *in fluentis pigrioribus et paluſtribus foſſis in parochia* Quaplod *agri* Lincolnienſis *non procul ab oppido* Spalding; *D. Pluk. R. Syn.* ♃. VI.

3. OENANTHE foliis omnibus multifidis obtuſis ſubæqualibus. *Hort. cliff.* 99. *Sp. pl.* 254. *crocata.*
Oenanthe cicutæ facie Lobelii. *Park.* 894. *R. Syn.* 210.
Oenanthe Chærephylli foliis. *Bauh. pin.* 162.
Oenanthe ſucco viroſo cicutæ facie Lobelio. *Bauh. hiſt. III.* 193.
Filipendula cicutæ facie. *Ger. Em.* 1059.
Habitat *ad ripas fluviorum. In ſalicetis circa* Windſoriam, Bathoniam, *ad ripas* Thameſis *alibique circa* Londinum *naſcitur. R. Syn.* ♃. VI.

B. *Involucris partialibus*; univerſali nullo.

BUNIUM. 298.

Corolla uniformis. *Umbella* conferta. *Fructus* ovati.

1. BUNIUM. *Hort. cliff.* 91. *Sp. pl.* 243. *Bulbocaſtanum.*
Bulbocaſtanum. *Bauh. hiſt. III.* 30. *R. Syn.* 209.
Bulbocaſtanum majus folio Apii. *Bauh. pin.* 162.
Bulbocaſtanum majus et minus. *Ger. Em.* 1065.

Nucula

Nucula terreſtris major. *Park.* 893.
Anglis, Earth-nut, Kipper-nut, Pig-nut, or Hawk-nut.
Habitat *in paſcuis et pratis.* 4. V. VI.

SESELI. 322.

Umbellæ globoſæ. *Involucrum* polyphyllum. *Fructus* ovatus, ſtriatus.

Caruifolia. 1. SESELI foliis bipinnatis ſublinearibus: petiolis baſi membranaceis, ſeminibus ovalibus. *Sp. pl.* 260.
Seſeli pratenſe noſtras. *Park.* 905. *R. Syn.* 216.
Saxifraga anglica facie ſeſeli pratenſis. *Ger. Em.* 1047.
Saxifraga anglorum, foliis Foeniculi latioribus, radice nigra, flore candido, ſemine Foeniculi, ſimilis Silao. *Bauh. hiſt. III.* 171.
Caruifolia. *Bauh. hiſt. III.* 171. *pin.* 158. *Vail. pariſ. t.* 5. *f.* 2.
Anglis, Meadow Saxifrage.
Habitat *in pratis et paſculis humidiuſculis.* 4. VIII.

CICUTA. 316.

Fructus ſubovatus, ſulcatus.

viroſa. 1. CICUTA umbellis folio oppoſitis, petiolis marginatis obtuſis. *Sp. pl.* 255.
Cicuta. *Hort. cliff.* 100. *Mat. med.* 129. *Fl. ſuec.* 253. *Roy. lugdb.* 109.
Cicuta aquatica. *Geſn. Hort.* 253. *Coll.* 68. *Fl. lapp.* 103.
Sium alterum. *Dod.* 589. oluſatri facie. *Lob. ic.* 208, *Ger. Em.* 256. *R. Syn.* 212.
Sium majus alterum anguſtifolium. *Park.* 1241.
Sium Erucæ folio. *Bauh. pin.* 154.
Anglis, long-leaved Water Hemlock.
Habitat *in aquoſis. In a ſhallow pool of water on* Hounſlow *heath, by the road-ſide near the town; and in ſome pools of water at* Thiſtleworth. *R. Syn.* 4. VII.

PHEL-

PHELLANDRIUM. 315.

Fructus ovatus lævis, coronatus perianthio et piſtillo.

1. PHELLANDRIUM foliorum ramificationibus divaricatis. *Sp. pl.* 255. *aquaticum.*
Phellandrium vel Cicutaria aquatica quorundam. *Bauh. hiſt. III.* 183. *R. Syn.* 215.
Cicutaria paluſtris. *Lob. ic.* 735. *Ger. Em.* 1063.
tenuifolia. *Bauh. pin.* 161.
Anglis, Water Hemlock.
Habitat *in fluviis et foſſis.* ♂.

ÆTHUSA. 317.

Involucrum dimidiatum, triphyllum, pendulum. *Fructus* ſtriatus.

1. ÆTHUSA. *Hort. cliff.* 100. *Sp. pl.* 256. *Cynapium.*
Cicutaria tenuifolia. *Ger. Em.* 1063. *R. Syn.* 215.
Cicuta minor ſeu fatua. *Park.* 933.
Cicuta minor Petroſelino ſimilis. *Bauh. pin.* 160.
Anglis, Fools Parſley.
Habitat *in arvis et inter olera.* ⊙. VIII. IX.

CORIANDRUM. 318.

Cor. radiata. *Involucrum univerſale* monophyllum. *Partialia* dimidiata. *Fructus* ſphæricus.

1. CORIANDRUM fructibus globoſis. *Hort. cliff.* 100. *ſativum.*
Sp. pl. 256.
Coriandrum. *Bauh. hiſt. III.* 98. *Ger. Em.* 1012. *R. Syn.* 221.
Coriandrum majus. *Bauh. pin.*. 158. vulgare. *Park.* 918.
Anglis, Coriander.
Habitat *in ſimetis et ad vias.* ⊙. VI.
Pharmac. Coriandri *ſemina.*

SCANDIX. 319.

Cor. difformis. *Fructus* ſubulatus. *Petala* integra. *Floſculi* diſci ſæpe maſculi.

1. SCANDIX ſeminibus lævibus roſtro longiſſimo. *Hort. Pecten.* ♀
cliff. 101. *Sp. pl.* 256.

Scandix

Scandix ſemine roſtrato vulgaris. *Bauh. pin.* 152. *R. Syn.* 207.
Scandix vulgaris ſeu Pecten Veneris. *Park.* 916.
Pecten Veneris ſeu Scandix. *Ger. Em.* 1040.
Anglis, Shepherd's-needle, or Venus-comb.
Habitat *in arvis.* ⊙. VI. VII.

Anthriſcus. 2. SCANDIX ſeminibus ovatis hiſpidis, corollis uniformibus, caule lævi. *Sp. pl.* 257.
Myrrhis ſylveſtris ſeminibus aſperis. *Bauh. pin.* 160. *R. Syn.* 220.
Myrrhis ſylveſtris Neapolitana atque etiam Anglicana. *Park.* 935.
Cerefolium ſive Myrrhis nova Equicolorum Columnæ. *Ger. Em.* 1038.
Anglis, ſmall Hemlock Chervil with rough Seeds.
Habitat *in aggeribus ruderatis ubique.* ⊙. V. VI.

CHÆROPHYLLUM. 320.

Involucrum reflexum, concavum. *Petala* cordata. *Fructus* oblongus, lævis.

* *Floribus omnibus hermaphroditis.*

ſylveſtre. 1. CHÆROPHYLLUM floſculis omnibus fertilibus, caule æquali. *Sp. pl.* 258.
Chærophyllum ſeminibus lævibus nitidis, petiolis rameis æqualibus. *Hort. cliff.* 101. *Roy. lugdb.* 112.
Cicutaria vulgaris. *Bauh. hiſt. III.* 181. *R. Syn.* 207.
Cicutaria alba Lugdunenſis. *Ger. Em.* 1038.
Myrrhis ſylveſtris. *Park.* 935. ſeminibus lævibus. *Bauh. pin.* 160.
Anglis, wild Cicely, or Cow-weed.
Habitat *ad ſepes.* ⊙. V. VI.

** *Floribus diſci maſculis.*

temulum. 2. CHÆROPHYLLUM caule ſcabro: geniculis tumidis, umbellis cernuis. *Sp. pl.* 258. *Fl. ſuec.* 258.
Chærophyllum caule maculato: geniculis tumidis. *Hort. cliff.* 102.
Cherophyllum ſylveſtre. *Bauh. pin.* 152.

Cherefolium

Cherefolium ſylveſtre. *Ger. Em.* 1038. *Park.* 915. *R. Syn.* 207.
Anglis, wild Chervil.
Habitat *ad ſepes ubique.* ☉. VII. VIII.

C. *Involucro nullo*; nec univerſali, nec Partialibus.

PASTINACA. 324.

Fructus ellipticus, compreſſo-planus.

1. PASTINACA foliis ſimpliciter pinnatis. *Hort. cliff.* *ſativa.* 105. *Sp. pl.* 263.
Paſtinaca ſylveſtris latifolia. *Bauh. pin.* 155. *R. Syn.* 206.
Paſtinaca latifolia ſylveſtris. *Ger. Em.* 1025. *Park.* 944.
Paſtinaca Germanica ſylveſtris quibuſdam Elaphoboſcum. *Bauh. hiſt. III.* 149.
β Paſtinaca latifolia ſativa. *Ger. Em.* 1025. *Park.* 944. *Bauh. pin.* 155.
Anglis, wild Parſnep. β Garden Parſnep.
Habitat *in marginibus agrorum.* ♂. VII.

SMYRNIUM. 325.

Fructus oblongus, ſtriatus. *Petala* acuminata carinata.

1. SMYRNIUM foliis caulinis ternatis petiolatis ſerra- *Oluſatis.* *Hort. cliff.* 105. *Roy. lugdb.* 114. *Sauv. monſp.* *trum.* 262. *Sp. pl.* 262.
Smyrnium. *Matth.* 773. *R. Syn.* 208.
Hippoſelinum. *Ger. Em.* 1019. ſeu Smyrnium vulgare. *Park.* 930.
Hippoſelinum Theophraſti ſ. Smyrnium Dioſcoridis. *Bauh. pin.* 154.
Anglis, Alexanders.
Habitat *in foſſis et rupibus maritimis. About* Scarborough *caſtle*; *near* Deptford, Batterſea, *and* Vauxhall; *about* Nottingham *plentifully*, Mr. J. Sherard. *R. Syn.* ♂. V. VI.
Pharmac. Smyrnii *Radix*, *Herba*, *Semina.*

ANE-

ANETHUM. 326.

Fructus ſubovatus, compreſſus, ſtriatus.

Foeniculum. 1. ANETHUM fructibus ovatis. *Hort. cliff.* 106. *Sp. pl.* 263.
Foeniculum vulgare. *Park.* 884. *Ger. Em.* 1032. *R. Syn.* 217.
Foeniculum vulgare Germanicum. *Bauh. pin.* 147.
β Foeniculum dulce. *Bauh. pin.* 147.
Anglis, Finckle, β Fennel.
Habitat *in clivis cretaceis paſſim.* ♂. VIII.
Pharmac. Foeniculi *ſemina.*

CARUM. 327.

Fructus ovato-oblongus, ſtriatus. *Involucrum* monophyllum. *Petala* carinata, emarginata.

Carvi. *1. CARUM. *Dod. pemp.* 299. *Fl. lapp.* 105. *ſuec.* 260. *Mat. med.* 138. *Hall. helv.* 428. *Sp. pl.* 263. vulgare. *Park.* 910.
Carum ſeu Careum. *Ger. Em.* 1034. *R. Syn.* 213.
Cuminum pratenſe Carui officinarum. *Bauh. pin.* 158.
Anglis, Caraways.
Habitat *in pratis et paſcuis paſſim.* ♂. V. VI.
Pharmac. Carui *ſemina.*

PIMPINELLA. 328.

Fructus ovato-oblongus. *Corolla* ſubradiata.

major. 1. PIMPINELLA foliis pinnatis: foliolis cordatis, impari trilobo.
Pimpinella ſaxifraga. *Ger. Em.* 1044. *R. Syn.* 213.
Pimpinella ſaxifraga hircina major. *Park.* 947.
Pimpinella ſaxifraga major umbella candida. *Bauh. pin.* 159.
β Pimpinella ſaxifraga major, degener, ſeu foliis diſſectis. *Hiſt. Ox. III.* 289.
Anglis, great Burnet Saxifrage.
Habitat *in ſylvis et ſepibus. In ſylvis agro* Cantabrigienſi, Bedfordienſi, Leiceſterienſi, Cantiano, *et alibi. R. Syn.* ♃. VIII.

2. PIM-

2. PIMPINELLA foliis pinnatis: foliolis radicalibus ſubrotundis; ſummis linearibus. *Sp. pl.* 263. *Fl. ſuec.* 261. *ſaxifraga.*
Pimpinella ſaxifraga minor, foliis Sanguiſorbæ. *R. Syn.* 213.
Pimpinella major altera. *Bauh. pin.* 159.
Pimpinella ſaxifraga major noſtras. *Park.* 946.
Pimpinella ſeu ſaxifraga minor. *Ger. Em.* 1044.
β Pimpinella ſaxifraga minor. *Bauh. pin.* 160.
Pimpinella ſaxifraga hircina minor. *Park.* 947.
Anglis, ſmall Burnet Saxifrage.
Habitat *in paſcuis ſiccioribus et glareoſis.* ♃. VIII.

APIUM. 329.

Fructus ovatus-ſtriatus. *Involucrum* monophyllum. *Petala* inflexa.

1. APIUM foliis caulinis cuneiformibus. *Hort. cliff.* 107. *Sp. pl.* 264. *graveolens.*
Apium paluſtre et officinarum. *Bauh. pin.* 154. *R. Syn.* 214.
Apium vulgare ſeu paluſtre. *Park.* 926.
Eleoſelinum ſeu Paludapium. *Ger. Em.* 1014.
Anglis, Smallage.
Habitat *in paluſtribus et foſſis.* ♂. VIII.

ÆGOPODIUM. 330.

Fructus ovato-oblongus, ſtriatus.

1. ÆGOPODIUM foliis caulinis ſummis ternatis. *Sp. pl.* 265. *Podagraria.*
Podagraria. *Riv. pent.* 47. vulgaris. *Park.* 943.
Angelica ſylveſtris minor ſ. erratica. *Bauh. pin.* 155. *R. Syn.* 208.
Herba Gerardi. *Ger. Em.* 1001.
Anglis, Herb-gerard, Gout-weed, or Aſh-weed.
Habitat *ad ſepes et in oleraceis, hortis, frequens.* ♃. V.

TRI-

TRIGYNIA.

* *Flores ſuperi.*

VIBURNUM. 332.

Cal. quinquepartitus, ſuperus. *Cor.* quinquefida. *Bacca* monoſperma.

Lantana. 1. VIBURNUM foliis cordatis ſerratis venoſis ſubtus tomentoſis. *Vir. cliff.* 25. *Hort. upſ.* 86. *Sp. pl.* 268.
Viburnum. *Park.* 1448. *Bauh. pin.* 429. *R. Syn.* 460.
Lantana ſive Viburnum. *Ger. Em.* 1490.
Anglis, the pliant Mealy-tree. Park. The way-faring-tree. Ger.
Habitat *in ſepibus.* ♄. V.

Opulus. 2. VIBURNUM foliis ovatis, petiolatis glanduloſis. *Sp. pl.* 268.
Opulus Ruellii 281. *Tourn.* 607. *R. Syn.* 460.
Sambucus aquatica, flore ſimplici. *Bauh. pin.* 456.
Sambucus paluſtris ſeu aquatica. *Park.* 208.
Sambucus aquatilis ſeu paluſtris. *Ger. Em.* 1424.
Anglis, Water Elder.
Habitat *in ſylvis et ſepibus humidis.* ♄. V. VI.

SAMBUCUS. 334.

Cal. quinquepartitus. *Cor.* quinquefida. *Bacca* triſperma.

nigra. 1. SAMBUCUS cymis quinquepartitis, caule arboreo. *Sp. pl.* 269.
Sambucus caule arboreo ramoſo, floribus umbellatis. *Roy. lugdb.* 243.
Sambucus. *Ger. Em.* 1422. vulgaris. *Park.* 207. *R. Syn.* 461.
Sambucus fructu in umbella nigra. *Bauh. pin.* 456.
β Sambucus fructu in umbella viridi. *Bauh. pin.* 456.
γ Sambucus laciniato folio. *Bauh pin.* 456.
Anglis, common Elder.
Habitat *in ſylvis et ſepibus humidis.* ♄. IV.
Pharmac. Sambuci *Cortex, Folia, Flores, Baccæ.*

2. SAM-

2. SAMBUCUS cymis tripartitis, ſtipulis foliaceis. *Sp. Ebulus. pl.* 269.
Sambucus humilis ſeu Ebulus. *Bauh. pin.* 456. *R. Syn.* 461.
Ebulus ſive Sambucus humilis. *Ger. Em.* 1426. *Park.* 209.
Anglis, dwarf Elder, Walwort, or Danewort.
Habitat *in ſepibus et ad vias.* ♄. VII.
Pharmac. Ebuli *Radix, Folia, Flores, Baccæ.*

** *Flores inferi.*

STAPHYLEA. 336.

Cal. quinquepartitus. *Petala* quinque. *Capſ.* inflatæ, connatæ. *Sem.* duo globoſa cum cicatrice.

*1. STAPHYLEA foliis pinnatis. *Hort. cliff.* 112. *pinnata. Roy. lugdb.* 436. *Sp. pl.* 270.
Staphylodendron. *Bauh. hiſt. I.* 274. *R. Syn.* 468.
Nux veſicaria. *Park.* 1417. *Ger. Em.* 1437.
Piſtacea ſylveſtris. *Bauh. pin.* 401.
Anglis, Bladder Nut-tree.
Habitat *in ſepibus circa* Pontemfractum *comitatus* Eboracenſis *oppidum*; *in* Cantio *circa* Aſhfordiam *inveniri apud Parkinſonum legimus. R. Syn.* ♄. VI.

ALSINE. 342.

Cal. pentaphyllus. *Petala* quinque, bipartita, æqualia. *Capſ.* unilocularis, trivalvis.

1. ALSINE petalis bipartitis, foliis ovato-cordatis. *Fl. media. lapp.* 186. *ſuec.* 267. *Sp. pl.* 272.
Alſine media. *Bauh. pin.* 250. ſeu minor. *Ger. Em.* 611.
Alſine vulgaris ſeu morſus gallinæ. *Bauh. hiſt. III.* 363. *R. Syn.* 347.
Anglis, common Chickweed.
Habitat *ubique in umbroſis, cultis.* ☉. IV.—X.

TETRAGYNIA.

PARNASSIA. 345.

Cal. quinquepartitus. *Petala* quinque. *Nectaria* quinque cordata ciliata apicibus globosis. *Capſ.* quadrivalvis.

paluſtris. 1. PARNASSIA. *Fl. lapp.* 108. *ſuec.* 268. *Sp. pl.* 273. *Hall. helv.* 316.
Parnaſſia vulgaris et paluſtris. *Tourn.* 246. *R. Syn.* 355.
Gramen Parnaſſi minus. *Ger. Em.* 840.
Gramen Parnaſſi vulgare. *Park.* 429.
Gramen Parnaſſi flore albo ſimplici. *Bauh. pin.* 309.
Anglis, Graſs of Parnaſſus.
Habitat *in pratis humidis.* 4. VIII.

PENTAGYNIA.

* *Flores inferi.*

STATICE. 348.

Cal. monophyllus, integer, plicatus. *Petala* quinque. *Sem.* unicum.

Armeria. 1. STATICE caule nudo ſimplici capitato. *Sp. pl.* 274. *Fl. ſuec.* 269.
Statice montana minor. *Tourn.* 341. *R. Syn.* 203.
Limonium majus flore globoſo. *Hiſt. Ox. III.* 601. *ſ.* 15. *t.* 1. *f.* 29.
Caryophyllus montanus minor. *Bauh. pin.* 211.
Caryophyllus marinus minimus Lobelii. *Ger. Em.* 602.
Gramen marinum minus. *Park.* 1276.
Anglis, Thrift, Sea Gilly-flower.
Habitat *in pratis maritimis.* 4. VII. VIII.

Limonium. 2. STATICE caule nudo paniculato tereti foliis lævibus. *Sp. pl.* 274. *Fl. ſuec.* 270.
Limonium. *Ger. Em.* 411. *R. Syn.* 200. majus vulgatius. *Park.* 1234.
Limonium maritimum majus. *Bauh. pin.* 192.

β Limo-

β Limonium minus. *R. Syn.* 202
γ Limonium anglicum minus caulibus ramoſioribus, floribus in ſpicis rarius ſitis. *R. hiſt. III.* 247.
Anglis, Sea Lavender.
Habitat *in littoribus maritimis.* ♃. VII. VIII.
Pharmac. Limonii *Radix.*

3. STATICE caule ſubnudo paniculato proſtrato, ramis ſterilibus retroflexis nudis, foliis cuneiformibus. *Sp. pl.* 275. *reticulata.*
Statice foliis obverſo-ovatis, ramis nudis humifuſis, intricatis. *Sauv. monſp.* 15.
Limonium minus, virgulis retiformiter ſe invicem implicatis. *Pluk. ph. t.* 42. *f.* 4.
Limonium reticulatum. *R. hiſt.* 396. *Bocc. ſic.* 82. *t.* 44.
Anglis, matted Sea Lavender.
Habitat *in littoribus maritimis.*

LINUM. 349.

Cal. pentaphyllus. *Petala* quinque. *Capſ.* quinquevalvis, decemloculatis. *Sem.* ſolitaria.

* *Foliis alternis.*

1. LINUM calycibus capſuliſque mucronatis, petalis crenatis, foliis lanceolatis alternis, caule ſubſolitario. *Sp. pl.* 277. *uſitatiſſimum.*
Linum ramis foliiſque alternis, lineari-lanceolatis, radice annua. *Hort. cliff.* 114. *Roy. lugdb.* 433.
Linum arvenſe. *Bauh. pin.* 214. *R. hiſt.* 1073.
Linum ſylveſtre vulgatius. *Park.* 1334.
β Linum ſativum. *Bauh. pin.* 214. *Ger. Em.* 556. *R. Syn.* 362.
Anglis, Flax.
Habitat *in arvis paſſim.* ☉. VI.
Pharmac. Lini *ſemina.*

2. LINUM calycibus capſuliſque obtuſis, foliis alternis lanceolatis integerrimis. *Sp. pl.* 277. *Mill. fig. t.* 166. *f.* 2. *perenne.* ✕
Linum foliis alternis lanceolatis integerrimis, calycibus apice obtuſis, capſulis muticis. *Hort. upſ.* 72.

Linum ſylveſtre cæruleum perenne erectius, flore e capitulo majore. *R. Syn.* 362.

Linum perenne majus cæruleum, capitulo majore. *Hiſt. Ox. II.* 573.

β Linum ſylveſtre cæruleum perenne procumbens, flore et capitulo minore. *R. Syn.* 362.

Anglis, perennial blue Flax.

Habitat *in paſcuis et pratis ſterilioribus. In agri* Cantabrigienſis *collibus* Gogmagog *dictis, ad margines ſatorum copioſe*; *alſo at* Croſby Ravenſworth, *and between* Shap *and* Threapland *in* Weſtmoreland, Mr. Lawſon; *and on the balks of corn-fields about* Bernack-heath *in* Northamptonſhire. *R. Syn. in inſula* Shepey *copioſe.* 4. VI. *Mſd in Siberia. found in some fields near Wherwell woods in Hants.*

tenuifolium. 3. LINUM calycibus acuminatis, foliis ſparſis linearibus ſetaceis retrorſum ſcabris. *Sp. pl.* 278.

Linum perenne, foliis anguſtioribus, calyce ariſtato. *Hall. helv.* 371.

Linum ſylveſtre anguſtifolium, floribus dilute purpuraſcentibus vel carneis. *Bauh. pin.* 214. *R. Syn.* 362.

Linum ſylveſtre VI. anguſtifolium. *Cluſ. hiſt. I.* 318.

Anglis, narrow-leaved wild Flax.

Habitat *in pratis maritimis aridis. In the paſtures by the ſea-ſide about* St. Ives *and* Truro *in* Cornwal, *plentifully. Found by* Mr. J. Sherard *plentifully in a field on the left hand of the lane that leads from the ſea to* Pett, *a ſmall village, four miles from* Haſtings, *and on* Beacon *hill in* Kent. *R. Syn.* 4. VI. VII.

** *Foliis oppoſitis.*

× *catharticum.* 4. LINUM foliis oppoſitis ovato-lanceolatis, caule dichotomo, corollis acutis. *Sp. pl.* 281. *Mat. med.* 157. *Fl. ſuec.* 271.

Linum ſylveſtre catharticum. *Ger. Em.* 560. *R. Syn.* 362.

Linum pratenſe floſculis exiguis. *Bauh. pin.* 214.

Chamælinum Cluſii flore albo ſ. Linum ſylveſtre catharticum. *Park.* 1336.

Anglis, purging Flax.

Habitat

Habitat *in pratis et paſcuis ſiccioribus.* ⊙. V. VI.
Pharm. Lini cathartici *Herba.*

5. LINUM foliis oppoſitis, caule dichotomo, floribus tetrandris tetragynis. *Sp. pl.* 281. *Fl. ſuec.* 272. *Radiola.*
Chamælinum vulgare. *Vaill. pariſ.* 33. *t.* 4. *f.* 6.
Radiola vulgaris ſerpyllifolia. *R. Syn.* 345. *t.* 15. *f.* 3.
Millegrana minima. *Ger. Em.* 569. ſ. Herniaria minor. *Park.* 447.
Polygonum minimum ſ. millegrana minima. *Bauh. pin.* 282.
Anglis, the leaſt Rupture-wort, or All-ſeed.
Habitat *in Ericetis glareoſis ſubhumidis. On* Wandſworth *common. Blackſ. ſpec. bot. in ericeto* Putnejano *copioſe.* ⊙. VIII.

DROSERA. 352.

Cal. quinquefidus. *Petala* quinque. *Capſ.* unilocularis: apice quinquevalvi. *Sem.* plurima.

1. DROSERA ſcapis radicatis, foliis orbiculatis. *Fl. lapp.* 109. *Zeyl.* 120. *ſuec.* 273. *Sp. pl.* 281. *rotundifolia.*
Ros ſolis folio rotundo. *Bauh. pin.* 357. *R. Syn.* 357.
Ros ſolis. *Bauh. hiſt. III.* 761. major. *Ger. Em.* 1557. *Park.* 1052.
β Rorella rotundifolia perennis. *R. Syn.* 356.
Anglis, round-leaved Sun-dew, or Roſa-ſolis.
Habitat *in paludibus.* ♃. VII. VIII.
Pharmac. Roſis ſolis *Herba.*

2. DROSERA ſcapis radicatis, foliis oblongis. *Fl. lapp.* 110. *ſuec.* 358. *longifolia.*
Ros ſolis folio oblongo *Bauh. pin.* 357. *R. Syn.* 356.
Ros ſolis ſylveſtris longifolius. *Park.* 1052.
Ros ſolis minor. *Ger. Em.* 1557.
β Rorella longifolia perennis. *R. Syn.*
Anglis, long-leaved Roſa-ſolis, or Sun-dew.
Habitat *in paludoſis. Upon* Hinton-moor *near* Cambridge: *on* Bagſhot heath, Mr. Doody. *R. Syn. at* Battle's-well, *near* Harefield, *plentifully. Blackſ. ſp. bot.* ♃. VI. VII. *Bagshot-heath near y^e XXI mile-stone.*

SIBBALDIA. 354.

Cal. pentaphyllus decemfidus. *Petala* quinque, calyci inſerta. *Styli* e latere germinis. *Sem.* quinque.

procumbens. 1. SIBBALDIA foliolis tridentatis. *Fl. lapp.* 111. *ſuec.* 216. *Sp. pl.* 284.

Pentaphylloides pumila foliis ternis ad extremitates trifidis. *R. Syn.* 256.

Pentaphylloides fruticoſum minimum procumbens, flore luteo, foliis ſericeis fragariæ ternis. *Pluk. ph. t.* 212. *f.* 3.

Fragariæ ſylveſtri affinis planta, flore luteo. *Sibb. pr. hiſt. nat. ſcot. p. II.* 25. *t.* 6. *f.* 1.

Anglis, baſtard Cinquefoil.

Habitat *in ſylvis regionis* Jernenſis Scotiæ *ſponte provenit. R. Syn.* 4. VII. VIII.

POLYGYNIA.

MYOSURUS. 355.

Cal. pentaphyllus, baſi adnatus. *Nectaria* quinque ſubulata, petaliformia. *Sem.* numeroſa.

minimus. 1. MYOSURUS foliis integris. *Hort. cliff.* 117.

Myoſurus. *Bauh. hiſt. III.* 512. *R. Syn.* 251.

Holoſteo affinis, Cauda muris. *Bauh. pin.* 190.

Holoſteum Loniceri, Cauda muris vocatum. *Park.* 500.

Cauda muris. *Ger. Em.* 426.

Anglis, Mouſetail.

Habitat *in arvis pratis et paſcuis ſolo glareoſo. In a lane that goes from* Copenhagen-houſe *to* Kentiſh-town. Dr. Wilmer. *Inter ſegetes circa* Wimbleton, *prope* Londinum. ☉. IV. V.

Claſſis

Claſſis VI.

HEXANDRIA
MONOGYNIA.

* *Flores Caliculati calyce corollaque inſtructi.*

BERBERIS. 399.

Cal. hexaphyllus. *Petala* ſex; ad ungues glandulis 2. Stylus 0. *Bacca* diſperma.

1. BERBERIS pedunculis racemoſis. *Mat. med.* 290. *vulgaris. Fl. ſuec.* 312. *Sp. pl.* 330.
Berberis ſpinis triplicibus. *Hort. cliff.* 122.
Berberis. *Park.* 1559. dumetorum. *Bauh. pin.* 454. *R. Syn.* 465.
Spina acida ſive Oxyacantha. *Ger. Em.* 1325.
Anglis, Barberry or Pipperidge-buſh.
Habitat *in ſylvis et ſepibus paſſim.* ♄.
Pharmac. Berberidis, *Cortex*, *Baccæ.*

FRANKENIA. 401.

Cal. quinquefidus, infundibuliformis. *Petala* quinque. *Stigma* ſexpartitum. *Capſ.* unilocularis, trivalvis.

1. FRANKENIA foliis linearibus baſi ciliatis. *Sp. pl. lævis.* 331.
Frankenia foliis aciformibus congeſtis *Sauv. monſp.* 46.
Franca floribus ſolitariis ſeſſilibus, foliis priſmaticis triangularibus. *Guett ſtamp. II* 459
Franca maritima ſupina ſaxatilis glauca ericoides ſempervirens, flore purpureo. *Mich. gen.* 23. *t.* 22 *f.* 1.
Lychnis ſupina maritima Ericæ facie. *R. Syn.* 338.
Erica ſupina maritima. *Ph br.* anglica. *Park.* 1484.
Polygonum maritimum minus, foliolis ſerpylli. *Bauh. pin.* 281.

Polygonum pufillo vermiculato ſerpylli folio. *Ger. Em.* 567.

Anglis, ſmooth Sea Heath.

Habitat *in paluſtribus maritimis. In* Lovingland, *juſt over the water at* Yarmouth; *in the marſhes about* Thurrington *in* Eſſex; *on the ſandy ditch-banks by the way-ſide going from* Malden *to* Goldhanger; *in* Selſey *iſland plentifully.* R. Syn. *In inſula* Shepey *copioſe.* 4. VIII.

pulverulenta. 2. FRANKENIA foliis obovatis retuſis ſubtus pulveratis. *Sp pl.* 332.

Frankenia foliis ovalibus. *Sauv. monſp.* 168.

Alſine maritima ſupina foliis Chamæfices. *Tourn.* 665. *R. Syn.* 352.

Anthyllis maritima Chamæficæ ſimilis. *Bauh. pin.* 282.

Anglis, broad-leaved Sea Heath.

Habitat *in littoribus maritimis. Found on the coaſt of* Suſſex, *and ſent by* Mr. Brewer. *R. Syn.* ☉. VII.

* *Flores ſpathacei.*

ALLIUM. 370.

Cal. ſexpartita, patens. *Spatha* multiflora. *Umbella* congeſta. *Capſ.* ſupera.

* *Foliis caulinis planis.*

Ampeloprafum. 1. ALLIUM caule planifolio umbellifero, umbella globoſa, ſtaminibus tricuſpidatis, petalis carina ſcabris. *Syſt. nat* 977.

Allium caule planifolio umbellifero, umbella globoſa, ſtaminibus tricuſpidatis, radice laterali. *Sp. pl.* 294.

Allium ſtaminibus alterne trifidis, foliis gramineis, floribus ſphærice congeſtis, radice laterali ſolida. *Hall. all.* 5.

Allium holmenſe ſphærico capite. *R. Syn.* 370.

Allium ſphærico capite, folio latiore ſ. Scorodo praſum alterum. *Bauh. pin.* 74. *Rudb. elyſ* 2. 151.

Scorodo praſum primum Cluſii. *Ger. Em.* 180.

Anglis, great round-headed Garlick.

Habitat

Habitat *in parva quadam inſula* Holms *dicta in* Sabrinæ *æſtuario copioſe provenientem obſervavit.* D. Newton. *R. Syn.* 4.

2. ALLIUM caule planifolio bulbifero, vaginis teretibus, ſpatha mutica, ſtaminibus tricuſpidatis. *It. ſcan.* 227. *Sp. pl.* 297. *arenarium.*
Allium ſylveſtre amphicarpon, foliis porraceis, floribus et nucleis purpureis. *R. Syn.* 370.
Anglis, broad-leaved mountain Garlick.
Habitat *in montibus* Weſtmorlandicis *obſervavit*, D. Lawſon. *In* Troutbeck-holm *by* Great Strickland. R. Syn. 4. VII.

** *Foliis caulinis teretibus.*

3. ALLIUM caule teretifolio bulbifero, ſtaminibus tricuſpidatis. *Sp. pl.* 299. *vineale.*
Allium ſtaminibus alterne trifidis, foliis fiſtuloſis, capite bulbifero, radice multiplici. *Hall. all.* 4.
Allium ſylveſtre. *Park.* 870. *Ger. Em.* 179. *R. Syn.* 369.
Allium campeſtre juncifolium capitatum purpuraſcens majus. *Bauh. pin.* 74.
Allium ſylveſtre vinearum. *Bauh. pin.* 72.
Anglis, Crow-garlick.
Habitat *in pratis et paſcuis.* 4. VI.

4. ALLIUM caule teretifolio bulbifero, foliis ſcabris ſemiteretibus ſubtus ſulcatis. *Sp. pl.* 299. *oleraceum.*
Allium umbella bulbifera, vigina bicorni, foliis teretibus. *Hall. all.* 23. *f.* 4.
Allium ſylveſtre bicorne flore exherbaceo albicante, cum triplici in ſingulis petalis ſtria atro-purpurea. *R. Syn.* 370.
Allium montanum bicorne, flore exalbido. *Bauh. pin.* 75.
β Allium montanum bicorne purpureum proliferum. *R. Syn.* 396.
Anglis, wild Garlick with an herbaceous ſtriated flower.

Habitat

Habitat *in pratis montoſis, et inter ſegetes. In a Corn-field in* Black-Notley *in* Eſſex, *belonging to the hall called* Weſtfield, *adjoining to* Leeze-lane, *plentifully. R. Syn. in pratis prope* Briſtolium *copioſe. α et β in arvis in* Weſtmorlandia *frequens.* 4. VII.

*** *Foliis radicalibus, ſcapo nudo.*

urſinum. 5. ALLIUM ſcapo nudo ſemicylindrico, foliis lanceolatis petiolatis umbella faſtigiata. *Sp. pl.* 300.
Allium ſylveſtre latifolium. *Bauh. pin.* 74. *R. Syn.* 370.
Allium urſinum. *Ger. Em.* 180. *Park.* 871.
Anglis, Ramſon.
Habitat *in ſylvis et ſepibus frequens.* 4. V.

BULBOCODIUM. 368.

Cor. infundibuliformis, hexapetala: unguibus anguſtis. *Capſ.* ſupera.

ſerotinum. 1. BULBOCODIUM foliis ſubulato-linearibus. *Roy. lugdb.* 41. *Sp. pl.* 294.
Bulbocodium alpinum juncifolium, flore unico: intus albo extus ſqualide rubente. *R. Syn.* 374. *t.* 17. *f.* 1.
Pſeudo-Narciſſus gramineo folio. *Bauh. pin.* 51. *pr.* 27.
Bulboſa alpina juncifolia, pericarpio unico erecto in ſummo cauliculo dodrantali. *R. Syn.* 374.
Anglis, mountain Saffron.
Habitat *in excelſis rupibus montis* Snowdon; *v. g.* Trigvylchou y Clogwyn du ymhen y Gluder, Clogwyn yr Ardhu Crib y Diſtlh, *&c.* D. Lhwyd. *R. Syn.* 4. VIII.

NARCISSUS. 364.

Petala ſex: *Nectario* infundibuliformi, monophyllo, integro. *Stam.* intra nectarium.

poeticus. *1. NARCISSUS ſpatha ſubuniflora, nectarii limbo rotato breviſſimo. *Hort. upſ.* 74. *Sp. pl.* 289.
Narciſſus medio luteus. *Ger. Em.* 124. vulgaris. *Park.* 74. *R. Syn* 371.

Narciſſus

Narciſſus pallidus circulo luteo. *Bauh. pin.* 51.
Anglis, common pale Daffodil, or Primroſe peerleſs.
Habitat *in pratis et paſcuis ſed rarius.* 4. IV.

2. NARCISSUS ſpatha uniflora, nectarii limbo campanulato erecto petalis æquali. *Sp. pl.* 289. *Pſeudo-Narciſſus.*
Narciſſus ſylveſtris pallidus calyce luteo. *Bauh. pin.* 52. *R. Syn.* 371.
Pſeudo-Narciſſus Anglicus. *Ger. Em.* 138. vulgaris. *Park.* 74.
Anglis, wild Engliſh Daffodil.
Habitat *in ſylvis et ad ſepes. In ſylvis prope* Erith *in agro* Cantiano *copioſe.* 4. III. IV.

**** Flore nudi.*

HYACINTHUS. 385.

Cor. campanulata: pori tres melliferi germinis.

1. HYACINTHUS corollis campanulatis ſexpartitis apice revolutis. *Hort. cliff.* 125. *Roy. lugdb.* 27. *Sauv. monſp.* 17. *Sp. pl.* 316. *non ſcripſus.*
Hyacinthus oblongo flore cæruleus major. *Bauh. pin.* 43.
Hyacinthus anglicus. *Ger. Em.* 110. *R. Syn.* 373.
Hyacinthus Anglicus, Belgicus ſ. Hiſpanicus. *Park. par.* 122.
Anglis, Engliſh Hyacinth, or Harebells.
Habitat *in ſylvis et ſepibus.* 4. V.

SCILLA. 378.

Cor. hexapetala, patens, decidua. *Filamenta* filiformia.

1. SCILLA radice ſolida, floribus erectiuſculis paucioribus. *Hort. cliff.* 123. *Sp. pl.* 309. *bifolia.*
Hyacinthus ſtellaris bifolius Germanicus. *Bauh. pin.* 45.
Hyacinthus ſtellatus Fuchſii. *Ger. Em.* 106. *R. Syn.* 372.
Hyacinthus ſtellatus vulgaris ſ. bifolius Fuchſii. *Park. par.* 126.
Anglis, vernal ſtar Hyacinth.

Habitat

Habitat *in inſulis quibuſdam circa* Cambriam *copioſe, ut v. g.* Bradſeia, *necnon in clivis maritimis ipſius* Cambriæ. *R. Syn.* 4. IV. V.

autumnalis. 2. SCILLA radice ſolida, foliis filiformibus linearibus, floribus corymboſis, pedunculis nudis adſcendentibus longitudine floris. *Sp. pl.* 309.

Scilla radice ſolida, foliis ſetaceis, floribus faſtigiatis, pedunculis arcuatis ex ala tuberculi mamillaris. *Guett. ſtamp.* 131.

Hyacinthus Autumnalis minor. *Ger. Em.* 110. *Park. par.* 132. *R. Syn* 373.

Hyacinthus ſtellaris autumnalis minor. *Bauh. pin.* 47. *Anglis*, the leſſer autumnal ſtar Hyacinth.

Habitat *in paſcuis ſiccis. In rupe* S. Vincentii *prope* Briſtolium *inque promontorio*, The Lizard Point *dicto, copioſe*; *eundem in* Ericeto nigro *in comitatu* Cantii *invenit*, D. Plukenet. *On* Mouldſworth, *over-againſt* Hampton-court; *near* Ditton, *and on* Kingſton-bridge, *and going to* Hounſlow-heath. *Merr. pin. R. Syn.* 4. IX.

ORNITHOGALUM. 377.

Cor. hexapetala, erecta, perſiſtens, ſupra medium patens. *Filamenta* alterna baſi dilatata.

* *Seminibus omnibus ſubulatis.*

luteum. 1. ORNITHOGALUM ſcapo anguloſo diphyllo, pedunculis umbellatis ſimplicibus. *Fl. ſuec.* 285. *Sp. pl.* 306.

Ornithogalum luteum. *Bauh. pin.* 71. *Park. par.* 140. *R. Syn.* 372.

Ornithogalum luteum ſeu Cepe agraria. *Ger. Em.* 165. *Anglis*, yellow ſtar of Bethlehem.

Habitat *in comitatus* Eboracenſis *Septentrionali parte prope pontem* Greta *et* Bignal *vicum in ſylvis ad fluvium* Teſam *obſervavit*. D. Johnſon. *R. Syn. prope* Kendal *in* Weſtmorlandia. 4. IV.

pyrenaicum. 2. ORNITHOGALUM racemo longiſſimo, filamentis lanceolatis, pedunculis proliferis patentibus æqualibus; fructiferis ſcapo aproximatis. *Sp. pl.* 307.

Ornithogalum

Ornithogalum anguſtifolium majus, floribus ex albo vireſcentibus. *Bauh. pin.* 70. *R. Syn.* 373.
Aſphodelus bulboſus. *Ger. Em.* 97.
Aſphodelus bulboſus Galeni ſ. Ornithogalum majus flore ſubvirente. *Park. par.* 136.
Anglis, ſpiked ſtar of Bethlehem with a greeniſh flower.
Habitat *in the way between* Bath *and* Bradford, *not far from* Little Aſhley, *Ph. br. On the left hand of a farm, half a mile from* Chicheſter, Southgate, *in a meadow, plentifully*, Mr. Manningham. *R. Syn.* 4. V.

*3. ORNITHOGALUM floribus corymboſis, pedunculis ſcapo altioribus, filamentis emarginatis. *Sp. pl.* 307. *umbellatum.*
Ornithogalum umbellatum medium anguſtifolium. *Bauh. pin.* 70.
Ornithogalum vulgare et verius, majus et minus. *Bauh. hiſt. II.* 630. *R. Syn.* 372.
Ornithogalum vulgare. *Ger. Em.* 165. *Park. par.* 136.
Anglis, common ſtar of Bethlehem.
Habitat *in ſylvis, pratis et paſcuis, in* Norfolk. D. Stillingfleet. 4.

FRITILLARIA. 372.

Cor. hexapetala, campanulata, ſupra ungues cavitate nectarifera. *Stam.* longitudine corollæ.

*1. FRITILLARIA foliis omnibus alternis. *Hort. upſ.* 81. *Sp. pl.* 305. *Meleagris.*
Fritillaria præcox purpurea variegata. *Bauh. pin.* 64.
Fritillaria vulgaris. *Park. par.* 40.
Fritillaria variegata. *Ger. Em.* 149.
Anglis, common chequered Daffodil, or Fritillary.
Habitat *in pratis et paſcuis. In* Mawde Fields, *near* Riſlip *common*, Middleſex, *plentifully. Blackſ. ſpec. bot.* 23. *in pratis inter* Mortlake *et* Kew. 4. IV. V.

AS-

ASPARAGUS. 382.

Cor. ſexpartita, erecta : petalis tribus interioribus apice reflexis. *Bacca* trilocularis : diſperma.

officinalis. 1. ASPARAGUS caule herbaceo erecto, foliis ſetaceis, ſtipulis paribus. *Sp. pl.* 313. *Fl. ſuec.* 291.
Aſparagus. *Park.* 454. *Ger. Em.* 1110. *R. Syn.* 267. ſativus. *Bauh. pin.* 489.
Anglis, Sparagus, or Sperage.
Habitat *in pratis maritimis. Ad promontorium dictum* The Lizard Point *invenimus* ; *ſaid alſo to be found in the marſhes near* Briſtol ; *about* Harwich *in* Eſſex; *and by the* Thames *ſide near* Graveſend. *R. Syn.* 4. VII. VIII.
Pharmac. Aſparagi *Radix.*

CONVALLARIA. 383.

Cor. ſexfida. *Bacca* maculoſa, trilocularis.

majalis. 1. CONVALLARIA ſcapo nudo. *Fl. lapp.* 112. *ſuec.* 293. *Sp. pl.* 314.
Lilium convallium. *Ger. Em.* 410. *R. Syn.* 265. album. *Bauh. pin.* 304.
Lilium convallium flore albo. *Park. par.* 349.
Anglis, Lily-convally, or May-lily.
Habitat *in ericetis frequens.* 4. V.
Pharm. Lilii Convallii *Flores.*

× *multiflora.* 2. CONVALLARIA foliis alternis amplexicaulibus, caule tereti, pedunculis axillaribus multifloris. *Phil. bot.* 218. *Sp. pl.* 315. *Fl. ſuec.* 295.
Polygonatum. *Ger. Em.* 903. *R. Syn.* 263. vulgare. *Park.* 696.
Polygonatum latifolium vulgare. *Bauh. pin.* 303.
β Polygonatum humile anglicum. *R. Syn.* 263.
Anglis, Solomon's Seal.
Habitat *in ſylvis. In the woods by* Brambdean *in* Hampſhire, Mr. Doody ; *and on* Roehill *in* Kent, Mr. J. Sherard. *R. Syn. in the* Beech-woods *about* High Wickham, Buckinghamſhire, Mr.

Mr. Hill. *Blackſ. ſpec. bot. in ſepibus prope* Stockwell *in comitatu* Surrienſi. ♃. V. VI. *in most of the woods about Andover.*
Pharmac. Polygonati *Radix.*

3. CONVALLARIA foliis alternis amplexicaulibus, caule ancipiti, pedunculis axillaribus ſubunifloris. *Polygonatum.*
Mat. med. 168. *Fl. ſuec.* 294. *Sp. pl.* 315.
Polygonatum floribus ex ſingularibus pediculis. *Bauh. hiſt. III.* 529. *R. Syn.* 263.
Polygonatum latifolium flore majore odoro. *Bauh. pin.* 303.
Polygonatum majus flore majore. *Park.* 696.
Polygonatum latifolium 2. Cluſii. *Ger. Em.* 904.
β Polygonatum Hellebori albi folio caule purpuraſcente. *R. Syn.*
Anglis, ſweet-ſmelling Solomon's Seal.
Habitat *in fiſſuris rupium prope* Settle, Skipton, *&c. in comitatu* Eboracenſi. ♃. V. VI.

ANTHERICUM. 180.

Corolla hexapetala, patens. *Capſ.* ovata.

1. ANTHERICUM foliis enſiformibus, perianthiis trilobis, filamentis glabris. *Fl. ſuec.* 282. *Sp. pl.* 311. *calyculatum.*
Phalangium ſcoticum paluſtre minimum, iridis folio. *Tourn.* 369. *R. Syn.* 375.
Pſeudo-aſphodelus alpinum. *Bauh. pin.* 29.
Pſeudo-aſphodelus paluſtris Scoticus minimus. *R. hiſt.* 1195.
Anglis, Scottiſh Aſphodel.
Habitat *in paluſtribus. Juxta rivulum non procul* Bervico *in* Scotia. *R. Syn.* ♃. IX.

NARTHECIUM.

CAL. nullus.
COR. hexapetala, erecta. *Petalis* lineari-lanceolatis.
STAM. *Filamenta* ſex, pubeſcentia. *Antheræ* parvæ incumbentes.
PIST. *Germen* trigonum. *Stylus* nullus. *Stigma* obtuſum.
PER. *Capſula* ovata, acuta, trigona, trilocularis, trivalvis.
SEM. numeroſa fuſiformia.

NAR-

Oſſifragum. 1. NARTHECIUM foliis enſiformibus filamentis lanatis. Narthecium. *Moehring. E. N. C.* 1742. 389. *t.* 5 *f.* 1.
Anthericum foliis enſiformibus, filamentis lanatis. *Sp. pl.* 311.
Phalangium Anglicum paluſtre Iridis folio. *Tourn.* 368. *R. Syn.* 375.
Aſphodelus Lancaſtriæ verus. *Ger. Em.* 97.
Pſeudo-Aſphodelus paluſtris anglicus. *Baub. pin.* 29.
Anglis Lancaſhire Aſphodel, or Baſtard Aſphodel.
Habitat *in paludibus ceſpitoſis.* 4. VIII. near the XI mile ſtone on Bagshot Heath. Putney common, near the bowling green. PEPLIS. 402.

Perianthium campanulatum: ore duodecimfido. *Petala* ſex, calyci inſerta. *Capſ.* bilocularis.

Portulaca. 1. PEPLIS. *Fl. lapp.* 328. *ſuec.* 312. *ſp. pl* 352.
Portulaca. *Dill. cat. giſſ.* 120, 239. *app.* 133. *R. Syn.* 368.
Alſine paluſtris minor ſerpyllifolia. *Bauh. pin.* 120.
Alſine rotundifolia ſ. Portulaca aquatica. *Ger. Em.* 614.
Alſine aquatica minor folio oblongo, ſ. Portulaca aquatica. *Park* 1260.
Anglis Water Purſlane.
Habitat *in paluſtribus et aquoſis ubi per hyemem aquæ ſtagnarunt.* 4. IX.

*** *Flores apetali.*

ACORUS. 392.

Spadix cylindricus, tectus floſculis. *Cor.* hexapetalæ, nudæ. *Stylus* nullus. *Capſ.* trilocularis.

Calamus. 1. ACORUS. *Roy. lugdb.* 6. *Fl. ſuec.* 297. *Sp. pl.* 324.
Acorus verus ſ. Calamus aromaticus off. *Bauh. pin.* 34.
Acorus verus ſ. Calamus officinarum. *Park.* 140. *R. Syn.* 437.
Acorus verus, Officinis falſo Calamus. *Ger. Em.* 62.
Anglis, ſweet-ſmelling Flag, or Calamus.
Habitat *in fluviis funda coenoſis. In the River* Yare *near* Norwich, *about* Hedley *in* Surry, *and in* Cheſhire. *R. Syn. in ericeto* Hounſlejano. 4. V.
Pharmac. Calami aromatici *Radix.* JUN-

JUNCUS. 396.

Cal. hexaphyllus. *Cor.* o. *Capſ.* unilocularis.

* *Culmis nudis.*

1. JUNCUS culmo ſubnudo tereti mucronato, panicula terminali, involucro diphyllo ſpinoſo. *Sp. pl.* 325. *acutus.*
Juncus panicula univerſali culmo breviore infime coarctata, ſecundariis paululum laxis, capſulis triquetro-ſubovatis nitentibus. *Guett. ſtamp. II.* 412.
Juncus acutus capitulis Sorghi. *Bauh. pin.* 10. *R. Syn.* 430.
Juncus maritimus capitulis Sorghi. *Park* 1192.
β Juncus panicula univerſali culmo longiore ſecundariis laxis longe pedunculatis media præcipue. *Guett. ſtamp. II.* 412.
Juncus acutus maritimus anglicus. *R. hiſt.* 1303. *Hiſt. Ox. III.* 232. *ſ.* 8 *t.* 10. *f.* 15.
γ Juncus parvus cum pericarpiis rotundis. *Bauh. hiſt. II.* 522. *R. Syn.* 433.
Anglis, Sea hard Ruſh.
Habitat *in maritimis paludoſis.* ♃. VII. VIII.

2. JUNCUS culmo nuduo ſtricto, capitulo laterali. *Roy. lugdb.* 44. *Sp. pl.* 326. *conglomeratus.*
Juncus lævis vulgaris panicula compactiore. *R. Syn.* 432.
Juncus lævis panicula non ſparſa. *Bauh. pin.* 12.
Juncus lævis glomerato flore. *Lob. ic.* 84. *Park.* 1192.
Anglis, round-headed Ruſh.
Habitat *in pratis et paſcuis paludoſis.* ♃. VI. VIII.

3. JUNCUS culmo nudo ſtricto, panicula laterali. *Roy. lugdb.* 44. *Fl. ſuec.* 299. *Sp. pl.* 326. *effuſus.*
Juncus culmo nudo acuminato ad baſin ſquamato, floribus pedunculatis. *Fl. lapp.* 177.
Juncus lævis vulgaris panicula ſparſa noſtras. *R. Syn.* 432.
Juncus lævis panicula ſparſa major. *Bauh. pin.* 12. *Park.* 1191.
Juncus lævis. *Ger. Em.* 39.

Anglis, common ſoft Ruſh.
Habitat *in paludoſis*. 4, V. VIII.

inflexus. 4. JUNCUS culmo nudo: apice membranaco incurvo, panicula laterali. *Sp. pl.* 326.
Juncus culmo nudo, paniculam arcuatum tegente. *Sauv. monſp.* 9.
Juncus panicula univerſali laterali culmo longiore ſecundariis ſparſis. *Guett. ſtamp.* 412.
Juncus acutus panicula ſparſa. *Bauh. pin.* 11.
Juncus acutus. *Ger. Em.* 39. *R. Syn.* 432. vulgaris. *Park.* 1193.
Anglis, hard Ruſh.
Habitat *in paſcuis et ad vias*. 4. VI.

filiformis. 5. JUNCUS culmo nudo filiformi nutante, panicula laterali. *Roy. lugdb.* 44. *Gron. virg.* 152. *Fl. ſuec.* 300. *Sp. pl.* 326.
Juncus parvus, calamo ſupra paniculam longius productio. *R. Syn.* 432. *Fl. lapp.* 118. *Pluk. ph. t.* 40. *f.* 8.
Juncus lævis, panicula ſparſa, minor. *Bauh. pin.* 12. *Sch. agr.* 347. *t.* 7. *f.* 1.
Anglis, the leaſt ſoft Ruſh.
Habitat *in montibus ceſpitoſis*. *Found by* Mr. Newton, *not far from* Ambleſide *in* Weſtmoreland. 4. VIII.

ſquarroſus. 6. JUNCUS culmo nudo, foliis ſetaceis, capitulis glomeratis aphyllis. *Sp. pl.* 327. *Fl. ſuec.* 302.
Juncus alpinus, foliis rigidis ſeſſilibus, caule nudo. *Rupp. jen.* 146.
Juncus montanus paluſtris. *R. Syn.* 432.
Gramen junceum maritimum. *Lob. ic.* 18. *Ger. Em.* 35. majus. *Park.* 1270.
Gramen foliis et ſpica junci. *Bauh. pin.* 5. 10. *th.* 78.
Anglis, Moſs-ruſh or Gooſe-corn.
Habitat *in ericetis frequens*. 4. VI.

** *Culmis folioſis.*

articulatus. 7 JUNCUS foliis nodoſo-articulatis. *Fl. ſuec.* 305. *Sp. pl.* 327.

Juncus

Juncus foliis articulosis, panicula inæquali, capitulis sessilibus capsulis subulatis triquetris. *Roy. lugdb.* 43.
Juncus foliis articulosis floribus umbellatis. *Tourn.* 247. *R. Syn.* 433.
Gramen junceum folio articulato aquaticum *Bauh. pin.* 5.
Gramen aquaticum. *Tab. ic.* 214. *Ger. Em.* 22.
Gramen junceum aquaticum. *Bauhini* 1270.
β Juncus nemorosus folio articuloso. *Tourn.* 247. *R. Syn.* 433.
Anglis, jointed leaved Rush.
Habitat *in sylvis, pratis et pascuis humidis.* ♃. VII. VIII.

8. JUNCUS foliis linearibus canaliculatis capsulis obtusis. *Fl. suec.* 304. *Sp. pl.* 327. *bulbosus.*
Juncus foliis angulatis, culmo subnudo, panicula terminali prolifera, capsulis ovatis. *Roy. lugdb.* 43.
Gramen junceum minimum capsulis triangularibus. *R. Syn. ed. II.* 275. *Hist. Ox. III.* 227. *s.* 8. *t.* 9. *f.* 3. *R. Syn.* 434.
Graminis juncei varietas minor. *Ger. Em.* 4.
Anglis, bulbose Rush.
Habitat *in ericetis humidis frequens.* ♃. VIII.

9. JUNCUS culmo dichotomo, foliis angulatis, floribus solitaris sessilibus. *Roy. lugdb.* 43. *Fl. suec.* 305. *Sp. pl.* 328. *bufonius.*
Juncus palustris humilior erectior. *Tourn.* 246. *R. Syn.* 434.
Gramen junceum. *Ger. Em.* 4. Parvum, s. Holosteum Matthioli, et Gramen bufonium Flandrorum. *Park.* 1190.
Gramen nemorosum calyculis paleaceis. *Bauh. pin.* 7.
ß Gramen juncoides minimum Anglo-Britannicum, Holosteo Matthioli congener, aut bufoniæ gramini Flandrico. *Lob. Ill.* 70.
Anglis, Toad-rush.
Habitat *in pratis et pascuis arenosis, præcipue ubi aquæ pluviales stagnant.* ⊙. VII. VIII.

piloſus. 10. JUNCUS foliis planis piloſis corymbo ſubramoſo. *Fl. ſuec.* 308.
Gramen nemoroſum hirſutum vulgare. *R. Syn.* 416.
Gramen nemoroſum hirſutum. *Ger. Em. Lob. ic.* 16 majus. *Park.* 1184.
Gramen nemoroſum hirſutum majus latifolium. *Bauh. pin.* 7. *th.* 101. *Hiſt. Ox. III.* 225 *ſ.* 8. *t.* 9. *f.* 1.
Cyparella nemorenſis, capitulis in ſingulis petiolis ſingulis latifolia. *Rupp.* 116.
Anglis, common hairy Wood-ruſh, or Graſs.
Habitat *in ſylvis denſis frequens. In ſylva* Charlton-wood *dicta in* Cantio. ♃. IV. V.

ſylvaticus. 11. JUNCUS foliis planis piloſis, umbella ſupra decompoſita floribus ſubſeſſilibus.
Juncus foliis planis latiſſimis, panicula ſparſa, duplicato ramoſo. *Hall. helv.* 257.
Juncus foliis planis, panicula diffuſa, pedunculis proliferis, floſculis intermediis ſeſſilibus. *Roy. lugdb.* 43.
Gramen nemoroſum hirſutum latiſolium maximum. *R. Syn.* 416.
Gramen Luzulæ maximum. *Bauh. hiſt. II.* 493.
Anglis, great hairy Wood-ruſh.
Habitat *in ſylvis et ſepibus prope* Hamſtead. ♃. V.

campeſtris. 12. JUNCUS foliis planis piloſis, ſpicis ſeſſilibus pedunculatiſque. *Fl. ſuec.* 309. *Sp. pl* 329.
Gramen hirſutum capitulis pſyllii. *Bauh. pin.* 7. *pr.* 15.
Gramen nemoroſum hirſutum minus anguſtifolium. *Park.* 1185.
Gramen exile hirſutum. *Ger. Em.* 16. *R. Syn.* 416.
β Gramen hirſutum elatius, panicula juncea compacta. *R. Syn.* 416.
Anglis, ſmall hairy Wood-ruſh.
Habitat *in pratis et paſcuis ſiccioribus*, β *in paludibus turfoſis.* ♃. IV.

TRI-

TRIGYNIA.

* *Flores inferi.*

TRIGLOCHIN. 409.

Cal. triphyllus. *Petala* tria calyciformia. *Stylus* 0. *Capſ.* baſi dehiſcens.

1. TRIGLOCHIN capſulis trilocularibus ſublinearibus. *Fl ſuec.* 321. *Sp. pl.* 338. *paluſtre.*
Juncajo paluſtris et vulgaris. *Tourn.* 266. *R. Syn.* 435.
Gramen triglochin. *Bauh. hiſt. II.* 508.
Gramen junceum ſpicatum ſeu triglochin. *Bauh. pin.* 6.
Gramen marinum ſpicarum. *Ger. Em.* 18. alterum, *Park.* 1279.
Anglis, Arrow-headed Graſs.
Habitat *in pratis et paſcuis udis paſſim.* 4. VII. VIII.

2. TRIGLOCHIN capſulis ſexlocularibus ovatis. *Fl. ſuec.* 322. *Sp. pl.* 339. *maritimum.*
Gramen marinum ſpicatum. *Lob. ic.* 16. *Park.* 1279. *R. Syn.* 435.
Gramen junceum et ſpicatum alterum. *Bauh. pin.* 6.
Anglis, Sea ſpiked Graſs.
Habitat *ubique in pratis maritimis.* 4. V. VI.

RUMEX 407.

Cal. triphyllus. *Petala* tria, conniventia. *Sem.* unicum triquetrum.

* *Hermaphroditi : valvulis granulo notatis.*

1. RUMEX floribus hermaphroditis : valvulis integerrimis: unica granifera, foliis cordato lanceolatis. *Sp. pl.* 334. *ſanguineus.*
Lapathum folio acuto rubente. *Bauh. pin.* 115. *R. Syn.* 142.
Lapathum ſativum ſanguineum. *Ger. Em.* 390.
Anglis, Bloodwort.

Habitat *in ſylvis prope* Hamſtedium. ♂. VII.
Pharmac Lapathi ſanguinei *Folia, Semina.*

acutus. 2. RUMEX floribus hermaphroditis: valvulis dentatis graniferis, foliis cordato-oblongis. *Hort cliff.* 138. *Fl. ſuec.* 316. *Sp. pl.* 335. *Mat. med.* 176.
Lapathum acutum. *Ger. Em.* 388. *R. Syn.* 142. majus. *Park.* 1224.
Lapathum folio acuto, plano. *Bauh. pin.* 115.
Anglis, ſharp-pointed Dock.
Habitat *in incultis, ſylvis et aquoſis*, ♃. VI.
Pharmac. Oxylapathi, *Radix, Semina.*

criſpus. 3. RUMEX floribus hermaphroditis: valvulis integris graniferis, foliis lanceolatis undulatis acutis, *Sp. pl.* 335.
Lapathum folio acuto criſpo. *Bauh. pin.* 115. *R. Syn.* 141.
Lapathum acutum minus. *Park.* 226.
Lapathum acuti varietas folio criſpo. *Ger. Em.* 387.
Anglis, curled Dock.
Habitat *in pratis paſcuis et ad vias.* ♃. VI. VII.

obtuſifolium. 4. RUMEX floribus hermaphroditis: valvulis dentatis, foliis cordato-oblongis obtuſiuſculis crenulatis. *Sp. pl.* 335.
Lapathum vulgare folio obtuſo. *Bauh. hiſt. II.* 984. *R. Syn.* 141.
Lapathum ſylveſtre folio ſubrotundo. *Bauh. pin.* 115.
Lapathum ſylveſtre vulgatius. *Park.* 1225.
Lapathum ſylveſtre folio minus acuto. *Ger. Em.* 388.
Anglis, broad-leaved Dock.
Habitat *ad vias et in locis humidis.* ♃. VII. VIII.

pulcher. 5. RUMEX floribus hermaphroditis: valvulis dentatis graniferis, foliis radicalibus lyratis. *Syſt. nat.* 990. *Sp. pl.* 336.
Lapathum pulchrum Bononienſe ſinuatum. *Bauh. hiſt. II.* 288. *R. Syn.* 142.
Lapathum ramis procumbentibus, ſeminis involucro dentato, foliis inferioribus inſtar fidium. *Hiſt. Ox II.* 580.

Anglis,

Anglis, Fiddle-dock.
Habitat *ad vias et in pratis ſiccis.* ♃. VI.

6. RUMEX floribus hermaphroditis: valvulis dentatis *maritigraniferis*, foliis linearibus. *Lech. ſcan.* 26. *Sp. pl. mus.* 335.
Lapathum folio acuto flore aureo. *Bauh. pin.* 115. *R. Syn.* 142.
Lapathum aquaticum, anguſtiſſime acuminato folio. *Bocc. muſ. II.* 142. *t* 104.
Lapathum aureum glomerulis denſis. *Pet. h. br. t.* 2. *f.* 8.
Anthoxanthon. *Bauh. hiſt. II.* 988.
β Lapathum aureum. *Pet. h. br. t.* 2. *f.* 7.
Anglis, Golden Dock.
Habitat *ad vias et in ruderatis paſſim.* ♃. VII. VIII.

7. RUMEX floribus hermaphroditis: valvulis integerrimis, omnibus graniferis, foliis lanceolatis vaginis obſoletis. *Britanica. Mat. med.* 17. *Sp. pl.* 334.
Lapathum maximum aquaticum ſ. Hydrolapathum. *Bauh. hiſt. II.* 986. *R. Syn.* 140.
Lapathum aquaticum folio cubitali. *Bauh pin.* 116.
Lapathum longifolium nigrum paluſtre, ſ. Britanica antiquorum vera, vel Hydrolapathum nigrum. *Munting. br. t.* 1.
Hydrolapathum magnum. *Ger. Em.* 389.
Hydrolapathum majus. *Park.* 1225.
Anglis, great Water Dock.
Habitat *in foſſis, paluſtribus frequens.* ♃. VII. VIII.
Pharmac. Hydrolapathi *Radix.*

** *Hermaphroditi: valvulis granulo deſtitutis.*

8. RUMEX floribus hermaphroditis digynis. *Hort. digynus. cliff.* 138. *Fl. ſuec.* 317. *Sp. pl.* 337.
Rumex foliis orbiculatis emarginatis. *Fl. lapp.* 132.
Acetoſa rotundifolia repens Eboracenſis, folio in medio deliquium patiente. *Hiſt. Ox. II.* 583. *ſ.* 5. *t.* 36. *f. penult.*
Acetoſa repens Weſtmorlandica, cochleariæ foliis apicibus nonnihil ſinuatis. *Pluk. ph. t.* 252. *f.* 2.
Acetoſa Cambro-britanica montana. *Park.* 745.

Anglis, round-leaved mountain Sorrel.
Habitat *in montibus* Wallicis, Eboracenſi, Weſtmorlandico, Cumberlandico, *frequens*. ♃. VI.

*** *Floribus declinis.*

Acetoſa. 9. RUMEX floribus dioicis, foliis oblongis ſagittatis. *Fl. lapp* 130. *ſuec.* 318. *Sp. pl.* 337.
Lapathum acetoſum vulgare. *R. Syn.* 143.
Acetoſa vulgaris. *Park.* 742.
Acetoſa pratenſis. *Bauh. pin.* 114.
Oxalis, ſeu acetoſa. *Ger. Em.* 396.
β Acetoſa montana maxima. *Bauh. pin.* 114. *R. Syn.* 143.
Anglis, common Sorrel.
Habitat *in pratis et paſcuis*, β *in rupibus maritimis prope* Harlech *in comitatu* Merionethenſi *collegit*. D. Lhwyd. *R. Syn.*
Pharmac. Acetoſæ pratenſis et oxalis *Radix, Folia, Semina.*

Acetoſella. 10. RUMEX floribus dioicis, foliis lanceolato-haſtatis. *Fl. lapp.* 131. *ſuec.* 319. *Sp. pl.* 338.
Lapathum acetoſum repens lanceolatum. *R. Syn.* 143.
Acetoſa arvenſis lanceolata. *Bauh. pin.* 114.
Acetoſa minor lanceolata. *Park.* 744.
Oxalis tenuifolia. *Ger. Em.* 397.
Anglis, Sheep's Sorrel.
Habitat *in arvis, pratis, paſcuis, arenoſis.* ♃. V. VI. VII.
Pharmac. Acetoſæ lanceolatæ *Folia.*

COLCHICUM. 415.

Spatha. Cor. ſexpartita; tubo radicato. *Capſ.* tres connexæ, inflatæ.

autumnale. 1. COLCHICUM foliis planis lanceolatis erectis. *Sp. pl.* 341.
Colchicum commune. *Bauh. pin.* 67. *R. Syn.* 373.
Colchicum Anglicum purpureum et Anglicum album. *Park.* 153 *Ger. Em.* 157.
Anglis, Meadow Saffron.

Habitat

Habitat *in pratis tam planis quam montoſis, ſolo pingui, in* Occidentalibus *ut et* Septentrionalibus *Angliæ. R. Syn.* 4. IX.

POLYGYNIA.

ALISMA. 418.

Cal. triphyllus. *Petala* tria. *Sem.* plura.

1. ALISMA foliis ovatis acutis, fructibus obtuſis trigonis. *Sp. pl.* 342. *Fl. ſuec.* *Plantago.* Δ.
Plantago aquatica. *Bauh. hiſt. III.* 787. *R. Syn.* 257. major. *Ger. Em.* 417. *Park.* 1245.
Plantago aquatica latifolia. *Bauh. pin.* 190.
Anglis, great Water Plantain.
Habitat *in aquoſis et ad ripas fluviorum ubique.* 4. VI. VII.

2. ALISMA foliis lineari-lanceolatis, fructibus globoſo-ſquarroſis. *Sp. pl.* 343. *Fl. ſuec.* 325. *ranunculoides.*
Aliſma fructu globoſo, undique echinato. *Hort. cliff.* 141.
Plantago aquatica minor. *Park.* 1245. *R. Syn.* 257.
Plantago aquatica humilis. *Ger. Em.* 417.
Plantago aquatica anguſtifolia. *Bauh. pin.* 190.
Anglis, leſſer Water Plantain.
Habitat *in aquoſis ſed rarius.* 4. VI.—VIII.

3. ALISMA foliis ovatis obtuſis, pedunculis ſolitariis. *Sp. pl.* 343. *Fl. ſuec.* 324. *natans.*
Aliſma repens, foliis gramineis et ſubrotundis. *Mart. Tourn.* 17.
Damaſonium repens, potamogetonis rotundifolii folio. *Vaill. Act.* 1719. *p.* 29. *t.* 4. *f.* 8.
Anglis, creeping Water Plantain.
Habitat *in the great lake, below the old caſtle, at* Llanberys. Mr. Brewer. *Mart. Tourn.* 4. VIII.

4. ALISMA

Damaſonium. 4. ALISMA foliis cordato-oblongis, floribus hexagynis. *Sp. pl.* 343.
Aliſma fructu ſexcorni. *Hort. cliff.* 142. *Roy. lugdb.* 46.
Plantago aquatica minor ſtellata. *Ger. Em.* 417.
Plantago aquatica ſtellata. *Bauh. pin.* 190.
Plantago aquatica minor muricata. *Park.* 1245.
Damaſonium ſtellatum Dalechampii, *Bauh. hiſt. III.* 789. *R. Syn.* 272.
Anglis, Star-headed Water Plantain.
Habitat *in foſſis et aquis ſtagnantibus. Circa* Londinum *frequens.* ♃. VI.—VIII.

Claſſis

Claſſis VII.

HEPTANDRIA
MONOGYNIA.

TRIENTALIS. 419.

Cal. heptaphyllus. *Cor.* ſeptem-partita, æqualis, plana. *Bacca* exſucca.

1. TRIENTALIS foliis lanceolatis integerrimis. *Kalm. europæa. canad. II.* 263. *Fl. ſuec.* 326. *Sp. pl.* 344.
   Alſinanthemos. *Thal. ſylv.* 15. *Moerh. hort.* 8. 111. *R. Syn.* 286.
   Pyrola alſines flore europæa. *Bauh. pin.* 191. *Park.* 509.
   Pyrola alſines flore major. *Bauh. prod.* 100.
   Herba trientalis. *Bauh. hiſt. III.* 506.
   Alſine alpina. *Schwenk. ſileſ.* 17. *deſcr.*
β Pyrola alſines flore Braſiliana. *Bauh. pin.* 191. *pr.* 100.
   Anglis, Chickweed, Winter-green.
   Habitat *in ſylvis, et ericetis in comitatibus* Eboracenſi, Northumberlandico *et* Weſtmorlandico; *prope* Bingley *in comitatu* Eboracenſi *copioſe*. ♃. VI.

Claſſis

Claſſis VIII.

OCTANDRIA

MONOGYNIA.

* *Flores completi.*

EPILOBIUM. 426.

Cal. quadrifidus. *Petala* quatuor. *Capſ.* oblonga, infera. *Sem.* pappoſa.

* *Staminibus declinatis.*

anguſtifolium. 1. EPILOBIUM foliis ſparſis lineari-lanceolatis. *Sp. pl.* 347. *Fl. ſuec.* 327.

Epilobium floribus difformibus, piſtillo declinato. *Fl. ſuec. Ed. I.* 304.

Lyſimachia Chamænerion dicta anguſtifolia. *Bauh. pin.* 245.

Lyſimachia ſpecioſa, quibuſdam Onagra dicta, ſiliquoſa. *Bauh. hiſt. II.* 906. *R. Syn.* 310.

Chamænerion flore Delphinii. *Park.* 548.

Anglis, Roſebay Willow-herb.

Habitat *in ſylvis et ſepibus. In the meadows near* Sheffield *in* Yorkſhire, *and in ſeveral other places of the north plentifully. R. Syn. On* Maize-hill *beyond* Greenwich. ♃. VII. VIII. *in a little Ash Grove by the meadows near Charlton in Andover parish. Hants.*

** *Staminibus erectis regularibus, petalis bifidis.* *plentifully.*

birſutum. 2. EPILOBIUM foliis lanceolatis undulato-ſerratis decurrentibus; inferioribus oppoſitis, caule ſubſimplici, racemo terminalibus.

Epilobium foliis oppoſitis lanceolatis ſerratis decurrenti-amplexicaulibus. *Sp. pl* 347. *Fl. ſuec* 328.

Lyſimachia ſiliquoſa hirſuta parvo flore. *Bauh. pin.* 245. *pr.* 116. *R. Syn.* 311.

Lyſimachia ſylvatica. *Ger. Em.* 476.

Lyſimachia ſiliquoſa ſylveſtris hirſuta. *Park.* 549.

Anglis,

Anglis, ſmall flowered hairy Willow-herb.
Habitat *in aquoſis et ad rivulos.* ♃. VII.

3. EPILOBIUM foliis lanceolatis ſerratis ſubdecurrentibus inferioribus oppoſitis, caule ramoſo. *ramoſum.*
Lyſimachia ſiliquoſa hirſuta magno flore. *Bauh. pin.* 245. *R. Syn.* 311.
Lyſimachia ſiliquoſa. *Ger. Em.* 476.
Anglis, great flowered Willow-herb, or Codlings and Cream.
Habitat *in ſepibus humidis et ad rivulos paſſim.* ♃. VII.

4. EPILOBIUM foliis oppoſitis ovatis dentatis. *Fl. lapp.* 147. *ſuec.* 329. *montanum*
Lyſimachia campeſtris. *Ger. Em.* 478.
Lyſimachia ſiliquoſa glabra major. *Bauh. pin.* 245.
Lyſimachia ſiliquoſa major. *Park.* 548.
Anglis, ſmooth-leaved Willow-herb.
Habitat *in pratis humidis glareoſis frequens.* ♂. VI. VII.

5. EPILOBIUM foliis lanceolato-linearibus denticulatis oppoſitis, caule tetragono. *Sauv. monſp.* 75. *tetragonum.*
Lyſimachia ſiliquoſa glabra media ſ. minor. *Ger. Em.* 479. *R. Syn.* 311.
Lyſimachia ſiliquoſa glabra minor. *Bauh. pin.* 245.
Anglis, narrow-leaved Willow-herb.
Habitat *ad foſſas et rivulos.* ♃. VII.

6. EPILOBIUM foliis oppoſitis lanceolatis integerrimis, petalis emarginatis caule erecto. *Sp. pl.* 348. *Fl. ſuec.* 330. *paluſtre.*
Lyſimachia ſiliquoſa glabra minor anguſtifolia. *Ger. Em.* 479. *R. Syn.* 311.
Lyſimachia ſiliquoſa glabra anguſtifolia. *Bauh. pin.* 245.
Anglis, marſh Willow-herb.
Habitat *in paluſtribus.* ♃. VII.

7. EPI-

alpinum. 7. EPILOBIUM foliis oppoſitis ovato-lanceolatis integerrimis, ſiliquis ſeſſilibus, caule repente. *Sp. pl.* 348. *Fl. ſuec.* 331.
Chamænerion alpinum alſines foliis. *Sch. alp.* 132. 332.
Lyſimachia ſiliquoſa glabra minor latifolia. *R. Syn.* 311.
Anglis, Mountain Willow-herb.
Habitat *ad rivulos. In the rivulet on the ſides of* Cheviot-Hills *in* Northumberland. *R. Syn.* 4. VII.

VACCINIUM. 434.

Cal. ſuperus. *Cor.* monopetala. *Filamenta* receptaculo inſerta. *Bacca* quadrilocularis, polyſperma.

* *Foliis annotinis ſ. deciduis.*

Myrtillus. 1. VACCINIUM pedunculis unifloris, foliis ſerratis ovatis deciduis, caule angulato. *Sp. pl.* 350. *Fl. ſuec.* 333.
Vitis idæa, foliis oblongis crenatis, fructu nigricante. *Bauh. pin.* 470.
Vitis idæa anguloſa. *Bauh. hiſt. I.* 520. *R. Syn.* 457.
Vaccinia nigra. *Ger. Em.* 1415. vulgaria. *Park.* 1455.
Anglis, Black Whorts, Whortle-Berries, or Bilberries.
Habitat *in ericetis et ſylvis frequens.* ♄. IV.

uliginoſum. 2. VACCINIUM pedunculis unifloris, foliis integerrimis ovalibus baſi ciliatis. *Sp. pl.* 350. *Fl. ſuec.* 332.
Vitis idæa foliis ſubrotundis exalbidis. *Bauh. pin.* 470.
Vitis idæa magna quibuſdam, ſ. Myrtyllus grandis. *Bauh. hiſt. I.* 518. *R. Syn.* 457.
Vitis idæa foliis ſubrotundis major. *Ger. Em.* 1416.
Vaccinia nigra fructu majore. *Park.* 1455.
Anglis, the great Bilberry Buſh.
Habitat *in montoſis* Cumberlandiæ *medio itinere inter* Hexham *et* Pereth *oppida*; *ſed copioſius prope vicum* Gambleſby, *ad ſextum ab oppido* Pereth *lapidem, via quæ Novum* Caſtellum *ducit: utrobique in paſcuis paluſtribus, &c. R. Syn.* ♄. IV. V.

3. VAC-

3. VACCINIUM racemis nudis, foliis integerrimis revolutis lanceolato-ovatis, ſubtus tomentoſis. *cantabricum.*
Erica cantabrica flore maximo, foliis myrti ſubtus incanis. *Tourn.* 603. *R. Syn.* 472.
Erica St. Dabeoci Hibernis. *D. Lhwyd. R. Hiſt. III. dendr.* 98.
Erica Hibernica foliis myrti piloſis, ſubtus incanis. *R. Hiſt. III. App.* 244. *Pet. gaz. nat. t.* 27. *f.* 4.
Anglis, Iriſh Whorts.
Habitat *in montibus* Mayo *ſqualido et ſpongioſo ſolo frequens, ut et per totum* Hair-Connacht *in* Gallovidia. *R. Syn.* ♄.

** *Foliis ſempervirentibus.*

4. VACCINIUM racemis terminalibus nutantibus, foliis ob ovatis revolutis integerrimis ſubtus punctatis. *Sp. pl.* 351. *Vitis idæa.*
Vaccinia rubra. *Ger. Em.* 1415. buxeis foliis. *Park.* 1458.
Vitis idæa foliis ſubrotundis non crenatis, baccis rubris. *Bauh. pin.* 470.
Vitis idæa ſemper-virens fructu rubro. *Bauh. hiſt. I.* 522. *R. Syn.* 457.
Anglis, red Whorts, or Whortle-berries.
Habitat *in montibus* Eboracenſibus, Derbienſibus, Staffordienſibus *inter ericas copioſe.* *R. Syn.* ♄. IV. V.

5. VACCINIUM foliis integerrimis revolutis ovatis, caulibus repentibus filiformibus nudis. *Sp. pl.* 351. *Fl. ſuec.* 335. *Oxycoccus.*
Vaccinium paluſtre. *Park.* 1229.
Vaccinia paluſtria. *Ger. Em.* 1425.
Vitis idæa paluſtris. *Bauh. pin.* 471.
Oxycoccus ſeu Vaccinia paluſtria. *Bauh. hiſt. I.* 525. *R. Syn.* 267.
Anglis, Cran-berries, Moſs-berries, or Moor-berries.
Habitat *in paluſtribus turfoſis in comitatibus* Weſtmorlandico, Cumberlandico, Lancaſtrienſi, Eboracenſi, &c. *copioſe.* ♄. V. VI.

ERICA.

ERICA. 435.

Cal. tetraphyllus. *Cor.* quadrifida. *Filamento* receptaculo inſerta. *Antheræ* bifidæ. *Capſ.* quadrilocularis.

* *Antheris bicornibus.*

vulgaris. 1. ERICA antheris bicornibus incluſis corollis inæqualibus campanulatis mediocribus, foliis oppoſitis ſagittatis. *Sp. pl.* 352. *Fl. ſuec.* 336.
Erica foliis quadrifariam imbricatis triquetris glabris erectis, corollis inæqualibus calyce brevioribus. *Hort. cliff.* 146.
Erica vulgaris. *Park.* 1480. *R. Syn.* 470. *ſ.* pumila. *Ger. Em.* 1380.
Erica vulgaris glabra. *Bauh. pin.* 485.
Anglis, common Heath, or Ling.
Habitat *in ericetis.* ♄. VI.—VIII.

cinerea. 2. ERICA antheris bicornibus incluſis, corollis ovatis racemoſis, foliis ternis glabris linearibus. *Sp. pl.* 352.
Erica tenuifolia. *Ger. Em.* 1380. *R. Syn.* 471.
Erica humilis, cortice cinereo, Arbuti flore. *Bauh. pin.* 486.
Erica virgata ſ. VI. Cluſii. *Park.* 1483.
Anglis, fine-leaved Heath.
Habitat *in ericetis et ſylvis ſicciſſimis.* ♄. VI. VIII.

Tetralix. 3. ERICA antheris bicornibus incluſis, corollis ſubglobоſis aggregatis calyce longioribus foliis quaternis ciliatis patentibus. *Sp. pl.* 353. *Fl. ſuec.* 337.
Erica major flore purpureo. *Ger. Em.* 1382.
Erica ex rubro nigricans ſcoparia. *Bauh. pin.* 486.
Erica brabantica folio coridis hirſuto quaterno. *Bauh. hiſt. I.* 358. *R. Syn.* 471.
Anglis, croſs-leaved Heath.
Habitat *in ericetis humidis.* ♄. VII. VIII.

** *Antheris ſimplicibus obtuſis emarginatis.*

ciliaris. 4. ERICA antheris ſimplicibus incluſis, corollis ovatis irregularibus, floribus terno-racemoſis, foliis ternis ciliatis. *Sp. pl.* 354.

Erica

Erica vulgaris hirſuta. *Ger. Em.* 1382. *R. Syn.* 471.
Erica hirſuta anglica. *Bauh. pin.* 602.
Erica vulgaris hirſutior. *Park.* 1480.
Anglis, rough-leaved Heath.
Habitat *in ericetis paſſim.* ♄. VI.

5. ERICA antheris bifidis ſimplicibus exſertis, corollis cylindricis longioribus, foliis quinis linearibus patentibus. *Sp. pl.* 355. *multiflora.*
Erica foliis Corios multiflora. *Bauh. hiſt. I.* 356. *R. Syn.* 471.
Erica juniperifolia narbonenſis denſe fruticans. *Lob. hiſt.* 620. *Sauv. monſp.* 46.
Anglis, Fir-leaved Heath.
Habitat *in incultis. On* Goon *hilly downs going from* Helſton *to the* Lizard Point *in* Cornwal. *R. Syn.* ♄. VI. VII.

** *Flores incompleti.*

DAPHNE. 436.

Cal. 0. *Cor.* quadrifida, marceſcens, ſtamina includens. *Bacca* monoſperma.

1. DAPHNE racemis axillaribus, foliis lanceolatis glabris. *Hort. cliff.* 147. *Mat. med.* 180. *Sp. pl.* 357. *Laureola.*
Laureola. *Ger. Em.* 1405. *Park.* 205. *R. Syn.* 465.
Laureola ſemper-virens flore viridi, quibuſdam Laureola mas. *Bauh. pin.* 462.
Anglis, Spurge Laurel.
Habitat *in ſylvis et ſepibus. In ſepibus inter* Wimbleton *et* Martin. ♄. III. IV.
Pharmac. Laureolæ *Folia, Bacca.*

2. DAPHNE floribus ſeſſilibus ternis caulinis, foliis lanceolatis deciduis. *Sp. pl.* 356. *Fl. ſuec.* 338. *Mezereum.*
Laureola folio deciduo, flore purpureo. *Bauh. pin.* 426.
Camælæa Germanica ſ. Mezereon. *Ger. Em.* 1403. vulgo. *Park.* 205.
Anglis, Spurge Olive.
Habitat *in ſylvis prope* Andover *copioſe.* D. Miller. ♄. III.
Pharmac. Mezerei *Folia, Bacca, Cortex.*

DIGYNIA.

BLACKSTONIA.

CAL. *Perianthium* octofidum: *laciniis* lanceolatis perſiſtentibus.
COR. monopetala. *Tubus* nullus. *Limbus* octofidus: *laciniis* lanceolatis longitudine calycis.
STAM. *Filamenta* octo, ſubulata. *Antheræ* ſimplices.
PIST. *Germen* ovato-oblongum. *Stylus* nullus. *Stigmata* duo.
PER. *Capſula* oblonga, acuminata, unilocularis, bivalvis.
SEM. numeroſa, parva.

x *perfoliata.* 1. BLACKSTONIA.
Gentiana corollis octofidis, foliis perfoliatis. *Sp. pl.* 232.
Centaureum luteum perfoliatum. *Bauh. pin.* 278. *hiſt. III.* 355. *R. Syn.* 287.
Centaureum parvum luteum Lobelii. *Ger. Em.* 547.
Centaureum minus luteum et perfoliatum non ramoſum. *Park.* 271.
Anglis, yellow Centory.
Habitat *in pratis et paſcuis montoſis.* ⊙. VII.
Plentifully about Doverdale in Worcestershire.

TRIGYNIA.

POLYGONUM. 445.

Cal. o. *Cor.* quinquepartita, calycina. *Sem.* unicum angulatum.

* Biſtortæ *ſpica unica.*

Biſtorta. 1. POLYGONUM caule ſimpliciſſimo monoſtachyo, foliis ovatis in petiolum decurrentibus. *Mat. med.* 188. *Sp. pl.* 360.
Biſtorta major. *Ger. Em.* 399. *R. Syn.* 147. vulgaris. *Park.* 391.
Biſtorta radice minus intorta. *Bauh. pin.* 192.
Anglis,

Anglis, the greater Biſtort, or Snakeweed.
Habitat *in pratis humidis in comitatibus* Cumberlandico, Weſtmorlandico, Eboracenſi, *frequens*; *prope* Batterſea. ♃. V. VI.
Pharmac. Biſtortæ *Radix.*

2. POLYGONUM caule ſimpliciſſimo monoſtachyo, foliis lanceolatis. *Sp. pl.* 360 *Fl. ſuec.* 340. *vivipa-rum.*
Biſtorta minor. *Ger. Em.* 399. *R. Syn.* 147. noſtras. *Park.* 392.
Biſtorta alpina minor. *Bauh. pin.* 192.
β Biſtorta minima alpina, foliis imis ſubrotundis et minutiſſime ſerratis. *R. Syn.* 147.
Anglis, ſmall Biſtort, or Snakeweed.
Habitat *In pratis montoſis. In ſeveral places in* Weſtmoreland, *and near* Settle *in* Yorkſhire. *R. Syn.* ♃. VI.

** Perſicariæ *piſtillo bifido, aut ſtamina minus* 8.

3. POLYGONUM floribus pentandris ſemidigynis, ſtaminibus corolla longioribus. *Sp. pl.* 361. *Fl. ſuec.* 341. *amphibi-um.*
Perſicaria ſalicis folio perennis, Potamogiton anguſtifolium dicta. *R. Syn.* 145.
Potamogiton anguſtifolium. *Ger. Em.* 821.
Potamogiton ſalicis folio. *Bauh. pin.* 131.
Fontalis major longifolia. *Park.* 1254.
Anglis, Perennial Arſmart.
Habitat *in foſſis et paludibus frequens.* ♃. VI. VII.

4. POLYGONUM floribus hexandris digynis, ſpicis ovato-oblongis, foliis lanceolatis ſtipulis ciliatis. *Sp. pl.* 361. *Perſicaria*
Perſicaria maculoſa. *Ger. Em.* 445. *R. Syn.* 145.
Perſicaria mitis maculoſa et non maculoſa. *Bauh. pin.* 101.
Perſicaria vulgaris mitis ſeu maculoſa. *Park.* 856.
β Perſicaria anguſtifolia. *Bauh. pin.* 101. *pr.* 43. ex ſingulis geniculis florens. *Merr. pin. R. Syn.* 145.
γ Perſicaria folio ſubtus incano. *Tourn.* 510. *R. Syn.* 145.

δ Perſicaria foliis ſalicis albæ vulgaris. *Buddl. hort. ſicc. Vol. IV. f* 20. *R. Syn.* 145.

ε Perſicaria latifolia geniculata, caulibus maculatis. *R. Syn.* 145.

ζ Perſicaria maculoſa procumbens foliis ſubtus incanis. *R. Syn.* 146.

Anglis, dead or ſpotted Arſmart.

Habitat *in pratis paſcuis, arvis, ruderatis humidis ubique.* γ. δ. *in arenoſis aridis.* ⊙. VIII. IX.

penſylvanicum. 5. POLYGONUM floribus octandris digynis, pedunculis hiſpidis, foliis lanceolatis, ſtipulis muticis. *Sp. pl.* 362.

Perſicaria mitis major, foliis pallidioribus. *D. Bobarti. R. Syn.* 145.

Anglis, pale Arſmart.

Habitat *in arvis et ruderatis frequens.* ⊙. VIII.

Hydropiper. 6. POLYGONUM floribus hexandris ſemidigynis, foliis lanceolatis, ſtipulis ſubmuticis. *Sp. pl.* 361. *Fl. ſuec.* 343.

Perſicaria urens ſeu Hydropiper. *Bauh. pin.* 101.

Perſicaria vulgaris acris ſ. Hydropiper. *Bauh. hiſt. III.* 780. *R. Syn.* 144.

Perſicaria vulgaris acris ſeu minor. *Park.* 856.

Hydropiper. *Ger. Em.* 445.

Anglis, Water-pepper, or Arſmart.

Habitat *in aquoſis et ad rivulos et foſſas.* ⊙. VII. VIII.

Pharmac. Perſicariæ non maculatæ *Herba.*

minus. 7. POLYGONUM floribus hexandris digynis, foliis lanceolatis, ſtipulis ciliatis, caule divaricato patulo.

Perſicaria puſilla repens. *Ger. Em.* 446. *Park.* 857. *R. Syn.* 145.

Perſicaria minor. *Bauh. pin.* 101. *Hiſt. Ox. II. ſ.* 5. *t.* 29. *f.*

Anglis, ſmall creeping Arſmart.

Habitat *in aquoſis et ad foſſas ſed rarius. In the meadows beyond* Peterborough-houſe, *and in* Tothill-fields, Weſtminſter. *Blackſ. ſpec. bot.* ⊙. VII.

Poly-

Polygona *foliis indiviſis, floribus octandris.*

1. POLYGONUM floribus octandris trigynis axillaribus, foliis lanceolatis, caule procumbente herbaceo. *aviculare.*
Sp. pl. 392. *Fl. ſuec.* 339.
Polygonum mas vulgare. *Ger. Em.* 565. *R. Syn.* 146. majus. *Park.* 443
Polygonum latifolium. *Bauh. pin.* 281.
Polygonum ſeu Centinodia. *Bauh. hiſt. III.* 374.
β Polygonum brevi anguſtoque folio. *Bauh. pin.* 281.
γ Polygonum oblongo anguſtoque folio. *Bauh. pin.* 281.
δ Polygonum folio rotundo. *Pet. h. br. t.* 10. *f.* 2.
Anglis, Knot-graſs.
Habitat *in viis, plateis, agris ubique.* ⊙. VI. IX.
Pharmac. Polygoni ſ. Centinodiæ *Herba.*

9. POLYGONUM floribus octandris trigynis axillaribus, foliis ovati-lanceolatis, caule ſuffruticoſo ſempervirente. *Sp. pl.* 361. *maritimum.*
Polygonum marinum. *Bauh. hiſt. III.* 376. *R. Syn.* 147.
Polygonum marinum maximum. *Ger. Em.* 564.
Polygonum maritimum latifolium. *Bauh. pin.* 281.
Polygonum marinum majus. *Park.* 444.
Anglis, Sea Knot-graſs.
Habitat *in littoribus maritimis. Prope oppidum* Penſans *in* Cornubia, *between* Abermeney *and* Llhandwyn, Mr. Lhwyd; *at* Brackelſham *in* Suſſex, Dr. *Dillenius. R. Syn.* 4. VII.

*** Helxine *foliis ſubcordatis.*

10. POLYGONUM foliis cordatis, caule volubili, floribus planiuſculis. *Sp. pl.* 364. *Fl. ſuec.* 344. *Convolvulus.*
Convolvulus minor ſemine triangulo. *Bauh. pin.* 295.
Convolvulus minor atriplicis folio. *Park.* 171.
Helxine ſemine triangulo. *Bauh. hiſt. II.* 157.
Volubilis nigra. *Ger. Em.* 863.
Fegopyrum ſcandens ſylveſtre. *R. Syn.* 144.
Anglis, black Bindweed.
Habitat *in arvis, hortis, cultis, frequens.* ⊙. VI.—IX.

Fagopyrum. *11. POLYGONUM foliis cordato-ſagittatis, caule erectiuſculo inermi, ſeminum angulis æqualibus. *Sp. pl* 364. *Fl. ſuec.* 345.
Fegopyrum. *Dod pempt.* 511. *R. Syn.* 144.
Fagopyrum. *Ger. Em.* 89. *Park.* 1141.
Eryſimum Theophraſti folio hederaceo. *Bauh. pin.* 27.
Anglis, Buck wheat, or Brank.
Habitat *in arvis, cultis, paſſim.* ⊙. VII. VIII.

TETRAGYNIA.

ADOXA. 450.

Cal. bifidus, inferus. *Cor.* 4. ſ.5.-fida ſupera. *Bacca* 4 ſ.5 -locularis, calyce coalita.

Moſchatellina. 1. ADOXA. *Sp. pl.* 367. *Fl. ſuec.* 347.
Moſchatellina foliis fumariæ bulboſæ. *Bauh. hiſt. III.* 206. *R. Syn.* 267.
Ranunculus nemoroſus Moſchatella dictus. *Park.* 226.
Ranunculus nemorum moſchatellina dictus. *Bauh. pin.* 178.
Radix cava minima viridi flore. *Ger. Em.* 1090.
Anglis, tuberous Moſchatel.
Habitat *in ſylvis et umbroſis.* 4. III. IV.

PARIS. 449.

Cal. tetraphyllus. *Petala* quatuor anguſtiora. *Bacca* quadrilocularis.

quadrifolia. 1. PARIS. *Sp. pl.* 364 *Fl. ſuec.* 346.
Herba Paris. *Ger. Em.* 405. *Park.* 390. *Bauh. hiſt. III.* 316. *Tourn.* 233. *Till. ab.* 33. *ic.* 32. *R. Syn.* 264.
Solanum quadrifolium bacciferum. *Bauh. pin.* 167.
Anglis, Herb Paris, True-love, or One-berry.
Habitat *in ſylvis et umbroſis. In ſylvula non longe ab* Hampſtedio, *C. Miller.* 4. V. VI.
Pharmac. Herba Paris, *Fructus*, *Radix.*

ELA-

ELATINE. 451.

Cal. tetraphyllus. *Petala* quatuor. *Capſ.* quadrilocularis, quadrivalvis, depreſſa.

1. ELATINE foliis verticillatis. *Roy. lugdb.* 452. *Sp. pl.* 368. *Fl. ſuec.* 349. *Alſinaſtrum.*
Elatine foliis emerſis linearibus, immerſis capillaceis. *Sauv. monſp.* 1743. *p.* 50.
Alſinaſtrum gallii folio. *Vaill. pariſ.* 6. *t.* 1. *f.* 6.
Equiſetum paluſtre linariæ ſcopariæ folio. *Bauh. pin.* 15.
Ericoides facie pinaſtellæ. *Rupp. jen.* 99.
Anglis, Waterwort.
Habitat *in foſſis. Found by* Mr. J. Sherard *on the boggy ground, on the common, juſt by the road from* Eltham *to* Chiſſelhurſt. *R. Syn.* 346. 4. VIII.

Classis IX.

ENNEANDRIA
HEXAGYNIA.

BUTOMUS. 455.

Cal. o. *Petata* ſex. *Capſ.* ſex. polyſpermæ.

umbellatus. 1. BUTOMUS. *Cæſ.* 553. *R. Syn.* 273. *Fl. lapp.* 159. *ſuec.* 350. *Sp. pl.* 372.
Juncus floridus. *Bauh. hiſt. Il.* 524. *Park.* 1197. major. *Bauh. pin.* 12.
Gladiolus paluſtris Cordi. *Ger. Em.* 29.
Anglis, flowering Ruſh, or Water Gladiole.
Habitat *in foſſis limoſis, et ad ripas fluviorum et ſtagnorum.* 4. VI. *near Blackwall.*

Radix comeditur ab inferioris Lenæ fluvii parvis accolis, prope glacialem oceanum sitis, Yakoutes dictis.

Classis

Claſſis X.

DECANDRIA

MONOGYNIA.

* *Flores Polypetali æquales.*

MONOTROPA. 477.

Cal. 0. *Petala* decem, horum quinque exteriora baſi excavato-mellifera. *Capſ.* quinquevalvis. *Quinta pars numeri quibuſdam excluditur.*

1. MONOTROPA floribus lateralibus octandris, terminali decandro. *Fl. ſuec.* 351. *Sp. pl.* 387. *Hypopithys.*
Hypopitys lutea. *Cat. giſſ.* 99. *app.* 134. *t.* 7. *R. Syn.* 317.
Orobanche hypopitys. *Bauh. pin.* 88. *pr.* 31.
Orobanche verbaſculi odore. *Plot. ox.* 146. *t.* 9. *f.* 6. *Pluk. ph. t.* 209. *f.* 5.
Orobanche flore breviore duplici, verbaſculi odore. *Hiſt. Ox. III.* 504. *ſ.* 12. *t.* 16. *f.* 20.
Anglis, Bird's-neſt ſmelling like Primroſe-roots.
Habitat *in ſylvis ſed rarius. At the roots of trees in the woods near* Stoken-church; *in fagetis* Suſſexiæ, Mr. Manningham; *prope* Tring *in* Hertfordſhire, Mr. Doody. *R. Syn. In a wood near* Maidſtone *in* Kent, Mr. Jarvis. *Blackſ. ſp. bot.* 39. 4. VII.

PYROLA. 490.

Cal. quinquepartitus. *Petala* quinque. *Capſ.* quinquelocularis, angulis dehiſcens.

1. PYROLA ſtaminibus adſcendentibus, piſtillis declinatis. *Fl. ſuec.* 360. *Sp. pl.* 396. *Mat. med.* 212. *rotundifolia.*
Pyrola foliis ſubrotundis, ſcapo racemoſo. *Hort. cliff.* 162.

Pyrola.

Pyrola. *Ger. Em.* 408. *Bauh. hiſt. III.* 535. *R. Syn.* 363.
Pyrola noſtras vulgaris. *Park.* 508.
Pyrola rotundifolia major. *Bauh. pin.* 191.
Anglis, common Winter-green.
Habitat *in ſylvis et nemoribus. In Septentrionalibus Angliæ locis reperitur*; *in Meridionalibus rarius occurrit*; *near* Halifax *plentifully*, *and in* Stokenchurch *woods*, Oxfordſhire. *R. Syn.* ♃. VI. VII.
Pharmac. Pyrolæ *Herba.*

minor. 2. PYROLA floribus racemoſis diſperſis, ſtaminibus piſtilliſque rectis. *It. gotl.* 4. *Fl. ſuec.* 361. *Sp. pl.* 369.
Pyrola tuba recta minor, folio frequentius ſerrato, ſpica breviore et denſiore. *Hall. helv.* 7.
Pyrola minor. *Riv. pent.* 149. *R. Syn.* 363.
Pyrola folio minore et duriore. *Bauh. pin.* 191.
Anglis, leſſer Winter-green.
Habitat *in ſylvis. In ſylvula inter* Clapham *et* Ingleton, *in comitatu* Eboracenſi. ♃. VIII.

ſecunda. 3. PYROLA racemo unilaterali. *Fl. ſuec.* 362. *Sp. pl.* 396.
Pyrola floribus uno verſu ſparſis. *Fl. lapp.* 168.
Pyrola folio mucronato ſerrato. *Bauh. pin.* 181. *R. Syn.* 363.
Pyrola tenerior. *Park.* 509.
Pyrola ſecunda tenerior. *Cluſii hiſt.* 117. *Ger. Em.* 408.
Anglis, dented-leaved Winter-green.
Habitat *in ſylvis et nemoroſis. In* Haſlewood, *near* Sir Walter Vavaſor's *park in* Yorkſhire. *R. Syn.* ♃. VI.

** *Flores monopetali æquales.*

ANDROMEDA. 485.

Cal. quinquepartitus. *Cor.* ovata: ore quinquefido. *Capſ.* quinquelocularis.

polifolia. 1. ANDROMEDA pedunculis aggregatis, corollis ovatis,

tis, foliis alternis lanceolatis revolutis. *Fl. ſuec.* 353. *Sp. pl.* 393.
Lædum paluſtre noſtras, arbuti flore. *R. Syn.* 472.
Ciſtus Ledon paluſtris Roſmarini folio, Arbuti flore. *R. Syn. Ed. I.* 142. *t.* 1.
Roſmarinum ſylveſtre minus noſtras. *Park.* 76.
Erica humilis Roriſmarini foliis, unedonis flore, capſula ciſtoide. *Pluk. ph. t.* 175. *f.* 1.
Anglis, marſh Ciſtus, or wild Roſemary.
Habitat *in paludibus turfoſis in comitatibus* Eboracenſi, Lancaſtrienſi, Weſtmorlandico, Cumberlandico, *frequens*. ♃. III. IV.

ARBUTUS. 488.

Cal. quinquepartitus. *Cor.* ovata : ore baſi pellucida. *Bacca* quinquelocularis.

1. ARBUTUS caule erecto, foliis glabris ſerratis, baccis polyſpermis. *Sp. pl.* 395. *Roy. lugdb.* 440. *Sauv. monſp.* 56. *Unedo.*
Arbutus. *Ger. Em.* 1496. *Park.* 1489. *Cam. epit.* 168. *R. Syn.* 464.
Arbutus folio ſerrato. *Bauh. pin.* 460.
Anglis, common Strawberry-tree.
Habitat *in occidentali* Hiberniæ *parte*. *R. Syn.* ♄.

2. ARBUTUS caulis procumbentibus, foliis rugoſis ſerratis. *Fl. lapp.* 161. *ſuec.* 359. *Hort. cliff* 163. *Roy. lugdb.* 440. *Hall. helv.* 415. *Sp. pl.* 395. *alpina.*
Vaccinia rubra, foliis myrtinis criſpis. *D. Merret. R. Syn.* 457.
Vitis idæa foliis oblongis albentibus. *Bauh. pin.* 470. *Tourn.* 608.
Vitis idæa repens, fructu racemoſo magno nigerrimo. *Rudb. it.* 9. *lapp.* 100.
Anglis, mountain Strawberry-tree.
Habitat *in montibus ſiccis. Four miles from* Heptenſtal, *near* Widdop, *on a great ſtone by the river* Gorl *in* Lancaſhire; *found alſo by* Mr. Lhwyd *plentifully for ſome miles together, in that end of* Mull *next to* Eycolumb-Kill, Scotland. *R. Syn.* ♄.

D I-

DIGYNIA.

CHRYSOSPLENIUM. 493.

Cal. quadrifidus ſ. quinquefidus, coloratas. *Cor.* o. *Capſ.* biroſtris, unilocularis, polyſperma.

oppoſitifolium. 1. CHRYSOSPLENIUM foliis oppoſitis. *Sauv. monſp.* 128. *Sp. pl.* 398.
Chryſoſplenium ſ. ſaxifraga aurea. *Faborn. hiſt.* 1224.
Chryſoſplenium foliis amplioribus auriculatis. *Tourn.* 146.
Saxifraga aurea. *Ger. Em.* 841. *Park.* 425. *R. Syn.* 158.
Saxifraga rotundifolia aurea. *Bauh. pin.* 309.
Anglis, common golden Saxifrage.
Habitat *ad ſcaturigines in ſylvis umbroſis. In* Charlton *wood. Blackſ. ſpec. bot. In ericeto* Hampſtediano *prope* Londinum. ♃. IV.

alterniſolium. 2. CHRYSOSPLENIUM foliis alternis. *Fl. ſuec.* 365. *Sp. pl.* 398.
Chryſoſplenium foliis pediculis oblongis inſidentibus. *Tourn.* 146.
Saxifraga aurea foliis pediculis oblongis inſidentibus. *R. Syn.* 158.
Sedum paluſtre luteum majus, foliis pediculis longis inſidentibus. *Hiſt. Ox. III.* 477. *ſ.* 12. *t.* 8. *f.* 8.
Anglis, alternate-leaved golden Saxifrage.
Habitat *cum priore ſed rarius. Prope* Bingley *in comitatu* Eboracenſi *copioſe.* ♃. IV.

SAXIFRAGA. 494.

Cal. quinquepartitus. *Cor.* pentapetala. *Capſ.* biroſtris unilocularis.

* *Foliis indiviſis, caule ſubnudo.*

ſtellaris. 1. SAXIFRAGA foliis ſerratis, caule nudo ramoſo, petalis lanceolatis. *Fl. ſuec.* 367. *Sp. pl.* 400.
Saxifraga caule nudo ſimplici, foliis lanceolatis dentatis petalis acutis. *Fl. lapp.* 175.

Geum

Geum paluſtre minus, foliis oblongis crenatis. *Tourn.* 252. *R. Syn.* 354.
Cotyledon aquatica hirſuta. *R. hiſt.* 1046.
Sanicula myoſotis alpina, floribus albicantibus fere umbellatis. *Pluk ph. t.* 58. *f.* 2. *et t.* 222. *f.* 4.
Sedum montanum hirſutum, mucronato et dentato folio, flore albo guttato. *Hiſt. Ox. III.* 478. *ſ.* 12. *t.* 9. *f.* 13.
Anglis, hairy Kidney-wort.
Habitat *in petris et rupibus aqua humentibus, et ad rivulos. On the mountains of* Wales, *as* Snowdon, Carnedh-Llewellyn, Caderidis, *&c. Alſo on* Hard-knot *and* Wrenoſe, *by* Buckbarrow *well in* Long-ſledale, Weſtmoreland. *R. Syn.* 4. VI. VII.

2. SAXIFRAGA foliis obovatis crenatis ſubſeſſilibus, caule nudo, floribus congeſtis. *Fl. ſuec.* 368. *Sp. pl.* 401. *nivalis.*
Saxifraga caule nudo ſimplici, foliis elliptico-ſubrotundis crenatis, floribus capitatis. *Fl. lapp.* 176. *t.* 2. *f.* 5, 6.
Saxifraga foliis oblongo-rotundis dentatis, floribus compactis. *R. Syn.* 354. *t.* 16. *f.* 1.
Anglis, mountain Sengreen.
Habitat *in ſummis alpibus arvoniæ, e rupibus* Clogwyn y Garnedh Crib y Diſtilh, Glogwyn du ymhen y Glyder, &c. *juxta* Lhan-berys. D. Lhwyd. *R. Syn.* 4. VI.

** *Foliis indiviſis*, Caule *folioſo.*

3. SAXIFRAGA foliis ovatis oppoſitis imbricatis: ſummis ciliatis. *Fl. ſuec.* 369. *Sp. pl.* 402. *oppiſitifolia.*
Saxifraga foliis ovatis quadrangulo-imbricatis, ramis procumbentibus. *Fl. lapp.* 179.
Saxifraga alpina ericoides, flore cæruleo. *Tourn.* 253. *R. Syn.* 353.
Sedum alpinum ericoides cæruleum. *Bauh. pin.* 284. *pr.* 132. *hiſt. III.* 694. *Hiſt. Ox. III.* 480. *ſ.* 12. *t.* 10. *f.* 36.
Anglis, mountain heath-like Sengreen.

Habitat

Habitat *in rupibus et petris. In rupibus montis* Ingleborough *non ad ſummitatum, ſed ad latus occidentale*, D. Richardſon. *On the high rocks of* Snowdon, *plentifully*, D. Lhwyd. *R. Syn.* 4. III. IV.

aizoides. 4. SAXIFRAGA foliis caulinis lineari-ſubulatis ſparſis nudis inermibus, caulibus decumbentibus. *Fl. ſuec.* 371. *Sp. pl.* 403.

Saxifraga alpina anguſto folio, flore luteo guttato. *R. Syn.* 353.

Sedum minus alpinum luteum noſtras. *R. Syn. ed. II.* 212.

Sedum alpinum flore pallido. *Bauh. pin.* 284. *Hiſt. Ox III.* 477. *ſ.* 12. *t.* 6. *f.* 3.

Sedum minus IV. ſeu alpinum I. *Cluſ. hiſt. III.* 60.

Anglis, yellow mountain Sengreen.

Habitat *in montibus. On the ſides of* Ingleborough *hill plentifully, and in the like places in* Weſtmoreland. *R. Syn.* 4. VIII.

autumnalis. 5. SAXIFRAGA foliis caulinis linearibus alternis ciliatis: radicalibus aggregatis. *Sp. pl.* 402.

Saxifraga foliorum margine ciliari, floribus luteis maculoſis. *Hall. helv.* 399.

Saxifraga anguſtifolia autumnalis, flore luteo guttato, foliis florum magis acuminatis. *Breyn. cent.* 106. *t.* 48.

Geum anguſtifolium autumnale, flore luteo guttato. *Tourn.* 252. *R Syn.* 355.

Anglis, autumnal Sengreen.

Habitat *in paluſtribus turfoſis. Found by* Dr. Kingſtone *on* Knotsford-moor, Cheſhire. *R. Syn.* 4. VII. VIII.

*** *Foliis lobatis, caule erecto.*

cæſpitoſa. 6. SAXIFRAGA foliis radicatis aggregatis linearibus integris trifidiſque, caule erecto ſubnudo ſubbifloro. *Sp. pl.* 404.

Saxifraga foliis ſimplicibus et trifidis, caule pæne aphyllo paucifloro. *Hall. helv.* 405.

Saxifraga foliis partim integris partim trifidis. *Segu. ver.* 451. *t.* 9. *f.* 4.

Sedum

Sedum tridactylites alpinum minus. *Bauh. pin.* 284. *pr.* 131.
Anglis, ſmall mountain Sengreen.
Habitat *in montibus ſupra* Ambleſide *in comitatu* Weſtmorlandico. ♃. VIII.

7. SAXIFRAGA foliis cuneiformibus trifidis alternis, caule erecto ramoſo. *Fl. ſuec.* 375. *Sp. pl.* 404. *trydactylites.*
Saxifraga foliis trifidis baſi anguſtis caule erecto. *Roy. lugdb.* 457. *Sauv. monſp.* 208.
Saxifraga verna annua humilior. *Tourn.* 252. *R. Syn.* 354.
Sedum tridactylites tectorum. *Bauh. pin.* 285.
Paronychia rutaceo folio. *Ger. Em.* 624.
Paronychia foliis inciſis. *Park.* 556.
Anglis, Rue-leaved Sengreen, or Whitlow-graſs.
Habitat *in muris, tectis, ruderatis paſſim.* ☉. IV.
Pharmacop. Paronychiæ *Herba.*

8. SAXIFRAGA foliis reniformibus lobatis, caule ramoſo, radice granuloſa. *Hort. cliff.* 167. *Mat. med.* 215. *Fl. ſuec.* 372. *Sp. pl.* 403. *granulata.*
Saxifraga rotundifolia alba. *Bauh. pin.* 309. *R. Syn.* 354.
Saxifraga alba. *Ger. Em.* 841. vulgaris. *Park.* 424.
Saxifraga alba radice granuloſa. *Bauh. hiſt. III.* 706.
Anglis, white Sengreen, or Saxifrage.
Habitat *in pratis et paſcuis ſiccioribus. Prope* Wandſworth *copioſe.* ♃. V.
Pharmac. Saxifraga albæ *Radix, Foliæ, Flores, Semina.*

**** *Foliis lobatis, caulibus procumbentibus.*

9. SAXIFRAGA foliis caulinis linearibus iutegris trifidiſve, ſtolonibus procumbentibus, caule erecto nudiuſculo. *Sp. pl.* 405. *hypnoides*
Saxifraga foliis omnibus anguſtis petiolatis apice tridentatis, caule folioſo ramoſo viſcido. *Hall. helv.* 404.
Saxifraga muſcoſa trifido folio. *Tourn.* 252. *R. Syn.* 354.
Sedum alpinum trifido folio. *Bauh. pin.* 284.

Sedum

Sedum alpinum laciniatis Ajugæ foliis. *Park.* 739.
Anglis, trifid Sengreen.
Habitat *in montibus* Weſtmorlandicis, Eboracenſibus, Derbienſibus, Cambrobritannicis. *paſſim.* 4. IV. V.

SCLERANTHUS. 497.

Cal. monophyllus. *Cor.* o. *Sem.* duo calyce incluſa.

annuus. 1. SCLERANTHUS calycibus fructus patulis. *Fl. ſuec.* 377. *Sp. pl.* 406.
Knawel. *Trag.* 393. *R. Syn.* 159.
Polygonum germanicum vel Knawel Germanorum. *Park.* 747.
Polygonum ſelinoides ſive Knawel. *Ger.* 453.
Polygonum gramineo folio majus erectum. *Bauh. pin.* 281.
Anglis, German Knot-graſs, or annual Knawel.
Habitat *in arvis et locis arenoſis paſſim.* ☉. VIII.

perennis. 2. SCLERANTHUS calycibus fructus clauſis. *Fl. ſuec.* 378. *Sp. pl* 406.
Knawel incanum flore majore perenne. *R. hiſt.* 213. *Syn.* 160. *t.* 5. *f.* 1.
Alchimilla gramineo folio majori flore. *Tourn.* 509. *Vaill. pariſ.* 4 *t.* 1. *f.* 5.
Anglis, perennial Knawel.
Habitat *in arvis glareoſis. In the ſandy grounds and balks of corn fields about* Elden *in* Suffolk, *plentifully. R. Syn.* 4. VIII.

SAPONARIA. 499.

Cal. monophyllus nudus. *Petala* quinque unguiculata. *Capſ.* oblonga unilocularis.

officinalis. 1. SAPONARIA calycibus cylindricis, foliis ovato-lanceolatis. *Hort. cliff.* 165. *upſ.* 106. *Mat. med.* 214. *Roy. lugdb.* 444. *Gron. virg.* 106. *Gort. gelr.* 245. *Sp. pl.* 408.
Saponaria. *Ger. Em.* 444. vulgaris. *Park.* 641. *Bauh. hiſt. III.* 346.
Saponaria major lævis. *Bauh. pin.* 206.
Lychnis Saponaria dicta. *R. Syn.* 339.

β Lychnis

β Lychnis Saponaria dicta folio convoluto. *R. Syn.* 339.
Saponaria concava Anglica. *Bauh. pin.* 206.
Anglis, Sopewort.
Habitat *ad ſepes, in* Ericeto nigro *prope* Morden Colledge *in* Cantio. ♃. VII. VIII.
Pharmac. Saponaria. *Folia Radix.*

DIANTHUS. 500.

Cal. cylindricus monophyllus: baſi ſquamis quatuor. *Petala* quinque unguiculata. *Capſ.* cylindrica unilocularis.

* *Flores aggregati.*

1. DIANTHUS floribus aggregatis faſciculatis, ſquamis calycinis lanceolatis villoſis tubum æquantibus. *Armeria.*
Syſt. Nat. 1029. *Sp. pl.* 410.
Caryophyllus latifolius barbatus minor annuus, flore minore. *R. Syn.* 337.
Caryophyllus pratenſis. *Ger. Em.* 594. noſter major et minor. *Park.* 1338.
Caryophyllus barbatus ſylveſtris. *Baub. pin.* 209.
Armeria ſylveſtris altera. *Lob. ic.* 448.
Anglis, Deptford Pink.
Habitat *in pratis et paſcuis glareoſis in Sylva* Charleton Wood *dicta, in* Cantio; *prope* Croydon *copioſe.* ☉. VII.

2. DIANTHUS floribus aggregatis capitatis ſquamis calycinis ovatis obtuſis muticis tubum æquantibus. *prolifer.*
Sp. pl. 410.
Caryophyllus ſylveſtris prolifer. *Bauh. pin.* 209. *Park.* 1338. *R. Syn.* 337.
Viſcaria. *Ger. Em.* 601.
Anglis, Limewort.
Habitat *in glareoſis ſed rarius. Found by the* Rev. Mr. Manningham, *in* Selſey Iſland, Suſſex. *R. Syn.* ☉. VIII.

** *Flores ſolitarii, plures in eodem caule.*

3. DIANTHUS floribus ſolitariis ſquamis calycinis, lanceolatis binis, corollis crenatis. *Fl. ſuec.* 382. *Sp. pl.* 411. *deltoides.*

Caryophyllus minor repens noſtras. *R. Syn.* 335. *Dill. elth.* 402.

Caryophyllus ſylveſtris vulgaris latiſolius. *Bauh. pin.* 209.

Anglis, Maiden Pinks.

Habitat *in ericetis pratis et paſcuis frequens in ericeto* Hamſtediano *prope* Londinum. ♃. VI. VII.

glaucus. 4 DIANTHUS floribus ſolitariis, ſquamis calycinis lanceolatis brevibus corollis crenatis. *Sp. pl.* 411. *Hort. upſ.* 104.

Tunica ramoſior, flore candido cum corolla purpurea. *Dill. elth.* 400. *t.* 298. *f.* 348.

Anglis, Mountain Pink.

Habitat *in montoſis. On* Chedder-rocks, *in* Somerſetſhire. Mr. Brewer. ♃. VII.

*** *Caule uniflora herbaceo.*

arenarius. 5. DIANTHUS caulibus ſubunifloris, ſquamis calycinis ovatis, obtuſis, petalis multifidis, foliis linearibus. *Sp. pl.* 412. *Fl. ſuec.* 384.

Dianthus foliis brevibus, ſquamis muticis caule unifloro. *Sauv. meth.* 143.

Armeriæ ſpecies flore in ſummo caule ſingulari. *R. Syn.* 336.

Armeria ſylveſtris humilis flore unico. *Bauh. pin.* 209. rubello. *Merr. pin.*

Caryophyllus ſylveſtris, Alſines holoſteæ arvenſis glabræ foliis flore unico, calyce barbato. *Pluk. ph. t.* 83. *f.* 3.

Anglis, Stone Pink.

Habitat *in pratis ſicciſſimis et muris ſed rarius. On* Chedder-rocks. Mr. Brewer. *In the North of* England. Mr. Doody. *R. Syn.* ♃. VII.

TRIGYNIA.

CUCUBALUS. 502.

Calyx. inflatus. *Petala* quinque unguiculata abſque corona ad faucem. *Capſ.* trilocularis.

1. CU-

1. CUCUBALUS calycibus campanulatis, petalis diſtantibus, pericarpiis coloratis, ramis divaricatis. *Sp. pl.* 414. *bacciferus.*
Cucubalus Plinii. *Lugd.* 1429. *Tourn.* 339. *R. Syn.* 267.
Alſine ſcandens baccifera. *Bauh. pin.* 250.
Anglis, berry-bearing Chickweed.
Habitat *in ſepibus in Inſula* Mona. D. Richardſon. *R. Syn.* 4. VII.

2. CUCUBALUS calycibus ſubgloboſis glabris reticulato-venoſis capſulis trilocularibus, corollis ſubnudis. *Fl. ſuec.* 385. *Sp. pl.* 414. *Behen.*
Lychnis ſylveſtris quæ Benalbum vulgo. *Bauh. pin.* 205. *R. Syn.* 337.
Behen album officinarum. *Ger. Em.* 678.
Papaver ſpumeum ſive Benalbum vulgo. *Park.* 263.
Anglis, bladder Campion, or white corn Campion.
Habitat *in arvis pratis et paſcuis ſiccioribus frequens.* 4. VII.

3. CUCUBALUS floribus lateralibus undique decumbentibus, caule indiviſo, foliis baſi reflexis. *Sp. pl.* 414. *Fl. ſuec.* 386. *viſcoſus.*
Lychnis major noctiflora Dubrenſis perennis. *R. hiſt.* 995. *Syn.* 340.
Lychnis montana noctiflora hirſuta latifolia alba, floribus abſque appendicibus. *Till. piſ.* 105.
Anglis, Dover Campion.
Habitat *in montoſis. Found on* Dover Cliffs, *by* Mr. Newton. *R. Syn.* 4. VII.

4. CUCUBALUS floribus dioicis, petalis ſetaceis indiviſis. *Hort. cliff.* 272. *Roy. lugdb.* 445. *Sp. pl.* 415. *Otites.*
Lychnis viſcoſa flore muſcoſo. *Bauh. pin.* 266.
Seſamoides Salamanticum magnum. *Ger. Em.* 493.
Muſcipula Salamantica major. *Park.* 636.
Anglis, Spaniſh Campion, or Catchfly.
Habitat *in paſcuis glareoſis. In and about the gravel-pits on the north ſide of* Newmarket *town: alſo by the way-ſides all along from* Barton Mills *to* Thetford *in* Norfolk. *R. Syn.* 4. VII. VIII.

acaulis. 5. CUCUBALUS acaulis. *Fl. lapp.* 104. *ſuec.* 337. *Sp. pl.* 415.
Lychnis alpina minima. *R. hiſt.* 1004. *Syn.* 341.
Caryophylleus *IX* Cluſii caryophyllus pumilio alpinus. *Ger. Em.* 593.
Lychnis alpina pumila folio gramineo ſ. muſcus alpinus Lychnidis flore. *Bauh. pin.* 206.
Anglis, moſs Campion.
Habitat *in montibus Arvoniæ, Devoniæ, frequens.* 4. VII.

SILENE. 503.

Cal. ventricoſus. *Petala* quinque unguiculata: coronata ad faucem. *Caps.* trilocularis.

* *Floribus ſolitariis lateralibus.*

anglica. 1. SILENE hirſuta petalis emarginatis, floribus erectis, fructibus reflexis pedunculatis alternis. *Syſt. Nat.* 1031. *Sp. pl.* 416.
Viſcago ceraſtii foliis, vaſculis pendulis anglica. *Dill. elth.* 417. *t.* 309. *f.* 398.
Lychnis ſylveſtris flore albo minimo. *R. hiſt.* 996. *Syn.* 339.
Anglis, ſmall corn Catchfly or Campion.
Habitat *in arvis. In the corn fields near* Colcheſter, Eſſex. Mr. Newton. *Blackſ. Sp. Bot. among the corn near the* Devil's-ditch *in* Cambridgeſhire. Mr. Dent. *R. Syn.* ☉. VI. VII.

amoena. 2. SILENE petalis bifidis: coronula ſub-coadunata, floribus ſecundis, pedunculis oppoſitis trifloris, ramis alternis. *Syſt. Nat.* 1031. *Sp. pl.* 417.
Lychnis marina anglica. *Ger. Em.* 470. *R. Syn.* 337.
Lychnis marina repens alba. *Park.* 638.
β Lychnis maritima anglica amplioribus foliis. *D. Brewer. Rand. hort. chel.*
Anglis, Sea Campion.
Habitat *in littoribus maritimis frequens.* 4. VIII.

3. SILENE

** *Floribus lateralibus confertis.*

3. SILENE petalis bifidis, floribus lateralibus ſecundis cernuis caule incurvato. *Fl. ſuec.* 388. *Sp. pl.* 417. *nutans.*
Silene foliis lanceolatis, caule paniculato, floribus nutantibus calyce ſtriato corolla involuta. *Hort. cliff.* 171.
Lychnis ſylveſtris alba IX. cluſii. *Ger. Em.* 470. *R. Syn.* 340.
Lychnis montana viſcoſa alba latifolia. *Bauh. pin.* 205.
Lychnis ſylveſtris alba ſ. ocymoides minus album. *Park.* 631.
Polæmonium petræum Geſneri. *Bauh. hiſt. III.* 351.
Anglis, Nottingham Catchfly.
Habitat *in pratis montoſis. On the walls of* Nottingham-caſtle, *and thereabout. R. Syn.* 4. VI. VII.

*** *Floribus ex dichotomia caulis.*

4. SILENE calycibus fructus conicis, ſtriis triginta, foliis mollibus. *Hort. upſ.* 110. *Sp. pl.* 418. *conoidea.*
Lychnis ſylveſtris anguſtifolia caliculis turgidis ſtriatis. *Bauh. pin.* 205. *R. Syn.* 341.
Lychnis ſylveſtris altera incana caliculis ſtriatis. *Lob. ic.* 338.
Anglis, greater corn Catchfly, or Campion.
Habitat *in arvis glareoſis. A little to the north of* Sandown-caſtle, *plentifully. R. Syn.*

5. SILENE calycibus decemangularibus: dentibus tubum æquantibus, caule dichotomo. *Sp. pl.* 419. *Fl. ſuec.* 389. *noctiflora.*
Lychnis noctiflora. *Bauh. pin.* 205. *Park.* 632. *R. Syn.* 340.
Anglis, night-flowering Catchfly.
Habitat *in arvis. Found by* Mr. Dent *among corn, on the left hand of the road leading from* Newmarket *to* Canvaſs-hall, *in* Wood-ditton. *R. Syn.* 4. VII.

6. SILENE floribus faſciculatis faſtigiatis, foliis ſuperioribus cordatis glabris. *Hort. upſ.* 110. *Sp. pl.* 420. *Armeria.*

Lychnis viſcoſa purpurea latifolia lævis. *Bauh. pin.* 205 *R. Syn* 341.
Lychnis ſylveſtris. *I. Cluſ. hiſt.* 288.
Armerius flos quartus. *Dod pempt.* 176.
Anglis, broad-leaved Catchfly.
Habitat *on the banks of the river half a mile below* Cheſter, Dr. Richardſon. *R. Syn.* ☉. VIII.

STELLARIA. 504.

Cal. pentaphyllus, patens. *Petala* quinque bipartita. *Capſ.* unilocularis, polyſperma.

Holoſtea. 1. STELLARIA foliis lanceolatis ſerrulatis, petalis bifidis. *Fl. ſuec.* 392. *Sp. pl.* 422.
Caryophyllus holoſteus arvenſis glaber flore majore. *Bauh. pin.* 210. *R. Syn.* 346.
Gramen leucanthemum. *Ger. Em.* 47. *Park.* 1325.
Anglis, greater Stichwort.
Habitat *in ſylvis et ſepibus paſſim.* ♃. IV. V.

graminea. 2. STELLARIA foliis linearibus integerrimis, floribus paniculatis. *Fl. ſuec.* 393. *Sp. pl.* 422.
Caryophyllus holoſteus arvenſis glaber, flore minore. *Bauh. pin.* 210. *R. Syn.* 346.
Gramen leucanthemum alterum. *Ger. Em.* 47.
Gramen leucanthemum minus. *Park.* 1325.
β Caryophyllus holoſteus arvenſis medius. *R. Syn.* 347.
γ Alſine longifolia uliginoſis proveniens locis. *Bauh. hiſt. III.* 365. *R. Syn.* 347.
Alſine aquatica media. *Bauh. pin.* 251.
Alſine fontana. *Tab. ic.* 712. *Ger. Em.* 613.
Anglis, leſſer Stichwort.
Habitat *in pratis paſcuis, ſepibus frequens.* γ. *in paludoſis et pratis humidioribus paſſim.* ♃. VII.

nemorum. 3. STELLARIA foliis cordatis petiolatis, paniculæ pedunculis ramoſis. *Sp. pl.* 421. *Fl. ſuec.* 291.
Alſine montana folio Smilacis inſtar, flore laciniato. *Hiſt. Ox. II.* 550. *ſ.* 5. *t.* 23. *f.* 2. *R. Syn.* 347.
Alſine montana latifolia, flore laciniato. *Bauh. pin.* 251.

Alſine

Alſine hederacea montana maxima. *Col. Ecphr. I.* 290. *t.* 290. *Park* 761.
Anglis, broad-leaved Stichwort.
Habitat *in ſylvis et ſepibus, et ad ripas fluviorum in comitatibus* Eboracenſi, Lancaſtrienſi, Weſtmorlandico, Cumberlandico, *paſſim.* ♃. VII. VIII.

ARENARIA. 505.

Cal. pentaphyllus, patens. *Petala* quinque integra. *Capſ.* uniloculariſ polyſpermæ.

1. ARENARIA foliis ovatis acutis carnoſis. *Fl. lapp.* *peploides.*
149. *ſuec.* 396. *Sp. pl.* 423.
Alſine marina foliis portulacæ. *Fl. pruſſ.* 12. *t.* 2. *R. Syn.* 351.
Alſine litteralis foliis portulacæ. *Bauh. pin.* 251.
Anthyllis maritima lentiſolia. *Bauh. pin.* 282. *Park.* 282.
Anthyllis lentiſolia ſeu alſine cruciata marina. *Ger. Em.* 622.
Anglis, Sea Chickweed.
Habitat *in litteribus maritimis frequens.* ♃. VI. VII.

2. ARENARIA foliis ovatis acutis petiolatis nervoſis. *trinervia.*
Fl. ſuec. 397. *Sp. pl.* 423.
Alſine plantaginis folio. *Bauh. hiſt. III.* 364. *R. Syn.* 349.
Anglis, Plantain-leaved Chickweed.
Habitat *in ſylvis et ſepibus humidis frequens.* ☉. V. VI.

3. ARENARIA foliis ſubovatis acutis ſeſſilibus, corollis *ſerpylliſolia.*
calyce brevioribus. *Fl. ſuec.* 398. *Sp. pl.* 423.
Alſine minor multicaulis. *Bauh. pin.* 250. *R. Syn.* 349.
Alſine minima. *Ger. Em.* 488. *Bauh. hiſt. III.* 364.
Alſine aquatica minima. *Park.* 1259.
Anglis, the leaſt Chickweed.
Habitat *in tectis, muris, arenoſis, aridis paſſim.* ☉. V. VI.

ſaxatilis. 4. ARENARIA foliis ſubulatis, caule paniculatis, calycem foliolis ovatis. *Sp. pl.* 424.
Spergula foliis aciformibus denſis, ramis ramoſis ſubnudis. *Sauv. monſp.* 45.
Alſine puſilla pulchro flore folio tenuiſſimo noſtras ſ. ſaxifraga puſilla caryophylloides, flore albo pulchello. *R. Syn.* 351.
Alſine alpina glabra tenuiſſimis foliis, floribus albis. *Herm. par.* 12. *t.* 12
Alſine caryophylloides tenuifolia, flore albo punctato. *Pluk. ph. t.* 7. *f.* 3.
Alſine ſaxatilis laricis folio minor et minori flore. *Tourn. magn. moſq.* 11. *t.* 11.
Anglis, mountain Chickweed.
Habitat *in montoſis* Eboracenſibus *circa* Settle, *ut et* Derbienſibus *copioſe. On the ſide of a watery bank, at about three miles from the Land's end. R. Syn. in montoſis* Weſtmorlandicis, *circa* Kendal *copioſe.* ♃. VIII.

laricifolia. 5. ARENARIA foliis ſetaceis, caule ſuperne nudiuſculo, calycibus ſubhirſutis. *Sp. pl.* 424.
Alſine foliis faſciculatis, petiolis ſimplicibus, calyce hirſuto. *Hall helv* 388.
Alſine alpina junceo folio. *Bauh. pin.* 251. *pr.* 118. *R. Syll* 60. *hiſt.* 1031.
Alſine caryophylloides tenuifolia montana lini flore. *R. hiſt.* 1027.
Auricula muris pulchro flore, folio tenuiſſimo. *Bauh hiſt. III* 360.
Anglis, Larch-leaved Chickweed.
Habitat *in montibus* Weſtmorlandicis *paſſim.* ♃. VIII.

tenuifolia. 6. ARENARIA foliis ſubulatis caule paniculato, pedunculis ſimplicibus, capſulis erectis petalis calyce brevioribus. *Sp. pl* 424.
Alſine tenuifolia. *Bauh. hiſt. III.* 364. *R. Syn.* 350. *Vaill. pariſ.* 7. *t.* 3. *f.* 1. *ſequ. ver.* 418. *t.* 6. *f.* 2.
Anglis, fine-leaved Chickweed.
Habitat *in pratis ſiccis glareoſis, ſed rarius. In the corn-fields on the borders of* Friplow-heath, Gogmagog

gog *hills, and other places in* Cambridgeſhire. *R. Syn.* 350. *In* Cornbury *quarry near* Charlbury, Oxfordſhire; *Blackſ. ſpec. bot. ſupra mure in oſpido* Batterſea *prope* Londinum ♃. VI. VII.

7. ARENARIA foliis linearibus ſtipulis membranaceis vaginantibus. *Sp. pl.* 423. *Fl. ſuec.* 399. *rubra.*
Spergula purpurea. *Bauh. hiſt. III.* 722. *R. Syn.* 351.
Saginæ Spergula minima. *Park.* 561.
Alſine, Spergulæ facie minor ſ. Spergula minor ſubcæruleo flore. *Bauh. pin.* 251. *pr.* 119.
β Arenaria foliis linearibus longitudine internodiorum. *Hort. cliff.* 173. *Gron. virg.* 161. *Sp. pl.* 423. *marina.*
Alſine Spergulæ facie media. *Bauh. pin.* 251. *R. Syn.* 351.
Spergula marina noſtras. *Bauh. hiſt. III.* 778.
γ Spergula maritima flore parvo cæruleo, ſemine vario. *C. giſſ.* 30.
Anglis, purple-flowered Chickweed, or Spurrey. β Sea Spurrey.
Habitat *in pratis et arvis glareoſis*, β *in littoribus marinis frequens.* ⊙. VI. VII.

PENTAGYNIA.

COTYLEDON. 512.

Cal. quinquefidus. *Cor.* monopetala, Squamæ nectariferæ quinque ad baſin germinis *Capſ.* quinque.

1. COTYLEDON foliis cuculatis ſerrato-dentatis alternis, caule ramoſo floribus erectis. *Sp. pl.* 429. ♀. *umbilicus.*
Cotyledon foliis peltatis. *Vir. cliff.* 39. *Roy. lugdb.* 454.
Cotyledon vera radice tuberoſa. *Bauh. hiſt. III.* 683. *R. Syn.* 271.
Cotyledon major. *Bauh. pin.* 289.
Umbilicus veneris. *Ger. Em.* 529. vulgaris. *Park.* 740.
Anglis, Navel-wort, Kidney-wort, or Wall Penny-wort.

Habitat

Habitat *in ſaxis et muris antiquis ſed rarius; prope* Briſtolium *copioſe; circa* Troutbeck *in comitatu* Weſtmorlandico. ♃. V.—VII.

SEDUM. 513.

Cal. quinquefidus. *Cor.* pentapetala. Squamæ nectariferæ quinque ad baſin germanis. *Capſ.* quinque.

* *Planifolia.*

Telephium. 1. SEDUM foliis planiuſculis ſerratis, corymbo folioſo, caule erecto. *Sp. pl.* 430.
Sedum foliis planiuſculis patentibus ſerratis, corymbo-terminali. *Hort. cliff.* 176. *Roy. lugdb.* 456.
Telephium vulgare. *Bauh. pin.* 287.
Telephium ſ. Craſſula major vulgaris. *Park.* 726.
Craſſula ſ. faba inverſa. *Ger. Em.* 519.
Anacampſeros, vulgo Faba craſſa. *Bauh. hiſt. III.* 681. *R. Syn.* 269.
β Telephium purpureum majus. *Bauh. pin.* 287.
γ Telephium album. *Fuchſ. hiſt.* 800.
Anglis, Orpine, or Live-long.
Habitat *in tectis, muris, paſcuis, et ad ſepes.* ♃. VIII. *Pharmac.* Telephii *Herba.*

** *Teretifolia.*

reflexum. 2. SEDUM foliis ſubulatis ſparſis, baſi membranacea ſoluta: inferioribus recurvatis, floribus cymoſis. *Fl. ſuec.* 1296.
Sedum minus luteum ramulis reflexis. *Bauh. pin.* 283. *R. Syn.* 270.
Aizoon ſcorpioides. *Ger. Em.* 513.
Vermicularis ſcorpioides. *Park.* 733.
β Sedum minus hæmatoides. *Ger. Em.* 512. *R. Syn.* 269.
Sedum minum luteum folio acuto. *Bauh. pin.* 283.
Anglis, yellow Stonecrop, or Prick-madam.
Habitat *in muris, tectis, paſſim.*

rupeſtre. 3. SEDUM foliis ſubulatis quinquefariam confertis baſi membranacea ſoluta, floribus cymoſis. *Sp. pl.* 431. *Fl. ſuec.* 401.

Sedum

Sedum rupeſtre repens foliis compreſſis. *Dill. elth.* 343. *t.* 256. *f.* 333.
Sedum minus e rupe S. Vincentii. *R. Syn.* 271.
Sedum minus Vincentii. *Pet. h. br. t* 41. *f.* 8.
Anglis, St. Vincent's Rock Stonecrop.
Habitat *in rupibus* St. Vincentii *prope* Briſtolium : *in rupibus Hiſväe valleculæ* Nantphraucon *iminentibus*. *R. Syn.* 4. VIII.

4 SEDUM foliis oblongis obtuſis teretiuſculis ſeſſilibus patentibus, cyma ramoſa. *Fl. ſuec.* 402. *Sp. pl.* 432. *album.*
Sedum minus teretifolium album. *Bauh. pin.* 283. *R. Syn.* 271.
Sedum minus officinarum. *Ger. Em.* 512.
Vermicularis flore albo. *Park.* 733.
Vermicularis ſ. Craſſula minor vulgaris. *Park.* 734.
Anglis, white flowered Stonecrop.
Habitat *in muris, tectis, paſſim. On a wall juſt beyond the chapel at* Kentiſh-town. *Blackſ. ſpec. bot.* 4. VI. VII.
Pharmac. Vermicularis *Herba.*

5. SEDUM foliis ſubovatis adnato-ſeſſilibus gibbis erectiuſculis alternis, cyma trifida. *Fl. ſuec.* 403. *Sp. pl.* 432. *Mat. med.* 218. *acre.*
Sedum parvum acre flore luteo. *Bauh. hiſt. III.* 694. *R. Syn.* 270.
Sempervivum minus vermiculatum acre. *Bauh. pin.* 283
Vermicularis ſeu Illecebra minor acris. *Ger. Em.* 517.
Illecebra minor ſ. Sedum tertium Dioſcoridis. *Park.* 735.
Anglis, Wall Stonecrop, or Pepper.
Habitat *in muris, tectis, montibus, rupibus, frequens.* 4. VI.
Pharmac. Sedi minoris *Herba.*

6. SEDUM foliis ſubovatis adnato-ſeſſilibus gibbis erectiuſculis ſexfariam imbricatis. *Fl. ſuec.* 405. *Sp. pl.* 432. *ſexangulare.*

Semper-

Sempervivum minus vermiculatum inſipidum. *Bauh. pin.* 284.
Sempervivum minimum. *Cam. epit.* 856.
Anglis, inſipid Stonecrop.
Habitat *in pratis ſiccis. Prope* Sheerneſs *in inſula* Shepey *copioſe.* ♂. VII.

annuum. 7. SEDUM caule erecto ſolitario annuo, foliis ovatis ſeſſilibus gibbis alternis, cyma recurva. *Fl. ſuec.* 405. *Sp. pl.* 432.
Sedum minimum non acre flore albo. *R. Syn.* 270.
Sedum minimum, flore mixto ex albo et rubro, *Merr. pin.*
Anglis, Mountain Stonecrop.
Habitat *in ſterilioribus* Suffolciæ, *itinere a* Yarmouth *ad* Donewich *plurimum obſervavimus: item in rupibus* Lancaſtrienſibus *et* Weſtmorlandicis *ad* Winandermere: *in tectis et muris* Cambriæ *præcipue montoſis abunde*; D. Richardſon. *In littore marino prope* Brakelſham *copioſe.* D. Dillenius. *R. Syn. circa* Rydall *in* Weſtmorlandia. ♃. VIII.

daſyphyllum. 8. SEDUM foliis oppoſitis ovatis obtuſis carnoſis, caule infirmo, floribus ſparſis. *Sp. pl.* 431.
Sedum foliis cordato-ovatis compreſſis ſæpius oppoſitis, floribus ſparſis *Sauv. monſp.* 8.
Sedum foliis ſemigloboſis ſubovatis ſeſſilibus quadrifariam imbricatis. *Wackend. ultr.* 391.
Sedum minus, circinato folio. *Bauh pin.* 283. *Hiſt. Ox. III.* 473. *ſ.* 12. *t* 7. *f.* 35. *R. Syn.* 271.
Sedum parvum, folio circinato, flore albo. *Bauh. hiſt. III.* 961.
Aizoon daſyphyllon. *Lugd.* 1133.
Anglis, round-leaved Stonecrop.
Habitat *in muris et tectis. Grows plentifully upon the houſe and all the walls at* Market-eit, *near* Market-ſtreet. Mr. Th. Knowlton. *R. Syn.* ☉. VII.

villoſum. 9. SEDUM caule erecto, foliis planiuſculis, pedunculiſque ſubpiloſis. *Sp. pl.* 432.
Sedum purpureum pratenſe. *Bauh. hiſt. III.* 692. *R. Syn.* 270.

Sedum

Sedum paluſtre ſubhirſutum purpureum. *Bauh. pin.* 285.
Sedum minus paluſtre. *Ger. Em.* 515.
Sedum arvenſe ſ paluſtre flore rubente. *Park.* 734.
Anglis, Marſh Stonecrop.
Habitat *in pratis montoſis humidis. On the moiſt rocks about* Ingleborough-hill; *on* Hartſide-hill, *near* Gambleſby, *in the way to* Oſten *in* Cumberland. *In et juxta montem* Hincklehaw *prope* Settle. Dr. Richardſon. *R. Syn.* ⊙. VI.

OXALIS. 515.

Cal. pentaphyllus. *Petala* unguibus connexa. *Capſ.* angulis dehiſcens pentagona.

1. OXALIS ſcapo unifloro, foliis ternatis, radice ſquamoſo-articulata. *Hort. cliff.* 175. *Fl. ſuec.* 406. *Mat. med.* 216. *Sp. pl.* 233. *Acetoſella.*
Oxys alba. *Ger. Em.* 1201. *R. Syn.* 281.
Trifolium acetoſum vulgare. *Bauh. pin.* 330. *Park.* 746.
β Trifolium acetoſum vulgare, flore purpureo. *Merr. pin.*
Anglis, Wood Sorrel.
Habitat *in ſylvis, ericetis, umbroſis.* 4. IV.
Pharmac. Lujulæ *Folia.*

AGROSTEMMA. 516.

Cal. monophyllus coriaceus. *Petala* quinque unguiculata; Limbo obtuſo, indiviſo. *Capſ.* unilocularis.

1. AGROSTEMMA hirſuta, calycibus corollam æquantibus, petalis integris nudis. *Fl. ſuec.* 407. *Sp. pl.* 435. *Githago.*
Lychnis ſegetum major. *Bauh. pin.* 204. *R. Syn.* 338.
Lychnoides ſegetum ſive Nigellaſtrum. *Park.* 632.
Pſeudo-melanthium. *Dalech. hiſt.* 438. *Bauh. hiſt. III.* 341.
Anglis, Cockle.
Habitat *in arvis paſſim.* ⊙. VI.

LYCH-

LYCHNIS. 517.

Cal. monophyllus. oblongus, lævis. *Petala* quinque unguiculata. Limbo bifido. *Capſ.* trilocularis.

Flos cuculi. 1. LYCHNIS petalis quadrifidis, fructu ſubrotundo. *Sp. pl.* 436.

Caryophyllus pratenſis laciniato flore ſimplici, ſive Flos cuculi. *Bauh. pin.* 210.

Lychnis plumaria ſylveſtris ſimplex. *Park. par.* 253. *R. Syn.* 338.

Armerius pratenſis mas et fœmina. *Ger. Em.* 600.

Anglis, Meadow Pinks, Wild Williams, Cuckow Flower.

Habitat *in pratis et paſcuis humidioribus.* 4. VI.

Viſcaria. 2. LYCHNIS petalis integris. *Sp. pl.* 436. *Fl. ſuec.* 409.

Silene floribus pentagynis, capſulis quinquelocularibus. *Hort. cliff.* 172.

Lychnis ſylveſtris viſcoſa rubra anguſtifolia. *Bauh. pin.* 205. *Park.* 636. *R. Syn.* 340.

Muſcipula anguſtifolia. *Ger. Em.* 601.

Anglis, red German Catchfly.

Habitat *in pratis montoſis. Found by* Mr. Lhwyd *on the ſides of* Craig Wreidhin-hill, *in* Montgomeryſhire. *R. Syn.* V. VI.

dioica. 3. LYCHNIS floribus dioicis. *Sp. pl.* 437. *Fl. ſuec.* 411.

foemina. Cucubalus caule compoſito, calycibus oblongo-ovatis. *Fl. lapp.* 182.

Lychnis ſylveſtris albo flore. *Ger. Em.* 468. *Park.* 630. *R. Syn.* 339.

Lychnis ſylveſtris alba ſimplex. *Bauh. pin.* 204.

mas. β Lychnis ſylveſtris rubello flore. *Ger. Em.* 469. *R. Syn.* 339.

Lychnis ſylveſtris flore rubro. *Park.* 631.

Lychnis ſylveſtris ſ. aquatica purpurea ſimplex. *Bauh. pin.* 204.

Anglis, α white Campion: β red Campion.

Habitat *in ſylvis et ſepibus ubique.* 4. V.—VII.

CE-

CERASTIUM. 518.

Cal. pentaphyllus. *Petala* bifida. *Capſ.* unilocularis, apice dehiſcens.

* *Capſulis oblongis.*

1. CERASTIUM foliis ovatis, petalis calyci æqualibus, caulibus diffuſis. *Fl. ſuec.* 415. *Loeſl. hiſp.* 143. *vulgatum.*
Myoſotis foliis ex ovatis acuminatis, flore calyci æquali. *Hall. helv.* 384.
Myoſotis arvenſis hirſuta, parvo flore albo. *Vaill. pariſ.* 142. *t.* 30. *f.* 1.
Auricula muris quorundam flore parvo, vaſculo tenui longo. *Baub. hiſt. III.* 359.
Alſine hirſuta magno (parvo potius) flore. *Baub. pin.* 251.
Alſine hirſuta myoſotis. *Adv.* 193. *R. Syn.* 349.
Anglis, narrow-leaved Mouſe-ear Chickweed.
Habitat *in pratis et paſcuis paſſim.* ⊙. VI.

2. CERASTIUM erectum villoſo-viſcoſum. *Hort. cliff.* 173. *upſ.* 115. *Roy. lugdb.* 450. *Fl. ſuec.* 414. *Sp. pl.* 437. *viſcoſum.*
Alſine hirſuta myoſotis latifolia precocior. *Cat. angl. R. Syn.* 348.
Alſine viſcoſa. *Park.* 768.
Alſine hirſuta altera viſcoſa. *Baub. pin.* 251.
Myoſotis hirſuta altera viſcoſa. *Vaill. pariſ.* 142. *t.* 30. *f.* 1.
Anglis, broad-leaved Mouſe-ear Chickweed.
Habitat *in pratis et paſcuis ſiccioribus.* ⊙. IV. V.

3. CERASTIUM floribus pentandris, petalis emarginatis. *Hort. cliff.* 173. *Fl. ſuec.* 416. *Sp. pl.* 438. *ſemidecandrium.*
Ceraſtium hirſutum minus, parvo flore. *Cat. giſſ.* 80. *R. Syn.* 348. *t.* 15. *f.* 1.
Myoſotis arvenſis hirſuta minor. *Vaill. pariſ.* 142. *t.* 30. *f.* 1.
Alſine hirſuta minor. *Baub. pin.* 251.

Anglis,

Anglis, the leaſt Mouſe-ear Chickweed.
Habitat *in pratis et paſcuis circa* Londinum *frequens*. ⊙. IV.

arvenſe. 4. CERASTIUM foliis lineari-lanceolatis obtuſis glabris, corollis calyce majoribus. *Sp. pl.* 438. *Fl. ſuec.* 417.
Myoſotis arvenſis hirſuta, flore majore. *Vaill. pariſ.* 141. *t.* 30. *f.* 4.
Caryophyllus arvenſis hirſutus flore majore. *Bauh. pin.* 210. *R. Syn.* 348.
Caryophyllus holoſteus. *Ger. Em.* 477. arvenſis hirſutus. *Park.* 1339.
Holoſteum caryophyllæum. *Tabern. ic.* 233.
Anglis, Corn Mouſe-ear Chickweed.
Habitat *in ericetis, pratis, paſcuis, arvis, ſolo gloreoſo paſſim, ſupra* Dupper's-hill *prope* Croydon *copioſe*. 4. V.

alpinum. 5. CERASTIUM foliis ovato-lanceolatis, caule diviſo, capſulis oblongis. *Sp. pl.* 438. *Fl. ſuec.* 418.
Ceraſtium foliis ovato lanceolatis, corollis calyce majoribus. *Fl. ſuec.* 1. 380.
Alſine myoſotis facie, Lychnis alpina, flore amplo niveo repens. *R. Syn.* 349. *t.* 15. *f.* 2.
Caryophylleus holoſteus alpinus latifolius. *Bauh. pin.* 210. *pr.* 104.
Anglis, Mountain Mouſe-ear Chickweed.
Habitat *in montibus Arvoniæ. Nullibi frequentius quam juxta ſcaturagines aquarum montis excelſi* Widnah *boream verſus*, Dr. Richardſon. *R. Syn.* 4. VI.

** *Capſulis ſubrotundis.*

tomentoſum. 6. CERASTIUM foliis oblongis tomentoſis, pedunculis ramoſis, capſulis globoſis. *Sp. pl.* 440.
Ceraſtium foliis lanceolato-linearibus ſubhirſutis, corolla calycem ſuperante. *Sauv. monſp.* 142.
Caryophyllus holoſteus tomentoſus latifolius. *Bauh. pin.* 210. *pr.* 104.

Alſine

Alſine myoſotis lanuginoſa alpina grandiflora, ſeu Auricula muris villoſa flore amplo membranaceo. *R. Syn.* 349.
Anglis, Wooly Mouſe-ear Chickweed.
Habitat *in rupe prope* Clogwyn y Garnedh *totius Cambriæ altiſſima juxta* Llanberrys *in* Arvonia *copioſe. R. Syn.* 4. V.

7. CERASTIUM foliis cordatis ſeſſilibus, floribus ſolitariis fructibus pendulis. *Sp. pl.* 438. *aquaticum.*
Alſine aquatica major. *Bauh. pin.* 251.
Alſine major repens perennis. *Bauh. hiſt. III.* 362. *R. Syn.* 347.
Alſine major. *Ger. Em.* 611. et maxima. *Park.* 759.
Anglis, Marſh Mouſe-ear Chickweed.
Habitat *in aquoſis et ad ripas fluviorum.* 4. VII.

SPERGULA. 519.

Cal. pentaphyllus. *Petala* quinque integra. *Capſ.* ovata, unilocularis, quinquevalvis.

1. SPERGULA foliis verticillatis, floribus decandris. *Sp. pl.* 440. *Roy. lugdb.* 451. *arvenſis.*
Alſine Spergula dicta major. *Bauh. pin.* 251. *R. Syn.* 351.
Saginæ Spergula. *Ger. Em.* 1125. major. *Park.* 562.
Anglis, Corn Spurrey.
Habitat *in arvis ſolo glareoſo.* ☉. VIII.

2. SPERGULA foliis verticillatis, floribus pentandris. *Loeſl. biſp.* 143. *Sp. pl.* 440. *pentandria.*
Spergula foliis filiformibus verticillatis raris, ſeminibus nigris. *Sauv. monſp.* 167
Spergula annua ſemine foliaceo nigro, circulo membranaceo albo cincto. *Cat. giſſ.* 46. *Ep. nat. cur. cent. V.* 75. *t.* 4. *R. Syn.* 351. *Hiſt. Ox. II.* 551.
Alſine Spergulæ facie minima, ſeminibus emarginatis. *Tourn.* 244. *Vaill. pariſ.* 8.
Anglis, ſmall Spurrey.
Habitat *in* Hibernia *locis arenoſis obſervavit* D. G. Sherard. *R. Syn.* ☉. VII.

nodoſa. 3. SPERGULA foliis oppoſitis ſubulatis lævibus, caulibus ſimplicibus. *Sp. pl.* 440. *Fl. ſuec.* 420.
Alſine paluſtris foliis tenuiſſimis, ſeu Saxifraga paluſtris anglica. *Ger Em.* 567. *R. Syn.* 350.
Alſine paluſtris, ericæ folio, polygonoides, articulis crebrioribus, flore albo pulchello. *Pluk. ph. t.* 7. *f.* 4.
Alſine nodoſa Germanica. *Bauh. pin.* 251.
Saxifraga paluſtris anglica. *Park.* 427.
Anglis, knotted Spurrey, or Engliſh marſh Saxifrage.
Habitat *in pratis humidis*. *Ad ripas* Thameſis *prope* Nine-elms; *in ericeto* Hampſtediano. ♃. VII. VIII.

Claſſis

Claſſis XI.

DODECANDRIA
MONOGYNIA.

ASARUM. 522.

Cal. quadrifidus, germini infidens. *Cor.* o. *Capſ.* coriacea, coronata.

1. ASARUM foliis reniformibus obtuſis binis. *Fl. ſuec.* 421. *Sp. pl.* 442. *europæum.*
Aſarum foliis ſubcordatis petiolatis. *Hort. cliff.* 178. *Mat. med.* 219.
Aſarum. *Bauh. pin.* 197. *hiſt. III.* 548. *R. Syn.* 158.
Aſarum vulgare. *Park.* 266. *Ger. Em.* 836.
Anglis, Aſarabacca.
Habitat *in nemoroſis. In a hedge on the left hand as ſoon as you are in the gate, the firſt field from* Chernell's *green, going to* Sir Tho. Seabright's *beach-wood*, Th. Knowlton; *in ſeveral woods in* Lancaſhire. *R. Syn.* 4. V.
Pharmac. Aſari *Radix, Folia.*

LITHRUM. 532.

Cal. duodecim-fidus. *Petala* ſex, calyci inſerta. *Capſ.* bilocularis polyſperma.

1. LITHRUM foliis oppoſitis cordato-lanceolatis, floribus ſpicatis dodecandris. *Sp. pl.* 446. *Fl. ſuec.* 422. *ſalicaria.*
Lithrum foliis oblongis acutis, floribus verticillatis. *Fl. lapp.* 197.
Salicaria vulgaris purpurea, foliis oblongis. *Tourn.* 253. *R. Syn.* 367.
Lyſimachia purpurea. *Park.* 546. *Ger. Em.* 476.

Lyſimachia ſpicata purpurea. *Bauh. pin.* 246.
β Lyſimachia purpurea trifolia caule hexagono. *Spigel. Iſag.*
Anglis, purple-ſpiked Looſeſtrife, or Willow-herb.
Habitat *in ad ripas fluviorum, et in paludibus.* 4. VII.

Hyſſopifolia. 2. LITHRUM foliis alternis linearibus, floribus hexandris. *Hort. upſ.* 118. *Sp. pl.* 447.
Salicaria hyſſopifolio latiore et anguſtiore. *Tourn.* 253. *R. Syn.* 367.
Hyſſopifolia. *Bauh. pin.* 218.
Gratiola anguſtifolia. *Ger. Em.* 581. ſ. minor. *Park.* 220.
Anglis, Graſs-poly, ſmall Hedge Hyſſop.
Habitat *in aquoſis et ubi aquæ per hyemem ſtagnarunt, ſed rarius.* ☉. VIII. IX.

DIGYNIA.

AGRIMONIA. 534.

Cal. quinquedentatus, altero obvallatus. *Petala* quinque. *Sem.* duo infundo calycis.

Eupatoria. 1. AGRIMONIA foliis caulinis pinnatis; foliolis undique ſerratis; omnibus minutis interſtinctis, fructibus hiſpidis. *Syſt. nat.* 1047.
Agrimonia foliis caulinis pinnatis, fructibus hiſpidis. *Hort. cliff.* 179. *Fl. ſuec.* 423. *Sp. pl.* 448.
Agrimonia. *Ger. Em.* 712. *R. Syn.* 202. vulgaris. *Park.* 594.
Eupatorium veterum ſ. Agrimonia. *Bauh. pin.* 321.
Anglis, Agrimony.
Habitat *in marginibus agrorum et ad ſepes.* 4. VI.
Pharmac. Agrimoniæ *Herba.*

TRI-

TRIGYNIA.

RESEDA. 535.

Cal. monophyllus, partitus. *Petala* laciniata. *Capſ.* ore dehiſcens unilocularis.

1. RESEDA foliis omnibus trifidis, inferioribus pinnatis. *Sp. pl.* 449. *lutea.*
Reſeda vulgaris. *Bauh. pin.* 100. *R. Syn.* 366.
Reſeda minor ſeu vulgaris. *Park.* 823. *Ger. Em.* 277.
β Reſeda criſpa gallica. *Bocc. pl. rar.* 76.
Anglis, baſe Rocket.
Habitat *in arvis, pratis et paſcuis præſertim ſolo cretaceo.* ⊙. VII.

2. RESEDA foliis lanceolatis integris, calycibus quadrifidis. *Sp. pl.* 448. *Luteola.*
Luteola. *Ger. Em.* 494. *R. Syn.* 366. vulgaris. *Park.* 602.
Luteola herba ſalicis folio. *Bauh. pin.* 100.
Anglis, wild Woad, Yellow-weed, or Dyers-weed.
Habitat *in muris, locis ſterilioribus et incultis frequens.* ⊙. VI.

EUPHORBIA. 536.

Cor. tetra ſeu pentapetala *Cal.* monophyllus. *Capſ.* tricocca.

* Dichotomæ *(umbella trifida aut nulla.)*

1. EUPHORBIA dichotoma, foliis integerrimis ſemicordatis, floribus ſolitariis axillaribus. *Diſſ. euph.* 21. *Peplis.*
Euphorbia foliis ſubrotundis obtuſis, floribus ſolitariis in foliorum alis. *Guett. ſtamp. II.* 420
Tithymalus maritimus ſupinus annuus, Peplis dictus. *R. Syn.* 313.
Peplis. *Bauh. hiſt. III.* 668. *Ger. Em.* 503. *Park.* 194.

Peplis maritima folio obtuſo. *Bauh. pin.* 293.
Anglis, ſmall purple Sea Spurge.
Habitat *in littore maris arenoſo inter* Penſantiam *et* Marketjeu *oppida* Cornubiæ *copioſe.* ⊙. VI.

** *Umbella trifida.*

Peplus. 2. EUPHORBIA umbella trifida; dichotoma, involucellis ovatis, foliis integerrimis obovatis petiolatis. *Diſſ. euph.* 27. *Sp. pl.* 456.
Euphorbia foliis obverſe ovatis integerrimis, umbella univerſali trifida triphylla, partialibus dichotomis diphyllis. *Hort. cliff.* 199. *Roy. lugdb.* 197. *Dalib. pariſ.* 156.
Tithymalus parvus annuus, foliis ſubrotundis non crenatis, Peplus dictus. *R. Syn.* 313.
Peplus ſive Eſula rotunda. *Bauh. pin.* 292. *Ger. Em.* 503.
Anglis, petty Spurge.
Habitat *in cultis oleraceis.* ⊙. VII.

exigua. 3. EUPHORBIA umbella trifida: dichotoma, involucellis lanceolatis foliis linearibus. *Diſſ. euph.* 29. *Sp. pl.* 456.
Tithymalus leptophyllus. *Park.* 193. *R. Syn.* 313.
Tithymalus ſ. Eſula exigua. *Bauh. pin.* 291.
Eſula exigua Tragi. *Ger. Em.* 501.
Anglis, dwarf Spurge.
Habitat *in arvis inter* Camberwel *et* Dulwich; *circa* Shooter's-hill *in* Cantio *copioſe.* ⊙. VII.

*** *Umbella quinquefida.*

ſegetalis. 4. EUPHORBIA umbella quinquefida: dichotoma, involucellis cordatis acutis, foliis lineari-lanceolatis, ramis floriferis. *Diſſ. euph.* 34. *Sp. pl.* 458.
Euphorbia inermis, foliis alternis linearibus acutis, partialibus umbellulæ ovato-rhombeis, petalis bicornibus. *Hort. upſ.* 142
Tithymalus ſegetum longifolius. *Cat. cant. app. R. Syn.* 312.
Tithymalus annuus, lunato flore, linariæ folio longiore. *Hiſt. Ox. III.* 339. *ſ.* 10. *t.* 2. *f.* 3.

Tithymalus

Tithymalus maritimo affinis, linariæ folio. *Bauh. pin.* 291.
Anglis, Corn Spurge.
Habitat *in arvis, circa* Triplow *prope* Cantabrigiam, D. Lyons *invenit.* ☉. VII. VIII.

5, EUPHORBIA umbella quinquefida: trifida: dichotoma involucellis obovatis, foliis cuneiformibus ſeratis. *Diſſ. euph.* 42. *Sp. pl.* 459. *Helioſcopia.*
Tithymalus helioſcopius. *Ger. Em* 498. *Park.* 189. *Bauh. pin.* 291. *R. Syn.* 313. f. ſoliſequus. *Bauh. hiſt. III.* 669.
Anglis, Sun-ſpurge, or Wart-wort.
Habitat *in cultis oleraceis.* ☉. VII.

6. EUPHORBIA umbella quinquefida: dichotoma, involucellis cordatis, foliis lineari-lanceolatis obtuſiuſculis acuminatis reflexis. *Sp. pl.* 458. *portlandica.*
Tithymalus maritimus minor. Portlandicus. *R. Syn.* 313. *t.* 24. *f.* 6.
Anglis, Portland Spurge.
Habitat *in arenoſis maris littoribus. Found by the* Rev. Mr. Stoneſtreet *in the narrow neck of land which joins* Portland *to* Devonſhire. *R. Syn.* ☉. VIII.

7. EUPHORBIA umbella ſubquinquefida: bifida, involucellis cordato-reniformibus, foliis ſurſum imbricatis. *Diſſ. euph.* 53. *Sp. pl.* 458. *Paralias.*
Tithymalus maritimus. *Bauh. pin.* 291.
Tithymalus paralius. *Ger. Em.* 499. *Bauh. hiſt. III.* 674. *R. Syn.* 312.
Tithymalus paralius ſ. maritimus. *Park.* 184.
Anglis, Sea Spurge.
Habitat *in littoribus maritimis frequens.* ♃. VII. VIII.

8. EUPHORBIA umbella quinquefida: dichotoma, involucellis cordatis, foliis lanceolatis ſerrulatis pubeſcentibus, capſulis verrucoſis. *Syſt. nat.* 1049. *verrucoſa.*
Tithymalus myrſinites fructu verrucæ ſimili. *Bauh. pin.* 291.

Tithymalus verrucoſus. *Bauh. hiſt. III.* 673. *Park.* 181. *R. Syn.* 312.

Anglis, rough fruited Spurge.

Habitat *in arvis. Founa by* Mr. Dale *in* Eſſex, and *by* Dr. Robinſon *near* York. *R. Syn.* 4. VIII.

platyphyllos. 9. EUPHORBIA umbella quinquefida: trifida: dichotoma, involucellis carina piloſis, foliis ſerratis lanceolatis ſeſſilibus. *Syſt. nat.* 1049.

Euphorbia umbella quinquefida: ſubquadrifida: dichotoma, involucellis primariis tetraphyllis, foliis ſerratis lanceolatis ſeſſilibus. *Diff. euph.* 41. *Sp. pl.* 461.

Euphorbia inermis, foliis lanceolatis, umbella univerſali partialiumque prima quinquefidis: ſecunda trifida: reliquis bifidis. *Roy. lugdb.* 198. *Dalib. pariſ.* 156.

Tithymalus platiphyllos. *Fuchſ. hiſt.* 813. *Bauh. hiſt. III.* 670. *R. Syn.* 312.

Tithymalus arvenſis latifolius germanicus. *Bauh. pin.* 291.

Anglis, broad-leaved Spurge.

Habitat *in arvis ſed rarius. At* Black Notley *in* Eſſex. *R. Syn. In the corn fields between* Harefield-Common *and* Battle's-Well, *plentifully. Blackſ. ſp. bot.* 4. VII.

**** *Umbella multifida.*

Amygdaloides. 10. EUPHORBIA umbella multifida: dichotoma, involucellis perfoliatis orbiculatis, foliis obtuſis. *Diff. euph.* 46. *Sp. pl.* 463.

Tithymalus characias amygdaloides. *Ger. Em.* 500. *Bauh. pin.* 290. *R. Syn.* 312.

Tithymalus characias vulgaris. *Park.* 186.

Tithymalus ſylvaticus toto anno folia retinens. *Bauh. hiſt. III.* 671.

Anglis, Wood Spurge.

Habitat *in ſylvis et ſepibus paſſim.* 4. IV.

Characias. 11. EUPHORBIA umbella multifida: bifida, involucellis perfoliatis emarginatis foliis integerrimis, caule fruteſcente. *Diff. euph.* 44. *Sp. pl.* 463.

En-

Euphorbia inermis, foliis lanceolatis, umbella univerſali multifida, partialibus dichotomis, involucellis, ſemibifidis perfoliatis. *Hort. cliff.* 199. *upſ.* 142. *Roy. lugdb.* 197.
Tithymalus characias rubens peregrinus. *Bauh. pin.* 290.
Tithymalus characias monſpelienſium. *Ger. Em.* 499. *Park.* 186. *R. Syn.* 312.
Anglis, red Spurge.
Habitat *in ſylvis et ſepibus ſed rarius. On the paper-mill pool-dam in* Heywood-park, *in* Staffordſhire, Dr. Plot. *R. Syn.* ♄. VI.

12. EUPHORBIA umbella ſexfida: dichotoma, involucellis ovalibus, foliis integerrimis, ramis nullis, capſulis verrucoſis. *Diſſ. euph.* 50. *Sp. pl.* 462. *hyberna.*
Tithymalus hybernicus, vaſculis muricatis erectis. *Dill. elth.* 387. *t.* 290. *f.* 374.
Tithymalus hybernicus. *Merr. pin. R. Syn.* 312.
Tithymalus latifolius hiſpanicus. *Bauh. pin.* 291. *Tabern. hiſt.* 987.
Anglis, knotty-rooted Spurge.
Habitat *in arvis. Amongſt the corn near* Twittenham-park; *againſt* Richmond, *and near* Otterſpool; Mr. Doody. *R. Syn.* ♃. VII.

SEMPERVIVUM. 538. *Dodecagynia.*

Cal. duodecim-partitus. *Petala* duodecim. *Capſ.* duodecim polyſpermæ.

1. SEMPERVIVUM foliis ciliatis, propaginibus patentibus. *Sp. pl.* 464. *Fl. ſuec.* 428. *tectorum.*
Sempervivum foliis radicalibus carnoſis, caulinis imbricatis membranaceis, corymbo racemoſo reflexo. *Hort. cliff.* 179.
Sempervivum majus. *Ger. Em.* 508. *R. Syn.* 269.
Sedum majus vulgare. *Bauh. pin.* 283. *hiſt. III.* 687. *Park.* 730.
Anglis, Houſeleek.
Habitat *in tectis paſſim.* ♃. VII.
Pharmac. Sempervivi majoris *Herba.*

Claſſis

Claſſis XII.

ICOSANDRIA
MONOGYNIA.

PRUNUS. 546.

Cal. quinquefida, inferus. *Petala* quinque. *Drupæ* nux ſuturis prominatis.

inſitiția. 1. PRUNUS ſpinoſa, foliis ovatis ſubtus villoſis, pedunculis geminis. *Cent. pl.* 34.
Prunus ſylveſtris major. *Bauh. hiſt. I.* 196. *R. Syn.* 462.
Pruna ſylveſtria præcocia. *Bauh. pin.* 444.
Prunus ſylveſtris fructu majore nigro. *R. Syn. ed. II.* 301.
β Prunus ſylveſtris fructu rubro, acerbo et ingrato. *R. Syn. ed. II.* 302.
γ Prunus ſylveſtris fructu majore albo. *R. Syn. ed. II.* 302.
Anglis, α β. black Bullace-tree. γ. white Bullace-tree.
Habitat *in ſepibus.* ♄. IV.

ſpinoſa. 2. PRUNUS ſpinoſa, foliis lanceolatis. pedunculis ſolitariis. *Syſt. nat.* 1057. *Fl. ſuec.* 432. *Sp. pl.* 275.
Prunus ſylveſtris. *Ger. Em.* 1497. *Park.* 1033. *Bauh. pin.* 444. *hiſt. I.* 193. *R. Syn.* 462.
Anglis, the Black-thorn, or Sloe-tree.
Habitat *in ſepibus.* ♄. III. IV.
Pharmac. Pruni ſylveſtris *cortex, Flores, Fructus.*

Padus. 3. PRUNUS floribus racemoſis, foliis deciduis baſi ſubtus biglanduloſis. *Sp. pl.* 473. *Fl. ſuec.* 431.
Ceraſus avium nigra et racemoſa. *Ger. Em.* 1504. *R. Syn.* 463.

Ceraſus

Ceraſus racemoſa ſylveſtris fructu non eduli. *Bauh. pin.* 451.
Ceraſus avium racemoſa. *Park.* 1517.
Anglis, wild Cluſter-cherry, or Birds-cherry.
Habitat *in ſylvis et ſepibus. In* Weſtmoreland, *and the mountainous part of the weſt-riding of* Yorkſhire, *and in the woods of* Derbyſhire. *R. Syn. In the lane going from* Temple-mills *to* Epping-foreſt, Dr. Wilmer. ♄. V.

*4. PRUNUS umbellis ſeſſilibus; foliis ovato-lanceolatis ſubtus pubeſcentibus. *Fl. ſuec.* 429. *Avium.*
Ceraſus ſylveſtris, fructu rubro. *Bauh. hiſt. I.* 1220. *R. Syn.* 463.
Anglis, common wild Cherry-tree.
Habitat *in ſylvis et ſepibus paſſim.* ♄. IV.

*5. PRUNUS umbellis ſubpedunculatis, foliis ovato-lanceolatis glabris. *Syſt. nat.* 1057. *Sp. pl.* 474. *Ceraſus.*
Ceraſus ſylveſtris fructu nigro. *Bauh. hiſt. I.* 220. *R. Syn.* 463.
Ceraſus ſylveſtris ac major, fructu ſubdulci nigro colore inficiente. *Bauh. pin.* 450.
Anglis, Black Cherry.
Habitat *in ſilvis et ſepibus.* ♄. IV.
Pharmac. Ceraſorum nigrorum *Fructus.*

DIGYNIA.

CRATÆGUS. 547.

Cal. quinquefidus. *Petala* quinque. *Bacca* inſera, diſperma.

1. CRATÆGUS foliis ovatis inæqualiter ſerratis ſubtus tomentoſis. *Fl. ſuec.* 433. *Sp. pl.* 475. *Aria.*
Cratægus inermis, foliis ellipticis ſerratis tranſverſaliter ſinuatis ſubtus villoſis. *Fl. lapp.* 199.
Meſpilus alni folio ſubtus incano, Aria Theophraſti dicta *R. Syn.* 453.
Aria Theophraſti. *Ger. Em.* 1327.

Sorbus

Sorbus ſylveſtris Aria Theophraſti dicta. *Park.* 1421.
Sorbus alpina. *Bauh. hiſt. I.* 65.
Alni effige, lanato ſolio, major. *Bauh. pin.* 452.
Anglis, the white Bean-tree.
Habitat *in ſylvis et ſepibus præſertim montoſis.* ♄. V.

torminalis. 2. CRATÆGUS foliis cordatis ſeptangulis: lobis infimis divaricatis. *Sp. pl.* 476.
Cratægus foliis cordatis acutis: lacinulis acutis ſerratis. *Hort. cliff.* 187. *Roy. lugdb.* 271.
Meſpilus apii folio ſylveſtris non ſpinoſa, ſeu Sorbus torminalis. *Bauh. pin.* 454. *R. Syn.* 453.
Sorbus torminalis. *Cam. epit.* 162. *Ger. Em.* 1471. ſeu vulgaris *Park.* 1420.
Anglis, common wild Service-tree, or Sorb.
Habitat *in ſylvis et ſepibus.* ♄. IV.
Pharmac. Sorbi torminalis *Fructus.*

Oxyacantha. 3. CRATÆGUS foliis obtuſis ſubtrifidis ſerratis. *Syſt. nat.* 1057.
Cratægus foliis obtuſis bitrifidis. *Fl. ſuec.* 434. *Sp. pl.* 477.
Meſpilus apii folio ſylveſtris ſpinoſa, ſ. Oxyacantha. *Bauh. pin.* 454. *R. Syn.* 453.
Oxyacanthus. *Ger. Em.* 1325.
Spina appendix vulgaris. *Park.* 1025.
β Meſpilus apii folio, ſylveſtris ſpinoſa, folio et fructu majore. *R. Syn.* 454.
Anglis, the White-thorn, or Haw-thorn.
Habitat *in ſylvis et ſepibus ubique.* ♄. V.
Pharmac. Spinæ albæ ſ. Oxyacanthæ *Flores, Fructus.*

TRIGYNIA.

SORBUS. 548.

Calix quinquefidus. *Petala* quinque. *Bacca* infera, triſperma.

domeſtica. *1. SORBUS foliis pinnatis ſubtus tomentoſis. *Hall. helv.* 351. *Sp. pl.* 477.

Sorbus

Sorbus. *Bauh. hiſt. I.* 59. *Ger. Em.* 1471. *R. Syn.* 452. ſativa. *Bauh. pin.* 415.
Sorbus legitima. *Park.* 1420.
Anglis, the true Service, or Sorb.
Habitat *in montibus nemoroſis. In the mountainous parts of* Cornwal, Walter Moyle, Eſq; *in the Morelands in* Staffordſhire. *D. Plot. R. Syn.* ♄. IV. V.
Pharmac. Sorbi *Fructus.*

2. SORBUS foliis pinnatis utrinque glabris. *Hall. helv.* 250. *Sp. pl.* 477. *Fl. ſuec.* 435. *aucuparia.*
Sorbus ſylveſtris foliis domeſticæ ſimilis. *Bauh. pin.* 415. *R. Syn.* 452.
Sorbus ſylveſtris ſive Fraxinus bubula. *Ger. Em.* 1473.
Sorbus aucuparia. *Bauh. hiſt. I.* 62.
Ornus, ſive Fraxinus ſylveſtris. *Park* 1419.
Anglis, the Quicken-tree, or Mountain Aſh.
Habitat *in ſylvis et ſepibus ſubhumidis.* ♄. V.

PENTAGYNIA.

PYRUS. 550.

Calix quinquefidus. *Petala* quinque. *Pomum* inferum, quinqueloculare, polyſpermum.

1. PYRUS foliis ſerratis, floribus corymboſis. *Fl. ſuec.* 436. *Sp. pl.* 1200. *communis.*
Pyrus foliis ſerratis, promiſbaſi productis. *Hort. cliff.* 190. *Sp. pl.* 479.
Pyrus ſylveſtris. *Ger. Em.* 1457. *Park.* 1500. *Bauh. pin.* 439.
Pyraſter ſeu Pyrus ſylveſtris. *Bauh. hiſt. I.* 57. *R. Syn.* 452.
β Pyrus ſativa. *R. Syn.* 452.
Anglis, the wild Pear-tree.
Habitat *in ſylvis et ſepibus.* ♄. IV.

2. PYRUS foliis ſerratis umbellis ſeſſilibus. *Fl. ſuec.* 437. *Sp. pl.* 1200. *Malus.*
Pyrus foliis ſerratis, promiſbaſi concavis. *Hort. cliff.* 189. *Sp. pl.* 479. *Mat. med.* 237.

Malus

Malus ſylveſtris. *Ger. Em.* 1461. *Park.* 1502. *R. Syn.* 452.
Malus ſylveſtria. *Bauh pin.* 435.
β Malus ſativa. *R. Syn.* 451.
Anglis, α the Crab-tree, or Wilding, β the Apple-tree.
Habitat *in ſylvis et ſepibus.* ♄. V.
Pharmac. mali ſylveſtris. *Fructus.*

MESPILUS. 549.

Cal. quinquefidus. *Petala* quinque. *Bacca* infera, 5-ſperm.

Germanica. *1. MESPILUS inermis, foliis lanceolatis integerrimis ſubtus tomentoſis, floribus terminalibus ſolitariis ſeſſilibus. *Syſt. nat.* 1058.
Meſpilus inermis, foliis lanceolatis integerrimis ſubtus tomentoſis, calycibus acuminatis. *Hort. cliff* 189. *upſ.* 129. *Mat. med.* 236. *Roy. lugab.* 270. *Boehm. lipſ.* 174. *Sp. pl.* 478.
Meſpilus. *Ger. Em.* 1452. *R. Syn.* 453. vulgaris *Park.* 1422.
Meſpilus Germanica folio laurino non ſerrato, ſ. Meſpilus ſylveſtris. *Bauh. pin.* 453.
Anglis, Medlar.
Habitat *in ſepibus. In all the hedges about* Minehiville. Mr. Du Bois. *R. Syn.* ♄. V.
Pharmac. Meſpili *Fructus.*

SPIRÆA. 554.

Cal quinquefidus. *Petala* quinque. *Capſ.* polyſpermæ.

Filipendula. 1. SPIRÆA foliis pinnatis: foliolis uniformibus ſerratis caule herbaceo, floribus cymoſis. *Fl. ſuec.* 439. *Sp. pl.* 490.
Filipendula. *Bauh. hiſt. III.* 2. 189. *Ger. Em.* 1058. *Park.* 434. *R. Syn.* 259.
Filipendula vulgaris. *Bauh. pin.* 163.
Anglis, Drop-wort.
Habitat *in pratis et paſcuis montoſis. Supra* Dupper's-hill, *prope* Croydon. D. Caute. *Juxta* Clapham *prope* Londinum. ♃. VII. *Whornell woods, Hants.*
Pharmac. Filipendulæ *Radix Folia.*

2. SPIRÆA

2. SPIRÆA foliis pinnatis: impari majore lobato, caule herbaceo, floribus cymoſis. *Fl. ſuec.* 490. *Sp. pl.* 440. *Ulmaria.*
Ulmaria. *Cluſ. hiſt. II.* 198. *Bauh. hiſt. III.* 488. *R. Syn.* 259.
Ulmaria vulgaris. *Park.* 592.
Regina prati. *Ger. Em.* 1043.
Barba capri floribus compactis. *Bauh. pin.* 164.
Anglis, Meadow-ſweet.
Habitat *in pratis humidis et ad ripas fluviorum paſſim.* 4. VI. VII.
Pharmac. Ulmariæ *Herba.*

POLYGYNIA.

ROSA. 556.

Petala quinque. *Cal.* urceolatus, quinquefidus, carnoſus collo coarctatus. *Sem.* plurima, hiſpida, calycis interiori lateri affixa.

* *Germinibus ſubgloboſis.*

1. ROSA germinibus globoſis pedunculiſque glabris, caule aculeis ſparſis rectis, petiolis ſcabris, foliolis acutis. *Syſt. nat.* 1062. *Eglanteria.*
Roſa aculeata, foliis odoratis ſubtus rubiginoſis. *Hall. helv.* 350. *Sp. pl.* 491.
Roſa ſylveſtris odora. *Ger. Em.* 1272. *R. Syn.* 454. ſeu Eglenteria flore ſimplici. *Park. par.* 418.
Roſa ſylveſtris foliis odoratis. *Bauh. pin.* 483.
Anglis, Sweet-briar, or Eglantine.
Habitat *in ſepibus.* ♄. V. VI.

2. ROSA germinibus globoſis glabris pedunculis caule petioliſque aculeatiſſimis. *Syſt. nat* 1062. *ſpinoſeſſima.*
Roſa caule petioliſque aculeatis, calycis foliolis indiviſis. *Fl. ſuec.* 442. *Sp. pl.* 491.
Roſa pumila, ſpinoſiſſima, foliis pimpinellæ glabris, flore albo. *Bauh. hiſt. II.* 40. *R. Syn.* 455.
Roſa ſylveſtris pomifera minor. *Bauh. pin.* 488.
Roſa pimpinella ſ. pomifera minor. *Park.* 1018.

Roſa

Roſa pimpinellæ folio. *Ger. Em.* 1270.
β Roſa Ciphiana ſ. Roſa pimpinellæ foliis minor noſtras, flore eleganter variegato. *Scot. ill.* 46.
Anglis, Burnet Roſe.
Habitat *in ericetis et locis arenoſis.* ♄. VI.

arvenſis. 3. ROSA germinibus globoſis pedunculiſque glabris, caule petioliſque aculeatis floribus ſubcymoſis.
Roſa ſylveſtris altera minor, flore albo noſtras. *R. Syn.* 455.
Roſa arvenſis candida. *Bauh. pin.* 484.
Roſa canina humilior fructu rotundiore. *D. Plot.*
β Roſa canina ſylveſtris, unico flore et fructu. *R. Syn.*
Anglis, white-flowered Dogs-roſe.
Habitat *in ſepibus.* ♄. VII.

villoſa. 4 ROSA germinibus globoſis aculeatis, pedunculis hiſpidis caule aculeis ſparſis, petiolis aculeatis, foliis tomentoſis. *Syſt. nat.* 1062.
Roſa foliis utrinque villoſis, fructu ſpinoſo. *Hall. helv.* 350. *Sp. pl.* 491.
Roſa ſylveſtris pomifera major noſtras. *R. Syn.* 455.
Roſa ſylveſtris pomifera major. *Bauh. pin.* 484.
Roſa promifera major. *Park. par.* 418.
β Roſa ſylveſtris fructu majore hiſpido. *R. Syn. ed. II.* 296.
Anglis, Apple-roſe.
Habitat *in montoſis* Cambrobritannicis, *ſeptentrionalibus* Eboracenſis et Weſtmorlandici *agri copioſe.* ♄. VI.

** *Germinibus ovatis.*

canina. 5. ROSA germinibus ovatis pedunculiſque glabris, caule petioliſque aculeatis. *Syſt. nat.* 1062.
Roſa caule aculeato, petiolis inermibus, calycibus ſemipinnatis. *Fl. ſuec.* 441. *Sp. pl.* 491.
Roſa ſylveſtris inodora ſeu canina. *Park.* 1017. *R. Syn.* 454.
Roſa canina inodora. *Ger. Em.* 1270.
Roſa ſylveſtris vulgaris flore odorato incarnato. *Bauh. pin.* 483.
Anglis, red-flowered Dogs-roſe, or Hep-tree.

Habitat

Habitat *in ſepibus.* ♄. V. VI.
Pharmac. Roſæ ſylveſtris *Flores, Spongiolæ (inſectorum niduli) ſ. Bedeguar, Cynoſbati.*

RUBUS. 557.

Cal. quinquefidus. *Petala* quinque. *Bacca* compoſita acinis monoſpermis.

* *Fruteſcentes.*

1. RUBUS foliis quinato-pinnatis ternatiſque, caule aculeato, petiolis canaliculatis. *Fl. ſuec.* 446. *Mat. med.* 242. *Sp. pl.* 493. *idæus.*
Rubus caule erecto hiſpido, foliis ternatis. *Fl. lapp.* 204.
Rubus idæus ſpinoſus. *Bauh. pin.* 479.
Rubus idæus. *Ger. Em.* 1272. *Park.* 557.
Rubus idæus ſpinoſus fructu rubro. *Bauh. hiſt. II.* 59. *R. Syn.* 467.
Anglis, Raſpberry-buſh, Framboiſe, or Hindberry.
Habitat *in ſylvis, ſepibus, montibus, ſaxoſis et udis* Walliæ, *et* Septentrionalium Angliæ. *In* Stokenchurch *wood plentifully*; *in* Weſtmorlandia *copioſiſſime.* ♄. V. VI.

2. RUBUS foliis ternatis ſubnudis: lateralibus bilobis, caule aculeato tereti. *Syſt. nat.* 1063. *Fl. ſuec.* 445. *Sp. pl.* 493. *cæſius.*
Rubus caule aculeato reflexo perenni, foliis ternatis, *Fl. lapp.* 205.
Rubus repens fructu cæſio. *Bauh. pin.* 479. *Ger. Em.* 1271.
Rubus minor fructu cæruleo. *Bauh. hiſt. II.* 59. *R. Syn.* 467.
Rubus minor, chamærubus ſive Humirubus. *Park.* 1013.
Anglis, ſmall Bramble, or Dewberry-buſh.
Habitat *in ſylvis et ſepibus paſſim.* ♄. VI. VII.

3. RUBUS foliis quinato-digitatis ternatiſque, caule petioliſque aculeatis. *Fl. ſuec.* 444. *Sp. pl.* 493. *fruticoſus.*

Rubus vulgaris major. *Park.* 1013. fructu nigro. *B. hiſt. II.* 57. *R. Syn.* 467.
Rubus vulgaris ſ. Rubus fructu nigro. *Bauh. pin.* 479.
β Rubus vulgaris major, fructu albo. *R. Syn.* 467.
Anglis, common Bramble.
Habitat *in ſylvis et ſepibus ubique.* ♄. V.—IX.

** *Herbacei.*

ſaxatilis. 4. RUBUS foliis ternatis nudis flagellis reptantibus herbaceis, *Sp. pl.* 494. *Fl. ſuec.* 447.
Rubus ſaxatilis. *Ger. Em.* 1273.
Rubus alpinus ſaxatilis. *Park.* 1014.
Chamærubus ſaxatilis. *Bauh. pin.* 479. *R. Syn.* 261.
Anglis, Stone Bramble.
Habitat *inter lapides ad latera montium in comitatibus* Eboracenſi, Weſtmorlandico, *et* Cumberlandico. ♃. VI.

Chamæmorus. 5. RUBUS foliis ſimplicibus lobatis, caule unifloro dioico. *Fl. ſuec.* 449. *Sp. pl* 494.
Rubus caule bifolio unifloro, foliis ſimplicibus. *Fl. lapp.* 208. *t* 5. *f.* 1.
Chamæmorus. *Cluſ. hiſt. I.* 118. *Ger. Em.* 173. *R. Syn.* 260.
Chamæmorus anglica. *Park.* 1014.
Chamæmorus foliis ribes anglica. *Bauh. pin.* 480.
Anglis, Cloud-berries, Knot-berries, or Knout-berries.
Habitat *in paludibus turfoſis ſupra montes* Eboracenſes, Weſtmorlandicos, Cumberlandicos, Arvonicos. ♃. V. VI.

FRAGARIA, 558.

Cal. decem-fidus. *Petala* quinque. *Receptaculum* ſeminum ovatum, baccatum deciduum.

veſca. 1. FRAGARIA flagellis reptans. *Sp. pl.* 494. *Fl. ſuec.* 450.
Fragaria. *Ger. Em.* 998. *R. Syn.* 254. vulgaris. *Park.* 758. *Bauh. pin.* 326. *Fl. lapp.* 209.
Fragaria minor, dulci fructu. *Radb. cat.* 17, *hort.* 43.
β Fra-

β Fragraria fructu hiſpido. *Ger. Em.* 998.
Anglis, Strawberry.
Habitat *in ſylvis et ad ſepes frequens.* ♃. IV. V.

2. FRAGARIA caule decumbente repente. *Roy. lugdb. ſterilis.* 274. *Dalib. pariſ.* 147. *Sauv. monſp.* 177. *Sp. pl.* 495.
Fragaria ſterilis. *Bauh. pin.* 327. *R. Syn.* 254.
Fragaria minime veſca. *Park.* 758. ſ. ſteriles *Lob. ic.* 696. *Ger. Em.* 998.
Anglis, barren Strawberry.
Habitat *in paſcuis ſterilioribus paſſim.* ♃. IV.

POTENTILLA.

Cal. decemfidus. *Petala* quinque. *Sem.* ſubrotunda, nuda, receptaculo parvo exſucco affixa.

* *Foliis pinnatis.*

1. [POTENTILLA foliis pinnatis, caule fruticoſo. *fruticoſa. Hort. cliff.* 193. *Fl. ſuec.* 451. *Sp. pl.* 495.
Pentaphylloides rectum fruticoſum Eboracenſe. *Hiſt. Ox. II.* 193. *ſ.* 2. *t.* 23. *f.* 5. *Hortul. angl.* 54. *t.* 55.
Pentaphylloides fruticoſa. *R. Syn.* 256. *Cat. ang.* 228. *ic.*
Anglis, Shrub Cinquefoil.
Habitat *ad ripam meridionalem* Teſæ *fluvii infra vicum* Thorp *dictum variis in locis, nec non infra cœnobium* Athelſtani, *vulgo* Eggleſton-Abbey, *in agro* Eboracenſi. Mr. Lawſon *obſerved thouſands of theſe plants by* Mickle-force, *in* Teaſdale. *R. Syn.* ♄. VI.

2. POTENTILLA foliis pinnatis ſerratis, caule repente. *Argentina Fl. lapp.* 210. *Fl. ſuec.* 452. *Sp. pl.* 495.
Potentilla. *Bauh. pin.* 321. *Park.* 593. *Cam. epit.* 758.
Pentaphylloides argentina dicta. *R. Syn.* 256.
Argentina. *Dod. pempt.* 600. *Ger. Em.* 973.
Anglis, Silver-weed, or wild Tanſey.
Habitat *ad ſemitas, vias, inque paſcuis depreſſis, ubi aquæ hyemales præſertim ſtagnant frequens.* ♃. VI. VII.
Pharmac. Argentinæ *Herba.*

rupeſtris. 3. POTENTILLA foliis pinnatis alternis, foliolis quinis ovatis crenatis, caule erecto. *Sp. pl.* 496. *Fl. ſuec.* 453.
Pentaphylloides erectum *Bauh. hiſt. II.* 398. *Hiſt. Ox. II.* 193 *ſ.* 2. *t.* 20. *f.* 1. *R. Syn.* 255.
Pentaphyllum fragiferum. *Ger. Em.* 991. *Park.* 397. *Cluſ hiſt. II.* 107.
Quinquefolium fragiferum. *Bauh pin.* 326.
Anglis, upright baſtard Cinquefoil.
Habitat *ad latera montis cujuſdam* Craig Wreidhin *dicti in comitatu montis Gomerici* Walliæ, D. Lhwyd. *R. Syn.* 4. VII.

* *Foliis quinatis.*

argentea. 4. POTENTILLA foliis quinatis cuneiformibus inciſis ſubtus tomentoſis, caule erecto. *Sp. pl.* 497. *Fl. ſuec.* 454.
Potentilla foliis digitatis, caule erecto corymboſo. *Fl. ſuec. ed. I.* 417
Pentaphyllum erectum, foliis profunde factis ſubtus argenteis, flore luteo. *Bauh. hiſt.* 598. *R. Syn.* 255
Pentaphyllum rectum minus. *Park.* 400.
Quinquefolium folio argenteo. *Bauh. pin.* 235.
Quinquefolium tormentillæ facie. *Ger. Em.* 987.
Anglis, Tormentil Cinquefoil.
Habitat *in pratis et paſcuis ſolo glareoſo paſſim.* 4. VI.

opaca. 5. POTENTILLA foliis radicalibus quinatis cuneiformibus ſerratis caulinis ſubopoſitis, ramis filiformibus decumbentibus. *Cent. pl.* 35. *Syſt. nat.* 1064.
Pentaphyllum parvum hirſutum. *Bauh. hiſt. II.* 598. *R. Syn.* 255.
Pentaphyllum incanum minus repens. *Ger. Em.* 989.
Quinquefolium minus repens lanuginoſum. *Park* 399.
Quinquefolium minus repens lanuginoſum luteum. *Bauh. pin* 225.
Anglis, ſmall rough Cinquefoil.
Habitat *circa* Kippax *in agro* Eboracenſi. 4. VI.

6. PO-

6. POTENTILLA foliis radicalibus quinatis acute ſerratis retuſis, caulinis ternatis, caule declinato. *Sp. pl.* 498. *Fl. ſuec.* 455. *verna.*
Pentaphyllum ſeu Quinquefolium minus. *Tabern. ic.* 123.
Pentaphyllum tormentillæ facie. *Rudb. cat.* 32. *hort.* 85. *Till. ab.* 52.
Quinquefolium minus repens luteum. *Bauh. pin.* 325. *R. Syll.* 213.
Anglis, Spring Cinquefoil.
Habitat *in paſcuis ſterilioribus prope* Giggleſwick *in comitatu* Eboracenſi. ♃. V. VI.

7. POTENTILLA foliis digitatis, caule repente, pedunculis unifloris. *Fl. ſuec.* 456 *Sp. pl.* 499. *reptans.*
Potentilla foliis digitatis longitudinaliter patenti-ſerratis, caule repente *Hort. cliff.* 194. *Gron. virg.* 163.
Pentaphyllum vulgatiſſimum. *Park.* 398. *R. Syn.* 255.
Quinquefolium majus. *Ger. Em.* 987. repens. *Bauh. pin.* 325.
Anglis, common Cinquefoil, or five-leaved Graſs.
Habitat *ad ſemitas, vias, &c. ubique.* ♃. VI.
Pharmac. Pentaphylli *Radix.*

8. POTENTILLA foliis quinatis apice conniventi-ſerratis, caulibus filiformibus procumbentibus, receptaculis hirſutis. *Sp. pl.* 498. *alba.*
Quinquefolium album majus. *Bauh. pin.* 325.
Quinquefolium ſylvaticum majus flore albo. *Ger. Em.* 987.
Anglis, white Cinquefoil.
Habitat *in* Wallia, D. Haviland. ♃. VIII.

TORMENTILLA. 560.

Cal. octofidus. *Petala* quatuor. *Sem.* ſubrotunda, nuda receptaculo parvo exſucco affixa.

1. TORMENTILLA caule erecto, foliis ſeſſilibus *erecta.*
Tormentilla caule erecto. *Sp. pl.* 500. *Fl. ſuec.* 459.

An infusion of this plant is the usual tea of the Tartars of Tomsk, a great astringent.

Tormentilla. *Ger. Em.* 992. *Bauh. hiſt. II.* 598. *Fl. lapp.* 213. *Hort. cliff.* 194. *Mat. med.* 249. *R. Syn.* 257. vulgaris. *Park.* 394.
Tormentilla ſylveſtris. *Bauh. pin.* 326.
Anglis, Tormentil, or Septfoil.
Habitat *in paſcuis ſterilioribus ubique.* ♃. VI.
Pharmac. Tormentillæ *Radix*, *Folia.*

reptans. 2. TORMENTILLA caule repente, foliis petiolatis
Tormentilla caule repente. *Sp. pl.* 500.
Tormentilla reptans. *Pet. b. br. t.* 41. *f.* 10. *R. Syn.* 257.
Pentaphyllum reptans alatum foliis profundius ſerratis. *Hiſt. nat. ox. c.* 6. *p.* 7. *t.* 9. *f.* 5.
Pentaphyllum minus viride flore aureo tetrapetalo, radiculas in terram e geniculis demittens. *Hiſt. ox.* 190. 12.
β Pentaphyllum aureum minus, ſylvaticum, noſtras, foliis tripartito diviſis ex cauliculorum geniculis radiceſcens. *Pluk. alm.* 285.
Anglis, creeping Tormentil.
Habitat *in ſylvis et paſcuis ſterilioribus paſſim.* ♃. VII.

GEUM. 561.

Cal. decemfidus. *Petala* quinque. *Sem.* cauda piloſa.

urbanum. 1. GEUM floribus erectis, fructu globoſo: ariſtis uncinatis nudis foliis lyratis. *Syſt. nat.* 1065. *Fl. ſuec.* 460. *Sp. pl.* 501.
Caryophyllata. *Ger. Em.* 995. *R. Syn.* 253. vulgaris. *Bauh. pin.* 321. *Park.* 136. flore parvo luteo. *Bauh. hiſt II.* 398.
β Caryophyllata vulgaris majore flore. *Bauh. pin.* 321.
Anglis, common Avens, or Herb-bennet.
Habitat *in ſylvis et ſepibus frequens.* ♃. VI. VIII.
Pharmac. Caryophyllatæ *Radix.*

rivale. 2. GEUM floribus nutantibus, fructu oblongo: ariſtis plumoſis. *Fl. ſuec.* 461. *Sp. pl.* 501.
Caryophyllata montana purpurea. *Ger. Em.* 995. *R. Syn.* 253.

Ca-

Caryophyllata montana ſ. paluſtris purpurea. *Park.* 136.
Caryophyllata aquatica nutante flore. *Bauh. pin.* 321. *Anglis*, Water Avens.
Habitat *in montoſis Septentrionalibus* Angliæ *circa* Settle, Ingleton, &c. *alſo in* Wales, *about* Snowdon-hill, &c. *R. Syn.* 4. VII.

DRYAS. 562.

Cal. octofidus. *Petala* octo. *Sem.* caudata, piloſa.

1. DRYAS pentapetala, foliis pinnatis. *Amœn. acad. II.* 353. *Sp. pl.* 501. *pentapetala.*
Caryophyllata pentaphyllæa. *Bauh. hiſt. II.* 398. *Park.* 137. *R. Syn.* 254.
Caryophyllata alpina pentaphyllæa. *Ger. Em.* 995.
Caryophyllata alpina quinquefolia. *Bauh. pin.* 322. *Anglis*, Cinquefoil Avens.
Habitat *in the den of* Petaick *in* Scotland, D. Sibbald. *R. Syn.* 4.

2. DRYAS octopetala: foliis ſimplicibus. *Fl. ſuec.* 462. *octopetala.* *Sp. pl* 401.
Caryophyllata alpina chamædryos folio. *Hiſt. ox. II.* 432. *R. Syn.* 252.
Chamædrys ſpuria montana ciſti flore. *Park.* 106.
Chamædrys alpina, ciſti flore. *Bauh. pin.* 248.
Chamædrys alpina, flore fragariæ albo. *Bauh. hiſt. III.* 290.
Teucrium alpinum, ciſti flore. *Ger. Em.* 659. *Anglis*, Mountain Avens.
Habitat *in montoſis. Found by* Mr. Heaton *in* Ireland, *on the mountains between* Gort *and* Galloway. *Hujus plantæ ſpeciminibus meditavit*, D. Lhwyd, *in montibus* Hibernicis *juxta* Sligo *collectis, quæ et in omnibus altiſſimis* Scotiæ *occidentalis montibus abundat, ut mihi retulit idem. R. Syn.* 4. VII.

COMARUM. 563.

Cal. decemfidus. *Petala* quinque, calyce minora. *Receptaculum* ſpongioſum, perſiſtens.

paluſtre. 1. COMARUM. *Fl. lapp.* 214. *ſuec.* 463. *Sp. pl.* 502.
Pentaphylloides paluſtre rubrum. *Tourn.* 298. *R. Syn.* 256.
Pentaphylloides rubrum paluſtre. *Ger. Em.* 987.
Quinquefolium paluſtre rubrum. *Bauh. pin.* 326.
β Pentaphylloides paluſtre rubrum craſſis et villoſis foliis Suecicum et Hybernicum. *Pluk. alm.* 284. *t.* 212. *f.* 2.
Anglis, purple marſh Cinquefoil.
Habitat *in paluſtribus putridis et coenoſis non infrequens. R. Syn.* 4. VI.

Claſſis

Claſſis XIII.

POLYANDRIA

MONOGYNIA.

* *Flores tetrapetali.*

ACTÆA. 568.

Cal. tetraphyllus. *Cor.* tetrapetala. *Bacca* unilocularis. *Sem.* ſemiorbiculata.

1. ACTÆA racemo ovato, fructibus baccatis. *Sp. pl. ſpicata.* 509. *Fl. ſuec.* 464.
   Actæa caule inermi. *Fl. lapp.* 217.
   Chriſtophoriana, *Cluſ. hiſt. II.* 86. *Ger. Em.* 969. *Till. ic.* 148. *R. Syn.* 262.
   Chriſtophoriana vulgaris. *Park.* 379.
   Aconitum racemoſum. *Bauh. pin.* 182.
   Anglis, Herb Chriſtopher, or Bane-berries.
   Habitat *in dumetis infra*, Malhamcove, *juxta murum aquilonem verſus, prope rupes ubi Fraxini juniores creſcunt, reperiuntur hujus plantæ nonnullæ*, D. Richardſon. *R. Syn. in ſylvula prope* Clapham *in agro* Eboracenſi. ♃. V. VI.

CHELIDONIUM. 572.

Cor. tetrapetala. *Cal.* diphyllus. *Siliqua* unilocularis, linearis.

1. CHELIDONIUM pedunculis umbellatis. *Sp. pl. majus.* 505. *Mat. med.* 252.
   Chelidonium majus. *Fuchſ. hiſt.* 865. *Ger. Em.* 1069.
   Chelidonium majus vulgare. *Park.* 616. *Bauh. pin.* 144.
   Papaver corniculatum luteum, Chelidonia dictum. *R. Syn.* 309.

β Chelidonium majus foliis quernis. *Bauh. pin.* 144.

Anglis,

Anglis, Celandine.
Habitat *in ruderatis*. ♃. V. VI.
Pharmac. Chelidonii majoris *Radix*, *Herba*.

Glaucium. 2. CHELIDONINM pedunculis unifloris, foliis amplexicaulibus ſinuatis, caule glabro. *Sp. pl.* 506.
Papaver corniculatum luteum. *Park.* 261. *Bauh. pin.* 171. *hiſt. III.* 398. *R. Syn.* 309.
Papaver cornutum flore luteo. *Ger. Em.* 367.
Anglis, yellow horned Poppy.
Habitat *in littoribus maritimis*; *in inſula* Shepey. ☉. VII.

hybridum. 3. CHELIDONIUM pedunculis unifloris, foliis pinnatifidis linearibus, caule lævi. *Sp. pl.* 506.
Papaver caule ramoſo, foliis linearibus pinnatifidis, capſulis ſulcatis. *Hort. upſ.* 136.
Papaver corniculatum violaceum. *Bauh. hiſt. III.* 393. *pin.* 172. *R. Syn.* 309.
Papaver cornutum flore violaceo. *Ger. Em.* 367.
Papaver corniculatum flore violaceo. *Park.* 262.
Anglis, violet-coloured horned Poppy.
Habitat *in agro* Cantabrigienſi *inter ſegetes inter* Swaſham *et* Burwel *vicos*. *R. Syn.* ☉. VIII.

PAPAVER. 573.

Cor. tetrapetala. *Cal.* diphyllus. *Capſ.* unilocularis, ſubſtigmate perſiſtente poris dehiſcens.

* *Capſulis hiſpidis.*

hybridum. 1. PAPAVER capſulis globoſis torolis hiſpidis, caule folioſo multifloro. *Sp. pl.* 506.
Papaver foliis ternato-pinnatifidis, capſulis ſulcatis hiſpidis. *Hort. cliff.* 201.
Papaver laciniato folio, capitulo hiſpido rotundiore. *R. Syn.* 308.
Argemone capitulo rotundiore. *Park.* 369.
Argemone capitulo breviore. *Bauh. pin.* 172.
Argemone capitulo torulo. *Ger. Em.* 373.
Anglis, round rough-headed Poppy.
Habitat *in arvis ſed rarius*. ☉. VI. VII.

2. PA-

2. PAPAVER capſulis clavatis hiſpidis, caule folioſo multifloro. *Sp. pl.* 506. *Fl. ſuec.* 466. *Argemone.*
Papaver foliis ternato-pinnatis, fructu angulato. *Hort. cliff.* 201. *Roy. lugdb.* 419. *Sauv. monſp.* 252.
Papaver laciniato folio capitulo hiſpido longiore. *R. Syn.* 308.
Argemone capitulo longiore. *Ger. Em.* 373. *Bauh. pin.* 172. *Park.* 370.
Anglis, long rough-headed Poppy.
Habitat *in arvis.* ⊙. VI.

** *Capſulis glabris.*

3. PAPAVER capſulis glabris globoſis, caule piloſo multifloro, foliis pinnatifidis inciſis. *Sp. pl.* 507. *Fl. ſuec* 467. *Rhoeas.*
Papaver laciniato folio, capitulo breviore glabro, annuum Rhoeas dictum. *R. Syn.* 308.
Papaver rhoeas. *Ger. Em.* 401.
Papaver erraticum rhoeas ſive ſylveſtre. *Park.* 367.
Papaver erraticum majus. *Bauh. pin.* 171.
Anglis, red Poppy, or Corn Poppy, or round ſmooth-headed Poppy.
Habitat *inter ſegetes.* ⊙. VI. VII.
Pharmac. Papaveris erratici *Flores.*

4. PAPAVER capſulis oblongis glabris, caule multifloro ſetis adpreſſis, foliis pinnatifidis inciſis. *Sp. pl.* 1196. *Fl. ſuec.* 467. *dubium.*
Papaver laciniato folio capitulo longiore glabro. *R. Syn.* 309.
Argemone capitulo longiore glabro. *Hiſt. ox. II.* 279. *ſ.* 3. *t.* 14. *f.* 11.
Anglis, long ſmooth-headed Poppy.
Habitat *in arvis circa* Stockwell *prope* Londinum. ⊙. VI.

5. PAPAVER capſulis glabris oblongis, caule multifloro lævi, foliis pinnatis inciſis. *Sp. pl.* 508. *cambricum.*
Papaver cambricum perenne, flore ſulphureo, *Dill. elth.* 300. *t.* 223. *f.* 290.

Pa-

Papaver luteum perenne, laciniato folio, Cambrobritannicum. *R. Syn.* 309.
Argemone lutea Cambrobritannica. *Park* 369.
Anglis, yellow Poppy.
Habitat *in montoſis cambrobritannicis frequens*; *circa* Kendal *in* Weſtmorelandia *copioſe*. ♃. VI.—VIII.

ſomniferum. *6. PAPAVER calycibus capſuliſque glabris, foliis amplexicaulibus inciſis. *Sp. pl.* 508.
Papaver caule multifloro, foliis ſimplicibus glabris inciſis caulinis. *Hort. upſ.* 135. *Mat. med.* 250.
Papaver ſylveſtre. *Ger. Em.* 370. *R. Syn.* 308.
Papaver hortenſe ſemine albo. *Bauh. pin.* 170.
Anglis, wild Poppy.
Habitat *in incultis paſſim*. ☉. VII.
Pharmac. Papaveris albi *Capita*, *Semina*.

** *Flores pentapetali.*

TILIA. 587.

Cor. pentapetala. *Cal.* quinquepartitus. *Bacca* ſicca, globoſa, quinquelocularis, quinquevalvis, baſi dehiſcens.

europæa. *1. TILIA floribus nectario deſtitutis. *Sp. pl.* 514.
Tilia vulgaris platyphyllos. *Bauh. hiſt. I.* 133. *R. Syn.* 473.
Tilia foemina. *Ger. Em.* 1483. major. *Park.* 1407.
Tilia foemina folio majore. *Bauh. pin.* 426.
β Tilia foemina folio minore. *Bauh. pin.* 426.
γ Tilia foliis molliter hirſutis, viminibus rubris, fructu tetragono. *R. Syn.* 473.
δ Tilia ulmifolia, ſemine hexagono. *Merr. pin.*
Anglis, the Lime, or Linden-tree.
Habitat *in ſylvis ſepibus et areis*. ♄. VII.

CISTUS. 598.

Cor. pentapetala. *Cal.* pentaphyllus, foliolis duobus minoribus. *Capſula* triquetra trivalvis.

* *Exſtipulatæ herbaceæ.*

guttatus. 1. CISTUS herbaceus exſtipulatus, foliis oppoſitis trinerviis, racemis ebracteatis. *Sp. pl.* 526.

Ciſtus

Ciſtus annuus, foliis radicalibus oppoſitis lanceolatis trinervis, ramiferis ternatis linearibus. *Sauv. monſp.* 149.
Ciſtus flore pallido, punicante macula inſignito. *Bauh. pin.* 465. *R. Syn.* 342
Ciſtus annuus flore maculato. *Ger. Em.* 1281.
Ciſtus annuus flore guttato. *Park.* 661.
Anglis, annual Ciſtus.
Habitat *in pratis arenoſis. In the iſle of* Jerſey, *on the weſt ſide, near* Groſnez-caſtle, Dr. Sherard, *R. Syn. in* Somerſetſhire, Mr. Brewer. ☉. VI.

** *Stipulatæ ſuffruticoſæ.*

2. CISTUS ſuffruticoſus procumbens, ſtipulis lanceolatis, foliis oblongis revolutis ſubpiloſis. *Sp. pl.* 528. *Helianthemum.*
Ciſtus ſtipulis quaternis foliis oblongis utrinque nudis caule procumbente. *Hort. cliff.* 206. *Roy. lugdb.* 476.
Helianthemum vulgare. *Park.* 656. *R. Syn.* 341.
Helianthemum anglicum luteum. *Ger. Em.* 1282.
Chamæciſtus vulgaris flore luteo. *Bauh. pin.* 465.
β Helianthemum foliis majoribus: flore albo. *Bauh. hiſt. II.* 16.
γ Helianthemum ampliore folio; flore roſeo. *D. Sherard.*
Anglis, dwarf Ciſtus, or little Sun-flower.
Habitat *in montoſis ſiccioribus, præſertim cretaceis.* ♃. VII.

3. CISTUS ſuffruticoſus procumbens ſtipulatus, foliis ovato-oblongis ſubpiloſis, petalis lanceolatis. *Sp. pl.* 527. *ſurreianus.*
Helianthemum vulgare petalis florum peranguſtis. *R. Syn.* 341. *Dill. elth.* 177. *t.* 145. *f.* 174.
Anglis, narrow-leaved Ciſtus.
Habitat *in pratis prope* Croydon *invenit* D. Du Bois. *R. Syn.* ♃. VII.

4. CISTUS ſuffruticoſus ſtipulatus procumbens, foliis oblongo-ovatis incanis, petalis crenatis. *poliifolius.*

Cha-

Chamæciſtus montanus polii folio. *D. Pluk. R. Syn.* 342.

Ciſtus humilis alpinus durior, polii noſtratis folio candicante. *Pluk. ph.* 23. *f.* 6.

Anglis, Mountain dwarf Ciſtus.

Habitat *upon* Brent-downs *in* Somerſetſhire, *near the* Severn Sea, D. Plukenet. *R. Syn.* ♃. VII.

*** *Exſtipulatæ ſuffruticoſæ.*

hirſutus. 5. CISTUS ſuffruticoſus procumbens exſtipulatus, foliis oppoſitis oblongis revolutis piloſis, floribus racemoſis.

Helianthemum alpinum folio Piloſellæ minoris Fuchſii. *Bauh. hiſt. II.* 18. *R. Syn.* 342.

Anglis, hoary dwarf Ciſtus.

Habitat *uno circiter miliari a* Kendalia, *loco ſaxoſo* Betram-Beuke *dicto occidentem verſus capioſe*, D. Richardſon. *At* Buckbarrow-Bank-Scar, *betwixt* Brigſteer *and* Conſwick; *alſo on the rocks about* Cartmel-Wells *in* Lancaſhire, *plentifully, obſerved by* Mr. Fitz-Roberts. ♃. VII.

*** *Flores polypetali.*

NYMPHÆA. 579.

Cor. polypetala. *Cal.* tetra ſ. pentaphyllus. *Bacca* multilocularis, truncata.

lutea. 1. NYMPHÆA calyce magno pentaphyllo. *Fl. lapp.* 218. *ſuec.* 469. *Sp. pl.* 510.

Nymphæa lutea. *Ger. Em.* 819. *R. Syn.* 368.

Nymphæa major lutea. *Bauh. pin.* 131. *Park.* 1252.

Anglis, yellow Water Lilly.

Habitat *in fluviis ſtagnis, foſſis*; *inter* Rotherhithe *et* Deptford. ♃. VIII.

alba. 2. NYMPHÆA foliis cordatis integerrimis, calyce quadrifido. *Sp. pl.* 510. *Fl. ſuec.* 470.

Nymphæa calyce tetraphyllo, corolla multiplici. *Fl. lapp.* 219.

Nymphæa alba. *Ger. Em.* 819. *R. Syn.* 368. major. *Bauh. pin.* 193.

Nymphæa

Nymphæa alba major vulgaris. *Park.* 1251.
Anglis, white Water Lilly.
Habitat *in fluviis et ſtagnis ſed rarius.* 4. VII.

TRIGYNIA.

DELPHINIUM. 602.

Cal. nullus. *Petala* quinque. *Nectarium* bifidum, pone cornutum.

1. DELPHINIUM nectariis monophyllis caule ſubdiviſo. *Conſolida.* *Syſt. nat. Fl. ſuec.* 475. *Sp. pl.* 530.
Delphinium ſegetum, flore cœruleo. *Tourn.* 426. *R. Syn.* 273.
Conſolida regalis arvenſis, flore cœruleo. *Bauh. pin.* 142.
Conſolida regalis ſylveſtris. *Ger. Em.* 1083.
Anglis, wild Larkſpur.
Habitat *in arvis. Found in great plenty by* Mr. J. Sherard, *amongſt the corn, in* Swafham-field, *in* Cambridgeſhire. *R. Syn.* ☉. VI.

PENTAGYNIA.

AQUILEGIA. 605.

Cal 0. *Petala* quinque. *Nectaria* quinque cornicula, inter petala. *Capſ.* quinque diſtinctæ.

1. AQUILEGIA nectariis incurvis. *Mat. med.* 272. *vulgaris.* *Sp. pl.* 533. *Fl. ſuec.* 478.
Aquilegia. *Cæſalp. hiſt.* 589. *Fuchſ. hiſt.* 102. *Hort. cliff.* 215.
Aquilegia flore ſimplici. *Bauh. hiſt. III.* 484. *R. Syn.* 273.
Aquilegia ſylveſtris. *Bauh. pin.* 144.
Aquilegia ſimplex. *Park.* 1367.
Aquilegia flore cœruleo. *Ger. Em.* 1093.
Anglis, common Columbines.
Habitat *in ſylvis et dumetis.* 4. VI.
Pharmac. Aquilegiæ *Herba, Semina.*

2. AQUI-

alpina. 2. AQUILEGIA nectariis rectis petalo lanceolato brevioribus. *Sp pl.* 533.
Aquilegia montana magno flore. *Bauh. pin.* 144. *pr.* 75. *Burſ VII.* 108. *Bauh. hiſt. III.* 484. *R. hiſt.* 707.
Anglis, Mountain Columbines.
Habitat *in ſylvis montoſis in comitatu* Weſtmorlandico. ♃. VI.

HEXAGYNIA.

STRATIOTES. 607.

Spatha diphylla. *Perianthium* trifidum. *Petala* tria. *Bacca* ſexlocularis, infera.

Aloides. 1. STRATIOTES foliis enſiformi-triangulis ciliato-aculeatis. *Sp. pl. Fl. ſuec.* 479.
Stratiotes foliis aloes, ſemine longo. *Gundelſh. ap. Johren. R. Syn.* 290.
Stratiotes ſive militaris aizoides. *Park.* 1249.
Militaris aizoides. *Ger. Em.* 826.
Aloe paluſtris. *Bauh. pin.* 286.
Anglis, Water Aloe, or Freſh Water Soldier.
Habitat *in fluentis pigrioribus et paluſtribus foſſis in inſula* Elienſi *copioſe. R. Syn.* ♃. VI.

POLYGYNIA.

ANEMONE. 614.

Cal. 0. *Petala* ſex-novem. *Sem.* plura.

nemoroſa. 1. ANEMONE ſeminibus acutis, foliolis inciſis, caule unifloro. *Hort. cliff.* 224. *Fl. ſuec.* 485. *Sp. pl.* 541.
Anemone nemoroſa, flore majore. *Bauh. pin.* 176.
Anemone nemorum album. *Ger. Em.* 383. *R. Syn.* 259.
Ranunculus nemoroſus albus ſimplex. *Park.* 325.
Anglis, common Wood Anemone.
Habitat *in ſylvis et ad ſepes.* ♃. IV.

2. ANE-

2. ANEMONE ſeminibus acutis, foliolis inciſis, petalis lanceolatis numeroſis. *Sp. pl.* 540. *apennina.*
Anemone Geranii robertiani folio cœrulea. *Baub. pin.* 174.
Ranunculus nemoroſus, flore purpureo-cœruleo. *Park.* 325. *R. Syn.* 259.
Ranunculus nemoroſus, flore cœruleo, foliis majoribus apennini montis. *Mentz. pug. t.* 8. *Tourn.* 285.
Anglis, Mountain Wood Anemone.
Habitat *in ſylvis*. *In* Wimbleton *woods*, Mr. Rand; *near* Harrow on-the-hill, Mr. Dubois; *in a wood near* Lutton-hoe, *in* Bedfordſhire, Mr. T. Knowlton. *R. Syn.* 4. IV.

3. ANEMONE pedunculo involucrato, petalis rectis, foliis bipinnatis. *Fl. ſuec* 481. *Sp. pl.* 539. *Pulſatilla.*
Pulſatilla folio craſſiore et majore flore. *Baub. pin.* 177. *R. Syn.* 260.
Pulſatilla vulgaris. *Park.* 341. *Ger. Em.* 385.
Anglis, Paſque-flower.
Habitat *in pratis montoſis*. *On* Gogmagog-hills; *on* Bernack-heath, *near* Stamford, *in great plenty*; *in paſcuis montoſis et ſiccis juxta* Leadſtone-hall, *ſupra lacum loco the Cloſe dicto abunde prope* Pontemfractum, D. Richardſon. *R. Syn. in* Cornbury *park*, *near* Charlbury, Oxfordſhire. *Blackſ. ſpec. bot.* 4. IV.

ADONIS. 618.

Cal. pentaphyllus. *Petala* quinque plura abſque nectario. *Sem* nuda.

1. ADONIS floribus octopetalis, fructibus ſubcylindricis. *Hort. upſ.* 156. *Sp. pl* 547. *annua.*
Adonis hortenſis flore minore atro-rubente. *Baub. pin.* 178.
Flos Adonis. *Park. par.* 293. *R. Syn.* 251.
Flos adonis flore rubro. *Ger. Em.* 387.
Anglis, Adonis Flower, Pheaſant's Eye, red Maithes, or red Morocco.
Habitat *in arvis*. *In* Cantio *frequens*; *prope* Acton, Dr. Watſon. ☉. VI. VII.

RANUNCULUS. 619.

Cal. pentaphyllus. *Petala* quinque intra unques poro mellifero. *Sem.* nuda.

* *Foliis ſimplicibus.*

Lingua. 1. RANUNCULUS foliis lanceolatis, caule erecto. *Fl. ſuec.* 493. *Sp. pl.* 549.
Ranunculus flammeus major. *Ger. Em.* 961. *R. Syn.* 250.
Ranunculus paluſtris flammeus major. *Park.* 1215.
Ranunculus longifolius paluſtris major. *Bauh. pin.* 180.
Anglis, great Spearwort.
Habitat *in paſcuis udis* *In the bogs on* Iver-heath, *et near* Uxbridge. *Blackſ. ſpec. bot. Inter* Rotherhithe Deptford *copioſe*. ♃. V.

× *Flammula.* 2. RANUNCULUS foliis ovato-lanceolatis petiolatis, caule declinato. *Fl. ſuec.* 494. *Sp. pl.* 549.
Ranunculus flammeus minor. *Ger. Em.* 961. *R. Syn.* 250.
Ranunculus flammeus ſerratus. *Ger. Em.* 961. *Park.* 1214.
Ranunculus paluſtris flammeus minor ſive anguſtifolius. *Park.* 1214
Ranunculus longifolius paluſtris minor, item paluſtris ſerratus. *Bauh. pin.* 180.
β Ranunculus flammeus, latiori plantaginis folio, marginibus piloſis. *Pluk. alm.* 312.
Anglis, leſſer Spearwort.
Habitat *in paludoſis ubique.* ♃. VI.—IX.

** *Foliis diſſectis et diviſis.*

repens. 3. RANUNCULUS calycibus patulis, pedunculis ſulcatis, ſtolonibus repentibus, foliis compoſitis. *Fl. ſuec* 505. *Sp. pl.* 554.
Ranunculus foliis ternatis, foliolis petiolatis trifidis inciſis, caule productiore multifloro *Hort. cliff* 230.
Ranunculus pratenſis repens. *Park.* 329. *R. Syn.* 247. hirſutus. *Bauh. pin.* 179.

Ranunculus

Ranunculus pratenſis. *Ger. Em.* 951.
β Ranunculus repens major. *Pet. h. br. t.* 38. *f.* 8.
Anglis, creeping Crowfoot, or Butter-cups.
Habitat *in pratis et paſcuis.* ♃. V.

4. RANUNCULUS calycibus retroflexis, pedunculis ſulcatis caule erecto, foliis compoſitis. *Fl. ſuec.* 504. *Sp. pl.* 554. *bulboſus.*
Ranunculus bulboſus. *Ger. Em.* 953. *Park.* 329. *R. Syn.* 247.
Ranunculus pratenſis radice verticilli modo rotunda. *Bauh pin.* 179.
Ranunculus tuberoſus. *Dod. pempt.* 431.
β Ranunculus rectus foliis pallidioribus hirſutus. *Bauh. hiſt. III.* 417. *R. Syn.* 247.
Anglis, bulboſe Crowfoot, or Butter-cups.
Habitat *in pratis et paſcuis.* ♃. V.
Pharmac. Ranunculi bulboſi *Herba.*

5. RANUNCULUS calycibus patulis pedunculis teretibus, foliis tripartito multifidis: ſummis linearibus. *Fl. ſuec.* 507. *Sp. pl.* 554. *acris.*
Ranunculus foliis peltatis quinquangularibus, multipartitis laciniis linearibus. *Hort. cliff.* 231. *It. oel.* 104.
Ranunculus pratenſis erectus acris. *Bauh. pin.* 178. *R. Syn.* 248. vulgaris. *Park.* 329.
Ranunculus ſurrectis cauliculis. *Ger. Em.* 951.
Anglis, upright Meadow Crowfoot.
Habitat *in pratis et paſcuis ubique.* ♃. VI. VII.

6. RANUNCULUS foliis radicalibus reniformibus crenatis inciſis; caulinis digitatis linearibus, caule multifloro. *Hort. cliff.* 229. *Fl. ſuec.* 498. *Sp. pl.* 551. *auricomus.*
Ranunculus auricomus. *Ger. Em.* 954.
Ranunculus nemoroſus dulcis, *II.* Tragi. *Park.* 326. *R. Syn.* 248.
Ranunculus nemoroſus vel ſylvaticus folio rotundo. *Bauh. pin.* 178.
Anglis, ſweet Wood Crowfoot, or Goldilocks.
Habitat *in ſylvis et ad ſepes frequens.* ♃. IV.

ſceleratus. 7. RANUNCULUS foliis inferioribus palmatis, ſummis digitatis, fructibus oblongis. *Hort. cliff.* 230. *Fl. ſuec.* 499 *Sp. pl.* 551.
Ranunculus paluſtris rotundifolius. *Ger. Em.* 962. *R. Syn.* 249.
Ranunculus paluſtris ſardonius lævis. *Park* 1215.
Ranunculus paluſtris apii folio lævis *Bauh. pin.* 180.
Anglis, round-leaved Water Crowfoot.
Habitat *in aquoſis ubique.* ⊙. V. VI.
Pharmac. Ranunculi paluſtris *Herba.*

parviflorus. 8 RANUNCULUS ſeminibus muricatis, foliis ſimplicibus laciniatis acutis hirſutis, caule proſtrato. *Syſt. nat* 1087.
Ranunculus hirſutus annuus flore minimo. *R Syn. ed. II.* 135. *Pluk. ph. t.* 55. *f.* 1. *Pet. h. br. t.* 38. *f* 9. *R. Syn.* 248 *t.* 12. *f.* 1.
Ranunculus arvenſis annuus hirſutus, florum omnium minimo *Hiſt. ox. II* 440. *ſ.* 4. *t.* 28. *f.* 21.
Ranunculus annuus foliis Geranii columbini. *Merr. pin.*
Anglis, ſmall-flowered Crowfoot.
Habitat *in pratis, et arvis ſolo glareoſo paſſim.* ⊙. V.

arvenſis. 9. RANUNCULUS ſeminibus aculeatis, foliis ſuperioribus decompoſitis linearibus. *Sp. pl.* 555. *Fl. ſuec.* 508.
Ranunculus arvorum *Park.* 328. *Ger. Em.* 951. *R. Syn.* 249.
Ranunculus arvenſis echinatus. *Bauh. pin.* 179. *hiſt. III.* 859.
Anglis, Corn Crowfoot.
Habitat *in arvis.* ⊙. VI.

hederaceus. 10. RANUNCULUS foliis ſubrotundis trilobis integerrimis, caule repente *Hort. cliff.* 231 *Roy. lugdb.* 492. *Dalib. pariſ.* 167. *Gort. gelr.* 325. *Sp pl.* 556.
Ranunculus aquatilis hederaceus albus. *R. Syn.* 249.
Ranunculus aquaticus hederaceus luteus. *Bauh. pin.* 180.

Ra-

Ranunculus hederaceus rivulorum ſe extendens, atra macula notatus. *Bauh. hiſt. III.* 782.
Ranunculus hederaceus aquaticus. *Park.* 1216.
Ranunculi aquatilis varietas altera. *Ger. Em.* 830.
Anglis, Ivy-leaved Water Crowfoot.
Habitat *in foſſis et rivulis lente fluentibus paſſim.* ♃. V.

11. RANUNCULUS foliis ſubmerſis capillaceis, emerſis peltatis. *Sp pl* 556. *aquatilis.*
Ranunculus aquatilis. *Ger. Em.* 829. *R. Syn.* 249.
Ranunculus aquaticus, hepaticæ facie. *Park.* 1216.
Ranunculus aquaticus, folio rotundo et capillaceo. *Bauh. pin.* 180.
β Ranunculus foliis capillaceis, circumſcriptione vaga brevioribus. *Hall. helv.* 328.
Ranunculus aquaticus capillaceus. *Bauh. pin* 180.
Ranunculus aquaticus omnino tenuifolius. *Bauh. hiſt. III.* 781.
γ Ranunculus foliis omnibus capillaceis, circumſcriptione oblongis. *Roy lugdb.* 492.
Millefolium aquaticum, foliis foeniculi, Ranunculi flore et capitulo. *Bauh pin.* 141.
δ Ranunculus foliis omnibus capillaceis, circumſcriptione rotundis. *Hort. cliff.* 231. *Roy lugdb.* 492.
Ranunculus aquaticus albus, circinatis tenuiſſime diviſis foliis, floribus ex alis longis pediculis innixis. *Pluk ph. t.* 55. *f.* 2.
Anglis, Various leaved Water Crowfoot.
Habitat α. β. δ. *in foſſis et ſtagnis.* γ. *in rivulis.* ♃. IV. V.

FICARIA.

CAL. *Perianthium* triphyllum: *foliolis* ovatis, concavis, deciduis.
COR. *Petala* circiter octo lanceolata nitida. *Nectarium* fovea in ſingulo petalo ſupra unguem ſquamula emarginata clauſum.
STAM. *Filamenta* plurima breviſſima. *Antheræ* rectæ, oblongæ, didymæ.
PIST *Germina* numeroſa, in capitulum collecta. *Styli* nulli. *Stigmata* reflexa minima.

PER. nullum. *Receptaculum* pedunculis minutiſſimis ſemina adnectit.

SEM. plurima, oblonga, apice reflexo.

verna. 1. FICARIA. *Dill. cat. giſſ.* 39.
Ranunculus foliis cordatis angulatis petiolatis. *Fl. ſuec.* 296. *Sp. pl.* 550.
Chelidonium minus. *Ger. Em.* 816. *Park.* 617. *R. Syn.* 246.
Chelidonia rotundifolia minor. *Bauh. pin.* 309.
Anglis, Pilewort, or leſſer Celandine.
Habitat *in pratis et paſcuis ubique.* ♃. IV.
Pharmac. Chelidonii minoris. *Radix*, *Herba.*

TROLLIUS. 620.

Cal. 0. *Petala* circiter quatuordecim. *Capſ.* plurimæ, ovatæ, monoſpermæ.

europæus. 1. TROLLIUS corollis conniventibus, nectariis longitudine ſtaminum. *Fl. ſuec.* 510. *Sp. pl.* 556.
Helleborus flore clauſo erecto petiolato, caule ſimpliciſſimo. *Fl. ſuec. ed. I.* 474.
Pſeudo-Helleborus ranunculoides, flore globoſo. *Hiſt. ox. III.* 467. *ſ.* 12. *t.* 2. *f.* 2.
Ranunculus globoſus. *Ger. Em.* 955. *Park. par.* 218. *R. Syn.* 272.
Ranunculus flore globoſo, quibuſdam Trollius flos. *Bauh. hiſt. III.* 419.
Ranunculus montanus, aconiti folio, flore globoſo. *Bauh. pin.* 182.
Anglis, the Globe-flower, or Locker-gowlons.
Habitat *ad latera montium, inque pratis montoſis in ſeptentrionalibus* Angliæ *et* Cambriæ *copioſiſſime.* ♃. V. VI.

CALTHA. 623.

Cal. 0. *Petala* quinque. *Nectaria* 0. *Capſ.* plures, polyſpermæ.

paluſtris. 1. CALTHA. *Fl. lapp.* 227. *ſuec.* 511. *Sp. pl.* 558.
Caltha paluſtris. *Bauh. hiſt. III.* 419. flore ſimplici. *pin.* 276.
Caltha paluſtris vulgaris ſimplex. *Park.* 1213.

Caltha

Caltha paluſtris major. *Ger. Em.* 817.
Populago. *Tab. ic.* 750. *R. Syn.* 272.
Anglis, Marſh Marigold.
Habitat *in aquoſis et ad ripas fluviorum.* 4. IV.

HELLEBORUS. 622.

Cal. nullus. *Petala* quinque ſeu plura. *Nectaria* bilabiata tubulata. *Capſ.* polyſpermæ, erectiuſculæ.

1. HELLEBORUS caule multifloro folioſo, foliis pedatis. *Sp. pl.* 558. *foetidus.*
Helleborus caule inferne anguſtato multifolio multifloro, foliis caule brevioribus. *Hort. cliff.* 227. *Roy. lugdb.* 484.
Helleborus niger foetidus. *Bauh. pin.* 185.
Helleboraſter maximus. *Ger. Em.* 976. *R. Syn.* 271. ſ. conſiligo. *Park.* 212.
Anglis, great baſtard black Hellebore, Bearsfoot, or Setterwort.
Habitat *in pratis paſcuis et ad ſepes. Near* Cherry-Hinton, Cambridgeſhire; *in the pariſh of* Brundiſh *in* Suffolk, Mr. J. Sherard; *upon the downs in* Suſſex, *towards* Chicheſter, D. Dillenius. *R. Syn.* 4. III.

2. HELLEBORUS caule multifloro folioſo, foliis digitatis. *Sp. pl.* 558. *viridis.*
Helleborus caule æquali folioſo, foliis radicalibus caulem tandem ſuperantibus. *Hort. cliff.* 227. *upſ.* 158. *Roy. lugdb.* 484.
Helleborus niger hortenſis flore viridi. *Bauh. pin.* 185. *R. Syn.* 271.
Helleboraſter minor, flore viridante. *Park.* 212.
Helleboraſtrum. *Ger. Em.* 976.
Anglis, wild black Hellebore.
Habitat *in pratis montoſis. In* Bigwyn *cloſes near* Cambridge; *about* Arundel-caſtle *in* Suſſex; *in* Sir Tho. D'Aeth's *woods at* Knowlton, *in* Eaſt Kent; *in the woods near* Stoken-church, Oxfordſhire. *R. Syn. circa* Ditton *et* Whitwell, *in comitatu* Cantabrigienſi, *D. Lyons.* 4. IV.

THALICTRUM. 617.

Cal o. *Petala* quinque. *Semina* nuda.

flavum. 1. THALICTRUM caule folioſo ſulcato, panicula multiplici erecto. *Fl. ſuec.* 488 *Sp. pl.* 546.
Thalictrum majus vulgare. *Park.* 263.
Thalictrum ſeu Thalitrum majus. *Ger. Em.* 1251. *R. Syn.* 203.
Thalictrum majus ſiliqua anguloſa aut ſtriata. *Bauh. pin.* 336.
Anglis, Meadow Rue.
Habitat *in pratis et paſcuis humidis et ad ripas fluviorum.* ♃. VI.

minus. 2. THALICTRUM foliis ſexpartitis, floribus cernuis. *Sp. pl.* 546. *Fl. ſuec.* 489.
Thalictrum caule folioſo æquali, foliolis caulinis acutis, panicula ſimplici, floribus nutantibus. *It. goth.* 180.
Thalictrum minus. *Ger. Em.* 1251. *Park.* 264. *Bauh. pin.* 337. *R. Syn.* 203.
β Thalictrum montanum minus, foliis latioribus. *R. Syn.* 204.
Anglis, the leſſer Meadow-rue.
Habitat *in pratis montoſis humidiuſculis. On the chalky grounds about* Newmarket, Linton, *and elſewhere in* Cambridgeſhire; *in comitatibus* Eboracenſi, Weſtmorlandico, Cumberlandico, *frequens.* ♃. VII. VIII.

alpinum. 3. THALICTRUM caule ſimpliciſſimo ſubnudo racemo-ſimplici laxo terminali. *Fl. ſuec.* 491. *Sp. pl.* 545.
Thalictrum minimum montanum atro-rubens foliis ſplendentibus. *R. Syn.* 204. *Boerh. ind. alt.* 44. *ic.*
Thalictrum montanum minimum præcox, foliis ſplendentibus. *Hiſt. ox. III.* 325. *ſ.* 9. *t.* 20. *f.* 14.
Anglis, Mountain Meadow-rue.
Habitat *in udis ſcopulis et ad rivulos in alpibus in* Arvonia *planta eſt vulgatiſſima*, D. Lhwyd. *R. Syn.* ♃. VI.

CLE-

CLEMATIS. 616.

Cal. o. *Petala* quatuor. *Sem.* caudata.

1. CLEMATIS foliis pinnatis: foliolis cordatis ſcandentibus. *Hort. cliff.* 225. *Roy. lugdb.* 486. *Hall helv.* 334. *Gron. virg.* 62. *Gort. gelr.* 315. *Sp. pl.* 544. *Vitalba.*
Clematis ſylveſtris latifolia. *Bauh. pin.* 300. ſ. Viorna. *Park.* 380.
Clematis latifolia ſeu Atragene quibuſdam. *Bauh. hiſt. II.* 125. *R. Syn* 258.
Viorna. *Ger. Em.* 736.
Anglis, great wild Climber, or Travellers Joy.
Habitat *in ſepibus.* ♄. VII.

Claſſis

Claſſis XIV.

DIDYNAMIA
GYMNOSPERMIA.

* *Calyces ſubquinquefidi.*

TEUCRIUM. 625.

Corollæ labium ſuperius (nullum) ultra baſin bipartitum, divaricatum ubi ſtamina.

Scordium. 1. TEUCRIUM foliis oblongis ſeſſilibus dentato-ſerratis, floribus geminis axillaribus, caule diffuſo. *Sp. pl.* 565. *Fl. ſuec.* 513.
Teucrium foliis ovato-lanceolatis ſerrulatis ſeſſilibus, floribus ſepius binatis. *Hort. cliff.* 302. *Mat. med.* 289.
Scordium. *Bauh. pin.* 247. *hiſt. III.* 292. *R. Syn.* 246.
Scordium majus et minus. *Ger. Em.* 661.
Scordium legitimum. *Park.* 111.
Anglis, Water Germander.
Habitat *in paluſtribus* Elienſis *inſulæ copioſe. R. Syn.* 4. VIII.
Pharmac. Scordii *Herba.*

Chamædrys. *2. TEUCRIUM foliis ovatis inciſo-crenatis petiolatis, floribus ſubverticillatis ternis, caulibus procumbentibus. *Syſt. nat.* 1095. *Sp. pl.* 565.
Chamædrys minor repens. *Bauh. pin.* 248.
Chamædrys major latifolia. *Ger. Em.* 616.
Anglis, Germander.
Habitat *on the ruins of* Winchelſea *caſtle. R. Syn.* 231. 4. V. VI.
Pharmac. Chamædryos *Herba.*

3. TEU-

3. TEUCRIUM foliis trifidis linearibus integerrimis, floribus ſeſſilibus lateralibus ſolitariis, caule diffuſo. *Sp. pl.* 562. *Chamæpitys.*
Chamæpitys vulgaris. *Park.* 283. *R. Syn.* 244.
Chamæpitys lutea vulgaris ſ. folio trifido. *Bauh. pin.* 249.
Chamæpitys mas. *Ger. Em.* 525.
Anglis, Ground-pine.
Habitat *in agris reſtibilibus. On the lays about the borders of* Triplow-heath *in* Cambridgeſhire; *about* Rocheſter, Dartford, *&c. R. Syn.* ☉. VI. VII.
Pharmac. Chamæpityos *Herba.*

4. TEUCRIUM foliis cordatis ſerratis petiolatis, racemis lateralibus ſecundis, caule erecto. *Sp. pl.* 564. *Scorodonia.*
Scorodonia ſ. Salvia agreſtis. *Ger. Em.* 626. *R. Syn.* 245.
Scorodonia ſ. Scordium alterum quibuſdam et Salvia agreſtis. *Park.* 111.
Scordium alterum ſeu Salvia agreſtis. *Bauh. pin.* 247.
Anglis, Wood Sage.
Habitat *in ſylvis dumetis et ericetis frequens.* ♃. VII.
Pharmac. Scorodoniæ *Herba.*

AJUGA. 624.

Corollæ labium ſuperius minimum. *Stamina* labio ſuperiore longiora.

1. AJUGA ſtolonibus reptantibus. *Sp. pl.* 561. *reptans.*
Ajuga foliis obovatis crenatis, caule ſimpliciſſimo, ſtolonibus reptatricibus. *Gort. gelr.* 330.
Bugula. *Dod. p.* 135. *Ger. Em.* 631. *R. Syn.* 245.
Bugula vulgaris. *Park.* 525.
Conſolida media pratenſis cœrulea. *Bauh. pin.* 260.
Anglis, Bugle.
Habitat *in pratis et paſcuis humidis.* ♃. V.
Pharmac. Bugulæ ſ. conſolidæ mediæ *Herba.*

2. AJUGA tetragono pyramidalis. *Fl. ſuec.* 512. *Sp. pl.* 561. *pyramidalis.*

Bugula

Bugula cœrulea alpina. *Park.* 525. *Pluk. ph. t.* 18. *f.* 3 *R. Syn.* 245
Conſolida media cœrulea alpina. *Bauh. pin.* 260.
Anglis, Mountain Bugle, or Sicklewort.
Habitat *on* Carnedh Lhewllyn *in* Carnarvonſhire, Dr. Johnſon. *R. Syn.* 4. VI.

NEPETA. 629.

Corollæ labium inferius lacinula intermedia crenata: faux margine reflexo. *Stamina* aproximata.

Cataria. 1. NEPETA floribus ſpicatis, verticillis ſubpedicellatis, foliis petiolatis cordatis dentato-ſerratis. *Sp. pl.* 570. *Fl. ſuec.* 514.
Nepeta major vulgaris *Park.* 38 *R. Syn.* 237.
Mentha cataria vulgaris et major. *Bauh. pin.* 228.
Mentha felina ſ. cataria. *Ger. Em.* 682.
Anglis, Nap, or Cat-mint.
Habitat *in ſepibus.* 4. VII.
Pharmac. Nepetæ *Herba.*

BETONICA. 631.

Cal. ariſtatus. *Corollæ* labium ſuperius adſcendens planiuſculum; tubus cylindricus.

officinalis. 1. BETONICA ſpica interupta, corollarum lacinia labii intermedia emarginata. *Roy. lugdb.* 316. *Sp. pl.* 573. *Fl. ſuec.* 515.
Betonica. *Ger. Em.* 714. *R. Syn.* 238. purpurea. *Bauh pin.* 235.
Betonica vulgaris flore purpureo. *Park.* 614.
Anglis, Wood Betony.
Habitat *in ericetis et ſylvis.* 4. VII. VIII.
Pharmac. Betonicæ *Herba*, *Flores.*

hirta. 2. BETONICA verticillata villoſa, calycibus ſubſpinoſis. *Syſt. nat* 1097.
Betonica foliis inter verticillos diffitos brevibus in ariſtam terminatis integris. *Hall. helv.* 646.
Sideritis arvenſis latifolia hirſuta lutea. *R. Syn.* 242.
Sideritis lutea. *Pet. h. br. t.* 33. *f.* 10.
Anglis, yellow Betony.

Habitat

Habitat *in arvis. In the weſt riding of* Yorkſhire, *about* Wakefield, Darfield, Sheffield, *&c. among the corn plentifully. R. Syn.* ☉. VIII.

MENTHA. 633.

Corolla ſubæqualis, quadrifida: lacinia latiore emarginata. *Stamina* erecta, diſtantia.

1. MENTHA ſpicis ſolitariis interuptis, foliis lanceolatis ſerratis ſeſſilibus. *Sp. pl.* 576. *Hort. cliff.* 306. *ſpicata.*
Mentha anguſtifolia ſpicata. *Bauh. pin.* 227.
Mentha anguſtifolia ſpicata, glabra, folio rugoſiore, odore graviore. *R Syn.* 233.
β Mentha ſpicata anguſtifolia, glabra, ſpica latiore. *D. Dale. R. Syn.* 233.
γ Mentha ſpicata glabra, latiore folio. *D. Dale. R. Syn.* 234.
Anglis, Spear-mint.
Habitat *ad ripas fluviorum Found by* Mr. Dale, *in* Eſſex, *by* Bocking *river ſide, below the fulling-mill; on the river* Medway *in* Kent, *near* Maidſtone, *D. Plukenet. R. Syn* ♃ VIII.
Pharm. Menthæ vulgaris *Herba.*

2. MENTHA floribus ſpicatis confertis, foliis oblongis ſerratis tomentoſis ſeſſilibus. *longifolia.*
Mentha ſylveſtris folio longiore. *Bauh. pin.* 227.
Menthaſtrum ſpicatum folio longiore candicante. *Bauh. hiſt. III* 2. 221. *R. Syn.* 234
β Menthaſtri aquatici genus hirſutum ſpica latiore. *Bauh. hiſt. III.* 2. 222. *R. Syn.* 234.
Anglis, long-leaved Horſe-mint.
Habitat *in paluſtribus et aquoſis.* ♃. VIII.
Pharmac. Menthaſtri *Herba.*

3. MENTHA floribus ſpicatis, foliis rotundis crenatis rugoſis ſeſſilibus. *rotundifolia.*
Mentha ſylveſtris rotundiore folio. *Bauh. pin.* 227.
Menthaſtrum folio rugoſo rotundiore ſpontaneum, flore ſpicato, odore gravi. *Bauh. hiſt. III.* 2. 219. *R. Syn.* 234.
Menthaſtrum. *Ger. Em.* 683.

Anglis,

Anglis, round-leaved Horſe-mint.
Habitat *in aquoſis ſed rarius. In* Hornſey *and* Harefield *church yards. Blackſ. ſpec. bot.* 4. VIII.

piperita. 4. MENTHA floribus capitatis ſolitariis terminalibus, foliis ovato-oblongis ſerratis, ſtaminibus corolla brevioribus. *Syſt. nat.* 1099.
Mentha floribus capitatis, foliis lanceolatis ſerratis ſubpetiolatis. *Sp. pl.* 576.
Mentha ſpicis brevioribus et habitioribus, foliis Menthæ fuſcæ, ſapore fervido piperis. *R. Syn.* 234. *t.* 10. *f.* 2.
Mentha piperata acuta. *Pet h. br. t.* 31. *f.* 10.
β Mentha piperata obtuſa. *Pet. h. br. t.* 31. *f.* 11.
Anglis, Pepper-mint.
Habitat *in aquoſis et rivulos*; *inter* Newington *et* Hornſey, D. Alchorne. 4. VIII.
Pharmac. Menthæ piperitæ *Herba.*

gentilis. 5. MENTHA floribus verticillatis, foliis ovatis acutis ſerratis ſtaminibus corolla brevioribus. *Sp. pl.* 577.
Mentha fuſca ſ. vulgaris. *Park.* 31. *R. Syn.* 232.
Mentha cardiaca. *Ger. Em.* 680.
Mentha hortenſis verticillata, ocymi odore. *Bauh. pin.* 227.
β Mentha arvenſis verticillata folio rotundiore, odore aromatico. *R. Syn.* 239.
Anglis, Red Mint.
Habitat *in aquoſis.* 4. VIII.

verticillata. 6. MENTHA floribus verticillatis, pedunculis piloſis, foliis ovatis ſerratis, ſtaminibus corolla longioribus. *Syſt. nat.* 1099.
Mentha verticillata. *Riv. irr. mon. ic. R. Syn.* 232.
Mentha criſpa. *Park.* 31. verticillata. *Bauh. pin.* 227.
Mentha ſativa rubra. *Ger. Em.* 680.
Anglis, Curled Mint.
Habitat *in paluſtribus et ad ripas fluviorum. In* Peckham *fields, and on* Hackney *river, near the ferry-houſe. R. Syn.* 4. VIII.

7. MEN-

7. MENTHA floribus verticillatis, foliis ovatis acutis ſerratis ſtaminibus corollam æquantibus. *Hort. cliff.* 307. *Sp. pl.* 577. *Fl. ſuec.* 516. *Dalib. pariſ.* 178. *arvenſis.*
Mentha arvenſis verticillata. *Bauh. pin.* 229.
Mentha ſ. Calamintha aquatica. *Ger. Em.* 684. *R. Syn.* 232.
Anglis, Corn Mint.
Habitat *in arvis humidis.* ♃. VIII. IX.

8. MENTHA floribus verticillatis, foliis lanceolato-ovatis glabris acutis integerrimis. *Cent. pl.* 159. *Syſt. nat.* 1099. *exigua.*
Mentha aquatica exigua. *Trag. lib. i. c.* 6. *ic. R. Syn.* 232.
Mentha arvenſis verticillata ſ. aquatica Belgarum Lobelii. *Park.* 36.
Anglis, ſmooth Mint.
Habitat *ad rivulos. In the hop-ground at* Bocking *plentifully*, Mr. Dale; *by the ſide of the new-river, near the upper end of* Stoke-Newington, Mr. Buddle. *R. Syn.* ♃. VIII.

9. MENTHA floribus capitatis, foliis ovatis ſerratis petiolatis, ſtaminibus corolla longioribus. *Sp. pl.* 576. *aquatica.*
Mentha aquatica ſ. Siſymbrium. *Ger. Em.* 684. *Bauh. hiſt. III.* 223. *R. Syn.* 233.
Mentha aquatica rubra. *Park.* 1243.
Mentha rotundifolia paluſtris ſ. aquatica major. *Bauh. pin.* 227.
β Mentha Siſymbrium dicta hirſuta glomerulis ac foliis minoribus ac rotundioribus. *R. Syn.* 233 *t.* 10. *f.* 1.
γ Siſymbrium hirſutum. *R. Syn.* 233.
Anglis, Water Mint.
Habitat *in aquoſis et ad ripas fluviorum.* ♃. VII. VIII.
Pharmac. Menthæ aquaticæ ſ. Siſymbrii *Herba.*

10. Mentha floribus capitatis globoſis, foliis ovatis ſerratis, ſtaminibus corolla brevioribus. *hirſuta.*
Anglis, round-headed Mint.

Habitat

Habitat *in aquoſis prope* Marybone *copioſe*; *et inter* Newington *et* Hornſey. ♃. VIII.

Pulegium. 11. MENTHA floribus verticillatis, foliis ovatis obtuſis ſubcrenatis, caulibus ſubteretibus repentibus. *Hort. cliff.* 307. *Sp. pl.* 577. *Dalib. pariſ.* 178. *Gort. gelr.* 344.
Pulegium. *Bauh. hiſt. III.* 256. *R. Syn.* 235.
Pulegium vulgare. *Park* 29.
Pulegium regium. *Ger. Em.* 671.
Pulegium latifolium. *Bauh. pin.* 222.
Anglis, Pennyroyal.
Habitat *in inundatis.* ♃. VIII. IX.
Pharmac. Pulegii *Herba.*

GLECHOMA. 634.

Antherarum ſingulum par in formam crucis connivens. *Cal.* quinquefidus.

hederacea. 1. GLECHOMA foliis reniformibus crenatis. *Hort. cliff.* 307. *Fl. ſuec.* 518. *Sp. pl.* 578.
Hedera terreſtris. *Ger. Em.* 856. vulgaris. *Park.* 676. *Bauh. pin.* 306.
Calamintha humilior, folio rotundiore. *Tourn.* 197. *R. Syn.* 243.
Hedera terreſtris montana. *Bauh. pin.* 306. *Park.* 677.
Anglis, Ground-Ivy.
Habitat *in umbroſis et ad ſepes.* ♃. V.
Pharmac. Hederæ terreſtris *Herba.*

arvenſis. 2. GLECHOMA foliis cordatis oblongis crenatis, caule hiſpido erecto *Sp. pl.* 578.
Sideritis calycibus ſubinermibus hiſpidis. *Fl. ſuec.* 488.
Sideritis humilis lato obtuſo folio. *Ger. Em.* 699. *R. Syn.* 242.
Sideritis Hederulæ folio. *Park.* 587.
Sideritis alſines trixaginis folio. *Bauh. pin.* 233.
Anglis, upright Ground Ivy.
Habitat *in arvis.* ☉. VIII.

L A-

arvenſis. 2. Glechoma &c.
Stachys arvensis. Lin.

LAMIUM. 636.

Corollæ labium ſuperius integrum, fornicatum; labium inferius bilobum; faux utrinque margine dentata.

1. LAMIUM foliis cordatis acuminatis ſerratis petiolatis. *Hort. cliff.* 314. *Sp. pl* 579. *Fl. ſuec.* 520. *album.*
Lamium album. *Ger. Em.* 782. *R Syn.* 240.
Lamium album non foetens, folio oblongo. *B. pin.* 231.
Lamium vulgare album ſ. Archangelicum flore albo. *Park.* 604.
Anglis, white dead Nettle, or Archangel.
Habitat *ad ſepes, et in cultis, ruderatis.* ♃. V.
Pharmac. Lamii albi *Herba, Flores.*

2. LAMIUM foliis cordatis obtuſis petiolatis. *Hort. cliff.* 314. *Fl. ſuec.* 521. *Sp. pl.* 579. *rubrum.*
Lamium rubrum. *Ger. Em.* 703. *R. Syn.* 240.
Lamium vulgare folio ſubrotundo, flore rubro. *Park.* 604.
Lamium purpureum foetidum, folio ſubrotundo ſ. Galeopſis dioſcoridis. *Bauh. pin.* 230.
β Lamium rubrum minus, foliis profunde inciſis. *R. Syn.* 240.
Anglis, red Archangel, or dead Nettle.
Habitat *in ruderatis et arvis.* ☉. V.
Pharmac. Lamii rubri *Folia, Flores.*

3. LAMIUM foliis floribus ſeſſilibus amplexicaulibus obtuſis. *Hort. cliff.* 314. *Sp. pl.* 579. *Fl. ſuec.* 522. *amplexicaule.*
Lamium folio caulem ambiente majus et minus. *Bauh. pin.* 231. *R. Syn.* 240.
Alſine hederula altera. *Ger. Em.* 616.
Alſine hederulæ folio major. *Park.* 762.
Anglis, great Henbit.
Habitat *in arvis.* ☉. VI.

GALEOPSIS. 637.

Corollæ labium ſuperius crenatum, fornicatum; labium inferius ſupra bidentatum.

1. GALEOPSIS internodiis caulinis æqualibus: verticillis omnibus remotis. *Sp. pl.* 579. *Fl. ſuec.* 524. *Ladanum.*

Sideritis arvenſis rubra. *Park.* 587. *R. Syn.* 242.
Sideritis *VII. Ger Em.* 699.
Sideritis arvenſis anguſtifolia rubra. *Bauh pin.* 233.
Anglis, narrow-leaved Allheal.
Habitat *in arvis.* ☉. VII. VIII.

Tetrahit. 2. GALEOPSIS internodiis caulinis ſuperne incraſſatis, verticillis ſummis ſubcontiguis. *Sp. pl.* 579. *Fl. ſuec.* 523.
Lamium cannabino folio vulgare. *R. Syn.* 240.
Cannabis ſpuria. *Ger. Em.* 709. *Park.* 599.
Urtica aculeata, foliis ſerratis. *Bauh. pin.* 232.
β Lamium cannabinum floribus albis, verticillis purpuraſcentibus. *R. Syn.* 241.
γ Cannabis ſpuria flore albo magno, eleganti. *Merr. pin.*
δ Lamium cannabino folio, flore amplo luteo: labio purpureo. *R. Syn.* 241.
Anglis, Nettle-hemp, or Hemp-leaved dead Nettle.
Habitat *in arvis.* δ *inter ſegetes prope* Kighley, *et per totum* Cravoniæ *tractum*; Dr. Richardſon. *R. Syn.* ☉. VIII.

Galeobdolon. 3. GALEOPSIS verticillis ſexfloris: involucro tetraphyllo. *Sp. pl.* 580. *Fl. ſuec.* 525.
Leonurus foliis ovatis ſerratis acutis. *Hort. cliff.* 313.
Lamium luteum. *Ger. Em.* 671. *Park.* 606. *R. Syn.* 240.
Lamium folio oblongo, luteum. *Bauh. pin.* 231.
Anglis, yellow Nettle-hemp.
Habitat *in ſylvis ſepibus et umbroſis.* ♃. V.

STACHYS. 638.

Corollæ labium ſuperius fornicatum; labium inferius lateralibus reflexum: intermedia majore emarginata. *Stamina* deflorata verſus latera reflexa.

germanica. 1. STACHYS verticillis multifloris, foliorum ſerraturis imbricatis caule lanato. *Sp. pl.* 581.
Stachys Fuchſii. *Bauh. hiſt III.* 319. *Ger. Em.* 795. *R. Syn.* 239.
Stachys major germanica. *Bauh. pin.* 236.
Anglis, baſe Horehound.
Habitat

arvenſis. vide Glechoma arvenſis.

Habitat *in ſepibus. Nigh* Witney *park in* Oxfordſhire, *and thereabout plentifully. R. Syn. Found by* Dr. Richardſon *four miles ſouth of* Grantham, *near the London road oppoſite* Eaſton, *the ſeat of* H. Chumley, Eſq; 4. VII.

2. STACHYS verticillis ſexfloris, foliis cordatis petiolatis. *Sp. pl.* 580. *Fl. ſuec.* 526. *ſylvatica.*
Galeopſis legitima Dioſcoridis. *Park.* 908. *R. Syn.* 237.
Galeopſis vera. *Ger. Em.* 709.
Lamium maximum ſylvaticum foetidum. *Bauh pin.* 231.
β Lamium ſylvaticum ſpicatum foetidum, folio anguloſa minus. *Pluk. alm.* 128.
Anglis, hedge Nettle.
Habitat *in ſylvis et ſepibus.* . VII. VIII.

3. STACHYS verticillis ſexfloris, foliis lineari-lanceolatis ſemiamplexicaulibus. *Sp. pl.* 580. *Fl. ſuec.* 528. *paluſtris.*
Stachys paluſtris foetida. *Bauh. pin.* 236.
Sideritis anglica ſtrumoſa radice. *Park.* 587. *R. Syn.* 242.
Panax coloni. *Ger. Em.* 1005.
Anglis, Clown's Allheal.
Habitat *in aquoſis, et ad ripas fluviorum.* 4. VIII.

BALLOTA. 639.

Cal. hypocrateriformis, quinquedentatus, decemſtriatus. *Corollæ* labium ſuperius crenatum concavum.

1. BALLOTA foliis cordatis indiviſis ſerratis, calycibus acuminatis. *Sp. pl.* 582. *Fl. ſuec.* 529. *nigra.*
Ballota *Matth.* 825. *R. Syn.* 244.
Marrubium nigrum. *Ger Em.* 701.
Marrubium nigrum foetidum, Ballotte dictum. *Park.* 1230.
Marrubium nigrum foetidum, Ballotte Dioſcordis. *Bauh. pin.* 230.
β Ballota foliis cordatis indiviſis ſerratis, calycibus ſubtruncatis. *Fl. ſuec.* 530.
Ballota flore albo. *Tourn.* 185.

Anglis, ſtinking Horehound.
Habitat *in ruderatis*. ☉. VII.
Pharmac. Marrubii nigri *Herba*.

MARRUBIUM. 640.

Cal. hypocrateriformis, rigidus, decemſtriatus. *Corollæ* labium ſuperius bifidum, lineare, rectum.

vulgare. 1. MARRUBIUM dentibus calycinis ſetaceis uncinatis. *Sp pl* 585. *Mat. med.* 305. *Hall. helv.* 648.
Marrubium album. *Bauh. hiſt. III.* 316. *Ger. Em.* 693. *R. Syn.* 239.
Marrubium album vulgare. *Bauh. pin.* 230. *Park.* 44.
Anglis, white Horehound.
Habitat *in ruderatis et ad vias*; *in ericeto* Hampſtediano. ♃. VII.
Pharmac. Marrubii albi. ſ. *Praſſii Herba*.

LEONURUS. 641.

Antheræ glandulis nitidis adſperſæ.

Cardiaca. 1. LEONURUS foliis caulinis lanceolatis trilobis. *Hort. cliff.* 313. *Fl. ſuec.* 532. *Sp. pl.* 584.
Cardiaca. *Bauh. hiſt. III.* 320. *Park.* 41. *R. Syn.* 239.
Marrubium cardiaca dictum. *Bauh. pin.* 230.
Anglis, Mother-wort.
Habitat *in ſimetis et ruderatis paſſim*. ♂. VII.
Pharmac. Cardiacæ *Herba*.

** *Calycis bilabiati.*

CLINOPODIUM. 644.

Involucrum multiſetum, verticello ſubjectum.

vulgare. 1. CLINOPODIUM capitulis ſubrotundis hiſpidis, bracteis ſetaceis. *Sp. pl.* 587.
Clinopodium organo ſimile. *Bauh. pin.* 224. *R. Syn.* 239.
Acinos. *Ger. Em.* 675. ſ. clinopodium majus. *Park.* 22.
Anglis, great wild Baſil.
Habitat *ad ſepes et in pratis aridis*. ♃. VII.

ORI-

ORIGANUM. 645.

Strobilus tetragonus, ſpicatus, calyces colligens.

1. ORIGANUM ſpiciis ſubrotundis paniculatis conglomeratis, bracteis calyce longioribus ovatis. *Sp. pl.* 590. *Fl. ſuec.* 534. *vulgare.*
Origanum vulgare ſpontaneum. *Bauh. hiſt. III.* 236. *R. Syn.* 236.
Origanum anglicum. *Ger. Em.* 666.
Origanum ſylveſtre. *Bauh. pin.* 223.
Majorana ſylveſtris. *Park.* 12.
Anglis, wild Marjoram.
Habitat *ad ſepes et in dumetis.* ♃. VII.
Pharmac. Origani vulgaris *Herba.*

2. ORIGANUM ſpicis oblongis aggregatis hirſutis, foliis cordatis tomentoſis. *Sp. pl.* 590. *onites.*
Origanum onites. *Bauh. pin.* 223. *R. Syn.* 236.
Majorana major anglica. *Ger. Em.* 664.
Majorana latifolia, ſ. major anglica. *Park* 12.
Anglis, Pot-marjoram.
Habitat *in pratis aridis. On the left hand of the road from* Braintree *to* Raine, *beyond the bridge.* Mr. Dale. *R. Syn.* ♃. VIII.

THYMUS. 646.

Calycis bilabiate faux villis clauſa.

1. THYMUS floribus capitatis caulibus repentibus foliis planis obtuſis baſi ciliatis. *Mat. med.* 282. *Sp. pl.* 590. *Fl. ſuec.* 535. *ſerpyllum.*
Serpyllum vulgare. *Ger. Em.* 570. *Bauh. hiſt. III.* 269. *R. Syn.* 230.
Serpyllum vulgare minus. *Bauh. pin.* 220. *Park.* 8.
β Serpyllum vulgare, flore albo. *Tourn.* 197.
γ Serpyllum vulgare, flore amplo. *R. Syn.* 230.
δ Serpyllum vulgare majus. *Bauh. pin.* 220.
ε Serpyllum citratum *Ger. Em.* 575.
ζ Serpyllum anguſtifolium glabrum. *Bauh. pin.* 220.
η Serpyllum vulgare hirſutum. *R. Syn.* 231.
ϑ Serpyllum villoſum fruticoſius floribus dilute rubentibus. *R, Syn.* 231.

ι Serpyllum hirſutum, minus, repens, inodorum. *Pluk. alm.* 344.
Anglis, Mother of Thyme, ε Lemon Thyme, ν Hoary Thyme.
Habitat *in montoſis ubique.* ♃. VII. VIII.
Pharmac. Serpylli *Herba.*

Acinos. 2. THYMUS floribus verticillatis, pedunculis unifloris, caulibus erectis ſubramoſis, foliis acutis ſerratis. *Sp. pl.* 591. *Fl. ſuec.* 536.
Acinos multis. *Bauh. hiſt. III.* 259. *R. Syn.* 238.
Ocymum ſylveſtre. *Ger. Em.* 675.
Clinopodium arvenſe ocymi facie. *Bauh. pin.* 225.
Clinopodium minus ſ. vulgare. *Park.* 21.
Anglis, wild Baſil.
Habitat *in collibus aridis glareoſis et cretaceis paſſim.* ☉. VII. VIII.

MELISSA. 647.

Genera reſtituo-pulmc. *Cal.* aridus, ſupra planiuſculus: lab. ſuperiore ſubfaſtigiato. *Corollæ* lab. ſuperius fornicatum bifidum; labii inferioris lobo medio cordato.

Calamintha. 1. MELISSA pedunculis axillaribus dichotomis longitudine foliorum. *Sp. pl.* 593.
Calamintha vulgaris. *Park.* 36. *R. Syn.* 243. *off. Ger. Em.* 687.
Calamintha vulgaris, vel officinarum Germaniæ. *Bauh. pin.* 228.
Anglis, common Calamint.
Habitat *ad vias et in agrorum marginibus ſed rarius.* ♃. VIII.
Pharmac. Calaminthæ montanæ *Herba.*

nepeta. 2. MELISSA pedunculis axillaribus dichotomis folio longioribus, caule decumbente. *Sp. pl.* 593.
Calamintha odore Pulegii. *Ger. Em.* 687. *R. Syn.* 243.
Calamintha Pulegii odore ſ. Nepeta. *Bauh. pin.* 228.
Calamintha altera odore Pulegii, foliis maculoſis. *Park.* 36.
Anglis, Field Calamint.

Habitat

Habitat *in marginibus viarum, agrorumque.* ♃. VIII.
Pharmac. Calaminthæ officinalis *Herba.*

MELITTIS. 650.

Cal, tubo corollæ amplior. *Corollæ* labium ſuperius planum; lab. inferius crenatum. *Antheræ* cruciatæ.

1. MELITTIS. *Hort. cliff.* 390. *Sp. pl* 597. *meliſſophyllum.*
Meliſſa Fuchſii. *Lob. ic.* 515. *Ger. Em.* 690. *R. Syn.* 242.
Meliſſophyllon Fuchſii. *Park.* 41.
Lamium montanum meliſſæ folio. *Bauh. pin.* 231.
Anglis, baſtard Balm.
Habitat *in ſylvis et ſepibus. In ſeveral woods in the weſt of* England, *as about* Totneſs *in* Devonſhire, *and* Haverford-weſt *in* Pembrokeſhire. *R. Syn.* ♃. VI.

PRUNELLA. 654.

Filamenta bifurca, altero apice antherifera.

1. PRUNELLA foliis ovato-oblongis petiolatis. *Sp. pl.* 600. *Fl. ſuec.* 540. *vulgaris.*
Prunella bracteis cordatis. *Hort. cliff.* 316.
Prunella. *Ger. Em.* 631. *R. Syn.* 238. vulgaris. *Park.* 1680.
Prunella major folio non diſſecto. *Bauh. pin.* 260.
Anglis, Self-heal.
Habitat *in pratis et paſcuis.* ♃. VIII.
Pharmac. Prunellæ *Herba.*

SCUTELLARIA. 653.

Cal. ore integro, poſt floreſcentiam clauſo, operculato.

1. SCUTELLARIA foliis cordato-lanceolatis rugoſis, crenatis, floribus axillaribus. *Fl. lapp.* 239. *Hort. cliff.* 316. *Sp. pl.* 599. *galericulata.*
Caſſida paluſtris vulgatior flore cæruleo. *Tourn.* 182. *R. Syn.* 244.

Lyſimachia cærulea galericulata, ſeu gratiola cærulea. *Bauh. pin.* 246.
Lyſimachia galericulata. *Ger. Em.* 477.
Lyſimachia cærulea, ſ. latifolia major. *Park.* 221.
Anglis, Hooded Willow-herb.
Habitat *in aquoſis et ad ripas fluviorum.* ♃. VIII.

minor. 2. SCUTELLARIA foliis cordato-ovatis ſubintegerrimis floribus axillaribus.
Caſſida paluſtris minima, flore purpuraſcente. *Tourn.* 182. *R. Syn.* 244.
Lyſimachia galericulata minor. *R. Syn. II.* 132.
Gratiola latifolia. *Ger. Em.* 581. ſ. noſtras minor. *Park.* 221.
Anglis, the leſſer hooded Willow-herb.
Habitat *in paluſtribus.* ♃. VII. VIII.

ANGIOSPERMIA.

* *Calyces bifidi.*

OROBANCHE. 697.

Cal. bifidus. *Cor.* ringens. *Capſula* unilocularis, bivalvis, polyſperma. *Glandula* ſub baſi germinis.

major. 1. OROBANCHE caule ſimpliciſſimo pubeſcente, ſtaminibus ſubexſertis. *Syſt. nat.* 1119. *Sp. pl.* 632.
Orobanche major Garyophyllum olens. *Bauh. pin.* 87. *R. Syn.* 288.
Rapum Geniſtæ. *Ger. Em.* 1311. *Park.* 229.
β Orobanche flore minore. *Bauh. hiſt. II.* 781.
Anglis, Broom-rape.
Habitat *in pratis ſiccis.* ♃. V. VI.

ramoſa. 2. OROBANCHE caule ramoſo corollis quinquefidis. *Sp. pl.* 633.
Orobanche ramoſa. *Bauh. pin.* 88. *Park.* 1363. *R. Syn.* 288.
Anglis, branched Broom-rape.

Habitat

Habitat *in arvis. Found near* Beccles *in* Suffolk, by Mr. J. Sherard. *R. Syn.* VI.

** *Calyces quadrifidi.*

LATHRÆA. 661.

Cal. quadrifidus. *Glandula* depreſſa, ad baſin futuræ germinis. *Capſ.* unilocularis.

1. LATHRÆA caule ſimpliciſſimo, corollis pendulis: labio inferiore trifido. *Sp. pl.* 606. *Fl. ſuec.* 550. *ſquamaria.*
Anblatum cordi ſ. Aphyllon. *Bauh. hiſt. II.* 783. *R. Syn.* 288.
Orobanche radice dentata major. *Bauh. pin.* 88.
Orobanche radice dentata, ſ. Dentaria major Matthiolo. *Ger. Em.* 1322.
Anglis, Tooth-wort.
Habitat *in umbroſis et ad radices montium ſed rarius. In the woods about* Maidſtone *in* Kent, Mr. J. Sherard. *R. Syn. in a ſhady lane leading from* Harefield *town to the river, plentifully. Blackſ. ſpec. bot. in dumetis infra* Conzick-ſcar, *prope* Kendal *in* Weſtmorlandia. ♃. IV. V.

BARTSIA. 657.

Cal. bilobus, emarginatus, coloratus. *Corolla* minus ipſo calyce colorata; labio ſuperiore longiore. *Capſ.* bilocularis.

1. BARTSIA foliis ſuperioribus alternis ſerratis, floribus lateralibus. *Sp. pl.* 602. *viſcoſa.*
Euphraſia major lutea latifolia paluſtris. *R. Syn.* 285. *Pluk. ph t.* 27. *f.* 5. *Hiſt. ox. III.* 432.
Anglis, Marſh Eye-bright Cow-wheat,
Habitat *in paluſtribus. In boggy and watery places towards the further end of* Cornwal. *R. Syn.* ☉. VIII.

2. BARTSIA foliis oppoſitis cordatis obtuſe ſerratis. *alpina.*
Hort. cliff. 325. *Sp. pl.* 602. *Fl. ſuec.* 541.
Clinopodium alpinum hirſutum. *Bauh. pin.* 225. *Pluk. ph. t.* 163. *f.* 5.

Euphraſia

Euphraſia rubra Weſtmorlandica, foliis brevibus obtuſis. *R. Syn.* 285.
Anglis, Mountain Eye-bright Cow-wheat.
Habitat *ad ripas fluviorum, locis apricis duris. Prope* Orton *vicum in* Weſtmorlandia, *juxta rivulum qui decurrit ſecus viam qua inde* Croſbeiam *itur. R. Syn.* 4. VIII.

RHINANTHUS. 658.

Cal. quadrifidus, ventricoſus. *Capſ.* bilocularis, obtuſa, compreſſa.

Criſta galli. 1. RHINANTHUS corollum labio ſuperiore compreſſo breviore. *Fl. lapp.* 248. *Sp. pl.* 603. *Fl. ſuec.* 542.
Pedicularis ſ. Criſta galli lutea. *Park.* 713. *R. Syn.* 284.
Pedicularis pratenſis lutea ſive Criſta galli. *Bauh. pin.* 163.
Criſta galli. *Ger. Em.* 1071.
β Pedicularis major anguſtifolia ramoſiſſima, flore minore luteo, labello purpureo. *R. Syn.* 284.
Anglis, yellow Rattle, or Cock's-comb.
Habitat *in pratis et paſcuis.* ⊙. VI. VII.

EUPHRASIA. 659.

Cal. quadrifidus, cylindricus. *Capſula* bilocularis, ovato-oblonga. *Antheræ* inferiores altero lobo baſi ſpinoſa.

officinalis. 1. EUPHRASIA foliis ovatis argute dentatis. *Sp. pl.* 604. *Fl. ſuec.* 543.
Euphraſia. *Bauh. hiſt. III.* 432. *Ger. Em.* 563. *R. Syn.* 284.
Euphraſia vulgaris. *Park.* 1329.
Euphraſia officinarum. *Bauh. pin.* 233.
Anglis, Eye-bright.
Habitat *in pratis et paſcuis.* ⊙. VIII. IX.
Pharmac. Euphraſiæ *Herba.*

odontites. 2. EUPHRASIA foliis linearibus: omnibus ſerratis. *Hort. cliff.* 326. *Roy. lugdb.* 299. *Sp. pl.* 604.

Euphraſia

Euphraſia pratenſis rubra. *Bauh. pin.* 234. *R. Syn.* 284. major. *Park.* 1329.
Cratæogonon Euphroſine. *Ger. Em.* 91.
Anglis, red Eye-bright.
Habitat *in arvis et paſcuis.* ☉. VIII. IX.

MELAMPYRUM. 660.

Cal. quadrifidus. *Cor.* labium ſuperius compreſſum, margine replicato. *Capſ.* bilocularis obliqua, hinc dehiſcens. *Sem.* duo, gibba.

1. MELAMPYURM ſpicis quadrangularibus compactis obtuſis imbricatis. *Sp. pl.* 605. *Fl. ſuec.* 545. *criſtatum.*
Melampyrum criſtatum, flore albo et purpureo. *Bauh. hiſt. III.* 440. *R. Syn.* 286.
Melampyrum luteum anguſtifolium. *Bauh. pin.* 234.
Anglis, creſted Cow-wheat.
Habitat *in ſylvis* Cantabrigienſibus *et* Bedfordienſibus *copioſe. R. Syn.* ☉. VII.

2. MELAMPYRUM ſpicis conicis laxis laceris. *Sp. pl. arvenſe.* 605. *Fl. ſuec.* 511.
Melampyrum purpuraſcente coma. *Bauh. pin.* 234. *R. Syn.* 286.
Anglis, purple Cow-wheat.
Habitat *in arvis. In the corn, on the right hand, juſt before you come to* Lycham *in* Norfolk. *R. Syn. On a hill at* Horſley *bath, near* Beeſton-caſtle, Cheſhire, Mr. Vernon. *Blackſ. ſpec. bot.* ☉. VII.

3. MELAMPYRUM florum conjugationibus remotis, corollis clauſis. *Fl. ſuec.* 548. *Sp. pl.* 605. *pratenſe.*
Melampyrum latifolium flore albo; labio inferiore duabus maculis luteis diſtincto. *Hiſt. pl. par. R. Syn.* 286.
Anglis, Meadow Cow-wheat.
Habitat *in pratis et paſcuis. In the wood by* Dr. Richardſon's *houſe at* North Bierley. *R. Syn.* ☉. VII. VIII.

4. ME-

ſylvaticum. 4. MELAMPIRUM corollis hiantibus. *Sp. pl.* 605. *Fl. ſuec.* 549.
Melampyrum ſylvaticum flore luteo, ſive Satureja lutea ſylveſtris. *Bauh. hiſt. III.* 441. *R. Syn.* 286.
Melampyrum luteum latifolium. *Bauh. pin.* 234.
Cratæogonon album. *Ger. Em.* 91.
Cratæogonon vulgare. *Park.* 1326.
Anglis, yellow Cow-wheat.
Habitat *in ſylvis.* ☉. VI. VIII.

**** Calyces quinquefidi.*

PEDICULARIS. 664.

Cal. quinquefidus. *Capſ.* bilocularis, mucronata, obliqua. *Semina* tunicata.

ſylvatica. 1. PEDICULARIS caule ramoſo, calycibus oblongis angulatis lævibus, corollis labio cordato. *Sp. pl.* 607. *Fl. ſuec.* 552.
Pedicularis caule ramoſo, floribus ſolitariis, calycibus quinquefidis crenatis. *Fl. ſuec. I.* 504.
Pedicularis. *Ger. Em.* 1071. pratenſis purpurea. *Bauh. pin.* 163.
Pedicularis pratenſis rubra vulgaris. *Park.* 713. *R. Syn.* 284.
Anglis, common Louſe-wort.
Habitat *in pratis et ericetis uliginoſis.* ♃. V. VI.

paluſtris. 2. PEDICULARIS caule ramoſo, calycibus calloſo-punctatis, corollis labio obliquis. *Sp. pl.* 607. *Fl. ſuec.* 551.
Pedicularis caule ramoſo erecto, calycibus bifidis crenatis. *Hall. helv* 621.
Pedicularis paluſtris rubra elatior. *R. Syn.* 284.
Pedicularis danica maxima. *Lob. ill.* 147.
Anglis, Marſh Louſe-wort.
Habitat *in pratis et paſcuis humidioribus.* VI.

ANTIRRHINUM. 668.

Cal. pentaphyllus. Corollæ baſis deorſum prominens, nectarifera. *Capſ.* bilocularis.

* *Foliis*

* *Foliis angulatis.*

*1. ANTIRRHINUM foliis cordatis quinquelobis alternis caulibus procumbentibus. *Syſt. nat.* IIII. *Hort. cliff.* 32. *upſ.* 175. *Sp. pl.* 612. *Cymbalaria.*
Linaria hederaceo folio glabro, ſ. Cymbalaria. *Tourn.* 169. *R. Syn.* 282.
Cymbalaria. *Bauh. pin.* 306.
Anglis, Ivy-leaved Toadflax.
Habitat *in muris antiquis circa* Londinum *frequens.* 4. VI. X.

2. ANTIRRHINUM foliis haſtatis alternis, caulibus procumbentibus, corollis calcaratis. *Sp. pl.* 612. *Elatine.*
Linaria Elatine dicta folio acuminato. *R. Syn.* 282.
Elatine folio acuminato, in baſi auriculato, flore luteo. *Bauh. pin.* 253.
Elatine folio acuminato. *Park.* 553.
Elatine altera. *Ger. Em.* 623.
Anglis, ſharp-pointed Fluellin.
Habitat *in arvis.* ☉. VIII. X.
Pharmac. Elatines *Herba.*

3. ANTIRRHINUM foliis ovatis alternis, caulibus procumbentibus, corollis calcaratis. *Sp. pl.* 613. *ſpurium.*
Linaria Elatine dicta folio ſubrotundo. *R. Syn.* 282.
Elatine folio ſubrotundo. *Bauh. pin.* 252. *Park.* 553.
Veronica fœmina Fuchſii, ſ. Elatine. *Ger. Em.* 625.
Anglis, round-leaved Fluellin.
Habitat *in arvis.* ☉. VIII.

** *Foliis oppoſitis verticillatis.*

4. ANTIRRHINUM follis ſublinearibus: inferioribus verticillatis, calycibus piloſo-viſcidis, floribus ſpicatis, caule erecto. *Sp. pl.* 614. *arvenſe.*
Antirrhinum foliis linearibus alternis recurvis, ramis caule brevioribus. *Roy. lugdb.* 297.
Linaria arvenſis cærulea. *Bauh. pin.* 213. *Dill. elth.* 199. *t.* 163. *f.* 198.
Linaria cærulea foliis brevioribus et anguſtioribus. *R. Syn.* 282.
Anglis, Corn blew Toadflax.
Habitat *in arvis et pratis aridis.* ☉. VII. VIII.

5. AN-

repens. 5. ANTIRRHINUM foliis ſublinearibus inferne quaternis calycibus capſulæ æqualibus. *Sp. pl.* 614.
Antirrhinum foliis linearibus alternis ſæpius oppoſitis acuminatis floribus laxe ſpicatis. *Roy. lugdb.* 297.
Linaria anguſtifolia, flore cinereo ſtriato. *Dill. elth.* 198. *t.* 163. *f.* 197.
Anglis, creeping Toadflax.
Habitat *in* Cornubia *non longe ab oppido* Penryn *occidentem verſus, in ſepibus. R. Syn.* 4. VIII.

*** *Foliis alternis.*

monſpeſſulanum. 6. ANTIRRHINUM foliis linearibus confertis, caule nitido paniculato, pedunculis ſpicatis nudis. *Roy. lugdb.* 297. *Sp. pl.* 616.
Linaria odorata monſpeſſulana. *Bauh. hiſt. III.* 459. *R. Syn.* 282.
Linaria capillaceo folio odora. *Bauh. pin.* 213.
Anglis, ſweet-ſmelling Toadflax.
Habitat *in arvis prope* Gads-hill, *in* Cantio. 4. VII. VIII.

Linaria. 7. ANTIRRHINUM foliis lanceolato-linearibus confertis, caule recto, ſpicis terminalibus ſeſſilibus, floribus imbricatis. *Sp. pl.* 616.
Linaria lutea vulgaris. *Ger. Em.* 550. *Bauh. hiſt. III.* 456. *R. Syn.* 281.
Linaria vulgaris noſtras. *Park.* 458.
Linaria vulgaris lutea flore majore. *Bauh. pin.* 212.
β Peloria. *Amoen. acad. I.* 282. *t.* 3.
Anglis, common yellow Toadflax.
Habitat *in pratis et paſcuis ſterilioribus* β *in pratis arenoſis prope* Clapham, *in comitatu* Surrienſi. 4. VII. *Pharmac.* Linariæ *Herba.*

minus. 8. ANTIRRHINUM foliis lenceolatis obtuſis alternis, caule ramoſiſſimo diffuſo. *Sp. pl.* 617.
Antirrhinum arvenſe minus. *Bauh. pin.* 212.
Antirrhinum minimum repens. *Ger. Em.* 549.
Antirrhinum ſylveſtre minimum. *Park.* 1334.
Linaria antirrhinum dicta. *R. Syn.* 283.
Anglis, the leaſt Toadflax.
Habitat *in arvis ſolo glareoſo.* ☉. VI. X.

**** *Corollis*

**** *Corollis biantibus aut ecaudatis, foliis alternis integris.*

*9. ANTIRRHINUM corollis ecaudatis, calycibus rotundatis. *Sp. pl.* 617. *majus.*
Antirrhinum foliis lanceolatis petiolatis, calycibus breviſſimis, racemo terminali. *Vir. cliff.* 61. *Roy. lugdb.* 294.
Antirrhinum majus alterum, folio longiore. *Bauh. pin.* 211.
Antirrhinum purpureum. *Ger. Em.* 549.
Anglis, the greater Snapdragon.
Habitat *in muris antiquis; in clivis cretaceis inter* Northfleet *et* Graveſend *copioſe.* ♃. VI.

10. ANTIRRHINUM corollis ecaudatis, calycibus corolla longioribus. *Sp. pl.* 617. *orontium.*
Antirrhinum anguſtifolium ſylveſtre. *Bauh. hiſt. III.* 464. *R. Syn.* 283.
Antirrhinum arvenſe majus. *Bauh. pin.* 212.
Antirrhinum ſylveſtre medium. *Park.* 1334.
Antirrhinum minus. *Ger. Em.* 549.
Anglis, the leaſt Snapdragon, or Calf's-ſnout.
Habitat *in arvis.* ☉. VII. VIII.

SCROPHULARIA. 674.

Cal. quinquefidus. *Corolla* ſubgloboſa, reſupinata. *Capſ.* bilocularis.

1. SCROPHULARIA foliis cordatis baſi tranſverſis, caule obtuſangulo. *Sp. pl.* 619. *nodoſa.*
Scrophularia major. *Ger. Em.* 715. *R. Syn.* 283.
Scrophularia vulgaris. *Park.* 610.
Scrophularia nodoſa foetida. *Bauh. pin.* 235.
Anglis, knobby-rooted Fig-wort.
Habitat *in ſylvis et ſepibus humidis.* ♃. VII.
Pharmac. Scrophulariæ *Folia, Radix.*

2. SCROPHULARIA foliis cordatis petiolatis decurrentibus, caule membranis angulato, racemis terminalibus. *Sp. pl.* 620. *aquatica.*
Scrophularia aquatica major. *Bauh. pin.* 235. *R. Syn.* 283.

Betonica

Betonica aquatica. *Ger. Em.* 715. major. *Park.* 613.
Anglis, Water Fig-wort, or Betony.
Habitat *in aquoſis*. ♃. VII.
Pharmac. Scrophulariæ Δ. ſ. Betonicæ aquaticæ *Folia*.

ſcorodonia. 3. SCROPHULARIA foliis cordatis duplicato-ſerratis, racemo compoſito. *Roy. lugdb.* 296. *Sp. pl.* 620.
habitat in Jersey Srophularia ſcorodoniæ folio. *Hort. R. Bl. Hiſt. ox. II.* 482. *Pet. h. br. t.* 35. *f.* 11. *R. Syn.* 283.
Scrophularia meliſſæ folio. *Tourn.* 166.
Anglis, Balm-leaved Fig-wort.
Habitat *ad ſepes et rivulos. Found near the ſea-ſhore about* St. Ives *in* Cornwal *by* Mr. Ed. Lhwyd. *R. Syn.* ♃. VIII. *Pluk. Alm. 338. t. 59. f. 5.*

vernalis. *4. SCROPHULARIA foliis cordatis, pedunculis axillaribus ſolitariis dichotomis. *Sp. pl.* 620. *Roy. lugdb.* 293.
Scrophularia flore luteo. *Ger. Em.* 717. *Bauh. pin.* 236. *pr.* 112. *Park.* 610.
Anglis, yellow Fig-wort.
Habitat *ad ſepes prope* Mitcham, *in comitatu* Surrienſi, *copioſe*. ♂. IV. V.

DIGITALIS. 676.

Cal. quinquepartitus. *Cor.* campanulata, quinquefida, ventricoſa. *Capſ.* ovata bilocularis.

purpurea. 1. DIGITALIS calycinis foliolis ovatis acutis, corollis obtuſis labio ſuperiore integro. *Hort. upſ.* 178. *Sp. pl.* 621.
Digitalis purpurea. *Bauh. hiſt. II.* 812. *Ger. Em.* 790. *R. Syn.* 283.
Digitalis purpurea, folio aſpero. *Bauh. pin.* 243.
Digitalis purpurea vulgaris. *Park.* 1653.
β Digitalis alba, folio aſpero. *Bauh. pin.* 243.
Anglis, purple Fox-glove.
Habitat *ad vias et ſepes paſſim*. ♂. VII.
Pharmac. Digitalis *Folia, Flores*.

SIB-

SIBTHORPIA. 693.

Cal. quinquepartitus. *Corolla* quinquepartita æqualis. *Stam.* paribus remotis. *Capſ.* compreſſa, orbicularis, bilocularis: diſſepimento-tranſverſo.

1. SIBTHORPIA foliis reniformi-ſubpeltatis crenatis. *europæa.*
Sp. pl. 631.
Alſine ſpuria puſilla repens foliis ſaxifragæ aureæ. *Cat. pl. ang. Pluk. ph. t.* 7. *f.* 6. *R. Syn.* 352.
Chryſoſplenium cornubienſe. *Pet. herb. br. t.* 6. *f.* 11.
Anglis, baſtard Money-wort.
Habitat *ad rivulos et ſcaturagines. In* Cornubia *et* Devonia *frequens. R. Syn. circa* Longſledale *in* Weſtmorlandia. ♃. VIII.

LIMOSELLA. 694.

Cal. quinquefidus. *Cor.* quinquefida, æqualis. *Stamina* per paria approximata. *Capſ.* unilocularis, bivalvis, polyſpermia.

1. LIMOSELLA. *Fl. lapp.* 249. *ſuec.* 563. *Sp. pl* 631. *aquatica.*
Plantaginella paluſtris. *Bauh pin.* 190. *R. Syn* 278.
Alſine paluſtris repens, foliis lanceolatis, floribus perexiguis. *Pluk. ph. t.* 74. *f.* 4.
Anglis, baſtard Plantain.
Habitat *in inundatis et ubi aquæ pluviales ſtagnant.* ♃. VIII. IX.

Claſſis XV.

TETRADYNAMIA

SILICULOSA.

* *Silicula integra, nec apice emarginata.*

MYAGRUM. 713.

Silicula ſtylo conico terminata, loculo ſubmonoſpermo.

ſativum. *1 MYAGRUM ſiliculis ovatis pedunculatis polyſpermis. *Sp. pl.* 641. *Fl. ſuec.* 564.
Myagrum. *Ger. Em.* 273. *R. Syn.* ſativum. *Bauh. pin.* 109.
Myagrum ſylveſtre ſ. Pſeudo-myagrum. *Park.* 868.
Seſamum. *Trag. II.* 656.
Camelina ſive Myagrion. *Dod. pempt.* 532.
Anglis, Gold of Pleaſure.
Habitat *in agris inter Linum ſæpe copioſe, cum quo ab exteris terris introductum.* ⊙. VI.

SUBULARIA. 716.

Silicula integra, ovata, valvis ovatis, concavis, diſſepimento contrariis. *Stylus* ſilicula breviore.

aquatica. 1. SUBULARIA. *Fl. lapp.* 253. *ſuec.* 566. *Sp. pl.* 642.
Subularia erecta, junci foliis acutis mollibus. *R. Syn.* 307.
Juncifolia ſub aquis naſcens, cochleariæ capſulis. *R. Syn. ed. II.* 281.
Graminifolia aquatica, thlaſpeos capitulis rotundis, ſepto medio ſiliculam dirimente. *Pluk. ph. t.* 188. *f.* 5.
Anglis, Awl-wort.
Habitat *ſub aquis, ſolo glareos, in lacu* Hibernico Lough Neagh. *R. Syn.* 4.

VELLA.

VELLA. 714.

Silicula diſſepimento valvulis duplo majore, extra ovato.

1. VELLA foliis pinnatifidis, ſiliculis pendulis. *Sp. pl.* 641. *annua.*
Naſturtium ſylveſtre erucæ affine. *Bauh. pin.* 105. *R. Syn.* 304.
Naſturtium ſylveſtre valentinum Cluſio. *Bauh. hiſt. II.* 920. *Park.* 830.
Eruca naſturtio cognata tenuifolia. *Ger. Em.* 247.
Anglis, Creſſe Rocket.
Habitat *on* Saliſbury-plain, *not far from* Stonehenge, Mr. Lawſon. *R. Syn.* ☉. VI.

DRABA. 717.

Silicula integra, ovali-oblonga: valvis planiuſculis; diſſepimento parallelis. *Stylus* nullus.

1. DRABA ſcapis nudis, foliis ſubſerratis. *Syſt. nat.* 1227. *verna.*
Draba caulibus nudis, foliis ſubdentatis, petalis bipartitis. *Fl. ſuec.* 567. *Sp. pl.* 642.
Draba vulgaris caule nudo, polygoni folio hirſuto. *Dill. gen* 122. *Cat. giſſ.* 40.
Paronychia vulgaris. *Ger. Em.* 624. *R. Syn.* 292.
Paronychia vulgaris alſines folio. *Park.* 556.
Burſa paſtoris minor loculo oblongo. *Bauh. pin.* 108.
Anglis, common Whitlow-graſs.
Habitat *ubique fere in ſiccioribus.* ☉. IV.

2. DRABA caule ramoſo, foliis cordatis dentatis amplexicaulibus. *Roy. lugdb.* 333. *It. gotl.* 192. *Fl. ſuec.* 569. *Sp. pl.* 642. *muralis.*
Burſa paſtoris major loculo oblongo. *Bauh. pin.* 108. *pr.* 50. *R. Syn.* 292.
Thlaſpi veronicæ folio. *Park.* 843. *Th. Robinſ. H. of Weſt.* 95.
Anglis, Speedwel-leaved Whitlow-graſs.
Habitat *in fiſſuris rupium et pratis montoſis in comitatibus* Weſtmorlandico, *et* Eboracenſi *paſſim.* ☉. ſ. ♂. V.

incana. 3. DRABA foliis caulinis numeroſis incanis, ſiliculis oblongis. *Sp. pl.* 643. *Fl. ſuec.* 568.
Draba caule ramoſo folioſo foliis dentatis. *Fl. lapp.* 254.
Lunaria contorta major. *Pet. Herb. br. t.* 48. *γ.* 3. *R. Syn.* 291.
Lunaria vaſculo ſub longo intorto. *R. Syn. ed. II.* 164. *Pluk. ph. t.* 42. *f.* 1.
β Paronychiæ ſimilis ſed major, perennis alpina repens. *R Syn.* 292.
Anglis, wreathen-poded Whitlow-graſs.
Habitat *in fiſſuris rupium et pratis montoſis ſubhumidis, in comitatibus* Eboracenſi, Weſtmorlandico, Cumberlandico, *paſſim et in montibus* Arvoniæ. *δ.* V.

** *Silicula emarginata apice.*

LEPIDIUM. 717.

Silicula emarginata, cordata, polyſperma: valvulis carinatis contrariis.

latifolium. 1. LEPIDIUM foliis ovato-lanceolatis integris ſerratis. *Fl. ſuec* 571. *Sp. pl.* 644.
Lepidium latifolium. *Bauh. pin* 97. *R. Syn.* 304.
Piperitis ſ. Lepidium vulgare. *Park.* 855.
Raphanus ſylveſtris officinarum. *Ger. Em.* 241.
Anglis, Dittander, or Pepperwort.
Habitat *in pratis et paſcuis ſed rarius. Near the* Hythe *at* Colcheſter, *and at* Heybridge *near* Maldon, *by the water-ſide, plentifully; plentifully in the corn betwixt* Beningtorough *and* Mitton, *in the north riding of* Yorkſhire. *R. Syn. In the marſhes near* Grays *in* Eſſex, Dr. Watſon. ♃. VI. VII.
Pharmac. Lepidii *Herba.*

ruderale. 2. LEPIDIUM floribus diandris apetalis, foliis radicalibus dentato-pinnatis, ramiferis linearibus integerrimis. *Hort. cliff.* 331. *Fl. ſuec.* 572. *Sp. pl.* 645.
Naſturtium ſylveſtre, oſyridis folio. *Bauh. pin.* 105. *Park.* 829. *R. Syn.* 303. capſulis minimis. *Hiſt. ox. II.* 301. *ſ.* 3. *t.* 19. *f.* 7.

Naſtur-

Naſturtium anguſtifolium. *Fuchſ. hiſt.* 307. *Dalech. hiſt.* 1181.
Thlaſpi minus. *Ger. Em.* 263.
Anglis, narrow-leaved wild Creſs, or Dittander.
Habitat *in maritimis. At* Maldon *in* Eſſex, Lynne *in* Norfolk, *and* Truro *in* Cornwal. *R. Syn.* ☉. VI.

3. LEPIDIUM foliis pinnatis integerrimis, petalis emarginatis calyce minoribus. *Syſt. nat.* 1127. *Fl. ſuec.* 573. *Sp. pl.* 644. *petræum.*
Naſturtiolum montanum annuum tenuiſſime diviſum. *D. Bobart. R. Syn.* 304.
Naſturtium pumilum vernum. *Bauh. pin.* 105.
Naſturtium petræum annuum noſtras. *Pluk. ph. t.* 204. *f.* 5.
Cardamine puſilla ſaxatilis montana diſcoides. *Col. Ec. I.* 275. *t.* 274.
Anglis, Mountain Dittander.
Habitat *on* S. Vincent's *rock. R. Syn.* ☉. IV. V.

THLASPI. 719.

Silicula emarginata, obcordata, polyſperma: valvulis navicularibus, marginato-carinatis.

1. THLASPI ſiliculis ſubrotundis, foliis ſagittatis dentatis incanis. *Fl. ſuec.* 575. *Sp. pl.* 646. *campeſtre.*
Thlaſpi vulgatius. *Bauh. hiſt. II.* 921. *R. Syn.* 305.
Thlaſpi arvenſe, vaccariæ folio, majus. *Bauh. pin.* 106.
Thlaſpi vulgatiſſimum. *Ger. Em.* 262.
Thlaſpi mithridaticum ſ. vulgatiſſimum, vaccariæ folio. *Park.* 835.
Anglis, Mithridate, Muſtard, or Baſtard Creſs.
Habitat *in arvis ſolo arenoſo.* ☉. VI. VII.
Pharmac. Thlaſpeos vulgaris *ſemina.*

2. THLAPSI ſiliculis orbiculatis, foliis oblongis dentatis glabris. *Fl. lapp.* 237. *ſuec.* 574. *Sp. pl.* 646. *Mat. med.* 323. *arvenſe.*
Thlaſpi arvenſe, ſiliquis latis. *Bauh. pin.* 105.
Thlaſpi Dioſcoridis. *Ger. Em.* 262. *R. Syn.* 305.

Thlaſpi Drabæ folio. *Park.* 836.
Anglis, Treacle-muſtard, or Penny-creſs.
Habitat *in arvis ſed rarius.* ⊙. VI. VII.
Pharmac. Thlaſpeos *ſemina.*

perfoliatum. 3. THLASPI ſiliculis ſubrotundis, foliis amplexicaulibus cordatis ſubſerratis. *Sp. pl.* 646.
Thlaſpi foliis radicalibus ovatis, caulinis amplexicaulibus lanceolatis. *Guett. ſtamp.* 142. *Dalib. pariſ.* 196.
Thlaſpi perfoliatum minus. *Bauh. pin.* 106. *Park.* 837. *R. Syn.* 305.
Thlaſpi minus Cluſii. *Ger. Em* 268.
Anglis, perfoliate Treacle-muſtard.
Habitat *in pratis montoſis. Among the ſtone-pits between* Whitney *and* Burford, *in* Oxfordſhire *On moiſt Limeſtone paſtures in* Yorkſhire, Weſtmoreland, *and* Cumberland. *R. Syn.* ⊙. VI.

hirtum. 4. THLASPI ſiliculis ſubrotundis piloſis, foliis caulinis ſagittatis hirſutis. *Roy. lugdb.* 333. *Sauv. monſp.* 120. *Sp. pl.* 646.
Thlaſpi vaccariæ incano folio perenne. *R. Syn.* 305.
Thlaſpi capſulis hirſutis. *Bauh. hiſt. II.* 922.
Thlaſpi villoſum, capſulis hirſutis. *Bauh. pin.* 106. *pr.* 212.
Anglis, Perennial Mithridate Muſtard.
Habitat *in montoſis*, Cambro-britanniæ *et alibi obſervavi. R. Syn.* 4. VII.

montanum 5. THLASPI ſiliculis obcordatis, foliis integerrimis glabris: radicalibus cuneiformibus; caulinis amplexicaulibus. *Syſt. nat.* 1128.
Thlaſpi ſiliculis obcordatis, foliis radicalibus cuneiformibus integerrimis. *Sp. pl* 647.
Thlaſpi foliis globulariæ. *Bauh. hiſt. II.* 926. *R. Syn.* 305.
Thlaſpi montanum, glaſti folio minus. *Park.* 842. *Bauh. pin.* 106.
Thlaſpi alpinum, bellidis cœruleæ folio. *Bauh. pin.* 106.
Thlaſpeos albi ſupini varietas. *Ger. Em.* 268.

Anglis,

Anglis, Mountain Mithridate Muſtard.
Habitat *in paſcuis montoſis. In the paſtures about the ebbing and flowing well, a mile from* Settle *in* Yorkſhire, *towards* Ingleborough, *and between* Malham *and* Settle. *R. Syn.* 4. VII.

6. THLASPI ſiliculis obcordatis, foliis radicalibus pinnatifidis. *Sp. pl.* 647. *Burſa paſtoris.*
Burſa paſtoris. *Bauh. hiſt. II.* 936. *Ger. Em.* 276. *R. Syn.* 306.
Burſa paſtoris major vulgaris. *Park.* 866.
Burſa paſtoris major folio ſinuato. *Bauh. pin.* 108.
β Burſa paſtoris minor foliis integris. *Celſ. upſ.* 13.
Anglis, Shepherd's-purſe.
Habitat *ubique in agris, cultis, ruderatis, muris viis.* ⊙. III. IV.
Pharmac. Burſæ paſtoris *Herba.*

COCHLEARIA. 720.

Silicula emarginata, turgida, ſcabra: valvulis gibbis obtuſis.

1. COCHLEARIA foliis radicalibus ſubrotundis, caulinis oblongis ſubſinuatis. *Fl. lapp.* 256. *ſuec.* 577. *officinalis.*
Mat. med. 320. *Sp. pl.* 647.
Cochlearia. *Bauh. hiſt. II.* 942. *R. Syn.* 302. rotundifolia. *Ger. Em.* 401.
Cochlearia rotundifolia ſ. Batavorum. *Park.* 285.
Cochlearia folio ſubrotundo. *Bauh. pin.* 110.
β Cochlearia minor rotundifolia noſtras. *Park.* 286.
Anglis, common or Garden Scurvygraſs.
Habitat *in littoribus maritimis, et in montoſis. Near* Caſtleton *in the* Peak, *upon* Penigent *and* Ingleborough *hills, and upon* Stanemore *in* Yorkſhire, *near the* Spittle *R. Syn.* ♂. IV. V.
Pharmac. Cochleariæ *Herba.*

2. COCHLEARIA foliis reniformibus integris. *Hort. cliff.* 498 *Roy. lugdb.* 335. *Sp. pl.* 647. *groenlandica.*
Cochlearia rotundifolia. *Merr. pin. R. Syn.* 302.
Cochlearia minima ex montibus Walliæ. *Boerh. ind. alt.* 10.

Dr. Von Troil in his letters on Iceland says, the food of sheep in that island is grass & herbs, & scurvy-grass (cochlearia) in particular makes them so fat that they yield more than twenty pounds of fat. Quare what species?

Anglis, Groenland Scurvygraſs.
Habitat *in montibus Arvonicis.* ♂. IV. V.

anglica. 3. COCHLEARIA foliis ovato-lanceolatis ſinuatis.
Cochlearia foliis radicalibus lanceolatis integerrimis, caulinis ſubſinuatis. *Mill. Dict. Hort.*
Cochlearia folio ſinuato. *Bauh pin.* 110. *R. Syn.* 303.
Cochlearia vulgaris. *Park.* 285.
Cochlearia britannica. *Ger. Em.* 401.
Anglis, Engliſh or common Sea Scurvygraſs.
Habitat *in littoribus maritimis.* ♂. V.
Pharmac. Cochleariæ marinæ ſ. britannicæ *Herba.*

danica. 4. COCHLEARIA foliis haſtatis angulatis. *Fl. ſuec.* 578. *Sp. pl.* 647.
Cochlearia marina folio anguloſo parvo. *D. Lawſon. R. Syn.* 303.
Cochlearia aremorica. *Tourn.* 215.
Thlaſpi hederaceum. *Lob. ic.* 615.
Anglis, Danith Scurvygraſs.
Habitat *in* Walney Lancaſtriæ *inſula*; *near* Llanbadrick *church*, Mr Lhwyd. *R. Syn.* ♂. V.

Coronopus 5. COCHLEARIA foliis pinnatifidis. *Fl. ſuec.* 579. *Sp. pl.* 648.
Coronopus Ruellii. *Ger. Em.* 427.
Coronopus recta vel repens Ruellii. *Park* 502.
Naſturtium ſupinum capſulis verrucoſis. *R. meth. em.* 98. *ſyn.* 304.
Ambroſia campeſtris repens. *Bauh. pin.* 138.
Anglis, Swine's Creſſes.
Habitat *in uliginoſis et ad vias.* ⊙. VI. VIII.
Pharmac. Coronopi ruellii *Herba.*

Armoracia. 6. COCHLEARIA foliis radicalibus lanceolatis crenatis caulinis inciſis. *Fl. ſuec.* 580. *Sp. pl.* 648. *Mat. med.* 321.
Cochlearia folio cubitali. *Tourn.* 215.
Raphanus ruſticanus. *Ger. Em.* 241. *Park.* 860. *Bauh. pin.* 96. *R. Syn.* 301.
Raphanus ſylveſtris ſ. Armoracia multis. *Bauh. pin.* 851.

Anglis,

Anglis, Horſe-radiſh.
Habitat *in ruderatis et ad foſſas. Found plentifully about* Alnwick, *and elſewhere in* Northumberland, *and* Dr. Liſter *upon the banks of* Skiptonbeck, *and elſewhere, in* Bolland *in* Craven. *R. Syn.* 4. V.
Pharmac. Raphani ruſticani *Radix.*

IBERIS. 721.

Cal. irregularis: *petalis* duobus exterioribus majoribus. *Silicula* polyſperma, emarginata.

1. IBERIS foliis ſinuatis, caule nudo ſimplici. *Hort. cliff.* 328. *It. oeland.* 139. *Fl. ſuec.* 581. *Sp. pl.* 650. *nudicaulis*
Naſturtium petræum. *Tabern. ic.* 451. *Ger. Em.* 251. *R. Syn.* 303.
Naſturtium petræum, foliis burſæ paſtoris. *Bauh. pin.* 104.
Burſa paſtoris minor, foliis inciſis. *Bauh. pin.* 108.
Burſa paſtoris minor. *Park.* 866.
Anglis, Rock Creſſe.
Habitat *in glareoſis. Near* Hampton-court, Richmond, *and* Barnes Commons, Mr. Doody. *R. Syn.* 303. *in ericeto* Putnejano, D. Ph. Miller. ☉. V.

SILIQUOSA.

* *Calyx clauſus: folioliis longitudinaliter conniventibus.*

DENTARIA. 726.

Siliqua elaſtice diſſiliens, valvulis revolutis. *Stigma* emarginatum. *Calyx* longitudinaliter connivens

*1. DENTARIA foliis inferioribus pinnatis, ſummis ſimplicibus *Fl. ſuec.* 584 *Sp. pl.* 653. *bulbifera.*
Dentaria bulbifera *Ger. Em.* 984.
Dentaria heptaphyllos baccifera. *Bauh pin.* 322.
Anglis, Coral-wort.
Habitat *in nemoroſis. In* Old Park *wood, near* Harefield, *abundantly. Blackſ. faſcic. pl.* 23. 4. IV.

CHE-

CHEIRANTHUS. 730.

Germen utrinque denticulo glandulato. *Cal.* clauſus: foliolis duobus baſi gibbis. *Semina* plana.

Cheiri. 1. CHEIRANTHUS foliis lanceolatis acutis glabris, ramis angulatis. *Syſt. nat.* 1133. *Hort. cliff.* 334. *upſ.* 187. *Mat. med.* 335. *Sp. pl.* 661. *Roy. lugdb.* 337. *Gort. gelr.* 382. *Guett. ſtamp. II.* 156.
Leucojum luteum, vulgo Cheiri flore ſimplici. *Bauh. hiſt. II.* 872. *R. Syn.* 291.
Leucojum luteum vulgare. *Bauh. pin.* 202.
Keiri ſ. Leucojum vulgare luteum. *Park.* 625.
Viola lutea. *Ger. Em.* 456.
Anglis, Wall-flower, or wild Cheir.
Habitat *in muris antiquis et tectis.* ♃. IV. V.
Pharmac. Cheiri *Flores.*

tricuſpidatus. 2. CHEIRANTHUS ſiliquis apice tridentatis. *Hort. cliff.* 335. *Sp. pl.* 663.
Leucojum marinum majus. *Park.* 622. *R. Syn.* 291.
Leucojum maritimum ſinuato folio. *Bauh. pin.* 201.
Anglis, Sea Stockgilly-flower.
Habitat *in maritimis* Cambriæ *littoribus arenoſis, and on the coaſt of* Cornwal. *R. Syn.* ♃. VI.

ERYSIMUM. 729.

Siliqua columnaris, exacte tetraedra. *Cal.* clauſus.

officinale. 1. ERYSIMUM ſiliquis ſpicæ appreſſis. *Fl. ſuec.* 598. *Sp. pl.* 660.
Eryſimum vulgare. *Bauh. pin.* 298.
Eryſimum Dioſcoridis Lobelio. *Ger. Em.* 254.
Ioio ſ. Eryſimum. *Dod. pempt.* 714. *Lob. ic.* 206. vulgare. *Park.* 833.
Eruca hirſuta, ſiliqua caule appreſſa, Eryſimum dicta. *R. Syn.* 298.
Anglis, Hedge Muſtard.
Habitat *juxta muros, inque plateis et ruderatis paſſim.* ☉. V.
Pharmac. Eryſimi *Herba.*

2. ERY-

2. ERYSIMUM foliis integris lanceolatis. *Fl. lapp.* 263. *ſuec.* 601. *Sp. pl.* 661. *Cheiranthoides.*
Myagro affinis planta ſiliquis longis. *Bauh. hiſt. II.* 894. *R. Syn.* 298.
Myagrum ſiliqua longa. *Bauh. pin.* 109.
Camelina. *Ger Em.* 273. ſ. myagrum alterum amarum. *Park.* 867.
Anglis, Treacle Wormſeed.
Habitat *in inſula* Elienſi *in ſalicetis prope urbem* Ely *copioſam obſervavimus; item prope* Aſhburn *oppidum in* Pecco Derbienſi *dicto. In the corn-fields about* Elden. *R. Syn.* ☉. VII.

3. ERYSIMUM foliis lyratis: extimo ſubrotundo. *Fl. ſuec.* 599. *Sp. pl.* 660. *Barbarea.*
Eryſimum foliis baſi pinnato-dentatis apice ſubrotundis. *Fl. lapp.* 264.
Eruca lutea ſeu Barbarea. *Bauh. pin.* 98. *R. Syn.* 297.
Barbarea. *Bauh. hiſt. II.* 868. *Ger. Em.* 243. flore ſimplici. *Park.* 819.
β Barbarea foliis minoribus et frequentius ſinuatis. *R. hiſt.* 809.
Anglis, Winter Creſſes, or Rocket.
Habitat *in foſſis et aquoſis frequens.* ♃. V.

4. ERYSIMUM foliis cordatis. *Hort. cliff.* 333. *Fl. ſuec.* 600. *Sp. pl.* 660. *Alliaria.*
Heſperis allium redolens. *Hiſt. ox. II.* 252. *Tourn.* 222. *R. Syn.* 293.
Alliaria. *Ger. Em.* 796. *Park.* 112. *Bauh. pin.* 110. *Till. ic.* 60.
Anglis, Jack-by-the-hedge, or Sawce-alone.
Habitat *ad ſepes paſſim.* ♃. V.

HESPERIS. 731.

Petala obliqua flexa. *Glandula* intra ſtamina breviora. *Siliqua* ſtricta. *Stigma* baſi bifurca apice connivente. *Cal.* clauſus.

1. HESPERIS caule ſimplici erecto, foliis ovato lanceolatis denticulatis, petalis mucrone emarginatis. *Hort.* *matronalis.*

Hort. cliff. 188. *Roy. lugdb.* 338. *Dalib. pariſ.* 197. *Sp. pl.* 663.

Heſperis ſylveſtris inodora. *Bauh. pin.* 202. *R. Syn.* 293.

Heſperis pannonica inodora. *Bauh. hiſt. II.* 878. *Park.* 628.

Anglis, unſavory Dame's-violet.

Habitat *on the banks of the rivers about* Dalehead *and* Graſſmire *in* Weſtmorland. *R. Syn.* ♂. V.

RAPHANUS. 736.

Cal clauſus. *Siliqua* toroſa, ſubarticulata, teres. *Glandulæ* melliferæ duo inter ſtamina breviora et piſtillum, totidem inter ſtamina longiora et calycem.

Raphaniſtrum. 1. RAPHANUS ſiliquis teretibus articulatis lævibus unilocularibus. *Hort. cliff.* 340. *Sp. pl.* 669. *Fl. ſuec.* 612.

Raphanus ſylveſtris. *Ger. Em.* 240.

Raphaniſtrum ſiliqua articulata glabra, majore et minore. *Hiſt. Ox. II.* 265. *R. Syn.* 296.

Rapiſtrum album articulatum. *Park.* 863.

Rapiſtrum flore albo, ſiliqua articulata. *Bauh. pin.* 95.

β Rapiſtrum flore luteo, ſiliqua glabra articulata. *R. Syn.* 296.

γ Raphanus maritimus flore luteo, ſiliquis articulatis. *R. Syn.* 296.

Anglis, α white flowered Charlock, β yellow flowered Charlock.

Habitat *in arvis.* ⊙. VI. VII.

BRASSICA. 734.

Cal. erectus, connivens. *Semina.* globoſa. *Glandula* inter ſtamina breviora et piſtillum, interque longiora et calycem.

orientalis. 1. BRASSICA foliis cordatis amplexicaulibus glabris; radicalibus ſcabris integerrimis, ſiliquis tetragonis. *Sp pl.* 666.

Braſſica campeſtris perfoliata flore albo. *Bauh. pin.* 112. *R. Syn.* 293.

Perfoliata ſiliquoſa. *Ger. Em.* 536. *Bauh. hiſt.* 335.

Perfo-

Perfoliata ſiliquoſa vulgaris ſ. Braſſica campeſtris. *Park.* 580.
Anglis, perfoliate Cabbage.
Habitat *in arvis et in clivis maritimis prope* Harvicum *oppidum in* Eſſexia *et in clivis juxta* Bardſey *prope* Orford *in* Suffolcia *a* D. Dale. *R. Syn.* ☉. VI.

2. BRASSICA radice cauleſcente tereti carnoſa. *Hort. cliff.* 338. *Fl. ſuec.* 608. *oleracea.*
Braſſica maritima arborea ſ. procerior ramoſa. *Hiſt. Ox. II.* 208. *R. Syn.* 293.
Braſſica maritima. *Pet. H. br. t.* 45. *f.* 6.
Anglis, Sea Cabbage.
Habitat *in clivis maritimis. On* Dover *cliffs, &c. R. Syn. prope* caſtellum Harleck *in comitatu* Mervinia. ♂. IV.

3. BRASSICA radice cauleſcente orbiculari depreſſa carnoſa. *Hort. cliff.* 339. *upſ.* 190. *Roy. lugd.* 344. *Sp. pl.* 666. *Rapa.*
Rapa ſylveſtris. *R. hiſt.* 800.
Rapa ſativa rotunda. *Bauh. pin.* 89. *R. Syn.* 294.
Rapum majus. *Ger. Em.* 232.
Rapum ſativum rotundum. *Bauh. hiſt.* 838.
β Rapa ſativa oblonga ſeu fœmina. *Bauh. pin.* 90.
Anglis, Turneps.
Habitat *in arvis et ad margines agrorum.* ♂. IV.
Pharmac. Rapi Radix, *ſemina.*

4. BRASSICA radice cauleſcente fuſiformi. *Hort. cliff.* 339. *Fl. ſuec.* 609. *Sp. pl.* 666. *Napus.*
Napus ſylveſtris. *Bauh. pin.* 95. *hiſt. II.* 843. *R. Syn.* 295. *It. goet.* 240. *et W.—goeth.* 132.
Bunias ſeu Napus ſylveſtris noſtras. *Park.* 865.
Bunias ſylveſtris Lobelii. *Ger. Em.* 235.
Anglis, wild Navew.
Habitat *inter ſegetes et in aggeribus foſſarum.* ♂. V.

5. BRASSICA foliis dentato-pinnatifidis, caule hiſpido, ſiliquis lævibus. *Sp. pl.* 667. *Eruca-ſtrum.*
Eruca ſylveſtris. *Ger. Em.* 247. *R. Syn.* 296. vulgatior. *Park.* 818.

Eruca

Eruca major lutea, caule aſpero. *Bauh. pin.* 98.
Anglis, wild Rocket.
Habitat *in muris antiquis et ruderatis frequens.* 4. V.

TURRITIS. 733.

Siliqua longiſſima, angulata. *Cal.* connivens, erectus. *Cor.* erecta.

glabra. 1. TURRITIS foliis radicalibus dentatis hiſpidis, caulinis integerrimis amplexicaulibus glabris. *Fl. ſuec.* 606. *Sp. pl.* 666.
Turritis foliis inferioribus cichoraceis, reliquis perfoliatis. *Tourn.* 224.
Braſſica ſylveſtris foliis circa radicem cichoraceis. *Bauh. pin.* 109.
Braſſica ſylveſtris foliis circa radicem cichoraceis aſperis, caulibus autem adhærentibus planis, ſeu glabris. *Hiſt. Ox. II.*
β Braſſica ſylveſtris foliis integris et hiſpidis. *Bauh. pin.* 112.
Turritis. *Ger. Em.* 272. *R. Syn.* 293. vulgatior. *Bauh. hiſt. II.* 836.
Anglis, great Tower-muſtard.
Habitat *in pratis glareoſis. Frequent in* Surry *and* Kent, *in pits and uncultivated places*, Dr. Watſon. *near Colcheſter*, M. Newton, ⊙. V.

hirſuta. 2. TURRITIS foliis omnibus hiſpidis, caulinis amplexicaulibus. *Fl. ſuec.* 607. *Sp. pl.* 666.
Turritis muralis minor. *Pet. H. br. t.* 47. 12. *R. Syn.* 294.
Eryſimo ſimilis hirſuta, non laciniata, alba. *Bauh. pin.* 101. *pr.* 42. *ic.*
Eryſimo ſimilis hirſuta planta. *Park.* 834.
Anglis, hairy Tower-muſtard.
Habitat *in rupibus et muris antiquis.* ♂. VI.

ARABIS. 732.

Glandulæ nectariferæ quatuor, ſingulæ intra calycis foliola, ſquamæ inſtar reflexæ.

thaliana. 1. ARABIS foliis petiolatis lanceolatis integerrimis. *Virid.*

rid. cliff. 64. *Fl. ſuec.* 985. *Roy. lugdb.* 339. *Dalib. pariſ.* 200. *Sp. pl.* 665.

Turritis foliis lanceolatis integris petiolatis, ad exortum ramorum ſolitariis. *Hort. cliff.* 339.

Turritis vulgaris ramoſa. *Tourn.* 224. *R. Syn.* 294.

Braſſica ſpuria minima, foliis hirſutis et glabris. *R. Syn. ed. II.* 166.

Burſæ paſtoris ſimilis ſiliquoſa major et minor. *Bauh. pin.* 108.

Piloſella ſiliquoſa. *Thal. tab.* 7.

Paronychia major et altera minor. *Park.* 556.

β Turritis minor folioſa. *Pet. Herb. br. t.* 48. *f.* 2.

Anglis, coded Mouſe-ear.

Habitat *in muris tectis et pratis aridis.* ☉. V.

** *Calyx hians: foliolis ſuperne diſtantibus.*

CARDAMINE. 727.

Siliqua claſtice diſſiliens valvulis revolutis. *Stigma* integrum. *Cal.* ſubhians.

* *foliis ſimplicibus.*

1. CARDAMINE foliis ſimplicibus ovatis integerrimis, petiolis longiſſimis. *bellidifolia.* *Fl. lapp.* 260. *t.* 9. *f.* 2. *ſuec.* 590. *Sp. pl.* 654.

Cardamine pumila bellidis folio, alpina. *Ger. Em.* 260. *R. Syn.* 301.

Plantula cardamines alterius æmula Cluſii. *Park.* 812.

Naſturtium alpinum bellidis folio minus. *Bauh pin.* 105.

Anglis, Daiſie-leaved Ladies-ſmock.

Habitat *in variis locis juxta* Rippon *ad monaſterium ejus et in* Denbighſhire. *Merr. pin. Found by* Mr. Newton *on* S. Vincent's rock *near* Briſtol. *R. Syn.* 4. IV. V.

2. CARDAMINE foliis ſimplicibus oblongis dentatis. *petræa.* *Sp. pl.* 654. *Fl. ſuec.* 591.

Cardamine petræa cambrica, naſturtii facie. *Dill. elth.* 70. *t.* 61. *f.* 71.

Naſturtium petræum. *Merc. bot. Pluk. ph. t.* 101. *f.* 3. *R. Syn.* 300.

Anglis, mountain Ladies-ſmock.

Habitat *in excelſis rupibus* Arvoniæ *et* Merviniæ; *in rupibus udis ſupra lacum* Layn-du *copioſe.* D. Lhwyd. *R. Syn.* 4. V.

** *Foliis*

** *Foliis pinnatis.*

pratenſis. 3. CARDAMINE foliis pinnatis: foliolis radicalibus ſubrotundis; caulinis lanceolatis. *Sp. pl.* 656. *Fl. ſuec.* 585.
Cardamine. *Ger. Em.* 259 *R. Syn.* 299.
Naſturtium pratenſe magno flore. *Bauh. pin.* 104.
Naſturtium pratenſe majus ſ. Cardamine latifolia. *Park.* 825.
Flos cuculi. *Dod. pempt.* 592.
Anglis, common Ladies-ſmock, or Cuckow-flower.
Habitat *in pratis et paſcuis ſubhumidis.* ♃. IV.
Pharmac. Cardamines *Herba.*

amara. 4. CARDAMINE foliis pinnatis: axillis ſtoloniferis. *Sp. pl.* 656. *Fl. ſuec.* 586.
Cardamine foliis pinnatis: foliolis ſubrotundo-angulo-ſis. *Hall. helv.* 558.
Cardamine flore majore elatior. *Tourn.* 224. *R. Syn.* 299.
Naſturtium aquaticum majus et amarum. *Bauh. pin.* 104.
Naſturtium aquaticum amarum. *Park.* 1239.
Anglis, bitter Creſſes, or Ladies-ſmock.
Habitat *in pratis et paſcuis humidis. Circa* Lewiſham, D. Alchorne; *by the river-ſide at* Harefield, *and about* Uxbridge, *plentifully. Blackſ. ſpec. bot.* ♃. IV. V.

impatiens. 5. CARDAMINE foliis pinnatis: foliolis laciniatis, petalis fugaſiſſimis.
Cardamine foliis pinnatis: floribus apetalis. *Sp. pl.* 655. *Fl. ſuec.* 588.
Cardamine impatiens, vulgo Sium minus impatiens. *Ger. Em.* 260. *R. Syn.* 299.
Cardamine annua, exiguo flore. *Tourn.* 224.
Sium minimum, Noli me tangere dictum, ſ. impatiens naſturtii ſylveſtris folio. *Park.* 1241.
Anglis, impatient Ladies ſmock.
Habitat *in pratis montoſis ad rivulos et in rupibus humidis. In comitatibus* Eboracenſi *et* Weſtmorlandica *paſſim.* ☉. IV.

6. CAR-

6. CARDAMINE foliis pinnatis exſtipulatis, foliolis lanceolatis obtuſis floribus corollatis. *Syſt. nat.* 1131. *parviflora*

Cardamine pratenſis, parvo flore. *Tourn.* 224.
Cardamine annua glabra, parvo flore, lobis foliorum vix ſinuatis. *Hort. chelſ. ind.*
Cardamine quarta Dalechampii. *Lugd. hiſt.* 654.
Anglis, ſmall-flowered Ladies-ſmock
Habitat *in pratis, paſcuis et ad rivulos frequens.* ☉. III. V.

7. CARDAMINE foliis pinnatis floribus pentandris. *hirſuta.* *Sp. pl.* 655. *Fl. ſuec.* 587.

Cardamine impatiens altera hirſutior. *R. Syn.* 300.
Naſturtium aquaticum minus. *Bauh. pin.* 104.
Anglis, hairy Ladies-ſmock.
Habitat *in pratis paſcuis et locis umbroſis, paſſim.* ☉. IV.—VIII.

SISYMBRIUM. 728.

Siliqua dehiſcens valvulis rectiuſculis. *Calyx* patens. *Corolla* patens.

* *Siliquis declinatis brevibus.*

1. SISYMBRIUM ſiliquis declinatis, foliis pinnatis: foliolis ſubcordatis. *Hort. cliff.* 336. *Fl. ſuec.* 592. *Mat. med.* 331. *Sp. pl.* 657. *Naſturtium.*

Siſymbrium Cardamine, ſeu Naſturtium aquaticum. *Bauh. hiſt. II.* 884. *R. Syn.* 300.
Naſturtium aquaticum vulgare. *Park.* 1239.
Naſturtium aquaticum ſupinum. *Bauh. pin.* 104.
Naſturtium aquaticum ſ. Cratevæ Sium. *Ger. Em.* 257.

β Naſturtium aquaticum foliis minoribus præcocius. *R. Syn.* 301.

γ Naſturtium aquaticum pinnulis paucioribus. *Dood. R. Syn.* 301.

Anglis, Water-creſſes.
Habitat *in aquoſis et rivulis.* ♂. 4.
Pharmac. Naſturtii aquatici *Herba.*

ſylveſtre. 2. SISYMBRIUM ſiliquis declinatis, foliis pinnatis: foliolis lanceolatis ferratis. *Roy. lugdb.* 336. *Dalib. pariſ.* 204. *Sauv. monſp.* 228. *Boehm. lipſ.* 118. *Sp. pl.* 657.

Eruca aquatica. *Ger. Em.* 248. *Park.* 1242. *R. Syn.* 297.

Eruca ſylveſtris minor, luteo parvoque flore. *Bauh. pin.* 98.

Anglis, Water Rocket.

Habitat *in paluſtribus et aquoſis præſertim ſolo glareoſo. In* Tothil-fields, Weſtminſter, *plentifully. Blackſ. ſpec. Bot.* 4. VI.

amphibium. 3. SISYMBRIUM ſiliquis declinatis oblongo-ovatis, foliis pinnatifidis ſerratis. *Sp. pl.* 657. *Fl. ſuec.* 593.

Siſymbrium foliis ſimplicibus dentatis ſerratis. *Hort. cliff.* 336.

aquaticum Lin. 6 Rhaphanus aquaticus alter. *Bauh. pr.* 38. *Park.* 1229. *Fulham about the Bishop's Stairs.*

Rhaphanus aquaticus rapiſtrifolio. *Bauh. pin.* 97.

Rapiſtrum aquaticum. *Ger. Em.* 240.

β Siſymbrium foliis pinnatifidis ſerratis. *Fl. ſuec.* 551.

Siſymbrium foliis infimis capillaceis, ſummis pinnatifidis. *Hort. cliff.* 337.

Rhaphanus aquaticus foliis in profundas lacinias diviſis. *Bauh. pin.* 97. *pr.* 38. *R. Syn.* 301.

Anglis, Water Radiſh.

Habitat *in aquoſis.* 4. VI.

** *Caule nudo.*

murale. 4. SISYMBRIUM foliis ſerrato-dentatis lævibus, caule nudo adſcendente ſcabro. *Syſt. nat.* 1132.

Siſymbrium foliis lyratis denticulatis, ſiliquis ſeſſilibus. *Sp. pl.* 658.

Eruca monenſis laciniata lutea. *R. Syn.* 297.

Eruca ſylveſtris minor lutea, burſæ paſtoris folio. *Bauh. pin.* 98. *pr.* 39. *Pluk. ph. t.* 86. *f.* 7. *Barr. ic.* 1016.

Anglis, Wall Rocket.

Habitat *in arenoſis. Found by* Mr. Lawſon *in* Sellafields, Seabank, Cumberland; *alſo between* Marſh-

grange

grange *and the iſle of* Walney, *but not plentifully, by* Mr. Lhwyd, *near* Abermeney *ferry in* Angleſea. *R. Syn.* 4. VI.

5. SISYMBRIUM foliis dentato-pinnatis lævibus, caule nudo adſcendente glabro. *Syſt. nat.* 1132. *monenſe.*
Siſymbrium foliis pinnatifidis integerrimis, caulibus ſubnudis ſimplicibus procumbentibus. *Sp. pl.* 658.
Eruca monenſis laciniata, flore luteo majore. *Dill. elth.* 135. *t.* 111. *f.* 135.
Anglis, yellow Rocket.
Habitat *in arenoſis in* Monæ Inſula. D. Dillenius. ♂. 4. VI.

*** *Foliis bipinnatis.*

6. SISYMBRIUM foliis pinnato-haſtatis dentatis nudis, caule lævi, ſiliquis erectis. *Sp. pl.* 659. *Fl. ſuec.* 596. *Irio.*
Eryſimum foliis lyrato-pinnatis: extimo haſtato. *Fl. ſuec. ed. I.* 556.
Eryſimum latifolium Neapolitanum. *Park.* 834. *R. Syn.* 298.
Eryſimum latifolium majus glabrum. *Bauh. pin.* 101.
Irio lævis Apulas, erucæ folio. *Col. ecp. I.* 264. *t.* 265.
Anglis, broad-leaved Rocket, or Hedge Muſtard.
Habitat *in ruderatis et muris antiquis circa Londinum frequens.* ⊙. V.—VIII.

7. SISYMBRIUM petalis calyce minoribus, foliis decompoſito pinnatis. *Fl. ſuec.* 595. *Mat. med.* 332. *Sp. pl.* 659. *Sophia.*
Eryſimum Sophia dictum. *R. Syn.* 298.
Sophia Chirurgorum. *Ger. Em.* 1068. *Park.* 830.
Naſturtium ſylveſtre tenuiſſime diviſum. *Bauh. pin.* 105.
Anglis, Flix-weed.
Habitat *in maceriis, ruderatis, tectis, frequens.* ⊙. VII.
Pharmac. Sophiæ *ſemina.*

SINAPIS. 735.

Cal. patens. *Cor.* ungues recti, *Glandula* inter ſtamina breviora et piſtillum, interque longiora et calycem.

nigra. 1. SINAPIS ſiliquis glabris tetragonis. *Hort. cliff.* 338. *Lech ſcan.* 51. *Fl. ſuec.* 611. *Mat. med.* 326. *Sp. pl.* 668.
Sinapi rapi folio. *Bauh. pin.* 99.
Sinapi ſativum ſecundum. *Ger. Em.* 243. *R. Syn.* 295.
Sinapi ſiliqua latiuſcula glabra, ſemine rufo, ſ. vulgare. *Bauh. hiſt. II.* 885.
Anglis, common Muſtard.
Habitat *in arvis aggeribus foſſarum et juxta vias.* ⊙. VI.
Pharmac. Sinapis *Semina.*

alba. 2. SINAPIS ſiliquis hiſpidis: roſtro obliquo longiſſimo. *Hort. cliff.* 338. *upſ.* 191. *Roy. lugdb.* 343. *Dalib. pariſ.* 200. *Sp. pl.* 668.
Sinapi album ſiliqua hirſuto, ſemine albo vel ruſſo. *Bauh. hiſt. II.* 856. *R. Syn.* 295.
Sinapi album. *Ger. Em.* 244.
Sinapi apii folio. *Bauh. pin.* 99.
Anglis, white Muſtard.
Habitat *in agris et ad vias.* ⊙. VIII.
Pharmac. Sinapis albæ *ſemina.*

arvenſis. 3. SINAPIS ſiliquis multangulis toroſo-turgidis roſtro longioribus. *Fl. ſuec.* 610. *Sp. pl.* 668.
Rapiſtrum arvorum. *Ger. Em.* 233. *Park.* 862. *R. Syn.* 295.
Rapiſtrum flore luteo. *Bauh. pin.* 95. *hiſt. II.* 844.
Anglis, Wild-muſtard, or Charlock.
Habitat *in arvis et marginibus agrorum ubique.* ⊙. V.

CRAMBE. 739.

Filamenta quatuor longiora, apice bifurca: altero antherifero. *Bacca* ſicca globoſa decidua.

maritima. 1. CRAMBE foliis cauleque glabris. *Fl. ſuec.* 615. *Sp. pl.* 671.
Crambe foliis cordatis criſpis carnoſis. *Hort. cliff.* 340.

Crambe

Crambe maritima braſſicæ folio. *Tourn.* 211. *R. Syn.* 307.
Braſſica maritima monoſpermos. *Bauh. pin.* 112.
Braſſica marina monoſpermos. *Park.* 270.
Braſſica marina anglica. *Ger. Em.* 315.
Anglis, Sea Colewort.
Habitat *in littoribus arenoſis maritimis frequens.* 4. V.

BUNIAS. 737.

Silicula decidua, tetraëdra, angulis inæqualibus acuminatis muricatis.

1. BUNIAS ſiliculis ovatis lævibus ancipitibus. *Fl. ſuec. Cakile.* 613. *Sp. pl.* 670.
Raphanus ſiliquis ovatis angulatis monoſpermis. *Hort. cliff.* 340.
Cakile quibuſdam, aliis Eruca marina et Raphanus marinus. *Bauh. hiſt. II.* 867. *R. Syn.* 307.
Eruca marina. *Ger. Em.* 248. anglica. *Park.* 821.
Eruca maritima Italica, ſiliqua haſtæ cuſpidi ſimili. *Bauh. pin.* 99.
Anglis, Sea Rocket.
Habitat *in littoribus maritimis paſſim.* ☉. VI.

ISATIS. 738.

Siliqua lanceolata, unilocularis, monoſperma, decidua, bivalvis: valvulis navicularibus.

*1. ISATIS foliis radicalibus crenatis, caulinis ſagittatis *tinctoria.* ſiliculis oblongis. *Fl. ſuec.* 614. *Sp. pl.* 67.
Iſatis ſylveſtris, ſ. anguſtifolia. *Bauh. pin.* 113.
β Iſatis ſativa ſ. latifolia. *Bauh. pin.* 113.
Glaſtum ſativum. *Ger. Em.* 49. *Park.* 600. *R. Syn.* 307.
Anglis, Woad.
Habitat *in arvis et marginibus agrorum inter* Bath *et* Briſtol, *copioſe.* ♂. VII.

Classis XVI.

MONADELPHIA
DECANDRIA.

GERANIUM. 746.

Monogyna. *Stigmata* quinque. *Capſ.* roſtrata, pentacocca.

* *Staminibus quinque fertilibus.*

cicutarium. 1. GERANIUM pedunculis multifloris, calycibus pentaphyllis, floribus pentandris, foliis pinnatis inciſis obtuſis. *Hort. cliff.* 344. *Fl. ſuec.* 625. *Sp. pl.* 680.
Geranium cicutæ folio inodorum. *Ger. Em.* 945. *R. Syn.* 357.
Geranium cicutæ folio, minus et ſupinum. *Bauh. pin.* 319.
Geranium moſchatum inodorum. *Park.* 708.
β Geranium inodorum album. *Ger. Em.* 946.
Anglis, Hemlock-leaved Craneſbill.
Habitat *in ruderatis, muris, et juxta vias, ubique.* ☉. IV.—VI.

moſchatum. 2. GERANIUM pedunculis multifloris, calycibus pentaphyllis, floribus pentandris, foliis pinnatis inciſis, cotyledonibus pinnatifidis. *Syſt. nat.* 1143.
Geranium moſchatum. *Ger. Em.* 941. *Park.* 706. *R. Syn.* 358.
Geranium cicutæ folio, moſchatum. *Bauh. pin.* 319.
β Geranium pimpinellæ folio. *Cat. giſſ.* 173.
Anglis, muſked Craneſbill, or Muſcovy.
Habitat *in pratis ſiccioribus. In comitatibus* Weſtmorlandico *et* Eboracenſi *paſſim.* ☉. V.
Pharmac. Geranii Moſchati *Herba.*

3. GE-

3. GERANIUM pedunculis ſubtrifloris, foliis cordatis crenato-inciſis ſubvilloſis, caulibus procumbentibus. *Syſt. nat.* 1143. *maritimum.*

Geranium pedunculis bifloris, foliis ovatis hirſutis crenato-inciſis, caulibus procumbentibus. *Roy. lugdb.* 391.

Geranium puſillum ſupinum maritimum Althææ aut Betonicæ folio noſtras. *R. Syn.* 357. *Pluk. ph. t.* 31. *f.* 4.

Geranium minimum anglicum procumbens, foliis betonicæ. *Hiſt. ox. II.* 512. *t.* 35.

Anglis, Sea Craneſbill.

Habitat *in arenoſis et glareoſis prope littus occidentale, v. g. in inſulis* Mona *et* Preſtholma; *in* Wallia *circa* Carnarvon; Cornubia *circa* Penſans *et alibi copioſiſſime. In* Suſſexiæ *ora prope* Brackelſham, D. Dillenius. *R. Syn.* 4. VI. VII.

*** *Staminibus decem fertilibus.*

4. GERANIUM pedunculis bifloris, foliis caulinis trilobis integris ſerratis, ſummis ſubſeſſilibus. *Hort. cliff.* 343. *Roy. lugdb.* 350. *Sp. pl.* 681. *nodoſum.*

Geranium V. nodoſum Plateau. *Cluſ. hiſt.* 101. *Ger. Em.* 947. *R. Syn.* 361.

Geranium nodoſum. *Bauh. pin.* 318. *Park.* 704.

Geranium magnum folio trifido. *Bauh. hiſt. III.* 478.

Anglis, knotty Craneſbill.

Habitat *in montoſis* Cumberlandiæ *ſponte ortum affermavit.* D. Archergen. *R. Syn.* 4. VII. VIII.

5. GERANIUM pedunculis bifloris foliiſque alternis, calycibus ſubariſtatis, caule erecto, petalis undulatis. *Sp. pl.* 681. *phæum.*

Geranium montanum fuſcum. *Bauh. pin.* 318. *R. Syn.* 361.

Geranium maculatum ſive fuſcum. *Ger. Em.* 942.

Geranium pullo flore. *Park.* 704.

Anglis, ſpotted Craneſbill.

Habitat *in montoſis. Found by* Mr. Drayton *apothecary of* Maidſtone, *at* Tovel, *in the valley by the old fulling-mill. R. Syn. circa* Clapham *et* Ingleton *in agro* Eboracenſi. 4. IV. V.

G. malacoides. pedunculis multifloris, floribus pentandris, foliis cordatis subglobatis. Habitat in Anglia maritimis ☉. Lin.

ſylvaticum 6. GERANIUM pedunculis biflorjs, foliis ſubpeltatis multifidis inciſo-ſerratis, caule erecto, petalis emarginatis. *Fl. lapp.* 266. *ſuec.* 617. *Sp. pl* 684.
Geranium batrachoides montanum noſtras. *Ger. Em.* 942.
Geranium batrachoides minus. *Park.* 704.
Geranium batrachoides folio aconiti. *Bauh. pin.* 317.
Anglis, Mountain Craneſbill.
Habitat *in pratis montoſis et dumetis agri* Weſtmorlandici *et* Eboracenſis *copioſe*. *K. Syn.* 4. VII. VIII.

pratenſe. 7. GERANIUM pedunculis biflorjs, foliis ſubpeltatis multipartitis rugoſis pinnato-laciniatis acutis, petalis integris. *Fl. ſuec.* 618. *Sp. pl.* 681.
Geranium batrachoides. *Ger. Em.* 942. *Bauh. hiſt. III.* 475. *R. Syn.* 360.
Geranium batrachoides flore cæruleo. *Park.* 704.
Geranium batrachoides, Gratia Dei Germanorum, Lobelio. *Bauh. pin.* 318.
Anglis, Crowfoot Craneſbill.
Habitat *in pratis et paſcuis ſubhumidis et ad margines agrorum. Circa* Batterſea. *R. Syn.* 4. VI. VII.

robertianum. 8. GERANIUM pedunculis biflorjs, calycibus piloſis decemangulatis. *Sp. pl.* 681. *Fl. ſuec.* 619.
Geranium pedunculis biflorjs, foliis quinque-tripartitis : lobis pinnatifidis. *Hort. cliff.* 344. *Mat. med.* 336.
Geranium robertianum. *Ger. Em.* 939. *Bauh. pin.* 319. *R Syn.* 358.
Geranium robertianum vulgare. *Park.* 710.
β Geranium lucidum ſaxatile, foliis geranii robertiani. *R. Syn* 358.
Anglis, Herb Robert.
Habitat *in ſepibus, muris, ruderatis, frequens*, ♂. IV. —VI.
Pharmac. Geranii robertiani *Herba.*

lucidum. 9. GERANIUM pedunculis biflorjs, calycibus pyramidatis

datis angulatis rugoſis, foliis quinquelobis rotundatis. *It. gotl.* 228. *Fl. ſuec.* 620. *Sp. pl.* 682.
Geranium ſaxatile. *Ger. Em.* 938. *Park.* 707. *R. Syn.* 361.
Geranium lucidum ſaxatile. *Bauh. pin.* 318.
Anglis, ſhining Dovesfoot Craneſbill.
Habitat *in tectis, muris, et umbroſis.* ⊙. VI. VII. V.

10. GERANIUM pedunculis biſloris, petalis integris longitudine calycis, caule proſtrato, foliis reniformibus inciſis. *Sp. pl.* 683. *Fl. ſuec.* 621. *rotundifolium.*
Geranium folio malvæ rotundo. *Bauh. pin.* 318.
Geranium columbinum majus, flore minore cæruleo. *R. Syn.* 358.
Pes columbinus. *Dod. pempt.* 61.
Anglis, round-leaved Craneſbill.
Habitat *in muris, tectis et ad ſepes circa* Bath *et* Briſtol *copioſe, inter* Batterſea *et* Wandſworth. ⊙. VII.
Pharmac Geranii columbini *Herba.*

11. GERANIUM pedunculis biſloris, foliis inferioribus quinque-partito-multifidis rotundatis, ſuperioribus trilobis, caule erecto. *perenne.*
Geranium columbinum, pyrenaicum perenne, maximum. *Tourn.* 268.
Anglis, perennial Dovesfoot Craneſbill.
Habitat *in pratis montoſis. Ad ripam fluvii inter* Bingley *et* Kighley *in agro* Eboracenſi; *prope* Enfield, *et inter* Hyde-Park *et* Little-Chelſea. 4. V. —VIII.

12. GERANIUM pedunculis biſloris, foliiſque floralibus alternis, caule ramoſo diffuſo, calycibus muticis. *Sp. pl.* 682. *Fl. ſuec.* 624. *molle.*
Geranium pedunculis biſloris, foliis quinque-partito-multifidis rotundatis, laciniis obtuſiuſculis, capſulis hirſutis. *Fl. ſuec. ed. I.* 577.
Geranium columbinum villoſum, petalis biſidis purpureis. *Vaill. pariſ.* 79. *t.* 15. *f.* 3.
Geranium columbinum. *Ger. Em.* 938. *R. Syn.* 359. vulgare. *Park.* 706.
Anglis, common Dovesfoot Craneſbill.

Habitat

Habitat *in arvis, pratis, paſcuis et ad ſepes.* ⊙. V. VI.

puſillum. 13. GERANIUM pedunculis bifloris, petalis bifidis, caule proſtrato, foliis reniformibus palmatis linearibus acutis. *Syſt. nat.* 1144.

Geranium columbinum humile, flore cæruleo minimo. *R. Syn.* 359. *t.* 16. *f.* 2.

Geranium malacoides ſ. columbinum minimum. *Park.* 707.

Anglis, ſmall-flowered Dovesfoot Craneſbill.

Habitat *in arvis et ad vias præſertim ſolo arenoſo.* ⊙. VI.

columbinum. 14. GERANIUM pedunculis bifloris, foliis quinquepartito-multifidis angulatis: laciniis acutis, capſulis glabris, calycibus ariſtatis. *Fl. ſuec.* 623. *Sp. pl.* 682.

Geranium columbinum diſſectis foliis, pediculis florum longiſſimis. *R. Syn.* 359. *Vaill. pariſ.* 79. *t.* 15. *f.* 4.

Geranium columbinum annuum minus, folio tenuius laciniato, flore pediculo longiſſimo inſiſtente. *Hiſt. ox. II.* 512. *ſ.* 5. *t.* 15. *f.* 3.

Anglis, long-ſtalked Dovesfoot Craneſbill.

Habitat *in arvis et pratis montoſis. Circa* Charleton *in* Cantio. ⊙. VII.

diſſectum. 15. GERANIUM pedunculis bifloris, foliis quinquepartito-multifidis, petalis emarginatis longitudine calycis, capſulis villoſis. *Cent. pl.* 61. *Fl. ſuec.* 622.

Geranium columbinum majus diſſectis foliis. *Ger. Em.* 938. *R. Syn.* 359.

Geranium malacoides ſ. columbinum alterum. *Park.* 706.

Geranium columbinum maximum, foliis diſſectis. *Pl. hiſt. nat. ox.* 145. *t.* 9. *f.* 3. *R. Syn.* 360.

Geranium columbinum majus foliis imis longe uſque ad pediculum diviſis. *Hiſt. ox. II.* 511.

Anglis, jagged-leaved Dovesfoot Craneſbill.

Habitat *in pratis et paſcuis.* ⊙. V. VII.

16. GE-

16. GERANIUM pedunculis unifloris, foliis quinquepartitis trifidis orbiculatis. *Fl. ſuec.* 616. *Sp. pl.* 685. *ſanguineum.*

Geranium hæmatodes. *Park.* 705. *R. Syn.* 360.
Geranium ſanguineum. *Ger. Em.* 945.
Geranium ſanguineum maximo flore. *Bauh. pin.* 318.
β Geranium hæmatodes foliis majoribus, pallidioribus et altius inciſis. *R. Syn.* 360.
γ Geranium hæmatodes Lancaſtrienſe flore eleganter ſtriato. *R. hiſt.* 1061. *ſyn.* 360.
Anglis, bloody Craneſbill.
Habitat *in rupibus, pratis ſiccioribus et ad ſepes. γ. in inſula* Walney. 4. VII. VIII.

POLYANDRIA.

ALTHÆA. 749.

Cal. duplex: exterior novemfidus. *Capſ.* plurimæ, monoſpermæ.

1. ALTHÆA foliis ſimplicibus tomentoſis. *Hort. cliff.* 348. *upſ.* 204. *Mat. med.* 338. *Gort. gelr.* 410. *Sp. pl.* 686. *officinalis.*

Althæa vulgaris. *Park.* 303. *R. Syn.* 252.
Althæa Ibiſcus. *Ger. Em.* 933.
Althæa Dioſcoridis et Plinii. *Bauh. pin.* 315.
β Althæa vulgari ſimilis folio retuſo brevi. *R. Syn.* 252.
Anglis, Marſhmallow.
Habitat *in paluſtribus maritimis frequens.* 4. VIII.
Pharmac. Althææ *Radix, Herba, ſemina.*

LAVATERA. 752.

Cal. duplex: exterior trifidus. *Capſ.* plurimæ, monoſpermæ.

1. LAVATERA caule arboreo, foliis ſeptemangularibus tomentoſis plicatis, pedunculis confertis unifloris axillaribus. *Hort. upſ.* 202. *Sp. pl.* 690. *arborea.*

Malva arborea minima noſtras. *Merr. pin. R. Syn.* 252.
Anglis, Sea-tree Mallow.

Habitat

Habitat *ad littoribus maritimis. At* Hurſt-caſtle, *over againſt the* Iſle of Wight, *in* Portland *iſland, on the rocks of* Caldey *iſland, and on the* Baſſe *iſland near* Edinburgh. *R. Syn.* 8. VIII.

MALVA. 751.

Cal. duplex: exterior triphyllus. *Capſ.* plurimæ, monoſpermæ.

ſylveſtris. 1. MALVA caule erecto herbaceo, foliis lobatis obtuſis, pedunculis petioliſque piloſis. *Fl. ſuec.* 627. *Sp. pl.* 689.
Malva caule erecto, foliis ſubpalmatis obſolete ſerratis. *Hort. cliff.* 347.
Malva ſylveſtris. *Ger. Em.* 930. folio ſinuato. *Bauh. pin.* 314.
Malva vulgaris. *Park.* 299. *R. Syn.* 251.
Anglis, common Mallow.
Habitat *ad ſepes et ſemitas inque locis ruderatis.* 8. V.—X.
Pharmac. Malvæ vulgaris *Herba, Radix, ſemina.*

rotundifolia. 2. MALVA caule proſtrato, foliis cordato-orbiculatis obſolete quinquelobis. *Fl. ſuec.* 626. *Sp. pl.* 688.
Malva ſylveſtris pumila. *Ger. Em.* 930.
Malva ſylveſtris folio rotundo. *Bauh. pin.* 314.
Malva ſylveſtris minor. *Park.* 299. *R. Syn.* 250.
Anglis, Dwarf Mallow.
Habitat *in ruderatis et ad vias.* ⊙. VI.—X.

parviflora. 3. MALVA caule patulo, foliis angulatis, floribus axillaribus glomeratis, calycibus glabris patentibus. *Amoen. III.* 416.
Malva minor, flore parvo cæruleo. *R. Syn.* 251.
Malva ſylveſtris, foliis ſinuatis minoribus, floſculis minimis, Anglica. *Boerh. ind. alt.* 268.
Anglis, ſmall-flowered Mallow.
Habitat *in arenoſis. Found by* Mr. J Sherard, *in company with* Mr. Rand, *at* Hithe *in* Kent. *R. Syn.* 8. VI.

Alcea. 4. MALVA caule erecto, foliis multipartitis ſcabriuſculis. *Fl. ſuec.* 628. *Sp. pl.* 689.

Alcea

Alcea vulgaris. *Cluſ. hiſt. II.* 25. *R. Syn.* 252.
Alcea vulgaris major. *Bauh. pin.* 316.
Alcea volgaris ſ. Malva verbenacea. *Park.* 301.
Malva verbenacea *Ger. Em.* 930.
Anglis, Vervain Mallow.
Habitat *in ſepibus et ad margines agrorum. In comitatibus* Warwicenſi, Leiceſtrienſi, *et* Eboracenſi, ♃. VII. IX.
Pharmac. Alceæ *Herba.*

5. MALVA foliis radicalibus reniformibus inciſis, caulinis quinquepartitis pinnato-multifidis. *Hort. upſ.* 202. *Fl. ſuec.* 629. *Sp. pl.* 690. *moſchata.*
Malva montana ſ. Alcea rotundifolia laciniata. *Col. ecphr. I.* 148. *t.* 147. *f.* 147.
Alcea folio rotundo laciniato. *Bauh. pin.* 316.
Alcea tenuifolia criſpa. *Bauh. hiſt. II. ap.* 1067.
Anglis, jagged-leaved Vervain Mallow.
Habitat *in pratis paſcuis ſepibus.* ♂. VIII.

Claſſis

Claſſis XVII.

DIADELPHIA
HEXANDRIA.

FUMARIA. 760.

Cal. diphyllus. *Cor.* ringens. *Filamenta* duo membranacea ſingula. *Antheris* tribus.

officinalis. 1. FUMARIA pericarpiis monoſpermis racemoſis, caule diffuſo. *Sp. pl.* 700. *Fl. ſuec.* 630.
Fumaria vulgaris. *Bauh. hiſt. III.* 101. *Park.* 287. *R. Syn.* 204.
Fumaria purpurea. *Ger. Em.* 1088.
Fumaria officinarum et Dioſcoridis. *Bauh. pin.* 143.
Anglis, Fumitory.
Habitat *in agris, arvis, ſatis, aggeribus, frequens.* ⊙. IV.—VI.
Pharmac. Fumariæ *Herba, Semina.*

capreolata 2. FUMARIA pericarpiis monoſpermis racemoſis, foliis ſcandentibus ſubcirrhoſis. *Sp. pl.* 701.
Fumaria major ſcandens flore pallidiore. *R. Syn.* 204.
Anglis, ramping Fumitory.
Habitat *in ſylvis, ſepibus, in agro* Weſtmorlandico *paſſim.* ⊙. VIII.

claviculata. 3. FUMARIA ſiliquis linearibus, foliis cirrhiferis. *Sp. pl.* 701.
Fumaria alba latifolia. *Park.* 288. *R. Syn.* 335. claviculata. *Ger. Em.* 1088.
Fumaria claviculis donata. *Bauh. pin.* 143. *Hiſt. Ox. II.* 266. *ſ.* 3. *t.* 12. *f.* 3.
Anglis, climbing Fumitory.
Habitat *in ſylvis, ſepibus, ſubhumidis, præſertim ſolo glareoſo.* ⊙. VI.

O C-

OCTANDRIA.

POLYGALA. 761.

Cal. pentaphyllus: foliolis duobus alæformibus coloratis. *Legumen* obcordatum, biloculare.

1. POLYGALA floribus criſtatis racemoſis, caulibus herbaceis ſimplicibus procumbentibus, foliis linearilanceolatis. *Amoen. acad. II.* 136. *Sp. pl.* 702. *Fl. ſuec.* 632. *vulgaris.*
Polygala. *Ger. Em.* 563. *R. Syn.* 287. minor. *Park.* 1332.
Polygala vulgaris. *Bauh. pin.* 215.
β Polygala violacea. *Boerh. ind. alt. I.* 236.
γ Polygala carnea. *Boerh. ind. alt. I.* 236.
δ Polygala alba. *Tourn.* 174.
ε Polygala major. *Bauh. pin.* 215.
ζ Polygala myrtifolia paluſtris humilis et ramoſior. *R. Syn.*
Anglis, Milkwort.
Habitat *in ericetis.* ♃. V. VI.

DECANDRIA.

SPARTIUM. 765.

Stigma longitudinale, ſupra villoſum. *Filamenta* carinæ adhærentia. *Cal.* deorſum productus.

1. SPARTIUM foliis ternatis ſolitariiſque, ramis inermibus angulatis. *Hort. cliff.* 356. *Sp. pl.* 709. *Fl. ſuec.* 633. *ſcoparium.*
Geniſta anguloſa et Scoparia. *Bauh. pin.* 395.
Geniſta anguloſa trifolia. *Bauh. hiſt. I.* 388. *R. Syn.* 475.
Geniſta. *Ger. Em.* 1311. vulgaris et Scoparia. *Park.* 228.
Anglis, common Broom.
Habitat *in paſcuis ſiccioribus.* ♄. V. VI.
Pharmac. Geniſtæ *Herba, Flores, Semina.*

GE-

GENISTA. 766.

Cal. bilabiatus. *Vexillum* oblongum a piſtillo ſtaminibuſque deorſum reflexum.

* *Inermes.*

tinctoria. 1. GENISTA foliis lanceolatis glabris, ramis ſtriatis teretibus erectis. *Mat. med.* 347. *Sp. pl.* 710. *Fl. ſuec.* 634.
Geniſta tinctoria germanica. *Bauh. pin.* 395.
Geniſta tinctoria vulgaris. *Park.* 228.
Geniſtella tinctoria. *Ger. Em.* 1316. *R. Syn.* 474.
Anglis, Green-wood, Dyer's-weed, or Wood-waxen.
Habitat *in paſcuis et ad agrorum margines.* ♄. VII.

** *Spinoſæ.*

anglica. 2. GENISTA ſpinis ſimplicibus, ramis ſtoloniferis inermibus foliis lanceolatis. *Hort. cliff.* 355. *Roy. lugdb.* 371. *Sp. pl.* 710.
Geniſta minor aſpalathoides, ſ. Geniſta ſpinoſa anglica. *Bauh. pin.* 395. *R. Syn.* 475.
Geniſta aculeata. *Ger. Em.* 1320.
Geniſtella aculeata. *Park.* 1004.
Anglis, Needle-furze, or Petty-whin.
Habitat *in ericetis ſubhumidis.* ♄. V. VI.

ULEX. 786.

Cal. diphyllus. *Legumen* vix calyce longius.

europæus. 1. ULEX foliis villoſis acutis, ſpinis ſparſis. *Sp. pl.* 741.
Ulex folio ſub ſingulis ſpinis ſubulato plano acuto. *Hort. cliff.* 356. *upſ.* 212. *Roy. lugdb.* 372.
Geniſta ſpinoſa vulgaris. *Ger. Em.* 1319. *R. Syn.* 475.
Geniſta ſpinoſa vulgaris, ſ. Scoparius Theophraſti, quem Gaza Nepam tranſtulit. *Park.* 1003.
β Geniſta ſpinoſa minor. *Park.* 1003.
Anglis, Furze, Whins, or Gorſe.
Habitat *in ericetis.* ♄. IV. V.

ONO-

ONONIS. 772.

Cal. quinquepartitus : laciniis linearibus. *Vexillum* ſtriatum. *Legumen* turgidum, ſeſſile.

1. ONONIS floribus racemoſis ſolitariis, foliis ternatis, ramis ſpinoſis. *Syſt. nat.* 1159. *ſpinoſa.*
Ononis floribus racemoſis geminatis, foliis ternatis, ramis ſpinoſis. *Sp. pl.* 716. *Fl. ſuec.* 637.
Anonis ſpinoſa flore purpureo. *Bauh. pin.* 389. *Park.* 994. *R. Syn.* 332.
Anonis ſ. Reſta bovis. *Ger. Em.* 1323.
Anglis, Reſtharrow, or Cammock.
Habitat *in paſcuis ſterilioribus.* ♃. VI.—VIII.
Pharmac. Anonidis *Radix.*

2. ONONIS floribus racemoſis geminatis, foliis ternatis ramis inermibus. *Syſt. nat.* 1159. *arvenſis.*
Ononis floribus ſubſeſſilibus ſolitariis lateralibus, ramis inermibus. *Hort. cliff.* 359. *Fl. ſuec.* 637.
Anonis non ſpinoſa purpurea. *Ger. Em.* 1323. *Park.* 993. *R. Syn.* 332.
Anonis ſpinis carens purpurea. *Bauh. pin.* 389.
Anglis, Corn Reſtharrow, or Cammock.
Habitat *in paſcuis ſterilioribus.* ♃. VII. VIII.

3. ONONIS caulibus diffuſis, ramis erectis, foliis caulinis ternatis, ſtipulis ovatis. *Syſt. nat.* 1159. *Sp. pl.* 717. *repens.*
Anonis maritima procumbens, foliis hirſutie pubeſcentibus. *R. Syn.* 332. *Dill. elth.* 29. *t.* 25. *f.* 28.
Anglis, creeping Reſtharrow.
Habitat *in littoribus maritimis frequens, in pratis et paſcuis circa* Charleton *in* Cantio *copioſe.* ♃. VI. VII.

ANTHYLLIS. 773.

Cal. ventricoſus. *Legumen* ſubrotundum, tectum.

2. ANTHYLLIS herbacea, foliis pinnatis inæqualibus, capitulo duplicato. *Sp. pl.* 719. *Fl. ſuec.* 638. *Vulneraria.*

Anthyllis foliis pinnatis: foliolis pluribus, terminatrice majore. *Roy. lugdb.* 389.
Anthyllis leguminoſa. *Ger. Em.* 1240. vulgaris. *Park.* 1093.
Vulneraria ruſtica. *Bauh. hiſt. II.* 362. *R. Syn.* 323.
Loto affinis vulneraria pratenſis. *Bauh. pin.* 332.
β Vulneraria ſupina flore coccineo. *R. Syn.* 323.
Anglis, Kidney-vetch, or Ladies Finger.
Habitat *in paſcuis ſiccioribus præſertim cretaceis.* ♃. VII.

PISUM. 779.

Stylus triangulus, ſupra carinatus pubeſcens. *Calycis* laciniæ ſuperiores duabus breviores.

marinum. 1. PISUM petiolis ſupra planiuſculis, caule angulato, ſtipulis ſagittatis, pedunculis multifloris. *It. W—goth.* 190. *Sp. pl.* 727. *Fl. ſuec.* 639.
Piſum marinum. *Ger. Em.* 1250. *R. Syn.* 319.
Piſum ſpontaneum maritimum anglicum. *Park.* 1059.
Anglis, Sea Peaſe.
Habitat *in littoribus maritimis. On the long baick of ſtones running from* Aldburgh *towards* Orford, *in* Suffolk, *on the end next to* Orford, *abundantly*; *we found it alſo near* Haſtings *in* Suſſex; *among the ſtones on the weſt ſide of* Dengeneſs, *near* Lyd *in* Kent. *R. Syn.* ♃. VII.

OROBUS. 780.

Stylus linearis. *Cal.* baſi obtuſus: laciniis ſuperioribus profundioribus, brevioribus.

tuberoſus. 1. OROBUS foliis pinnatis lanceolatis, ſtipulis ſemiſagittatis caule ſimplici. *Sp. pl.* 728. *Fl. ſuec.* 642.
Orobus ſylvaticus foliis oblongis glabris. *Tourn.* 393. *R. Syn.* 324.
Aſtragalus ſylveſtris foliis oblongis glabris. *Bauh. pin.* 351.
Aſtragalus ſylvaticus. *Ger Em.* 1237.
Lathyrus ſylveſtris lignoſior. *Park.* 1072.
Anglis, Wood Peaſe, or Heath Peaſe.
Habitat *in pratis, paſcuis, nemoribus et ad ſepes.* ♃. V.

2. ORO-

2. OROBUS caulibus decumbentibus hirſutis ramoſis. *ſylvaticus. Cent. pl.* 67.
Orobus ſylvaticus noſtras. *R. Syn.* 324.
Anglis, Engliſh Wood Vetch, or bitter Vetch.
Habitat *in ſylvis et ſepibus. At* Gamleſby *in* Cumberland *about ſix miles from* Pereth, *in the way to* Newcaſtle, *in the hedges and paſtures, plentifully; obſerved by* Tho. Williſel *below* Brecknock *hills, in the way to* Caerdyff, *and in* Merionethſhire, *near* Bala. *R. Syn.* 4. VII.

LATHYRUS. 781.

Stylus planus, ſupra villoſus, ſuperne latior. *Cal.* laciniæ ſuperiores duabus breviores.

* *Pedunculis unifloris.*

1. LATHYRUS pedunculis unifloris, foliis ſimplicibus, *Niſſolia.* ſtipulis ſubulatis. *Sp. pl.* 729.
Lathyrus ſylveſtris minor. *Bauh. pin.* 344.
Vicia folio gramineo, ſiliqua porrectiſſima. *Merr. pin.*
Catanance leguminoſa quorundam. *Bauh. hiſt. II.* 309. *R. Syn.* 323.
Ervum ſylveſtre. *Ger. Em.* 1249. ſ. Catanance. *Park.* 1079.
Anglis, Crimſon Graſs-vetch.
Habitat *in agrorum marginibus non infrequens.* ☉. V.

2. LATHYRUS pedunculis unifloris, cirrhis aphyllis, *Aphaca.* ſtipulis ſagittato-cordatis. *Sp. pl.* 729.
Aphaca. *Ger. Em.* 1250. *Park.* 1067. *R. Syn.* 320.
Vicia lutea, foliis convolvuli minoris. *Bauh. pin.* 345.
Anglis, yellow Vetchling.
Habitat *inter ſegetes ſed rarius.* ☉. VI. VII.

** *Pedunculis bifloris.*

3. LATHYRUS pedunculis bifloris, cirrhis diphyllis, *hirſutus.* foliolis lineari-lanceolatis, leguminibus hirſutis, ſeminibus ſcabris. *Roy. lugdb.* 363. *Dalib. pariſ.* 215. *Sp. pl.* 732.

Lathyrus ſiliqua hirſuta. *Bauh. hiſt. II.* 205. *R. Syn.* 320.

Lathyrus anguſtifolius ſiliqua hirſuta. *Bauh. pin.* 344.

Anglis, rough-codded Chickling-vetch.

Habitat *in arvis. In the fields about* Hockley *and* Raleghe, *and elſewhere in* Rochford *hundred in* Eſſex. *R. Syn. In the border of a field between the road and* Munden *church*; *likewiſe among buſhes within the gate leading to* Laydon-hall, *both in* Dengy *hundred*, Eſſex, Mr. S. Dale. *Blackſ. ſpec. bot.* 4. VII.

*** *Pedunculis multifloris.*

latifolius. 4. LATHYRUS pedunculis multifloris, cirrhis diphyllis, foliolis lanceolatis, internodiis membranaceis. *Fl. ſuec.* 645. *Sp. pl.* 733.

Lathyrus major latifolius. *Ger. Em.* 1229. *R. Syn.* 319.

Lathyrus latifolius. *Bauh. pin.* 344.

Lathyrus major perennis. *Park.* 1061.

Anglis, broad-leaved Peaſe-everlaſting.

Habitat *in ſylvis et ſepibus. In* Madingley *and other woods near* Cambridge; Mr. Lawſon *obſerved it on the rocks by* Red-neeſe *by* Whitehaven, *plentifully. R. Syn.* 4. VII.

ſylveſtris. 5. LATHYRUS pedunculis multifloris, cirrhis diphyllis; foliolis enſiformibus, internodiis membranaceis. *Sp. pl.* 738. *Fl. ſuec.* 644.

Lathyrus ſylveſtris major. *Bauh. pin.* 344.

Lathyrus ſylveſtris. *Dod. pempt.* 523. *Cluſ. hiſt. II.* 129. *Park.* 1061.

Lathyri majoris ſpecies flore rubente et albido minore dumetorum, ſ. Germanicus. *Bauh. hiſt. II.* 302. *R. Syn.* 319.

Anglis, narrow-leaved Peaſe-everlaſting.

Habitat *in ſylvis et ſepibus.* Mr. Dale *obſerved it near* Caſtle-Campes, *in the hedges by the way that leads thence to* Bartlow *in* Cambridgeſhire. *R. Syn. Circa* Rocheſter *in* Cantio; *inter* Bath *et* Briſtol *copioſe.* 4. VII. VIII.

6. LA-

6. LATHYRUS pedunculis multifloris, cirrhis polyphyllis ſtipulis lanceolatis. *Fl. ſuec.* 648. *Sp. pl.* 733. *paluſtris.*
Lathyrus peregrinis, foliis viciæ, flore ſubcæruleo pallidive purpuraſcente. *Bauh. pin.* 344.
Lathyrus viciæ formis ſ. Vicia Lathyroides noſtras. *R. Syn.* 320.
Vicia lathyroides ſ. Lathyrus viciæ formis. *R. pluk. ph. t.* 71. *f.* 2.
Anglis, Marſh Chickling-vetch.
Habitat *in pratis et paſcuis ſubhumidis. In a wood near* Abingdon, Berkſhire. *Blackſ. ſpec. bot.*; *upon the bogs in* Charley *foreſt, near* Bardon *hill*, Leiceſterſhire. Mr. Pultney. *Phil. tranſ.* 24. VII. VIII.

7. LATHYRUS pedunculis multifloris, cirrhis diphyllis: foliolis lanceolatis: cirrhis ſimpliciſſimis. *Sp. pl.* 733. *Fl. ſuec.* 647. *pratenſis.*
Lathyrus luteus ſylveſtris dumetorum. *Bauh. hiſt. II.* 304. *R. Syn.* 320.
Lathyrus ſylveſtris flore luteo. *Ger. Em.* 1231. *Park.* 1062.
Lathyrus ſylveſtris luteus, foliis viciæ. *Bauh. pin.* 344.
Anglis, Tare-everlaſting, or common yellow Vetchling.
Habitat *in ſylvis, ſepibus, pratis, paſcuis.* 24. VII. VIII.

VICIA. 782.

Stigma latere inferiore tranſverſe barbatum.

* *Pedunculis elongatis.*

1. VICIA pedunculis multifloris, floribus imbricatis, foliolis lanceolatis pubeſcentibus, ſtipulis integris. *Sp. pl.* 735. *Fl. ſuec.* 652. *cracca.*
Vicia multiflora. *Bauh. pin.* 345. *f.* ſpicata. *Park.* 1072.
Cracca, *Riv. tetr.* 49. *Rupp. jen.* 212. *R. Syn.* 322.

Anglis, tufted Vetch.
Habitat *in nemoroſis et ſepibus*. 4. VII. VIII.

ſylvatica. 2. VICIA pedunculis multifloris, foliolis ovalibus, ſtipulis denticulatis. *Sp. pl.* 734 *Fl. ſuec.* 650.
Vicia ſylvatica multiflora. *Ph. br. R. Syn.* 322.
Vicia multiflora maxima perennis, tetro odore, floribus albentibus lineis cæruleis ſtriatis. *Fluk. ph. t.* 71. *f.* 1.
Anglis, tufted Wood Vetch.
Habitat *in ſylvis et ſepibus. In a wood near* Caerwent *in* Monmouthſhire ; *in the woods about* Greta *bridge*, Yorkſhire, Mr. Johnſon ; *in* Smoakhall *wood by* Bath, *and at the* Devizes, Wiltſhire, Mr. Goodyer ; *ſupra pontem* Kirby Lonſdale, Weſtmorlandiæ, Dr. Richardſon. 4. VII. VIII.

** *Floribus axillaribus ſubſeſſilibus.*

ſepium. 3. VICIA leguminibus pedicellatis ſubquaternis erectis, foliis ovatis integerrimis : exterioribus decreſcentibus. *Sp. pl.* 737. *Fl. ſuec.* 651.
Vicia ſepium perennis. *Bauh. hiſt. II.* 713. *R. Syn.* 320.
Vicia ſepium folio rotundiore acuto. *Bauh. pin.* 345.
Vicia maxima dumetorum. *Ger. Em.* 1727. *Park.* 1072.
β Vicia folio ſubrotundo, brevi, obtuſe mucronato, pediculo brevi inſidente, flore viciæ ſepium ſeu dumetorum vulgaris. *R. Syn.*
Anglis, Buſh Vetch.
Habitat *in ſylvis, ſepibus, pratis et paſcuis*. 4. V.

ſativa. 4. VICIA leguminibus ſeſſilibus ſubbinatis erectis, foliolis retuſis, ſtipulis notatis. *Sp. pl.* 736. *Fl. ſuec.* 654.
Vicia leguminibus erectis, petiolis polyphyllis, foliolis acumine emarginatis, ſtipulis dentatis. *Hort. cliff.* 368.
Vicia. Ger. Em. 1227. R. Syn. 320. vulgaris ſativa. *Park.* 1072.
Vicia ſativa vulgaris, ſemine nigro. *Bauh. pin.* 344.
β Vicia ſativa vulgaris, ſemine albo. *Bauh. pin.* 344.
Anglis, common Vetch, or Tare.

Habit ov

Habitat *in agris, inter ſegetes frequens*, ⊙. V. VI.
Pharmac. Viciæ *ſemina.*

5. VICIA leguminibus ſeſſilibus ſolitariis erectis glabris foliolis ſenis: inferioribus obcordatis. *Sp. pl.* 736. *lathyroides.*
Vicia ſylveſtris ſeu Cracca major. *Ger. Em.* 1227.
Vicia ſemine rotundo nigro. *Bauh. pin.* 345.
Vicia lathyroides, purpureo-cæruleis floribus. *Herm. par.* 242. *t.* 242.
Aracus ſ. Cracca major. *Park.* 1070.
β Vicia ſylveſtris flore ruberrimo, ſiliqua longa nigra. *R. Syn.* 321.
Anglis, Strangle Tare, or wild Vetch.
Habitat *in arvis pratis et paſcuis ſicciſſimis præſertim ſolo arenoſo.* ⊙. V.

6. VICIA leguminibus ſeſſilibus reflexis piloſis ſolitariis, pentaſpermis, corollæ vexillis glabris. *Sp. pl.* 736. *lutea.*
Vicia foliis ſubſeſſilibus obverſe ovatis apice emarginatis leguminibus ſolitariis villoſis. *Dalib. pariſ.* 219.
Vicia ſylveſtris lutea ſiliqua hirſuta. *Bauh. pin.* 345.
Vicia luteo flore ſylveſtris. *Bauh. hiſt. II.* 313. *R. Syn.* 321.
Anglis, yellow Vetch.
Habitat *in pratis et paſcuis. On* Glaſtenbury *torne hill. R. Syn.* ⊙. VI. VII.

ERVUM. 784.

Calyx quinquepartitus longitudine corollæ.

1. ERVUM pedunculis ſubbifloris cirrhoſis, petiolis acuminatis, foliolis obtuſis. *Cent. pl.* *ſolonienſe.*
Vicia minima præcox pariſienſium. *Tourn.* 397. *R. Syn.* 321.
Vicia minima. *Riv. tetr.*
Vicia pratenſis verna, ſ. præcox ſolonienſis ſemine cubico ſ. hexahedron referente. *Hiſt. Ox. II.* 63. *ſ.* 2. *t.* 4. *f.* 14.
Anglis, Spring Tare.

Habitat *in pratis et paſcuis ſolo cretaceo. On the chalky banks near* Greenhithe, *in* Kent. *R. Syn.* ⊙. IV. V.

tetraſpermum. 2. ERVUM pedunculis ſubbifloris, ſeminibus globoſis quaternis. *Sp. pl* 738. *Fl. ſuec.* 655.
Vicia ſegetum ſingularibus ſiliquis glabris. *Bauh. pin.* 345.
Cracca minor ſiliquis ſingularibus, floſculis cæruleſcentibus. *Hoff. cat. H. alt. R. Syn.* 322.
Anglis, ſmooth Tare.
Habitat *in arvis et ad marginibus agrorum.* ⊙. VI.

hirſutum. 3. ERVUM pedunculis multifloris, ſeminibus globoſis binis. *Sp. pl.* 738. *Fl. ſuec.* 656.
Vicia ſegetum cum ſiliquis plurimis hirſutis. *Bauh. pin.* 345.
Vicia ſylveſtris ſeu Cracca minima. *Ger. Em.* 1028.
Aracus ſ. Cracca minor. *Park.* 1070.
Cracca minor. *Riv. tetr. ic. R. Syn.* 322.
Anglis, hairy Tare.
Habitat *cum priore.* ⊙. VI.

ORNITHOPUS. 790.

Legumen articulatum, teres, arcuatum.

perpuſillus. 1. ORNITHOPUS foliis pinnatis, leguminibus ſubarcuatis. *Sp. pl.* 743.
Ornithopus foliis pinnatis, articulis leguminum ſubrotundis lævibus. *Hort. cliff.* 364.
Ornithopodium minus. *Ger. Em.* 1241. *Bauh. pin.* 350.
Ornithopodium radice nodoſa. *Park.* 1093.
Ornithopodium radice tuberculis nodoſa. *Bauh. pin.* 350.
Ornithopodium majus. *Bauh. pin.* 350. *Park.* 1093.
Anglis, Bird's-foot.
Habitat *in glareoſis.* ♃. V.—VIII.

HIPPOCREPIS. 791.

Legumen compreſſum, altera ſutura pluries emarginatum, curvum.

1. HIP-

1. HIPPOCREPIS leguminibus pedunculatis confertis : *comoſa*. margine exteriore repandis. *Roy. lugdb.* 384. *Sp. pl.* 744.
Ferrum equinum germanicum ſiliquis in ſummitate. *Bauh. pin.* 349. *R. Syn.* 325.
Ferrum equinum comoſum. *Park.* 1091.
Hedyſarum glycyrrhizatum. *Ger. Em.* 1233.
Anglis, tufted Horſeſhoe-vetch.
Habitat *in pratis et paſcuis ſolo cretaceo. On the chalky grounds about* Gogmagog *hills, and elſewhere in* Cambridgeſhire ; *alſo on the northern mountains. In collibus cretaceis inter* Northfleet *et* Graveſend. *R. Syn.* ☉. VII.

HEDYSARUM. 793.

Cor. carina tranſverſe obtuſa. *Legumen* articulis monoſpermis.

1. HEDYSARUM foliis pinnatis, leguminibus monoſpermis aculeatis, corollarum alis breviſſimis, caule elongato. *Syſt. nat.* 1171. *Sp. pl.* 751. *Onobrychis.*
Onobrychis ſ. Caput Gallinaceum. *Ger. Em.* 1243. *R. Syn.* 327.
Onobrychis vulgaris. *Park.* 1082.
Onobrychis foliis viciæ, fructu echinato major. *Bauh. pin.* 350.
Polygalon Geſneri. *Bauh. hiſt. II.* 335.
Anglis, St. Foin, or Cock's-head.
Habitat *in pratis et paſcuis cretaceis.* 4 VII.

ASTRAGALUS. 799.

Legumen biloculare, gibbum.

1. ASTRAGALUS cauleſcens proſtratus, leguminibus ſubtriquetris arcuatis, foliis ovalibus pedunculo longioribus. *Sp. pl.* 758. *Fl. ſuec.* 658. *glycyphyllos.*
Aſtragalus luteus perennis procumbens, vulgaris ſ. ſylveſtris. *Hiſt. Ox. II.* 107.
Glaux vulgaris ſ. Glycyrrhiza ſylveſtris. *Park.* 1098.
Glycyrrhyza ſylveſtris floribus luteo palleſcentibus. *Bauh. pin.* 352.
Hedyſarum glycyrrhizatum. *Ger. Em.* 1233.
Anglis,

Anglis, wild Liquorice, or Liquorice Vetch.
Habitat *in pratis, paſcuis, et ad ſepes. Circa* Charleton *in* Cantio *copioſe.* ♃. VI. VII.

arenarius. 2. ASTRAGALUS ſubcauleſcens procumbens, floribus ſubracemoſis erectis, foliis tomentoſis. *Sp. pl.* 759. *Fl. ſuec.* 659.
Aſtragalus pedunculis folia villoſa æquantibus, floribus erectis, caulibus procumbentibus. *It. ſcan.* 108.
Aſtragalus incanus parvus purpureus noſtras. *Pluk. alm.* 59. *R. Syn.* 326. *t.* 12. *f.* 3.
Glaux exigua montana purpurea noſtras. *R. Syn. ed. II.* 192.
Anglis, Purple Mountain Milkwort.
Habitat *in pratis et paſcuis arenoſis. On* Gogmagog *hills*, Newmarket *heath*, Royſton *heath*, &c. *About* Haſelwood, Yorkſhire; *Nullibi copioſius quam ſecus viam agrorum* Pigburnenſium, *non procul* Doncaſtria *agri* Eboracenſis, D. Richardſon. *R. Syn.* ♃. VI. VII.

TRIFOLIUM. 802.

Flores ſubcapitati. *Legumen* vix calyce longius, non dehiſcens, deciduum.

* *Meliloti leguminibus nudis polyſpermis.*

m. officinalis. 1. TRIFOLIUM leguminibus racemoſis nudis diſpermis, caule erecto. *Hort. cliff.* 375. *Sp. pl.* 765. *Fl. ſuec.* 663.
Melilotus officinarum germaniæ. *Bauh. pin.* 331.
Melilotus vulgaris. *Park.* 719. *R Syn.* 331.
Melilotus germanica. *Ger. Em.* 1205.
Anglis, common Melilot.
Habitat *in arvis et ad ſepes.* ♂. VI, VII.
Pharmac. Meliloti *Herba, Flores.*

ornithopoides. 2. TRIFOLIUM leguminibus nudis octoſpermis ſubternis calyce duplo longioribus, caulibus declinatis. *Sp. pl.* 766.
Medicago leguminibus ternatis erectis recurvis deſcendentibus, pedunculo communi. *Hort. cliff.* 376.

Trifo-

Trifolium ſiliquis ornithopodii noſtras. *R. Syn. ed. H.* 195.

Trifolium ſiliquoſum loto affine ſiliquis ornithopodii. *Pluk. ph. t.* 68. *f.* 1.

Fœnumgræcum humile repens, ornithopodii ſiliquis brevibus erectis. *R. Syn.* 331.

Anglis, Birdsfoot Trefoil.

Habitat *in pratis et paſcuis arenoſis. Found by* Mr. Th. Williſel *among the corn, half a mile on this ſide* Tadcaſter, *towards* Sherborn, *as one goeth up the hill; alſo near* Oxford, *in the like grounds.* Mr. Newton, *in our company, found it on the ſandy banks by the ſea-ſide, at* Tottleſbury *in* Eſſex, *plentifully.* Mr. Doody *in* Tothil-fields, Weſtminſter. *R. Syn.* ⊙. VI.

** Lotoidea *leguminibus tectis polyſpermis.*

3. TRIFOLIUM capitulis umbellaribus, leguminibus tetraſpermis, caule repente. *Sp. pl.* 767. *Fl. ſuec.* 665. *repens.*

Trifolium capitulis ſubrotundis, floſculis pedunculatis, leguminibus tetraſpermis, caule procumbente. *Hort. cliff.* 375.

Trifolium pratenſe album. *Baub. pin.* 327. *Park.* 1110. *R. Syn.* 327.

Trifolium minus pratenſe, flore albo. ſ. 2. *Ger. Em.* 1185.

β Trifolium capitulis umbellaribus, leguminibus, tetraſpermis, caule adſcendente. *Sp. pl.* 766. *Fl. ſuec.* 664. hybridum

Anglis, white Trefoil, or Dutch Clover.

Habitat *in pratis et paſcuis ubique*, β *in paſcuis humidis prope* Peckham. ♃. V.—IX.

*** Lagopoda *calycibus villoſis monoſpermis.*

4. TRIFOLIUM ſpicis globoſis, coro)is monopetalis, calycum infimo dente longiſſimo erecto, foliis caulequehirſutis. *ochroleucon.*

Trifolium pratenſe hirſutum majus, flore albo-ſulphureo, ſeu ὠχροληύκω. *R. Syn.* 328.

Trifolium

Trifolium lagapoides annuum hirſutum pallide luteum ſeu ochroleucum. *Hiſt. ox. II.* 141. *ſ.* 2. *t.* 12. *f.* 12.

Anglis, yellow flowered Trefoil.

Habitat *in pratis et paſcuis ſiccioribus, in comitatibus* Eſſexienſi, Cantabrigienſi, *frequens.* ♂. V. VI.

pratenſe. 5. TRIFOLIUM ſpicis ſubvilloſis cinctis ſtipulis oppoſitis membranaceis, corollis monopetalis. *Sp. pl.* 768. *Fl. ſuec.* 666.

Trifolium ſpicis villoſis, caule diffuſo, foliolis integerrimis. *Hort. cliff.* 375.

Trifolium pratenſe. *Ger. Em.* 1185. purpureum. *Bauh. pin.* 327. *R. Syn.* 328. vulgare. *Park.* 1110.

β Trifolium pratenſe purpureum minus, foliis cordatis. *R. Syn.* 328. *t.* 13. *f.* 1.

γ Trifolium purpureum majus ſativum, pratenſe ſimile. *R. Syn.* 328.

Anglis, purple or Honeyſuckle Trefoil, γ Clover.

Habitat *in pratis et paſcuis.* ♃. V.—IX.

Pharmac. Trifolii pratenſis *Herba.*

medium. 6. TRIFOLIUM ſpicis villoſis globoſis terminalibus, corollis monopetalis foliolis lanceolatis ſubintegerrimis, caule erecto.

Trifolium purpureum majus, foliis longioribus et anguſtioribus, floribus ſaturatioribus. *R. Syn* 328.

Trifolium montanum purpureum majus. *Bauh. pin.* 328.

Anglis, long-leaved purple Trefoil.

Habitat *in pratis et paſcuis montoſis.* ♃. VII.

maritimum. 7. TRIFOLIUM ſpicis villoſis globoſis, calycibus patulis æqualibus, caule adſcendente foliolis cuneiformibus hirſutis.

Trifolium ſtellatum glabrum *Ger. Em.* 1208. *Pluk. ph.* 113 *f.* 4. *R Syn.* 329.

Anglis, : eaſel-headed Trefoil

Habitat *in pratis maritimis. Obſerved by* Dr. Johnſon *in* Dartford *ſalt marſh*; *I found it by the waterſide at* Lighe, *and at* Little-holland *in* Eſſex ; *at* Tilbury-fort, Mr. Petiver; *plentifully about* Sheerneſs,

neſs, Mr. Doody. *R. Syn. prope* Briſtolium *copioſe*; *in pratis inter* Greenhithe *et* Northfleet *in* Cantio. ♃. VII.

8. TRIFOLIUM ſpicis villoſis ovalibus, dentibus calycinis ſetaceis æqualibus. *Sp. pl.* 769. *Fl. ſuec.* 668. *arvenſe.*
Trifolium arvenſe humile ſpicatum ſ. Lagopus. *Bauh. pin.* 328. *R. Syn.* 330.
Lagopus vulgaris. *Park.* 1107.
Lagopodium ſive Pes leporis. *Ger. Em.* 1192.
β Lagopus perpuſillus ſupinus perelegans maritimus. *Ph. br. R. Syn.* 330.
Anglis, Hare's-foot Trefoil.
Habitat *in paſcuis arenoſis et arvis.* ☉. VII. VIII.

9. TRIFOLIUM capitulis ſeſſilibus ſublateralibus ovatis, calycibus ſtriatis rotundatis. *Sp. pl.* 770. *Fl. ſuec.* 669. *ſtriatum.*
Trifolium parvum hirſutum, floribus parvis dilute purpureis in glomerulis mollioribus et oblongis, ſemine magno. *R. Syn.* 329. *t.* 12. *f.* 3.
Anglis, knotted Trefoil.
Habitat *in paſcuis ſiccioribus.* ☉. VI.

10. TRIFOLIUM capitulis ſeſſilibus globoſis, calycibus ſtriatis patulis æqualibus. *Sp. pl.* 770. *glomeratum.*
Trifolium cum glomerulis ad caulium nodos rotundis. *R. Syn.* 329.
Anglis, round-headed Trefoil.
Habitat *in pratis et paſcuis arenoſis. On* Blackheath, *and near* Greenhithe *in* Kent, Mr. Doody. *R. Syn.* ☉. VI.

11. TRIFOLIUM capitulis ſeſſilibus ovatis, calycibus villoſis inæqualibus. *Sp. pl.* 770. *ſcabrum.*
Trifolium capitulo oblongo aſpero. *Bauh. pin.* 329. *pr.* 140.
Trifolium cujus caules ex geniculis glomerulos oblongos proferunt. *Bauh. hiſt. II.* 378.

Trifolium

Trifolium floſculis albis, in glomerulis oblongis aſperis, cauliculis proxime adnatis. *R. Syn.* 329. *Vaill. pariſ.* 169. *t.* 33. *f.* 1.

Anglis, Oval-headed Trefoil.

Habitat *in collibus cretaceis juxta* Thameſin, *inter* Northfleet *et* Graveſend. *R. Syn. in inſula* Shepey *copioſe.* ☉. V. VI.

ſubterraneum. 12. TRIFOLIUM capitulis villoſis ſubquinqueflori, involucro centrali reflexo rigido fructum involvente. *Hort. cliff.* 374. *Roy. lugdb.* 379. *Dalib. pariſ.* 224. *Sp. pl.* 769.

Trifolium pumilum ſupinum floſculis longis albis. *Ph. br. R. Syn.* 327.

Trifolium album tricoccum ſubterraneum reticulatum. *Hiſt. ox. II.* 138. *ſ.* 2. *t.* 14. *f.* 5.

Anglis, dwarf Trefoil.

Habitat *in paſcuis ſterilioribus circa* Londinum *frequens.* ☉. V.

**** *Veſicaria calycibus inflatis ventricoſis.*

fragiferum. 13. TRIFOLIUM capitulis ſubrotundis. calycibus inflatis bidentatis reflexis, caulibus repentibus. *Hort. cliff.* 373. *Fl. ſuec.* 670. *Sp. pl.* 772.

Trifolium fragiferum. *Ger. Em.* 1208. *R. Syn.* 329. friſicum. *Bauh. pin.* 329. *Cluſ. cur. app.* 38. *t.* 39. *Park.* 1109.

β Trifolium fragiferum purpureum folio oblongo. *Hiſt. ox. II.* 144.

Anglis, Strawberry Trefoil.

Habitat *in pratis et paſcuis humidis.* ♃. VIII.

***** *Lupulina vexillis corollæ reflexis.*

agrarium. 14. TRIFOLIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus, calycibus nudis, caule erecto. *Sp. pl.* 772. *Fl. ſuec.* 671.

Trifolium pratenſe luteum, capitulo lupuli, vel agrarium. *Bauh. pin.* 328. *R. Syn.* 330.

Trifolium luteum minimum. *Ger. Em.* 1186. *Lob. ii.* 29. *Park.* 111.

Anglis,

Anglis, Hop Trefoil.
Habitat *in pratis glareoſis*. ⊙. VI.

15. TRIFOLIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus, caulibus procumbentibus. *procumbens.*
Sp. pl. 772. *Fl. ſuec.* 673.
Trifolium lupinum alterum minus. *R. Syn.* 330. *t.* 14. *f.* 3.
Anglis, decumbent Trefoil.
Habitat *in paſcuis et pratis*. ♃. V.—VIII.

16. TRIFOLIUM ſpicis ſubimbricatis, vexillis deflexis perſiſtentibus, calycibus pedicellatis. caulibus procumbentibus. *filiforme.*
Sp. pl. 773. *Fl. ſuec.* 674.
Trifolium lupulinum minimum. *R. Syn.* 331. *t.* 14. *f.* 4.
Anglis, ſmall Trefoil.
Habitat *in pratis arenoſis paſſim*. ⊙. V. VI.

MEDICAGO. 805.

Legumen compreſſum cochleatum. Carina corollæ a vexillo deflextens.

1. MEDICAGO pedunculis racemoſis. leguminibus lunatis caule proſtrato. *falcata.*
Sp. pl. 779.
Medicago pedunculis laxe ſpicatis leguminibus contortis caule erecto glabris. *Hort. cliff.* 377.
Medica ſylveſtris. *Bauh. hiſt. II.* 383. *R. Syn.* 333.
Medica fruteſcens flavo flore Cluſii. *Park.* 1114.
Trifolium luteum ſiliqua cornuta. *Ger. Em.* 1191.
Trifolium luteum ſylveſtre, ſiliqua cornuta et medica fruteſcens. *Bauh. pin.* 330.
Anglis, yellow Medick.
Habitat *in aggeribus agrorum et ad vias in* Norfolcia; *between* Buſhyhill *and* Watford, *the footway*, Mr. Doody. *R. Syn.* ♃. VII.

*2. MEDICAGO pedunculis racemoſis, leguminibus contortis, caule erecto glabro. *ſativa.*
Hort. cliff. 377. *Sp. pl.* 778.
Medica legitima. *Cluſ. hiſt. II.* 242.
Medica ſativa. *Hiſt. ox. II.* 150. *ſ.* 2. *t.* 16. *f.* 2.

Foenum

Foenum burgundiacum. *Loc. ic.* 2. *p.* 36.
Anglis, Lucern.
Habitat *in pratis et paſcuis.* 4. VI. VII.

lupulina. 3. MEDICAGO ſpicis ovalibus, leguminibus reniformibus monoſpermis, caule procumbente. *Sp. pl.* 779. *Fl. ſuec.* 678.
Medica polycarpos fructu minore compreſſo ſcabro. *R. Syn.* 333.
Trifolium luteum lupulinum. *Ger. Em.* 1186. *R. Syn.* 331.
Trifolium montanum lupulinum. *Park.* 1105.
Trifolium pratenſe luteum, capitulo breviore. *Bauh. pin.* 328.
Anglis, Melilot Trefoil.
Habitat *in arvis, pratis et paſcuis arenoſis.* ⊙. V.—VIII.

arabica. 4. MEDICAGO pedunculis racemoſis, leguminibus cochleatis ſpinoſis, caule diffuſo. *Sp. pl.* 780.
Medica Arabica Camerarii, ſive Trifolium cordatum. *Park.* 1115.
Trifolium cochleatum folio cordato maculato. *Bauh. pin.* 329. *R. Syn.* 333.
Trifolium cordatum. *Ger. Em.* 1190.
β Medica echinata minima. *Bauh. hiſt. II.* 386.
γ Trifolium cochleatum modiolis ſpinoſis. *R. Syn.* 333.
δ Medica marina ſupina noſtras, foliis viridibus ad ſummos ramulos villoſis. *Pluk. alm.* 245.
Anglis, Heart Trefoil, or Claver.
Habitat *in pratis, paſcuis, et inter ſegetes.* ⊙. V.

LOTUS. 803.

Legumen cylindricum, ſtrictum. *Alæ* ſurſum longitudinaliter conniventes. *Cal.* tubuloſus.

corniculata. 1. LOTUS capitulis depreſſis, caulibus decumbentibus, leguminibus cylindricis patentibus. *Sp. pl.* 775. *Fl. ſuec.* 675.
Lotus corniculata glabra minor. *Bauh. hiſt. II.* 356. *R. Syn.* 334.

Lotus

Lotus ſ. melilotus pentaphyllos minor glabra. *Bauh. pin* 332.

Trifolium ſiliquoſum minus. *Ger. Em.* 1191.

β Lotus pentaphyllos minor anguſtioribus foliis frutico-ſior. *R. Syn.* 334.

γ Lotus pentaphyllos flore majore luteo ſplendente. *Bauh pin.* 332.

δ Lotus corniculata major, minus hirſuta. *R. Syn.* 334.

ε Lotus corniculata minor, foliis ſubtus incanis. *R. Syn.* 334.

Anglis, Bird's-foot Trefoil.

Habitat *in pratis paſcuis et ad ſepes.* γ *in ſylvis et ſepibus humidis.* ♃. VI.—VIII.

Classis XVIII.

POLYADELPHIA
POLYANDRIA.

HYPERICUM. 808.

Cal. quinquepartitus. *Petala* quinque. *Filamenta* multa, in quinque phalanges.

perforatum. 1. HYPERICUM floribus trigynis, caule ancipiti, foliis obtusis pellucido-punctatis. *Hort. cliff.* 380. *Sp. pl* 785. *Mat. med.* 368. *Fl suec.* 681.
Hypericum. *Ger. Em.* 540. *R. Syn.* 342. vulgare. *Bauh. pin.* 279. *Park.* 572.
Hypericum vulgare f. perforata, caule rotundo, foliis glabris. *Bauh hist. III.* 381.
Anglis, St John's Wort.
Habitat *in dumetis et ad sepes.* ♃. VII.
Pharmac. Hyperici *Herba Flores Semina.*

humifusum. 2. HYPERICUM floribus trigynis axillaribus solitariis, caulibus ancipitibus filiformibus, foliis glabris. *Syst. nat.* 1184.
Hypericum floribus trigynis, caulibus ancipitibus prostratis. *Sp. pl.* 785. *Fl. suec.* 681.
Hypericum minus supinum. *Park* 572. *R. Syn.* 343.
Hypericum supinum glabrum. *Ger. Em.* 541. *Bauh. pin.* 279.
Anglis, trailing St. John's Wort.
Habitat *in pratis et pascuis glareosis.* ♃. VII.

pulchrum. 3. HYPERICUM floribus trigynis, calycibus serrato-glandulosis, foliis cordatis glabris, bracteis integerrimis, caule tereti. *Syst. nat.* 1184. *Sp. pl.* 786.
Hypericum foliis cordatis connatis, laciniis calycinis ovatis obtusis. *Guett. stamp. II.* 175.

Hypericum

Hypericum foliorum baſi latiſſima, foliis calycis brevioribus obtuſis. *Hall. helv.* 361.
Hypericum minus erectum. *Bauh. pin.* 279.
Hypericum pulchrum Tragi. *Bauh. hiſt. III.* 383. *R. Syn.* 342.
Hypericum quintum ſ. pulchrum Tragi. *Ger. Em.* 540.
Anglis, upright St. John's Wort.
Habitat *in ſylvis, ſepibus et ericetis.* ♃. VII.

4. HYPERICUM floribus trigynis, fructibus baccatis, caule fruticoſo ancipiti. *Sp. pl.* 785. *Androſæmum.*
Hypericum floribus trigynis, fructu baccato, foliis ovatis pedunculo longioribus. *Hort. cliff.* 380.
Hypericus maximum Androſæmum vulgare dictum. *R. Syn.* 343.
Androſæmum vulgare. *Park.* 575.
Androſæmum maximum fruteſcens. *Bauh. pin.* 280.
Clymenum Italorum. *Ger. Em.* 548.
Anglis, Tutſan, or Park-leaves.
Habitat *in ſylvis et ſepibus humidis frequens.* ♃. VII.

5. HYPERICUM floribus trigynis, calycibus ſerrato-glanduloſis, caule erecto, foliis ovatis glabris. *Fl. ſuec.* 683. *montanum*
Hypericum elegantiſſimum non ramoſum folio lato. *Bauh. hiſt. III.* 383 *R. Syn.* 343.
Androſæmum campoclarenſe. *Col. ecphr. I.* 73. *t.* 74.
Aſcyron ſ. Hypericum bifolium glabrum non perforatum. *Bauh pin.* 280.
Anglis, imperforate St. John's Wort.
Habitat *in ſylvis et dumetis montoſis. In* Charleton *wood. Blackſ. ſpec. bot.* ♃. VII.

6. HYPERICUM floribus trigynis, calycibus ſerrato-glanduloſis, caule erecto, foliis ovatis pubeſcentibus. *Sp. pl.* 786. *Fl. ſuec.* 682. *hirſutum.*
Hypericum majus ſ. Androſæmum matthioli. *R. hiſt.* 100.
Androſæmum hirſutum. *Bauh. pin.* 280.
Androſæmum Aſcyron dictum, caule rotundo hirſuto. *Hiſt. ox. II.* 271. *ſ.* 5. *t.* 6. *f.* 11.
Anglis, Tutſan, or hairy St. John's Wort.
Habitat *in dumetis et ſepibus.* ♃. VII.

quadrangulum. 7. HYPERICUM floribus trigynis, caule quadrato herbaceo. *Sp. pl.* 785. *Fl. ſuec.* 679
Hypericum Aſcyron dictum, caule quadrangulo. *Bauh. hiſt. III.* 382 *R. Syn.* 344.
Aſcyron. *Ger. Em.* 542. *Dod. pempt.* 78. vulgare. *Park.* 575.
Anglis, St. Peter's Wort.
Habitat *in ſepibus humidis frequens.* 4. VII.

elodes. 8. HYPERICUM floribus trigynis, foliis rotundis tomentoſis, caule repente.
Aſcyron ſupinum villoſum paluſtre. *Bauh. pin.* 280. *Park.* 574. *R. Syn.* 344.
Aſcyron ſupinum ἕλωδες Cluſii. *Ger. Em.* 542.
Anglis, Marſh St. Peter's Wort.
Habitat *in paluſtribus ſolo putrido aut ſpongioſo. In* Sherley *common inter* Croydon *et* Wickham *copioſe. In ericeto* Hamſtediano. 4. VII.

Claſſis

Classis XIX.

SYNGENESIA:

POLYGAMIA ÆQUALIS.

* *Semiflosculosi Tournef. corollis ligulatis omnibus.*

TRAGOPOGON. 810.

Receptaculum nudum. *Cal.* simplex, polyphyllus.
Pappus plumosus.

1. TRAGOPOGON calycibus corollæ radium æquantibus, foliis integris strictis. *Sp. pl.* 789. *Fl. suec.* 685 — *pratense.*
Tragopogon luteum. *Ger. Em.* 735. *Park.* 412. *R. Syn.* 171.
Tragopogon pratense luteum majus. *Bauh. pin.* 274.
Anglis, yellow Goat's-beard.
Habitat *in pratis et pascuis.* ♂. VI.

2. TRAGOPOGON calycibus corollæ radio longioribus, foliis integris nudis, pedunculis superne incrassatis. *Syst. nat.* 1191. *Sp. pl.* 789. — *porrifolium.*
Tragopogon purpuro-cæruleum, porrifolio, quod Artifivulgo. *Bauh. pin.* 274. *Hist. ox. III.* 8. *f.* 1. *t.* 9. *f.* 5.
Tragopogon purpureum. *Ger. Em.* 735. *Park.* 412. *R. Syn.* 172.
Anglis, purple Goat's-beard.
Habitat *in pratis et pascuis. In many places of* Cornwal, Dr. Gunthorp; *In the fields about* Carlisle *and* Rose-Castle, Cumberland. *R. Syn. In the marshes near* Long-Reach, *below* Woolwich, Mr. Jarvis. *In some meadows near* Edmonton, Mr. Hurlock. *Blackst. spec. bot.* ♂. VI.

PICRIS. 812.

Recept. nudum. *Cal.* caliculatus. *Pappus* plumoſus. *Sem.* tranſverſim ſulcata.

Echioides. 1. PICRIS perianthiis involucro maximo cinctis. *Hort. upſ.* 241. *Sp. pl.* 792.
Picris calycibus ſimplicibus, perianthio maximo obvallatis. *Hort. cliff.* 387. *Roy. lugdb.* 128.
Hieracium echioides, capitulis cardui benedicti. *Bauh. pin.* 128. *R. Syn.* 166.
Bugloſſum luteum. *Ger. Em.* 798. ſ. Lingua bovis. *Park.* 800.
Anglis, Ox's Tongue.
Habitat *in marginibus agrorum.* ⊙. VII. VIII.

Hieracioides. 2. PICRIS perianthiis imbricatis. *Hort. cliff.* 387. *Lech. ſcan.* 62. *Sp. pl.* 792. *Fl. ſuec* 686.
Hieracium aſperum, majore flore, in agrorum limitibus. *Bauh. hiſt. II.* 1029. *R Syn.* 167.
Hieracium aſperum. *Ger Em.* 298.
Cichorium pratenſe luteum hirſutie aſperum. *Bauh. pin.* 126.
Cichorium pratenſe luteum aſperum. *Park.* 777.
Anglis, yellow Succory, or rough Hawkweed.
Habitat *in agrorum marginibus.* ⊙. VII.

SONCHUS. 813.

Recept. nudum. *Cal.* imbricatus, ventricoſus. *Pappus* plumoſus.

oleraceus. 1. SONCHUS pedunculis tomentoſis, calycibus lævibus. *Sp pl.* 794. *Fl. ſuec.* 688.
Sonchus caule ramoſiſſimo diffuſo foliis ſummis amplexicaulibus, pedunculis inæqualibus. *Roy. lugdb.* 129
α Sonchus lævis. *Ger. Em.* 292. *R. Syn.* 162. vulgaris. *Park.* 805.
Sonchus lævis laciniatus latifolius. *Bauh. pin.* 124.
β Sonchus lævis minor paucioribus laciniis. *Bauh. pin.* 124.
γ Sonchus aſper laciniatus. *Bauh. pin.* 124. *Park.* 804.
δ Sonchus aſper non laciniatus. *Bauh. pin.* 123.

ε Sonchus

Sonchus ſubrotundo folio noſtras, lævissimis ſpinulis circa foliorum oras exaſperatus. *Pluk. alm.* 354. *t.* 61. *f.* 5.
Sonchus ἀφυλλόκαυλος anguſto et oblongo folio noſtras, per foliorum ambitum creberrimis ſpinulis aſperatus. *Pluk. ph. t.* 62. *f.* 4
Sonchus aſper dentatus. *Pet. h. br. t.* 14. *f* 4.
Sonchus lævis laceratus. *Pet. h. br. t.* 14. *f.* 10.
Anglis, common Sow-thiſtle.
Habitat *in ruderatis, cultis, arvis.* ☉. VI.—VIII.
Pharmac. Sonchi *Herba.*

2. SONCHUS pedunculis calycibuſque hiſpidis ſubumbellatis, foliis baſi cordatis. *Sp. pl.* 793. *Fl. ſuec.* 687. *arvenſis.*
Sonchus foliis lanceolato-oblongis dentatis, floribus congeſtis hiſpidis. *Hort. cliff.* 384.
Sonchus repens, multis Hieracium majus. *Bauh. hiſt. II.* 1070. *R. Syn.* 163.
Sonchus arboreſcens. *Ger. Em.* 294.
Hieracium majus folio Sonchi. *Bauh. pin.* 126.
Anglis, Tree Sow-thiſtle.
Habitat *in arvis et ad ſepes.* ♃. VIII.

3. SONCHUS pedunculis calycibuſque hiſpidis ſubumbellatis, foliis baſi ſagittatis. *Sp. pl.* 793. *paluſtris.*
Sonchus caule erecto, foliis pinnato-haſtatis apiceque haſtatis, floribus congeſtis villoſis. *Hort. cliff.* 385.
Sonchus tricubitalis, folio cuſpidato. *Merr. pin. R. Syn.* 163.
Sonchus arboreſcens alter. *Ger. Em.* 294.
Sonchus aſper arboreſcens. *Bauh. pin.* 124.
Anglis, Marſh Sow-thiſtle.
Habitat *ad ripas Thameſis fluvii non procul* Greenvico, *et circa* Blackwall, *R. Syn.* ♃. VIII.

LACTUCA. 814.

Recept. nudum. *Cal.* imbricatus, cylindricus. *Pappus* ſimplex, ſtipitatus.

1. LACTUCA foliis verticalibus carina aculeatis. *Syſt. nat.* 1193. *viroſa.*

Lactuca ſylveſtris major odore opii. *Ger. Em.* 309. *R. Syn.* 161.
Lactuca ſylveſtris odore viroſo. *Bauh. pin.* 123.
Lactuca viroſo. *Park.* 813.
β Lactuca ſylveſtris coſta ſpinoſa. *Bauh. pin.* 123.
γ Lactuca ſylveſtris folio non laciniato. *R. Syn.* 162.
Anglis, ſtrong-ſcented wild Lettuce.
Habitat *ad ſepes et agrorum margines.* ♂. VII. VIII.

ſaligna. 2. LACTUCA foliis haſtato-linearibus ſeſſilibus carina aculeatis. *Amoen. acad. I.* 150. *Sp. pl.* 796.
Lactuca foliis imis pinnatifidis, cæteris enſiformibus baſi haſtatis, dorſo ſerratis. *Sauv. monſp.* 692.
Lactuca foliis radicalibus linearibus dentato-pinnatis: laciniis ſurſum dentatis: caulinis alato-lanceolatis, floribus linearibus ſeſſilibus. *Guet. ſtamp.* 374.
Lactuca ſylveſtris minima. *R. cat. cant. ſyn.* 162.
Chondrilla viſcoſa humilis. *Bauh. pin.* 130. *pr.* 68. *Park.* 783. *Ger. Em.* 287.
Anglis, the leaſt wild Lettuce.
Habitat *in aggeribus foſſarum et paſcuis ſolo cretaceo paſſim.* ☉. VIII.

PRENANTHES. 816.

Recept. nudum. *Cal.* calyculatus. *Pappus* ſimplex, ſubſeſſilis, Floſculi ſimplici ſerie.

muralis. 1. PRENANTHES floſculis quinis, foliis lyrato-haſtatis. *Hort. cliff.* 383 *Fl ſuec.* 692. *Sp. pl.* 797.
Lactuca ſylveſtris murorum flore luteo. *Bauh. hiſt. II.* 1004. *R. Syn.* 162.
Sonchus lævis muralis. *Ger. Em.* 293.
Sonchus lævis alter parvis floribus. *Park.* 805.
Sonchus lævis laciniatus muralis parvis floribus. *Bauh. pin.* 124.
Anglis, Ivy-leaved wild Lettuce.
Habitat *in muris et ſylvis umbroſis. Prope* Hornſey. 4. VII.

LEONTODON. 817.

Recept. nudum. *Cal.* imbricatus, ſquamis laxiuſculis. *Pappus* plumoſus.

1. LE-

1. LEONTODON calyce inferne reflexo. *Fl. lapp.* 280. *Mat. med.* 368. *Sp. pl.* 798. *Fl. ſuec.* 693. *Taraxacum.*
Dens leonis. *Ger. Em.* 290. *R. Syn.* 171. vulgaris. *Park.* 780.
Dens leonis latiore folio. *Bauh. pin.* 126.
β Dens leonis anguſtiore folio. *Bauh. pin.* 126.
γ Dens leonis montanus anguſtifolius. *R. Syn.* 171.
Hieracium montanum anguſtifolium nonnihil incanum. *Bauh. pin.* 129.
Anglis, Dandelion.
Habitat *in pratis et paſcuis.* ♃. IV.—VI.
Pharmac. Taraxaci *Radix*, *Herba.*

2. LEONTODON calyce toto erecto hiſpido, foliis hiſpidis dentatis integerrimis: ſetis furcatis. *Syſt. nat.* 1194. *Fl. ſuec.* 694. *Sp. pl.* 799. *hiſpidum.*
Dens leonis hirſutus λεπτόκαυλος, Hieracium dictus. *R. Syn.* 171.
Hieracium Dentis leonis folio hirſutum. *Ger. Em.* 303.
Hieracium aſperum flore magno Dentis leonis. *Bauh. pin.* 127.
Hieracium aſperum foliis et floribus dentis leonis bulboſi. *Park.* 788.
β Crepis foliis lanceolatis dentato-ſinuatis hiſpidis: ſetis ſubulatis, ſcapo unifloro. *Sp. pl.* 805.
Hieracium pumilum ſaxatile aſperum premorſa radice. *Bauh. pin.* 128. *pr.* 66. *ic. R. Syn.* 167.
Anglis, rough Dandelion.
Habitat *in pratis et paſcuis.* ♃. V. VI.

3. LEONTODON foliis glabris dentatis integerrmis, calycibus erectis, pedunculis ſquamoſis. *Sp. pl.* 798. *Fl. ſuec.* 695. *autumnale*
Crepis foliis longis dentatis linearibus, caule declinato ſubnudo. *Hort. cliff.* 389.
Hieracium minus præmorſa radice. *Park.* 794. *R. Syn.* 165.
Hieracium minus ſ. leporinum. *Ger. Em.* 296.
Hieracium chondrillæ folio glabro, radice ſucciſa, majus. *Bauh. pin.* 127.

β Hieracium

β Hieracium præmorſum laciniatum. *Pet. h. br. t.* 12. *f.* 2.
Anglis, yellow Devil's-bit.
Habitat *in pratis et paſcuis.* ♃. VIII.

HIERACIUM. 818.

Recept. nudum. *Cal.* imbricatus, ovatus. *Pappus* ſimplex, ſeſſilis.

* *Scapo nudo unifloro.*

alpinum. 1. HIERACIUM foliis oblongis integris dentatis, caule ſubnudo unifloro, calyce piloſo. *Sp. pl.* 800. *Fl. ſuec.* 696.
Hieracium alpinum pumilum, folio lanuginoſo. *Bauh. pin.* 129.
Hieracium villoſum alpinum, flore magno ſingulari. *R. Syn.* 169. *t.* 6. *f.* 2.
Anglis, Mountain Hawkweed.
Habitat *in editioribus* Venedotiæ *et* Proviſiæ *rupibus paſſim.* D. Lhwyd. *R. Syn.* ♃. VII.

Piloſella. 2. HIERACIUM foliis integerrimis ovatis ſubtus tomentoſis, caule repente, ſcapo unifloro. *Sp. pl.* 800. *Fl. ſuec.* 697.
Piloſella repens. *Ger. Em.* 638. *R. Syn.* 170.
Piloſella minor vulgaris repens. *Park.* 690.
Piloſella major repens hirſuta. *Bauh. pin.* 262.
Anglis, common creeping Mouſe-ear.
Habitat *in pratis et paſcuis ſiccisſimis frequens.* ☉. V.
Pharmac. Piloſellæ ſ. Auriculæ muris *Herba.*

** *Scapo nudo multifloro.*

dubium. 3 HIERACIUM foliis integris ovato-oblongis, ſtolone repente, ſcapo nudo multifloro. *Sp. pl.* 800. *Fl. ſuec.* 698.
Hieracium foliis virentibus piloſis ovato-lanceolatis, ſcapo ſimplici multifloro. *Hall. helv.* 743.
Hieracium piloſelloides vulgare. *Vaill. act. Gal.* 1721. *p.* 238.
Piloſella major repens minus hirſuta. *Bauh. pin.* 262.
Anglis, Mouſe-ear Hawkweed.

Habitat

Habitat *in monte* Fairfield *dicta*, *prope* Rydal *in comitatu* Weſtmorlandico. 4. VII. VIII.

4. HIERACIUM foliis integerrimis lanceolatis, ſcapo nudo multifloro. *Fl. lapp.* 289. *Sp. pl.* 800. *Fl. ſuec.* 699 *Auricula.*
Hieracium foliis integerrimis, caule repente, ſcapo nudo multifloro. *Hort. cliff.* 388.
Piloſella major erecta altera. *Bauh. pin.* 262.
Piloſella repens minor, caule pedali, polyanthos, foliis anguſtis oblongis. *Raj. app.* 147.
Anglis, narrow-leaved Hawkweed.
Habitat *in pratis montoſis ſupra* Dalehead, *non longe a* Graſſmere *in* Weſtmorlandia, *ſed ſparſim.* 4. VII.
Folia lanceolata, acuta ſubintegerrima. Scapus erectus nudus, vix ſemipedalis pilis minimis adſperſus, Paniculа a 3. *ad* 6. *floribus luteis. Calycis foliola linearia piloſa.*

*** *Caule folioſo.*

5. HIERACIUM caule ramoſo, foliis radicalibus ovatis dentatis, caulino minore. *Hort. cliff.* 388. *Sp. pl.* 802. *Fl. ſuec.* 701. *murorum.*
Hieracium caule ramoſo, foliis dentatis. *Fl. lapp.* 284.
Hieracium murorum foliis piloſiſſimo. *Bauh. pin.* 129. *R. Syn.* 168.
Hieracium murorum Bauhini, quod eſt Pulmonaria Gallorum Lobelii. *Park.* 801.
Pulmonaria gallica ſ. aurea latifolia. *Ger. Em.* 304.
β Hieracium Pulmonarium dictum anguſtifolium. *R. Syn.* 168.
Pulmonaria gallica ſ. aurea anguſtifolia. *Ger. Em.* 304.
γ Hieracium macrocaulon hirſutum folio rotundiore. *R. Syn.* 169.
Hieracium fruticoſum folio ſubrotundo. *Bauh. pin.* 126.
δ Hieracium λεπτόκαυλον hirſutum folio longiore. *R. Syn.* 169.
ε Piloſellæ majoris ſeu Pulmonariæ luteæ ſpecies anguſtifolia. *Bauh. hiſt. II.* 1034.

Anglis,

Anglis, French or golden Lungwort.
Habitat *in ſylvis, muris antiquis et aggeribus umbroſis paſſim.* 4. VII.

paludoſum 6. HIERACIUM caule paniculato, foliis amplexicaulibus dentatis glabris, calycibus hiſpidis. *Sp. pl.* 803. *Fl. ſuec.* 702.
Hieracium foliis amplexicaulibus minute dentatis glabris. *Hall. helv.* 748.
Hieracium montanum latifolium glabrum minus. *Bauh. pin.* 129. *Hiſt. ox. III.* 69. *ſ.* 7. *t.* 5. *f.* 47.
Hieracium montanum cichorei folio. *R. Syn.* 166.
Anglis, Succory-leaved Hawkweed.
Habitat *in pratis humidis et juxta rivulos* Cravoniæ *montoſos abundat. R. Syn.* ♂. VII.

ſabaudum. 7. HIERACIUM caule erecto multifloro, foliis ovato-lanceolatis dentatis ſemiamplexicaulibus. *Roy. lugdb.* 124. *Sp. pl.* 804. *Fl. ſuec.* 703.
Hieracium fruticoſum latifolium hirſutum. *Bauh. pin.* 129. *Park.* 802. *R. Syn.* 167.
β Hieracium fruticoſum latifolium glabrum. *Park.* 168.
γ Hieracium ſ. Piloſellæ majoris ſpecies humilis, foliis longioribus rarius dentatis plurimis ſimul, flore ſingulari noſtras. *R. Syn.* 170. *Pluk. ph. t.* 37. *f.* 3.
Anglis, broad-leaved buſhy Hawkweed.
Habitat *in ſylvis et ſepibus*, β *in ſylvis humidis opacis.* 4 VII. VIII.

umbellatum. 8. HIERACIUM foliis linearibus ſubdenticulatis ſparſis, floribus ſubumbellatis. *Sp. pl.* 804. *Fl ſuec.* 704.
Hieracium fruticoſum anguſtifolium majus. *Bauh. pin.* 129. *Park.* 801. *R. Syn.* 168.
Hieracium intybaceum. *Ger. Em.* 298.
β Pulmonaria anguſtifolia glabra. *Pet. h. br. t.* 13. *f.* 12.
γ Pulmonaria graminea. *Pet. h. br. t.* 13. *f.* 12.
Anglis, narrow-leaved buſhy Hawkweed.
Habitat *cum priore.* 4. VII. VIII.

CRE-

CREPIS. 819.

Recept. nudum. *Cal.* calyculatus: ſquamis deciduis.
Pappus plumoſus, ſtipitatus.

1. CREPIS foliis lanceolatis ſagittatis ſeſſilibus lævibus, inferioribus dentatis. *Sp. pl.* 807. *Fl. ſuec.* 705. *tectorum.*
Hieracium luteum glabrum ſive minus hirſutum. *Bauh. hiſt. II.* 1024. *R. Syn.* 165.
Cichoreum pratenſe luteum lævius. *Bauh. pin.* 126. *Park.* 778.
Hieracium aphacoides. *Ger. Em.* 297.
β Hieracium aphacoides acutum. *Pet. h. br. t.* 12. *f.* 7.
γ Hieracium folio acuto minus. *Pet. h. br. t.* 12. *f.* 3.
δ Hieracium folio obtuſo minus. *Pet. h. br. t.* 12. *f.* 4.
ε Hieracium Lactucæ folio. *Pet. h. br. t.* 12. *f.* 5.
Dens leonis ramoſus glaber. *Pet. h. br. t.* 14. *f.* 12.
Anglis, ſmooth Succory Hawkweed.
Habitat *in pratis, paſcuis, muris, tectis ubique.* ⊙. VI. —IX.

2. CREPIS foliis pinnato haſtatis ſcabris: baſi ſuperne dentatis, calycibus muricatis. *Sp. pl.* 807. *Fl. ſuec.* 706. *biennis.*
Hieracium maximum chondrillæ folio, aſperum. *Bauh. pin.* 127. *pr.* 64. *R. Syn.* 166.
Hieracium cichorei folio majus. *Pet. h. br. t.* 12. *f.* 10.
Anglis, rough Succory Hawkweed.
Habitat *in pratis paſcuis et ad ſepes. In* Cantio *frequens. R. Syn.* ♂. VII. VIII.

3. CREPIS foliis pinnatis angulatis, petiolis dentatis. *Roy. lugdb.* 126. *Sp. pl* 807. *fœtida.*
Hieracium luteum cichorei ſylveſtris folio, amygdalas amaras olens. *Hiſt. ox. III.* 63. *ſ.* 7. *t.* 4. *f.* 4.
Hieracium caſtorei odore. *Pet. h. br. t.* 12. *f.* 8. monſpelienſium. *R. Syn.* 165.
Seneſio hirſutus. *Bauh. pin.* 131.
Anglis, ſtinking Hawkweed.
Habitat *in paſcuis circa* Cantabrigiam *et alibi ſed rarius. R. Syn. On* Banſted Downs, *by the ſide of the road*

road to Darking *in* Surry. *In* Northfleet *chalk-pits*, Kent. *Blackf. ſpec. bot.* 8. VI. VII.

HYOSERIS. 821.

Recept. nudum. *Cal.* ſubæqualis. *Pappus* piloſus vel obſoletus.

minima. 1. HYOSERIS caule diviſo nudo. *Sp. pl.* 809. *Fl. ſuec.* 707.
Hyoſeris anguſtifolia. *Tabern. ic.* 180.
Hyoſeris maſcula. *Ger. Em.* 288.
Hieracium minimum Cluſii, Hyoſeris Tabernæmontani et Gerardi. *Park.* 791. *R. Syn.* 173.
Hieracium minus folio ſubrotundo. *Bauh. pin.* 127.
Anglis, ſmall Swine's Succory.
Habitat *in pratis et arvis ſolo glareoſo. Circa* Hampton-court *copioſe obſervavit*, D. Doody. *R. Syn. in a ſand-pit on the right-hand going to the duke of* Argyle's *houſe at* Peterſham, Surry, Dr. Wilmer. *In the common corn-field at* Walthamſtow, Eſſex, Dr. Watſon. *In* Tuddington *field* near Hampton-court. *Blackf. ſpec. bot.* ⊙. V. VI.

HYPOCHÆRIS. 822.

Recept. paleaceum. *Cal.* ſubimbricatus. *Pappus* plumoſus.

radicata. 1. HYPOCHÆRIS foliis dentato-ſinuatis ſcabris, caule ramoſo nudo, pedunculis ſquamoſis. *It. ſcan.* 225. *Sp. pl.* 811. *Fl. ſuec.* 709.
Hieracium, dentis leonis folio obtuſo, majus. *Bauh. pin.* 127.
Hieracium longius radicatum. *Leb. hiſt.* 120. *Ger. Em.* 298. *Park.* 790. *R. Syn.* 165.
Anglis, Long-rooted Hawkweed.
Habitat *in pratis et paſcuis.* 4. V.—VII.

macculata. 2. HYPOCHÆRIS caule ſubnudo, ramo ſubſolitario, foliis ovato-oblongis integris dentatis. *Sp. pl.* 810. *Fl. ſuec.* 708.
Hieracium I. latifolium. *Cluſ. hiſt. II.* 139. *R. Syn.* 167.

Hieracium

Hieracium alpinum latifolium hirſutie incanum, flore magno. *Bauh. pin.* 128.
Anglis, ſpotted Hawkweed.
Habitat *in pratis montoſis. Found on the banks of the devil's ditch near* Reche, *not far from* Newmarket; *alſo on* Bernuk *heath in* Northamptonſhire. *R. Syn.* 4. VII.

3. HYPOCHÆRIS glabra: calycibus oblongis imbricatis, caule nudo foliis dentato-ſinuatis. *Sp. pl.* 811. *glabra.*
Hieracium minus dentis leonis folio oblongo glabro. *Bauh. pin.* 127.
Hieracium parvum in arenoſis naſcens, ſeminum pappis denſius radiatis. *R. Syn.* 166.
Hieracium minimum. *Col. ecphr. I.* 27.
Anglis, ſmooth Hawkweed.
Habitat *in pratis montoſis. Found on the gravelly grounds near* Middleton *in* Warwickſhire. *R. Syn. circa* Briſtolium *frequens.* ♂. VII.

LAPSANA. 823.

Recept. nudum. *Cal.* calyculatus, ſquamis ſingulis interioribus canaliculatis.

1. LAPSANA calycibus fructus angulatis, pedunculis tenuibus ramoſiſſimis. *Sp. pl.* 811. *Fl. ſuec.* 710. *communis.*
Lampſana. *Ger. Em.* 255. *R. Syn.* 173. vulgaris. *Park.* 810.
Soncho affinis Lampſana domeſtica. *Bauh. pin.* 124.
Anglis, Nipplewort.
Habitat *in ſepibus et ruderatis.* ☉. VI. VII.

CICHORIUM. 825.

Receptaculum paleaceum. *Cal.* calyculatus. *Pappus* margo quinquedentatus.

1. CICHORIUM caule ſimplici ramoſo, floribus confertis; omnibus ſeſſilibus. *Syſt. nat.* 1197. *Intybus.*
Cichorium caule ſimplici, foliis dentato-ſinuatis. *Sp. pl.* 813. *Fl. ſuec.* 711.
Cichoreum ſylveſtre. *Ger. Em.* 284. *Park.* 776. *R. Syn.* 172.
Cichoreum ſylveſtre ſ. officinarum. *Bauh. pin.* 125.
Anglis,

Anglis, wild Succory.
Habitat *ad agrorum margines.* ♂. VII. VIII.
Pharmac. Cichorei *Herba*, *Radix.*

** *Capitali.*

ARCTIUM. 830.

Cal. globoſus, ſquamis apice hamis inflexis.

Lappa. 1. ARCTIUM foliis cordatis inermibus petiolatis. *Sp. pl.* 816. *Fl ſuec.* 712.
Lappa major ſeu Arctium dioſcoridis. *Bauh. pin.* 198. *R. Syn.* 197.
Bardana major. *Ger. Em.* 809.
Bardana vulgaris major. *Park.* 1222.
β Lappa major capitulo glabro maximo. *R. Syn.* 196.
γ Lappa major capitulis parvis glabris. *R. Syn.* 197.
δ Lappa major montana, capitulis tomentoſis ſ. Arctium Dioſcoridis. *Bauh. pin.* 198.
ε Lappa major montana, capitulis minoribus, rotundioribus et magis tomentoſis. *Tourn.* 450.
ζ Lappa major ex omni parte minor, capitulis parvis eleganter reticulatis. *Pluk. alm.* 205.
Anglis, Burdock, or Clot-burr.
Habitat *in viis, ruderatis, cultis.* ♂. VII. VIII.

SERRATULA. 831.

Cal. ſubcylindricus, imbricatus, muticus.

tinctoria. 1. SERRATULA foliis pinnatifidis: laciniis terminali maxima. *Sp. pl.* 816. *Fl ſuec.* 713.
Serratula. *Bauh. pin.* 225. *hiſt III.* 23. *R. Syn.* 196.
Serratula purpurea. *Ger. Em.* 713.
Serratula vulgaris flore purpureo. *Park.* 474.
β Serratula flore candido. *Boerh. ind. alt.* 144.
Anglis, Saw-wort.
Habitat *in ſylvis et pratis.* ♃. VII.

alpina. 2. SERRATULA calycibus hirſutis ovatis. *Sp. pl.* 816. *Fl. ſuec.* 714.
Serratula foliis petiolatis: radicalibus ovato-oblongis dentatis, caulinis integerrimis. *Fl. ſuec. ed. I.* 661.

Cirſium

Cirſium foliis triangularibus lunate dentatis, ſubtus tomentoſis, inermibus, in ſpica congeſtis. *Hall. helv.* 683. *t.* 22.

Cirſium humile montanum cynogloſſi folio, polyanthemum. *R. Syn.* 193.

Carduo-cirſium minus britannicum, floribus plurimis ſummo caule congeſtis. *Pluk. ph t.* 154. *f.* 3.

β Cirſium montanum polyanthemum ſalicis folio anguſto denticulato. *R. Syn.* 193.

Anglis, Mountain Saw-wort.

Habitat *in ſummis rupibus* Arvoniæ, v. g. Clogwyn y Carnedh yſcolion duon, &c. *On the higheſt rock of* Snowdon, *and near* Brearcliff, *near* Brunly, Lancaſhire. *R. Syn.* 4. VII.

2. SERRATULA foliis dentatis ſpinoſis. *Sp. pl.* 820. *Fl. ſuec.* 715. *arvenſis.*

Carduus radice repente, foliis lanceolatis dentatis margine aculeato. *Fl. lapp.* 293.

Carduus vulgatiſſimus viarum. *Ger. Em.* 1173. *R. Syn.* 194.

Carduus ceanothos ſive viarum et vinearum repens. *Park.* 959.

Carduus vinearum repens folio Sonchi. *Bauh. pin.* 377.

Anglis, Corn Saw-wort, or Way-thiſtle.

Habitat *in arvis et ad vias.* 4. VII.

CARDUUS. 832.

Cal. ovatus, imbricatus ſquamis ſpinoſis. *Recept.* piloſum.

* *Foliis decurrentibus.*

1. CARDUUS foliis decurrentibus haſtato-pinnatis hiſpidis: laciniis divaricatis, calycibus ſpinoſis villoſis, caule piloſo. *Sp. pl.* 821. *Fl. ſuec.* 716. *lanceolatus.*

Carduus lanceatus. *Ger. Em.* 1174. *R. Syn.* 195.

Carduus lanceatus latifolius. *Bauh. pin.* 385. ſ. major. *Park.* 982.

β Carduus lanceatus major. *R. Syn.* 195.

γ Carduus lanceatus flore et capite minoribus. *Merr. pin. R. Syn.* 195.

Anglis, Spear-thiſtle.
Habitat *in viarum marginibus ubique.* ♂. VII.

nutans. 2. CARDUUS foliis ſpinoſis ſemidecurrentibus, floribus cernuis: ſquamis calycinis ſuperne patentibus. *Sp. pl.* 821. *Fl. ſuec.* 717.
Cirſium majus ſingulari capitulo magno. *Bauh. pin.* 377.
Carduus nutans. *Bauh. hiſt. III.* 56. *R. Syn.* 193.
Carduus moſchatus. *Pet. b. br. t.* 21. *f.* 1.
Anglis, Muſk-thiſtle.
Habitat *in pratis et paſcuis ſicciſſimis in pratis inter* ericetum nigrum *et* Charleton *in* Cantio. ♂. VII.

acanthoides. 3. CARDUUS foliis ſinuatis decurrentibus: margine ſpinoſis, calycibus pedunculatis ſolitariis erectis villoſis. *Sp. pl.* 821. *Fl. ſuec.* 718.
Carduus acanthoides. *Bauh. hiſt. III.* 59.
Carduus ſpinoſiſſimus capitulis minoribus. *P. B. R. Syn.* 194.
β Carduus paluſtris mitior, bardanæ capitulo in ſummo caule ſingulari. *Pluk. alm.* 82.
Anglis, welted Thiſtle.
Habitat *ad vias et in aggeribus foſſarum.* ☉. VI. VII.

criſpus. 4. CARDUUS foliis ſinuatis decurrentibus: margine ſpinoſis, floribus aggregatis terminalibus muticis. *Sp. pl.* 821. *Fl. ſuec.* 719.
Carduus caule criſpo. *Bauh. hiſt. III.* 59. *R. Syn.* 194.
Carduus ſpinoſiſſimus anguſtifolius vulgaris. *Bauh. pin.* 385. *Læſ. pruſſ.* 43. *t.* 5.
Carduus polyanthos. *Park.* 982. primus. *Ger. Em.* 1173.
Anglis, Thiſtle upon Thiſtle.
Habitat *ad vias et in aggeribus foſſarum.* ☉. VI.

paluſtris. 5. CARDUUS foliis linearibus dentatis decurrentibus: margine ſpinoſis, floribus racemoſis erectis, pedunculis inermibus. *Sp. pl.* 822. *Fl. ſuec.* 720.

Carduus

Carduus paluſtris. *Bauh. pin.* 377. *pr.* 156. *Park.* 983. *Pet. h. br. t.* 21. *R. Syn.* 194.
Anglis, Marſh-thiſtle.
Habitat *in pratis palludoſis et umbroſis.* ♃. VII.

6. CARDUUS foliis lanceolatis decurrentibus denticulis inermibus, calycibus ſpinoſis. *Sp. pl.* 822. *diſſectus.*
Cirſium anglicum. *Lob. ic.* 583. *Ger. Em.* 1183. *R. Syn.* 193. primum. *Park.* 961.
Cirſium majus ſingulari capitulo magno, ſ. incanum varie diſſectum. *Bauh. pin.* 377.
Anglis, Engliſh ſoft or gentle Thiſtle.
Habitat *in paluſtribus paſſim.* ♃. VI. VII.

** *Foliis amplexicaulibus.*

7. CARDUUS foliis lanceolatis dentatis amplexicaulibus: ſpinulis inæqualibus ciliatis, caule inermi. *Sp. pl.* 825. *helenioides*
Cirſium foliis longe lanceolatis ſerratis: ſubtus tomentoſis. *Hall. helv.* 683. *t.* 21.
Cirſium britannicum Cluſii repens. *Bauh. hiſt. III.* 46. *R. Syn.* 193.
Cirſium aliud Anglicum. *Park.* 961.
Cirſium ſingulari capitulo ſquamato, vel incanum alterum. *Bauh. pin.* 377.
Anglis, melancholy Thiſtle.
Habitat *in montoſis agri* Eboracenſis, Weſtmorlandici, Cumberlandici *et* Cambrobritannici *frequens. On* Hounſlow *heath. R. Syn.* ♃. VI. VII.

8. CARDUUS foliis amplexicaulibus haſtato pinnatifidis ſpinoſis calycibus aphyllis: ſpinis canaliculatis duplicato ſpinoſis. *Sp. pl.* 823. *marianus.*
Carduus ſquamis calycinis margine apiceque ſpinoſis. *Hort. cliff.* 393.
Carduus Mariæ. *Ger. Em.* 989. *R. Syn.* 195. vulgaris. *Park.* 979.
Carduus albis macculis notatus vulgaris. *Bauh. pin.* 281.
β Carduus Mariæ hirſutus non macculatus. *R. Syn.* 194.

Anglis, Milk-thiſtle.
Habitat *ad agrorum margines et in aggeribus foſſarum.* ☉. VII.
Pharmac. Cardui mariæ *Herba, ſemina.*

eriophorus 9. CARDUUS foliis ſeſſilibus bifariam pinnatifidis: laciniis alternis erectis, calycibus globoſis erectis. *Sp. pl.* 823.
Carduus foliis ſinuatis decurrentibus: denticulis ſuperficieque ſpinoſis, calycibus lanigeris. *Roy. lugdb.* 133.
Carduus eriocephalus. *Ger. Em.* 1152.
Carduus capite rotundo tomentoſo. *Bauh. pin.* 382.
Carduus tomentoſus corona fratrum dictus. *Park.* 978.
Anglis, Woolly-headed Thiſtle.
Habitat *in pratis montoſis. Circa* Briſtol *copioſe.* ♂. VII.

acaulos. 10. CARDUUS acaulis, calyce glabro. *Sp. pl.* 1199. *Fl. ſuec.* 722.
Carduus acaulos, minore purpureo flore. *Bauh. pin.* 380. *Ger. Em.* 1158. *R. Syn.* 195.
Carduus acaulis ſeptentrionalium. *Park.* 969.
Anglis, dwarf Carline-thiſtle.
Habitat *in paſcuis montoſis ſiccioribus. In* ericeto nigro *prope* Londinum. ♃. VII.

ONOPORDUM. 834.

Recept. nudum. *Cal.* ſquamæ mucronatæ.

Acanthium. 1. ONOPORDUM calycibus ſquarroſis: ſquamis ſubulatis, foliis ovato-oblongis ſinuatis. *Sp. pl.* 827. *Fl. ſuec.* 724.
Onopordum foliis decurrentibus margine ſpinoſis. *Hort. cliff.* 393.
Carduus tomentoſus, Acanthium dictus, vulgaris. *R. Syn.* 196.
Acanthium album. *Ger. Em.* 1149.
Acanthium vulgare. *Park.* 979.
Spina alba tomentoſa latifolia ſylveſtris. *Bauh. pin.* 382.
Anglis, Cotton-thiſtle.
Habitat *in ruderatis.* ♂. VII.

CAR-

CARLINA. 836.

Cal. radiatus ſquamis marginalibus longis, coloratis.

1. CARLINA caule multifloro corymboſo, floribus terminalibus. *Hort. cliff.* 395. *Sp. pl.* 829. *Fl. ſuec.* 725. *vulgaris.*
Carlina ſylveſtris major. *Ger. Em.* 1159.
Carlina ſylveſtris quibuſdam aliis atractylis. *Bauh. hiſt. III.* 81. *R. Syn.* 175.
Cnicus ſylveſtris ſpinoſior. *Bauh. pin.* 378.
Anglis, wild Carline Thiſtle.
Habitat *in pratis et paſcuis ſiccioribus.* ♂. VI.

**** Diſcoidei.*

BIDENS. 840.

Recept. paleaceum. *Pappus* ariſtatis erectis, ſcabris. *Cal.* imbricatus. *Cor.* rarius floſculo uno alterne radiante inſtruitur.

1. BIDENS foliis trifidis corollis floſculis, calycibus ſubfoliolis, ſeminibus erectis. *Sp. pl.* 831. *Fl. ſuec.* 726. *tripartita.*
Verbeſina ſ. Cannabina aquatica flore minus pulchro, elatior et magis frequens. *Bauh. hiſt. III.* 1073. *R. Syn.* 187.
Cannabina aquatica folio tripartito diviſo. *Bauh. pin.* 321.
Eupatorium cannabinum fæmineum. *Ger. Em.* 711.
Eupatorium aquaticum duorum generum. *Park.* 595.
Anglis, trifid Water-hemp-agrimony.
Habitat *in paluſtribus et aquoſis, ubi aquæ ſtagnant.* ☉: VII. VIII.

2. BIDENS foliis lanceolatis amplexicaulibus, floribus cernuis, feminibus erectis. *Sp. pl.* 832. *Fl. ſuec.* 727. *cernua.*
Verbeſina pulchriore flore luteo. *Bauh. hiſt. II.* 1074. *R. Syn.* 187.
Cannabina aquatica folio non diviſo. *Bauh. pin.* 321.
Eupatorium cannabinum fæminæ varietas altera. *Ger. Em.* 711.
Eupatorium aquaticum folio integro. *Park.* 596.

Anglis, whole-leaved Water-hemp-agrimony.
Habitat *in foſſis et paluſtribus frequens.* ⊙. VII. VIII.

minima. 3. BIDENS foliis lanceolatis ſeſſilibus, floribus ſeminibuſque erectis
Verbenna minima *Cat. giſſ.* 167. *app.* 66. *R. Syn.* 188 *t.* 7. *f.* 2.
Eupatorium cannabinum palmare et anguſtifolium. *Mierr. pin.*
Anglis, the leaſt Water-hemp-agrimony.
Habitat *in paluſtribus. In* Surrey *near to* Somerſetbridge, *in the fiſh-pond upon the moor. R. Syn.* ⊙. VII. VIII.

EUPATORIUM. 842.

Recept. nudum. *Pappus* plumoſus. *Cal.* imbricatus, oblongus. *Stylus* ſemibifidus, longus.

Cannabinum. 1. EUPATORIUM foliis digitatis. *Sp. pl.* 838. *Fl. ſuec.* 728.
Eupatorium cannabinum. *Bauh. pin.* 320. *Park.* 595. *R. Syn.* 179.
Eupatorium cannabinum mas. *Ger. Em.* 711.
Eupatorium cannabinum folio integro, ſeu non digitato. *R. Syn.* 180.
Anglis, Hemp-agrimony, or Dutch-agrimony.
Habitat *ad ripas fluviorum et rivulorum.* 4. VII. VIII.

POLYGAMIA SUPERFLUA.

* *Diſcoidei.*

TANACETUM. 848.

Recept. nudum. *Pappus* ſubmarginatus. *Cal.* imbricatus, hemiſphericus. *Cor.* radii obſoleti, trifidi.

vulgare. 1. TANACETUM foliis bipinnatis ſerratis. *Sp. pl.* 848. *Fl. ſuec.* 730.
Tanacetum. *Ger. Em.* 650. *R. Syn.* 188. vulgare. *Park.* 81. luteum *Bauh. pin.* 132.
β Tanacetum foliis criſpis. *Bauh. pin.* 132.

Anglis,

Anglis, common Tanſy.
Habitat *in pratis montoſis. Circa* Kendal *in* Weſtmorlandia *frequens.* ♃. VIII.
Pharmac. Tanaceti *Herba, Flores, Semina.*

ARTEMISIA. 849.

Recept. ſubvilloſum vel nudiuſculum. *Pappus* nullus. *Cal.* imbricatus: ſquamis rotundatis, conniventibus. *Cor.* radii nulli.

* *Procumbentes ante floreſcentiam.*

1. ARTEMISIA foliis multifidis linearibus, caulibus procumbentibus virgatis. *Sp. pl.* 846. *Fl. ſuec.* 732. *campeſtris*
Artemiſia tenuifolia. *Dod. pempt.* 33.
Abrotanum campeſtre. *Bauh. pin.* 136. *Ger. Em.* 1106. *Park.* 94. *R. Syn.* 191.
Anglis, Field Southernwood.
Habitat *in campis montoſis apricis aridis. Near* Elden *in* Suffolk. *R. Syn.* ♃. VIII.

2. ARTEMISIA foliis multipartitis tomentoſis, racemis cernuis floſculis fæmineis ternis. *Sp. pl.* 846. *Fl. ſuec.* 734. *maritima.*
Abſinthium marinum album. *Ger. Em.* 1099. *R. Syn.* 188.
Abſinthium ſeriphium belgicum. *Bauh. pin.* 139. *hiſt. III.* 178.
β Abſinthium maritimum ſeriphio belgico ſimile, latiore folio, odoris grati. *Pluk. R. Syn.* 188.
γ Abſinthium maritimum Gallicum. *Bauh. pin.* 139.
δ Abſinthium ſeriphium tenuifolium marinum Narbonenſe. *Bauh. hiſt. III.* 177.
ε Abſinthium marinum noſtras. *R. Syn.* 189.
Anglis, Sea Wormwood.
Habitat *in littoribus maritimis.* ♃. VIII.
Pharmac. Abſinthii marini *Herba.*

** *Erectæ herbaceæ, foliis compoſitis.*

3. ARTEMISIA foliis compoſitis multifidis, floribus ſubgloboſis pendulis: receptaculo villoſo. *Sp. pl.* 848. *Fl. ſuec.* 735. *Abſinthium.*

Abſinthium vulgare. *Park.* 98. *R. Syn.* 188. majus. *Bauh. hiſt III.* 168.
Abſinthium latifolium ſeu Ponticum. *Ger. Em.* 1096.
Abſinthium ponticum ſ. romanum officinarum ſ. dioſcoridis. *Bauh. pin.* 138. *Tourn.* 457.
Anglis, common Wormwood.
Habitat *in ruderatis et ad vias.* ♃. VIII.
Pharmac. Abſinthii vulgaris *Herba.*

vulgaris. 4. ARTEMISIA foliis pinnatifidis planis inciſis : ſubtus tomentoſis, racemis ſimplicibus, floribus ovatis, radio quinquefloro. *Sp. pl.* 848.
Artemiſia vulgaris. *Park.* 90. *R. Syn.* 190. *Ger. Em.* 1103. *Bauh. hiſt. III.* 184. major. *Bauh. pin.* 137.
Anglis, Mugwort.
Habitat *ad ſepes et margines agrorum.* ♃. VIII.
Pharmac. Artemeſiæ *Herba.*

GNAPHALIUM. 850.

Recept. nudum. *Pappus* plumoſus. *Cal.* imbricatus: ſquamis marginibus rotundatis, membranaceis, coloratis.

* *Argyrocomæ calycibus albis.*

dioicum. 1. GNAPHALIUM caule ſimpliciſſimo, corymbo ſimplici terminali, ſarmentis procumbentibus. *Sp. pl.* 850. *Fl ſuec.* 736.
Gnaphalium montanum album. *Ger. Em.* 640. *R. Syn.* 181.
Gnaphalium montanum ſive Pes cati. *Park* 690.
Gnaphalium montanum flore rotundiore. *Bauh. pin.* 263.
Anglis, Mountain Cudweed, or Cat's-foot.
Habitat *in pratis montoſis aridis. On* Newmarket *heath, not far from* Botteſham *beacon, plentifully; alſo on* Bernak *heath in* Lincolnſhire ; *in comitatibus* Eboracenſi, Lancaſtrienſi, Weſtmorlandico, *frequens.* ♃. V.

margaritaceum. 2. GNAPHALIUM foliis lineari-lanceolatis acuminatis alternis, caule ſuperne ramoſo, corymbis faſtigiatis.

giatis. *Hort. cliff.* 401. *Gmel. ſib. II.* 107. *Sp. pl.* 850.
Gnaphalium americanum. *Bauh. hiſt. III.* 162. *Ger. Em.* 641. *R. Syn.* 182. latifolium. *Bauh. pin.* 263.
Argyrocome ſ. Gnaphalium americanum. *Park.* 690.
Anglis, American Cudweed.
Habitat *in pratis et paſcuis. In prato prope* Bocking, *vicum agri* Eſſexienſis, D. Dale; *on the banks of* Rymny *river, for the ſpace of at leaſt twelve miles*, Mr. Lhwyd. *R. Syn.* 4. VIII.

3. GNAPHALIUM ſoliis ſemiamplexicaulibus enſiformibus repandis obtuſis utrinque pubeſcentibus, floribus conglomeratis. *Roy. lugdb.* 149. *Sp. pl.* 851. *luteo-album.*
Gnaphalium majus lato oblongo ſolio. *Bauh. pin.* 263. *Pluk. ph. t.* 31. *f.* 6.
Elichryſum ſylveſtre latifolium capitulis conglobatis. *Bauh. pin.* 264. *R. Syn.* 182.
Anglis, Jerſey Cudweed.
Habitat *in the iſle of Jerſey, on dry banks and walls, very common. R. Syn.* ☉. VII. VIII.

** *Filagines calycibus cinereis.*

4. GNAPHALIUM caule ſimpliciſſimo, floribus ſparſis. *Fl. lapp.* 298. *ſuec.* 739. *Sp. pl.* 856. *ſylvaticum*
Gnaphalium anglicum. *Ger. Em.* 639. *R. Syn.* 180. vulgare majus. *Park.* 685.
Gnaphalium majus, anguſto oblongo ſolio, alterum. *Bauh. pin.* 263.
Gnaphalium rectum. *Bauh. hiſt. III.* 160.
Anglis, upright Cudweed.
Habitat *in paſcuis et ſylvis arenoſis. In ericeto* Hampſtediano, *et prope* Charleton *in* Cantio. ♂. VIII.

5. GNAPHALIUM caule ramoſo diffuſo, floribus confertis terminalibus. *Fl. lapp* 300. *ſuec.* 740. *Sp. pl. ſum.* 856. *uliginoſum*
Gnaphalium longifolium humile ramoſum capitulis nigris. *R. Syn.* 181.
Gnaphalium medium. *Bauh. pin.* 263.
Filago minor. *Park.* 686.

Anglis,

Anglis, black-headed Cudweed.
Habitat *in aquoſis præcipue ubi aquæ hyemali tempore ſtagnarunt.* ⊙. VIII.

CONYZA. 854.

Recept. nudum. *Pappus* ſimplex. *Cal.* imbricatus, ſubrotundus. *Cor.* radii trifidi.

ſquarroſa. 1. CONYZA foliis lanceolatis acutis, caule annuo corymboſo. *Hort. cliff.* 405. *Roy. lugdb.* 157. *Sp. pl.* 861.
Conyza major vulgaris. *Bauh. pin.* 265.
Baccharis monſpelienſium. *Ger. Em.* 792. *Park.* 114. *R. Syn.* 179.
Anglis, Plowman's Spikenard.
Habitat *in pratis et paſcuis montoſis et ad vias.* ♂. VII. VIII.

** *Radiati.*

ERIGERON. 855.

Recept. nudum. *Pappus* piloſus. *Cor.* radii lineares, anguſtiſſimi.

acre. 1. ERIGERON pedunculis alternis unifloris. *Sp. pl.* 863. *Fl. ſuec.* 741.
Conyza cærulea acris. *Ger. Em.* 484. *Bauh. pin.* 265.
Conyza odorata cærulea. *Park.* 126.
After arvenſis cæruleus acris. *Tourn.* 481. *R. Syn.* 175.
Anglis, blew-flowered Fleabane.
Habitat *in pratis et paſcuis ſiccisſimis.* ♃. VII. VIII.

canadenſe. *2. ERIGERON caule floribuſque paniculatis. *Sp. pl.* 863.
Conyza canadenſis annua, acris, alba, linariæ foliis. *Boc. pl. rar. t.* 46. *R. Syn.* 175.
Conyza annua acris alba, elatior, linariæ foliis. *Hiſt. ox. III.* 115. *ſ.* 11. *t.* 20. *f.* 29.
Anglis, Canada Fleabane.
Habitat *in ruderatis circa* Londinum *frequens.* ⊙. VIII.

TUS-

TUSSILAGO. 856.

Recept. nudum. *Pappus* ſimplex. *Cal.* ſquamæ æquales, diſcum æquantes, ſubmembranaceæ.

1. TUSSILAGO ſcapo imbricato unifloro, foliis ſubcordatis angulatis denticulatis. *Mat. med.* 391. *Sp. pl.* 865. *Fl ſuec.* 743. *Farfara.*
Tuſſilago. *Ger. Em.* 811. *Park.* 1220. *R. Syn.* 173.
vulgaris. *Bauh. pin.* 197.
Anglis, common Coltsfoot.
Habitat *in locis humidis.* ♃. III.
Pharmac. Tuſſilaginis *ſive* Farfaræ *Herba*, *Flores.*

2. TUSSILAGO thyrſo oblongo, floſculis femineis nudis plurimis. *Sp. pl.* 866. *Roy. lugdb.* 159. *hybrida.*
Petaſites major, floribus pediculis longis inſidentibus. *R. Syn.* 179. *Dill. elth* 309. *t.* 230. *f.* 297.
Anglis, long-ſtalked Butter-bur.
Habitat *in pratis humidis. Near* Loughborough *in* Leiceſterſhire, Mr. Hill. *Blackſ. ſpec. bot.* ♃. III.

3. TUSSILAGO thyrſo ovato, floſculis omnibus hermaphroditis. *Sp. pl.* 866. *Fl. ſuec.* 746. *Petaſites.*
Petaſites. *Ger. Em.* 814. *R. Syn.* 179. vulgaris. *Park.* 419.
Petaſites major et vulgaris. *Bauh. pin.* 197.
Anglis, common Butter-bur.
Habitat *in pratis et paſcuis humidis.* ♃. III. IV.
Pharmac. Petaſitidis *Radix.*

SENECIO. 857.

Recept. nudum. *Pappus* ſimplex. *Cal.* cylindricus, calyculatus: ſquamis apice ſphacelatis.

* *Floribus floſculoſis.*

1. SENECIO corollis nudis, foliis pinnato-ſinuatis amplexicaulibus, floribus ſparſis. *Roy. lugdb.* 165. *Sp. pl.* 867. *Fl. ſuec.* 747. *vulgaris.*
Senecio foliis pinnatifidis denticulatis: laciniis æqualibus patentiſſimis, rachi lineari. *Hort. cliff.* 406.
Senecio vulgaris. *Park*, 671. *R. Syn.* 178.

Senecio

Senecio minor vulgaris. *Bauh. pin.* 131.
Erigeron. *Ger. Em.* 278.
Anglis, common Groundſel, or Simpſon.
Habitat *in cultis, ruderatis ubique.* ⊙. V.
Pharmac. ſenecionis *Herba.*

** *Floribus radiatis: radio revoluto.*

ſylvaticus. 2. SENECIO corollis revolutis, foliis pinnatifidis denticulatis, caule corymboſo erecto. *Sp. pl* 868. *Fl. ſuec.* 748.
Senecio minor, latiore folio ſive montanus. *Bauh. pin.* 131. *R. Syn.* 178. *Dill. elth.* 258. *t.* 258. *f.* 337.
Senecium montanum. *Tabern. ic.* 169.
Erigerum. *Ger. Em.* 279.
Jacobæa annua ſenecionis folio, parvo flore. *Act. gall.* 1720. *p.* 298. *n* 19.
Anglis, Mountain Groundſel.
Habitat *in ſylvis, ſepibus et cricetis frequens.* ⊙. VII.

viſcoſus. 3. SENECIO corollis revolutis, foliis pinnatifidis viſcidis, ſquamis calycinis laxis longitudine perianthii. *Sp. pl.* 868. *Fl. ſuec.* 749
Senecio foliis pinnatifidis ſeſſilibus: laciniis anguloſis: ſuperioribus latioribus, florum radiis diſco breviori-bus. *Roy. lugdb.* 141.
Senecio incanus pinguis. *Bauh. pin.* 131.
Senecio hirſutus viſcidus major odoratus. *Bauh. hiſt. II.* 1092. *R. Syn.* 178
Senecio foetidus. *Park.* 671.
Senecio hirſutus viſcidus graveolens. *Dill. elth.* 347. *t.* 258. *f.* 336.
Anglis, Cotton Groundſel, or ſtinking Groundſel.
Habitat *in arenoſis paſſim.* ⊙. VI.

*** *Floribus radiatis: radio patente, fol. pinnatifidis.*

Jacobæa. 4. SENECIO corollis radiantibus, foliis pinnato-lyratis: laciniis lacinulatis, caule erecto. *Sp. pl.* 870. *Fl. ſuec.* 751.
Jacobæa vulgaris. *Bauh. hiſt. II.* 1057. *R. Syn.* 177: major. *Park.* 668.

Jacobæa.

Jacobæa. *Ger Em.* 280. vulgaris laciniata. *Bauh. pin.* 131.
Anglis, common Ragwort.
Habitat *in pratis, paſcuis, montoſis, et ad vias.* ♃. VII.

5 SENECIO corollis radiantibus, foliis dentatis, radicalibus ovatis, caulinis pinnatifidis; lacinia extima majore. *aquaticus.*
Jacobæa latifolia paluſtris. *R. Syn.* 178.
Jacobæa barbareæ inſtar laciniata. *Fl. pruſ.* 129. *t.* 35.
Jacobæa latifolia. *Bauh. hiſt. II.* 1056. *Ger. Em.* 280.
Jacobæa latifolia pannonica prima. *Park.* 668.
Jacobæa alpina laciniata flore Buphthalmi. *Bauh. pin.* 131.
Anglis, Water Ragwort.
Habitat *in aquoſis.* ♃. VII. VIII.

6. SENECIO corollis radiantibus, foliis pinnatifidis dentatis incanis, caule erecto. *Sp. pl.* 869. *Fl. ſuec.* 750. *erucifolius.*
Jacobæa ſenecionis folio incano perennis. *R. Syn.* 177.
Jacobæa altiſſima, foliis erucæ artemiſiæve ſimilibus et æmulis. *Rupp. jen.* 164.
Anglis, hoary perennial Ragwort.
Habitat *in ſylvis et ad ſepes.* ♃. VII.

**** *Floribus radiatis: radio patente, fol. indiviſis.*

7. SENECIO corollis radiantibus, foliis enſiformibus acute ſerratis ſubtus ſubvilloſis, caule ſtricto. *Sp. pl.* 870. *Fl. ſuec.* 752. *paludoſus.*
Solidago caule ſimplici, corymbo terminali, foliis ſubtus tomentoſis, floſculis fæmineis ſedecim. *Lech. ſcan.* 68.
Jacobæa foliis longis integris et mucronatis. *Hiſt. ox. III.* 110. *ſ.* 7. *t.* 7. *f.* 22.
Virgæ aureæ ſive Solidagini anguſtifoliæ affinis, Lingua avis Dalechampii. *Bauh. hiſt. II.* 1063. *R. Syn.* 176.

Conyza

Conyza paluſtris. *Park.* 1231. ſerratifolia. *Bauh. pin.* 266.

Anglis, Marſh Ragwort, or Bird's-tongue.

Habitat *in foſſis paluſtribus earumque aggeribus in inſula* Elienſi, *near* Stretham *ferry. R. Syn.* 4. VIII.

ſarracenicus. 8. SENECIO corollis radiantibus, floribus corymboſis, foliis lanceolatis ſerratis glabriuſculis. *Hort. upſ.* 266. *Sp. pl.* 871.

Solidago caule ſimplici, corymbo terminali; pedunculis partialibus alternis nudis longitudine folio. *Hort. cliff.* 410.

Solidago ſarracenica. *Fuchſ. hiſt.* 728. *Dod. pempt.* 141.

Virga aurea anguſtifolia ſerrata. *Bauh. pin.* 268.

Virga aurea maxima radice repente. *Bobart. R. Syn.* 177.

Anglis, broad-leaved Ragwort.

Habitat *in pratis, paſcuis, nemoroſis ſubhumidis. Found plentifully by the ſide of a ſmall river between* Wells *and* Glaſtenbury, *by* Mr. Bobart. *It grows as plentifully in the fields at* Salkeld *as the vulgaris*, Mr. Nicholſon. *R. Syn. circa* Clapham *in comitatu* Eboracenſi. 4. VII. VIII.

SOLIDAGO. 856.

Recept. nudum. *Pappus* ſimplex. *Cor.* radii circiter quinque. *Cal.* ſquamæ imbricatæ, clauſæ.

Virgaurea 1. SOLIDAGO caule ſubflexuoſo angulato racemis ſubpaniculatis erectis confertis. *Sp. pl.* 880. *Fl. ſuec.* 754.

Solidago floribus per caulem ſimplicem undique ſparſis. *Fl. lapp.* 306.

Virga aurea. *Ger. Em.* 429. *R. Syn.* 176. vulgaris. *Park.* 542.

Virga aurea latifolia ſerrata. *Bauh. pin.* 268.

Virga aurea vulgaris latifolia. *Bauh. hiſt. II.* 1062.

β Virga aurea IV. ſ. anguſtifolia minus ſerrata. *Bauh. pin.* 268.

γ Virga aurea vulgari humilior. *R. Syn.* 176.

Anglis,

Anglis, common Golden Rod.
Habitat *in ſylvis, ſepibus, ericetis frequens. γ in ericeto* Hampſtediano. 4. VIII.
Pharmac. Virgæ aureæ *Herba.*

2. SOLIDAGO foliis lineari-lanceolatis ſubſerratis incanis panicula corymboſa terminali. *cambrica.*
Virga aurea montana, folio anguſto ſubincano, floſculis conglobatis. *R. Syn.* 177.
Virga aurea Cambriæ. *Pet. h. br. t.* 16. *f.* 11.
Anglis, Welch Golden Rod.
Habitat *in pratis montoſis in Wallia.* 4. VI.

ASTER. 858.

Recept. nudum. *Pappus* ſimplex. *Cor.* radii plures decem. *Cal.* imbricati, ſquamæ inferiores patulæ.

1. ASTER foliis lanceolatis integerrimis carnoſis glabris, ramis inæqualibus, floribus corymboſis. *Roy. lugdb.* 168. *Sp. pl.* 872. *Fl. ſuec.* 753. *Tripolium*
After maritimus cæruleus Tripolium dictus. *R. Syn.* 175.
Tripolium vulgare majus et minus. *Ger. Em.* 413.
Tripolium majus cæruleum et minus. *Bauh. pin.* 267.
Tripolium majus ſ. vulgare et minus. *Park.* 673.
Anglis, Sea Starwort.
Habitat *in littoribus maritimis.* 4. VIII.

INULA. 860.

Recept. nudum. *Pappus* ſimplex. *Antheræ* baſi in ſetas duas deſinentes.

1. INULA foliis ovatis rugoſis: ſubtus tomentoſis, calycum ſquamis ovatis. *Amæn. acad. I.* 410. *Sp. pl.* 881. *Fl. ſuec.* 755. *Helenium*
Helenium. *Ger. Em.* 793. *R. Syn.* 176. vulgare. *Bauh. pin.* 276.
Helenium ſ. Enula campana. *Park.* 674. *Bauh. hiſt. III.* 108.
Anglis, Elecampane.
Habitat *in pratis et paſcuis humidis. In* Eſſexia *frequens.* 4. VII. VIII.
Pharmac. Enulæ campanæ *Radix.*

2. INULA

dyſenteri-ca. 2. INULA foliis oblongis, caule hirſuto paniculato, ſquamis calycinis ſetaceis. *Sp. pl.* 882. *Fl. ſuec.* 757.
Conyza media. *Ger. Em.* 482. *R. Syn.* 174.
Conyza media aſteris flore luteo, vel tertia Dioſcoridis. *Bauh. pin.* 265.
Herba dyſenterica. *Hoffm. altd.*
Anglis, middle Fleabane.
Habitat *in aquoſis et ad ripas fluviorum.* 4. VIII.

Pulicaria. 3. INULA foliis undulatis amplexicaulibus caule proſtrato *Sp. pl.* 882. *Fl. ſuec.* 758.
Conyza minor. *Matth. P. II.* 223. *R. Syn.* 174.
Conyza minima. *Ger. Em.* 482.
Conyza miſor flore globoſo. *Bauh. pin.* 266.
Anglis, ſmall Fleabane.
Habitat *in locis ubi per hyemem aquæ ſtagnarant.* ☉. VIII. IX.

crithmoi-des. 4. INULA foliis linearibus carnoſis tricuſpidatis. *Sp. pl.* 883.
After flore terminali foliis linearibus tricuſpidatis. *Hort. cliff.* 409. *Roy. lugdb.* 168. *Guett. ſtamp. II.* 464.
After maritimus flavus, Crithmum chryſanthemum dictus. *R. Syn.* 174.
Crithmum chryſanthemum. *Ger. Em.* 533. *Park.* 1287.
Crithmum maritimum flore aſteris attici. *Bauh. pin.* 288.
Anglis, Golden Sampire.
Habitat *in pratis maritimis paſſim.* 4. VIII.

BELLIS. 864.

Recept. nudum, conicum. *Pappus* nullus. *Cal.* hemiſphæricus: ſquamis æqualibus. *Sem.* obovata.

perennis. 1. BELLIS ſcapo nudo. *Sp. pl.* 886. *Fl. ſuec.* 761.
Bellis ſylveſtris minor. *Bauh. pin.* 261 *R. Syn.* 184.
Bellis minor ſylveſtris. *Ger. Em.* 635. ſimplex. *Park.* 530.

Anglis,

Anglis, common Daiſie.
Habitat *in pratis et paſcuis*. ♃. III.—IX.
Pharmac. Bellidis minoris, *Herba*, *Flores*, *Radix*.

CHRYSANTHEMUM. 866.

Recept. nudum. *Pappus* nullus. *Cal.* hemiſphæricus imbricatus: ſquamis marginalibus membranaceis.

1. CHRYSANTHEMUM foliis amplexicaulibus: ſuperne laciniatis; inferne dentato-ſerratis. *Sp. pl.* 889. *Fl. ſuec.* 762. *ſegetum.*
Chryſanthemum ſegetum. *Ger. Em.* 743. *R. Syn.* 182. noſtras *Park.* 1370.
Bellis lutea, foliis profunde inciſis major. *Bauh. pin.* 262.
β Chryſanthemum ſegetum noſtras, folio glauco multiſciſſo majus, flore minore. *R. Syn.* 183.
γ Chryſanthemum ſegetum noſtras, calendulæ folio glauco, neque ſecto, neque ſerrato. *Pluk. alm.* 102.
Anglis, Corn Marigold.
Habitat *in arvis*. ☉. VI. VII.

2. CHRYSANTHEMUM foliis amplexicaulibus oblongis: ſuperne ſerratis: inferne dentatis. *Sp. pl.* 188 *Fl. ſuec.* 763. *Leucanthemum.*
Leucanthemum vulgare. *Tourn.* 492. *R. Syn.* 184.
Bellis major. *Ger. Em.* 634. *Bauh. hiſt. III.* 114.
Bellis major vulgaris ſ. ſylveſtris. *Park.* 528.
Bellis ſylveſtris caule folioſo major. *Bauh. pin.* 261.
Anglis, The greater Daiſie, or Ox-eye.
Habitat *in pratis et paſcuis ſiccis*. ♃. V.
Pharmac. Bellidis majoris *Herba*, *Flores*.

MATRICARIA. 867.

Recept. nudum. *Pappus* nullus. *Cal.* hemiſphæricus, imbricatus; marginibus ſolidis acutiuſculis.

1. MATRICARIA foliis compoſitis planis; foliolis ovatis inciſis, pedunculis ramoſis. *Sp. pl.* 890. *Mat. med.* 400. *Parthenium.*

Matricaria. *Ger. Em.* 652. *R. Syn.* 187. vulgaris. *Park.* 83.
Matricaria vulgaris ſ. ſativa. *Bauh. pin.* 133.
Anglis, Feverfew.
Habitat *in ruderatis et ad ſepes.* ♂. ſ. ♃. VI.
Pharmac. Matricariæ *Herba.*

Chamomilla. 2. MATRICARIA receptaculis conicis, radiis patentibus, ſeminibus nudis, ſquamis calycinis margine æqualibus. *Fl. ſuec.* 764.
Chamæmelum. *Ger. Em.* 754. *R. Syn.* 184. vulgare. *Dod. pempt.* 257. *Park.* 85.
Chamæmelum vulgare, Leucanthemum Dioſcoridis. *Bauh. pin.* 135.
Anglis, Corn Feverfew.
Habitat *in arvis.* ☉. VI.
Pharmac. Chamomeli vulgaris *Herba*, *Flores.*

ſuaveolens 3. MATRICARIA receptaculis conicis, radiis deflexis, ſeminibus nudis, ſquamis calycinis margine æqualibus. *Fl. ſuec.* 766.
Matricaria leucanthemos annua ſuaveolens, chamæmeli folio, ovariis albicantibus. *Vaill. act.* 556.
Chamæmelum tenue inciſum, foliis floris deorſum protenſis, umbone extuberante, ſuavius olens. *Cup. cath. alt.* 17.
Anglis, ſweet-ſcented Feverfew.
Habitat *in arenoſis frequens.* ☉. V.

inodora. 4. MATRICARIA receptaculis hemiſphæricis, radiis patentibus, ſeminibus coronato-marginatis, ſquamis calycinis margine exſoletis. *Fl. ſuec.* 765.
Chamæmelum inodorum annuum humilius, foliis obſcure virentibus. *Hiſt. ox. III.* 36. *R. Syn.* 186.
Chamæmelum inodorum ſ. Cotula non fœtida. *Bauh. hiſt. III.* 120.
Anglis, Field Feverfew.
Habitat *juxta vias, plateas, agros, ſed rarius*; *obſerved by* Mr. Rand *along the way to* Chelſea. *R. Syn.* ☉. VIII.

5. MA-

5. MATRICARIA receptaculis hemiſphæricis, foliis bipinnatis ſubcarnoſis; ſupra convexis, ſubtus carinatis. *Sp. pl.* 891. *maritima.*

Chamæmelum maritimum perenne humilius, foliis brevibus craſſis, obſcure virentibus. *R. Syn.* 186. *t.* 7. *f.* 1.

Anglis, Sea Feverfew.

Habitat *in ora maritima* Suſſexiæ, *ubi loco* Cockbuſh *vocato, ſeptem miliaribus* Ciceſtria *diſtante, ſatis copioſe obſervavit* D. Dillenius. *R. Syn.* 4. VII.

ANTHEMIS. 870.

Recept. paleaceum. *Pappus* nullus. *Cal.* hemiſphæricus, ſubæqualis. *Floſculi* radii plures quam quinque.

* *Radio diſcolore ſ. albo.*

1. ANTHEMIS foliis pinnato-compoſitis linearibus acutis ſubvilloſis. *Sp. pl.* 894. *nobilis.*

Matricaria receptaculis conicis, radiis deflexis, ſeminibus nudis, ſquamis calycinis margine æqualibus. *Mat. med.* 401.

Chamæmelum nobile ſeu Leucanthemum odoratius. *Bauh. pin.* 135.

Chamæmelum odoratiſſimum repens flore ſimplici. *Bauh. hiſt. III.* 118. *R. Syn.* 185.

Chamæmelum romanum. *Ger. Em.* 755.

Anglis, ſweet-ſcented Camomile.

Habitat *in pratis et paſcuis apricis.* 4. VII. VIII.

Pharmac. Chamæmeli *Flores.*

2. ANTHEMIS receptaculis conicis; paleis ſetaceis, ſeminibus nudis. *Fl. ſuec.* 767. *Sp. pl.* 894. *Cotula.*

Anthemis foliis pinnato decompoſitis; laciniis linearibus caulibus diffuſis, radice annua. *Roy. lugdb.* 172.

Chamæmelum fœtidum. *Bauh. pin.* 135. *R. Syn.* 185.

Chamæmelum annuum præcox fœtidum, ſemine aureo. *Hiſt. ox. III.* 36.

Anglis, ſtinking May-weed.

Habitat *in arvis et ad vias.* ☉. VI. VII.

arvenſis. 3. ANTHEMIS receptaculis conicis: paleis ſetaceis, ſeminibus coronato-marginatis. *Sp. pl.* 894. *Fl. ſuec.* 768.
Chamæmelum inodorum. *Bauh. pin.* 135. *R. Syn.* 184.
Bupthalmum album. *Pet. h. br. t.* 19. *f.* 8.
Anglis, Corn Camomile.
Habitat *in arvis et ad vias.* ♂. VII.

maritima. 4. ANTHEMIS foliis pinnatis denticulatis carnoſis punctatis, caule ramoſo proſtrato, calycibus tomentoſis. *Sp. pl.* 893.
Anthemis maritima perennis, foliis craſſis et punctatis. *Mich. gen.* 33.
Chamæmelum maritimum latifolium ramoſiſſimum, flore albo. *Pluk. alm.* 97. *R. Syn.* 186.
Matricaria maritima. *Bauh. pin.* 134.
Anglis, Sea Camomile.
Habitat *in pratis maritimis.* ♃. VIII.

** *Radio concolore ſ. luteo.*

tinctoria. 5. ANTHEMIS foliis bipinnatis ſerratis ſubtus tomentoſis, caule corymboſo. *Sp. pl.* 896.
Bupthalmum caule ramoſo, foliis pinnatifidis: laciniis linearibus dentatis ſerratis, floribus pedunculatis. *Hort. cliff.* 414.
Bupthalmum tanaceti minoris folio. *Bauh. pin.* 134.
Bupthalmum vulgare. *Ger. Em.* 747. *R. Syn.* 182.
Bupthalmum matthioli, ſ. vulgare millefolii foliis. *Park.* 1370.
Anglis, common Ox-eye.
Habitat *in pratis apricis, ſed rarius. I found this on a bank near the river* Tees, *not far from* Sogburn, *in the biſhoprick of* Durham. *R. Syn.* ♃. VII.

ACHILLEA. 871.

Recept. paleaceum. *Pappus* nullus. *Cal.* ovatus, imbricatus. *Floſculi* radii circiter quinque.

Millefolium. 1. ACHILLEA foliis bipinnatis nudis: laciniis linearibus

ribus dentatis. *Hort. cliff.* 413. *Sp. pl.* 899. *Fl. ſuec.* 770.
Milleſolium vulgare. *Park.* 693. *R. Syn.* 183. album. *Bauh. pin.* 140.
Milleſolium terreſtre vulgare. *Ger. Em.* 1072.
Anglis, common Yarrow, or Milfoil.
Habitat *in pratis et paſcuis.* ♃. V. VII.
Pharmac. Milleſolii *Herba.*

2. ACHILLEA foliis lanceolatis acuminatis argute ſerratis. *Sp. pl.* 898. *Fl. ſuec.* 771. *Ptarmica.*
Achillea foliis acutis integris minutiſſime ſerratis. *Vaill. act.* 1720. 316.
Ptarmica. *Ger. Em.* 606. *R. Syn.* 183. vulgaris. *Park.* 859.
Dracunculus pratenſis, ſerrato folio. *Bauh. pin.* 98.
Anglis, Sneeze-wort, or Gooſe-tongue.
Habitat *in pratis et ſylvis ſubhumidis.* ♃. VIII.
Pharmac. Ptarmicæ *Herba.*

POLYGAMIA FRUSTRANEA.

CENTAUREA. 880.

Recept. ſetoſum. *Pappus* ſimplex. *Cor.* radii infundibuliformes, longiores, irregulares.

* *Cyani calycibus lævibus inermibus.*

1. CENTAUREA calycibus ſerratis, foliis linearibus integerrimis : infimis dentatis. *Mat. med.* 408. *Sp. pl.* 911. *Fl. ſuec.* 776. *Cyanus.*
Cyanus. *Bauh. hiſt. III.* 21. *R. Syn.* 198. vulgaris. *Lob. ic.* 546. *Ger. Em.* 732. *Park.* 482.
Cyanus ſegetum. *Bauh. pin.* 273.
Anglis, Blue-bottles.
Habitat *in arvis.* ☉. VII
Pharmac. Cyani *Herba, Flores.*

2. CENTAUREA calycibus ciliatis, foliis pinnatifidis : laciniis lanceolatis. *Sp. pl* 913. *Fl. ſuec.* 773. *Scabiosa.*
Jacea major. *Ger. Em.* 728. *R. Syn.* 198.

Jacea nigra vulgaris laciniata. *Park.* 470.
Scabioſa major ſquamatis capitulis. *Bauh. pin.* 269.
Anglis, Great Knapweed, or Matfellon.
Habitat *in arvis et ad margines agrorum.* 4. VI. VII.

Jacea. 3. CENTAUREA calycibus ſquamoſis, foliis lanceolatis: radicalibus ſinuato dentatis, ramis angulatis. *Sp. pl* 914. *Fl. ſuec.* 774.
Jacea nigra. *Ger. Em.* 726. *R. Syn.* 198. vulgaris. *Park.* 468.
Jacea nigra pratenſis latifolia. *Bauh. pin.* 271.
β Jacea nigra minor, tomentoſa, laciniata *R. Syn.* 199.
Anglis, common Knapweed, or Matfellon.
Habitat *in pratis et paſcuis.* 4. VII. VIII.

** Calcitrapæ: *calycinis ſpinis compoſitis.*

Calcitrapa. 4. CENTAUREA calycibus ſubduplicato-ſpinoſis, foliis ſeſſilibus lateralibus pinnatifidis linearibus dentatis, caule piloſo. *Hort upſ.* 237. *Sp. pl.* 917.
Carduus ſtellatus. *Ger. Em.* 1166. *R. Syn.* 196.
Carduus ſtellaris ſeu Calcitrapa vulgaris. *Park.* 989.
Carduus ſtellatus foliis papaveris erratici. *Bauh. pin.* 387.
Anglis, Star-thiſtle.
Habitat *in pratis ſterilioribus et juxta vias.* ☉. VII.
Pharmac. Calcitrapæ *Herba, Semina.*

ſolſtitialis. 5. CENTAUREA calycibus duplicato-ſpinoſis ſolitariis, foliis rameis decurrentibus inermibus lanceolatis; caulinis lyrato-pinnatifidis. *Sp. pl.* 917. *Roy. lugdb.* 140.
Carduus ſtellatus luteus foliis cyani. *Bauh. pin.* 387. *R. Syn.* 196.
Carduus ſolſtitialis. *Ger. Em.* 1166. *Park.* 989.
Anglis, St. Barnaby's Thiſtle.
Habitat *ad ſepes. By the hedges not far from* Cirenceſter *in* Glouceſterſhire, D. Bobart. *R. Syn.* ☉. VII.

PO-

POLYGAMIA NECESSARIA.

OTHONNA. 888.

Recept. nudum. *Pappus* ſubnullus. *Cal.* monophyllus, multifidus, ſubcylindricus.

1. OTHONNA foliis lanceolatis dentato-ſinuatis. *Sp. pl.* 924. *Fl. ſuec.* 778. *paluſtris.*
Solidago foliis inferioribus lanceolatis ſerrato-ſinuatis, ſuperioribus integris amplexicaulibus. *Hort. cliff.* 410.
Conyza foliis laciniatis. *Ger. Em.* 483. *R. Syn.* 174.
Conyza aquatica laciniata. *Bauh. pin.* 266.
Conyza helenitis foliis laciniatis. *Park.* 126.
Anglis, Marſh Fleabane.
Habitat *in paluſtribus. In the fen-ditches about* Marſh *and* Chattereſs *in the iſle of* Ely; *in the way from* Norwich *to* Yarmouth, *a little before you come to* Oaklybridge; *in the ditches about* Pillin-moſs, Lancaſhire; *and at* Aberavon *in* Merionethſhire, *in* Wales. *R. Syn.* 4. VIII.

2. OTHONNA foliis lanceolatis ſubdenticulatis villoſis, floribus umbellatis. *Sp. pl.* 925. *integrifolia.*
Solidago foliis lanceolatis ſeſſilibus integris denticulatis floribus umbellatis, involucro ſetaceo. *Gmel. ſib. II.* 154. *t.* 71.
Jacobæa montana lanuginoſa anguſtifolia non laciniata. *Bauh. pin.* 131. *Hiſt. ox. III.* 111. *ſ.* 7. *t.* 12. *f.* 28.
Jacobæa pannonica folio non laciniato. *hiſt. II.* 1056. *R. Syn.* 178.
Jacobæa anguſtifolia. Ger. Em. 280. pannonica non laciniata. *Park.* 668.
Anglis, Mountain Ragwort.
Habitat *in pratis montoſis. On* Gogmagog *hills*, Newmarket *heath*, &c. *R. Syn.* 4. VI.

FILAGO. 891.

Recept. nudum. *Pappus* nullus. *Cal.* imbricatus. *Floſculi* feminei inter ſquamas calycis locati.

maritima. 1. FILAGO tomentoſa, corymbo ſubramoſo, foliis oblongis obtuſis crenatis. *Sp. pl.* 927.
Santolina corymbo terminali ſubdiviſo, foliis oblongis integerrimis obtuſis. *Hort. cliff.* 398.
Gnaphalium maritimum. *Bauh. pin.* 263. *R. Syn.* 180.
Gnaphalium marinum. *Ger. Em.* 640. *ſ.* Colonaria, *Park.* 687.
Anglis, Sea Cudweed.
Habitat *in littoribus maritimis. Near* Abermeney *ferry, in the iſle of* Angleſea, *and between* Penſans *and St.* Michael's *mount in* Cornwal. *R. Syn.* ☉. VI. VII.

germanica 2. FILAGO calycibus pyramidatis pentagonis axillaribus, caule dichotomo erectiuſculo. *Syſt. nat.* 1235.
Gnaphalium caule erecto dichotomo, capitulis globoſis axillaribus terminalibuſque. *Sp. pl.* 857.
Gnaphalium vulgare majus. *Bauh. pin.* 263.
Gnaphalium minus ſ. Herba impia. *Park.* 685. *R. Syn.* 180.
Filago ſeu Herba impia. *Ger. Em.* 641.
Anglis, common Cudweed.
Habitat *in pratis et paſcuis ſterilioribus et ad vias publicas.* ☉. VI. VII.

montana. 3. FILAGO floribus conicis terminalibus axillaribuſque, caule dichotomo erecto. *Syſt. nat.* 1235.
Filago minor. *Ger. Em* 641.
Gnaphalium caule erecto diviſo, floribus pyramidatis lateralibus axillaribuſque. *Sp. pl.* 857.
Gnaphalium minimum. *Leb. ic.* 481. *Bauh. hiſt. III.* 159. *R. Syn.* 181.
Gnaphalium minus repens. *Bauh. pin.* 363.
Anglis, the leaſt Cudweed.
Habitat *in pratis et paſcuis arenoſis.* ☉. VI. VII.

FI-

4. FILAGO floribus ſubulatis axillaribus, caule dichotomo erecto. *Syſt. nat.* 1235. *gallica.*
Gnaphalium caule erecto dichotomo, floribus pyramidatis axillaribus. *Sp. pl.* 857.
Gnaphalium parvum ramoſiſſimum foliis anguſtiſſimis polyſpermon. *R. Syn.* 181.
Gnaphalium minimum alterum noſtras, ſtoechadis citrinæ foliis tenuiſſimis. *Pluk. ph. t.* 298. *f.* 2.
Anglis, Corn Cudweed.
Habitat *in arvis glareoſis. Among corn in ſandy ground about* Caſtle-Heveningham *in* Eſſex. *R. Syn.* ☉. VI. VII.

MONOGAMIA.

JASIONE. 896.

Cal. communis decemphyllus. *Cor.* pentapetala, regularis. *Capſ.* infera bilocularis.

1. JASIONE. *Sp. pl.* 928. *Fl. ſuec.* 782. *montana.*
Jaſione foliis lineari-lanceolatis obſolete ſerratis. *Hort. cliff.* 426.
Rapunculus ſcabioſæ capitulo cæruleo. *Bauh. pin.* 92. *Park.* 646. *R. Syn.* 278.
Scabioſa minima hirſuta. *Ger. Em.* 723.
Anglis, hairy Sheep's Scabious.
Habitat *in ericetis, pratis montoſis paſſim.* ♃. ☉. VI. VII.

LOBELIA. 897.

Cal. quinquefidus. *Corolla* monopetala, irregularis. *Capſ.* infera, bilocularis.

1. LOBELIA foliis linearibus bilocularibus integerrimis caule ſubnudo. *Sp. pl.* 929. *Fl. ſuec.* 783. *Dortmanna.*
Dortmanna paluſtris, floribus ſparſis pendulis. *Rudb. act. upſ. an.* 1720. *p.* 97. *t.* 2.
Gladeolus lacuſtris Dortmanni. *Cluſ. cur.* 40. *R. Syn.* 287.
Gladeolus lacuſtris Cluſii, ſ. Leucojum paluſtre, flore ſubcœruleo. *Park.* 1250.

Leucojum

Leucojum paluſtre, flore ſubcœruleo. *Bauh. pin.* 41. *Anglis*, Water Gladiole.
Habitat *in omnibus* Cambriæ *montibus* Dr. Richardſon. *R. Syn. in lacubus* Weſtmorlandiæ *copioſe*. ♃. VII. VIII.

VIOLA. 898.

Cal. pentaphyllus. *Cor.* pentapetala, irregularis, pone cornuta. *Capſ.* ſupera trivalvis, unilocularis.

* *Acaules.*

odorata. 1. VIOLA acaulis, foliis cordatis, ſtolonibus reptantibus. *Sp. pl.* 634.. *Fl. ſuec.* 784.
Viola martia purpurea. *Bauh. hiſt. II.* 542. *R. Syn.* 364. flore ſimplici. *Bauh. pin.* 199.
Viola nigra ſive purpurea. *Ger. Em.* 850.
Viola ſimplex martia. *Park.* 755.
β Viola martia alba. *Bauh. pin.* 199.
Anglis, Purple ſweet Violet. β white Violet.
Habitat *in ſepibus et aggeribus foſſarum.* ♃. III.
Pharmac. Violæ *Flores.*

hirta. 2. VIOLA acaulis, foliis cordatis piloſo-hiſpidis. *Sp. pl.* 934.
Viola martia major hirſuta inodora. *Hiſt. ox. II.* 475. *ſ.* 5. *t.* 35. *f.* 4. *R. Syn.* 365.
Viola trachelii folio vulgo. *R. hiſt.* 1051.
Anglis, hairy Violet.
Habitat *in ſylvis et ſepibus paſſim.* ♃. III.

paluſtris. 3. VIOLA acaulis foliis reniformibus. *Hall. helv.* 501. *Sp. pl.* 934. *Fl. ſuec.* 786.
Viola paluſtris rotundifolia glabra. *Hiſt. ox. II.* 475. *ſ.* 5. *t.* 35. *f.* 5. *Plot. ox.* 144. *t.* 9. *f.* 2. *R. Syn.* 364.
β Viola rubra ſtriata Eboracenſis. *Park.* 755.
Anglis, Marſh Violet.
Habitat *in pratis humidis, paludibus, ceſpitoſis, turfoſis. On the banks of the river* Chervil, *between* Oxford *and* Water-Eaton. *On* Oakenſhaw-moor *and* Roadeſhall *woods. R. Syn. ſupra* Sheriey *common prope* Croydon; *in ericeto* Hampſtediano *prope* Londinum. ♃. VI.

** *Cau-*

** *Caulescentes.*

4. VIOLA caule demum adscente foliis oblongo-cordatis. *Sp. pl.* 935. *Fl. suec.* 785 *canina.*
Viola caulibus adscendentibus floriferis, foliis cordatis. *Hort. cliff.* 427.
Viola martia inodora sylvestris. *Bauh. pin.* 199. *R. Syn.* 364.
Viola canina sylvestris. *Ger. Em.* 851.
Viola sylvestris. *Park.* 755.
β Viola canina flore albo. *Merr. pin.*
γ Viola canina minor. *R. Syn.* 364. *t.* 24. *f.* 1.
Anglis, Dog's Violet.
Habitat *in ericetis.* ♃. IV.

5. VIOLA caule subtrifloro, foliis cordatis profunde serratis. *alpina.*
Viola martia alpina folio tenello circinato. *R. Syn.* 366.
Anglis, Welch Violet.
Habitat *in rupe* Clogwyn y Garnedh, *supra lucum* Phynonlas; D. Lhwyd. *R. Syn.* ♃.

6. VIOLA caule triquetro diffuso, foliis oblongis incisis, stipulis dentato-pinnatis, lacinia suprema oblonga crenata petiolata. *tricolor.*
Viola caule triquetro diffuso, foliis oblongis incisis stipulis dentatis. *Sp. pl.* 935. *Fl. suec.* 791.
Viola tricolor. *Ger. Em.* 854. *R. Syn.* 365. major et vulgaris. *Park.* 756.
Viola tricolor hortensis repens. *Bauh. pin.* 199.
β Viola bicolor arvensis. *Bauh. pin.* 200.
γ Viola bicolor arvensis, flore cæruleo et candido. *Tourn.* 421.
Anglis, Pansies, or Heart's-ease, vulgo three Faces under a Hood.
Habitat *in arvis.* ☉. V.—IX.

7. VIOLA caule subtriquetro diffuso, foliis subcordatis, crenatis, stipulis dentatis radice repente. *lutea.*
Viola montana lutea grandiflora nostras. *R. Syn.* 365.
Viola flammea lutea. *Ger. Em.* 851.
Viola montana lutea grandiflora. *Bauh. pin.* 200.

Anglis,

Anglis, yellow Violet, or Panſies.
Habitat *in montoſis paſcuis tam ſeptentrionalibus, tum* Walicis, *ſolo putrido et paluſtri multoties obſervavimus.* *R. Syn.* 4. V.—VIII.

IMPATIENS. 899.

Cal. diphyllus. *Cor.* pentapetala, irregularis, nectario cuculato. *Capſ.* ſupera, quinquevalvis.

noli me tangere.

1. IMPATIENS pedunculis multifloris ſolitariis, foliis ovatis, geniculis caulinis tumentibus. *Sp. pl.* 938. *Fl. ſuec.* 792.
Balſamine lutea, ſ. Noli me tangere. *Bauh. pin.* 306. *R. Syn.* 316.
Perſicaria ſiliquoſa. *Ger. Em.* 440.
Mercurialis ſylveſtris, Noli me tangere dicta, ſive Perſicaria ſiliquoſa. *Park.* 296.
Anglis, Quick in the Hand. Touch me not.
Habitat *ad in umbroſis humidis et ad rivulos. On the banks of* Winandermere, *near* Ambleſide. *R. Syn. prope* Rydall-hall, *et alibi in* Weſtmorlandia. ☉. VIII.

Claſſis

Classis XX.

GYNANDRIA
DIANDRIA.

ORCHIS. 900.

Nectarium corniforme pone florem.

* *Bulbis indivisis.*

1. ORCHIS bulbis indivisis, nectarii labio lanceolato integerrimo: cornu longissimo, petalis patentibus. *Sp. pl.* 939. *Fl. suec.* 793. *bifolia.*
Orchis radicibus conicis, labello lingulato simplicissimo. *Hall. helv.* 266.
Orchis alba bifolia minor, calcari oblongo. *Bauh. pin.* 83. *R. Syn.* 380. *Vaill. paris.* 151. *t.* 30. *f.* 7.
Orchis psychodes. *Ger. Em.* 211.
Orchis sphegodes, s. Testiculus vulpinus primus. *Park.* 1351.
β Orchis hermaphroditica bifolia. *Bauh. hist. II.* 772.
Anglis, Butterfly Orchis.
Habitat *in pascuis et dumetis passim.* 4. V. VI.

2. ORCHIS bulbis indivisis, nectarii labio quadrilobo crenulato: cornu obtuso, petalis dorsalibus reflexis. *Fl. suec.* 795. *mascula.*
Orchis morio mas, foliis maculatis, *Bauh. pin.* 81. *Park.* 1346. *Vaill. paris.* 151. *t.* 31. *f.* 12.
Cynosorchis morio mas. *Ger. Em.* 208.
Anglis, Male Fool-stones.
Habitat *in pratis et pascuis.* 4. V.
Pharmac. Satyrii *Radix.*

3. ORCHIS bulbis indivisis, nectarii labio quadrifido crenulato: cornu obtuso, petalis omnibus conniventibus. *Sp. pl.* 940. *Fl. suec.* 794. *Morio.*

Orchis

Orchis radicibus ſubrotundis, cucullo clauſo lineato, labello ampliter trifido crenulato. *Hall. helv.* 266.
Orchis morio fœmina. *Bauh. pin.* 82. *Park.* 1347. *R. Syn.* 377. *Vaill. pariſ.* 149. *t.* 31. *f.* 13, 14.
Cynoſorchis morio fœmina. *Ger. Em.* 208.
Anglis, Female Fool-ſtones.
Habitat *in pratis et paſcuis ſubhumidis.* 4. V. VI.

× *pyramidalis.* 4. ORCHIS bulbis indiviſis, nectarii labio trifido æquali integerrimo: cornu longo, petalis ſublanceolatis. *Fl. ſuec.* 798.
Orchis purpurea ſpica congeſta pyramidali. *R. Syn.* 377. *t.* 18.
Anglis, Purple late-flowering Orchis.
Habitat *in paſcuis ſiccioribus et cretaceis frequens.* 4. VI. VII.

× *uſtulata.* 5. ORCHIS bulbis indiviſis, nectarii labio quadrifido punctis ſcabro: cornu obtuſo, petalis diſtinctis. *Fl. ſuec.* 797. *Sp. pl.* 941.
Orchis pannonica IV. *Cluſ. hiſt.* 268. *R. Syn.* 377.
Cynoſorchis militaris pratenſis humilior. *Bauh. pin.* 81.
Cynoſorchis militaris pannonica. *Park.* 1345.
Cynoſorchis minor pannonica. *Ger. Em.* 207.
Anglis, little purple-flowered Orchis.
Habitat *in paſcuis ſiccioribus, et ſterilibus, præſertim cretaceis.* 4. V. VI.

coriophora. 6. ORCHIS bulbis indiviſis, nectarii labio trifido reflexo crenato: cornu brevi, petalis conniventibus. *Sp pl.* 940.
Orchis odore hirci minor. *Bauh. pin.* 82. *Vaill. pariſ.* 149. *t.* 30. *f.* 30, 31, 32. *Hall. it. herc.* 7.
Orchis barbata fœtida minor flore albo. *R. Syn.* 376.
Tragorchis minor, flore fuliginoſo. *R. hiſt.* 1213.
Anglis, the leſſer Lizzard Flower.
Habitat

purpurea. 7. ORCHIS bulbis indiviſis, nectarii labio barbato quinquelobo lateralibus obtuſis, crenulatis, medio breviſſimo acuto, petalis confluentibus.

Orchis

Orchis magna latis foliis, galea fuſca vel nigricante. *Bauh. hiſt. II.* 759. *R. Syn.* 378. *t.* 19. *f.* 2.
Anglis, purple Man-Orchis.
Habitat *in collibus cretaceis. At* Northfleet *near* Graveſend, Mr. J. Sherard. *R. Syn.* 4. VI.

8. ORCHIS bulbis indiviſis, nectarii labio quinquefido lineari punctis ſcabro, petalis confluentibus. *militaris.*
Orchis bulbis indiviſis, nectarii labio quinquelobo punctis ſcabro: cornu obtuſo, petalis confluentibus. *Sp. pl.* 941. *Fl. ſuec.* 796.
Orchis galea et alis fere cinereis. *Bauh. hiſt. II.* 755. *R. Syn.* 378.
Cynoſorchis latifolia hiante cucullo major. *Bauh. pin.* 80.
Cynoſorchis latifolia minor. *Park.* 1344.
Cynoſorchis major altera. *Ger. Em.* 205.
Anglis, the Man Orchis.
Habitat *in pratis et paſcuis ſolo cretaceo. On* Cawſham *hills, by the Thames-ſide, not far from* Reading *in* Berkſhire. *R. Syn. Near the old chalk-pit near the paper-mill at* Harefield, *plentifully. Blackſ. ſpec. bot.* 4. VI.

** *Bulbis palmatis.*

9. ORCHIS bulbis ſubpalmatis rectis, nectarii cornu conico: labio trilobo lateralibus reflexis, bracteis flore longioribus. *Sp. pl.* 941. *Fl. ſuec.* 801. *latifolia.*
Orchis palmata pratenſis latifolia, longis calcaribus. *Bauh. pin.* 85. *R. Syn.* 380. *Vaill. pariſ.* 152. *t.* 31. *f.* 1, 2, 3, 4, 5.
Orchis palmata mas ſ. Palma Chriſti mas. *Park.* 1356.
Palma Chriſti mas. *Ger. Em.* 220.
Anglis, Male-handed Orchis.
Habitat *in pratis et paſcuis.* 4. V. VI.

10. ORCHIS bulbis palmatis patentibus, nectarii cornu germinibus breviore: labio plano, petalis dorſalibus erectis. *Sp. pl.* 942. *Fl. ſuec.* 800. *maculata.*

Orchis

Orchis palmata pratenſis maculata. *Bauh. pin.* 85. *R. Syn.* 381.
Orchis palmata fœmina ſ. palma Chriſti fœmina, foliis maculatis. *Park.* 1357.
Palma Chriſti fœmina. *Ger. Em.* 220.
Anglis, Female-handed Orchis.
Habitat *in pratis et paſcuis humidioribus.* 4. VI.

× *conopſea.* 11. ORCHIS bulbis palmatis, nectarii cornu ſetaceo germinibus longiore, labio trifido, petalis duobus patentiſſimis. *Syſt. nat.* 1243. *Sp. pl.* 942. *Fl. ſuec.* 790.
Orchis palmata minor calcaribus oblongis. *Bauh. pin.* 85. *Rudb. elyſ. II.* 212. *f.* 5. *Vaill. pariſ. t.* 30. *f.* 8, 9, 10.
Orchis palmata minor flore rubro. *Park.* 1358.
Serapias minor nitente flore. *Ger. Em.* 222.
Anglis, red-handed Orchis.
Habitat *in pratis et paſcuis.* ♂. VI.

*** *Bulbis faſciculatis.*

abortiva. 12. ORCHIS bulbis faſciculatis filiformibus, nectarii labio ovato integerrimo. *Sp. pl.* 943. *Dalib. pariſ.* 275.
Orchis abortiva violacea. *Bauh. pin.* 86.
Limodorum Auſtriacum. *Cluſ. pann.* 242. *R. Syn.* 383.
Nidus avis purpureus. *Park.* 1362.
Nidus avis flore et caule purpuro-violaceo. *Ger. Em.* 228.
Anglis, purple Bird's-neſt.
Habitat *in pratis ſiccioribus. In* Southamptoniæ *comitatu prope* Alton *oppidum invenit*, D. Goodyer. *R. Syn.* 4. V.

SATYRIUM. 901.

Nectarium ſcrotiforme ſ. inflato-didymum, pone florem.

b irſinum. 1. SATYRIUM bulbis indiviſis, foliis lanceolatis, nectarii labio trifido: intermedia lineari obliqua præmorſa. *Sp. pl.* 944.

Orchis

Orchis barbata odore hirci, breviore latioreque folio. *Bauh. pin.* 82.
Orchis barbata fœtida. *Bauh. hiſt. II.* 756. *R. Syn.* 376.
Tragorchis maxima, et T. vulgaris. *Park.* 1348.
Tragorchis maximus et T. mas. *Ger. Em.* 225.
Anglis, the Lizzard Flower, or Goat-ſtones.
Habitat *in cretaceis. Circa* Dartford *et* Crayford *in* Cantio *ſed rarius. R. Syn.* 4. VI. VII.

2. SATYRIUM bulbis palmatis, foliis oblongis obtuſis, nectarii labio lineari trifido intermedia obſoleta. *Sp. pl.* 944. *Fl. ſuec.* 304. *viride.*
Orchis palmata flore viridi. *Bauh. pin.* 86. *pr.* 30.
Orchis palmata minor flore luteo-viridi. *R. Syn.* 381.
Serapias batrachites altera. *Ger. Em.* 224.
Anglis, Frog Satyrion, or Orchis.
Habitat *in paſcuis ſiccioribus.* 4. V. VI.

3. SATYRIUM bulbis palmatis, foliis oblongis, nectarii labio trifido æquali. *fuſcum.*
Anglis, brown Satyrion.
Habitat *in prato montano* Hellſe-fellnab *dicto prope* Kendal *in* Weſtmorlandia. 4. VIII.

4. SATYRIUM bulbis faſciculatis, foliis lanceolatis, nectarii labio trifido acuto: intermedia majore. *Sp. pl.* 944. *Fl. ſuec.* 806. *albidum.*
Orchis palmata thyrſo ſpecioſo, longo, denſe ſtipato, ex viridi albente. *R. Syn.* 382.
Orchis palmata alpina, ſpica denſa albo-viridi. *Hall. herc.* 68.
Pſeudo-orchis alpina, flore herbaceo. *Mich. gen.* 80. *t.* 26.
Anglis, white Satyrion.
Habitat *in pratis humidis in* Cambria, *et circa* Malham *in comitatu* Eboracenſi, D. Richardſon. *R. Syn.* 4. VI.

OPHRYS. 902.

Nectarium ſubtus ſubcarinatum.

* *Bulbis ramoſis.*

Nidus avis. 1. OPHRYS bulbis fibroſo-faſciculatis, caule vaginato, nectarii labio bifido. *Sp. pl.* 942. *Fl. ſuec.* 815.
Nidus avis. *Lob. ic.* 195. *Lugd.* 673. *R. Syn.* 382.
Orchis abortiva fuſca. *Bauh. pin.* 86.
Orchis abortiva rufa, ſ. Nidus avis. *Park.* 1362.
Satyrion abortivum ſ. Nidus avis. *Ger. Em.* 228.
Anglis, Bird's-neſt.
Habitat *in ſylvis et umbroſis. In ſylva* Charlton *wood dicta in* Cantio. ♃. V.

ſpiralis. 2. OPHRYS bulbis aggregatis oblongis, caule ſubfolioſo, floribus ſecundis, nectarii labio indiviſo. *Sp. pl.* 945.
Orchis ſpiralis albo odorata. *Bauh. hiſt. II.* 769. *R. Syn.* 378.
Triorchis *Ger. Em.* 218. alba odarata minor. *Bauh. pin.* 87. *Park.* 1354.
Anglis, triple Ladies Traces.
Habitat *in paſcuis ſiccioribus.* ♃. VIII.

ovata. 3. OPHRYS bulbo fibroſo, caule bifolio, foliis ovatis, nectarii labio bifido. *Sp. pl.* 946. *Fl ſuec.* 808.
Ophrys bifolia. *Ger. Em.* 402. *Bauh. pin.* 87.
Bifolium ſylveſtre vulgare. *Park.* 504. *R. Syn.* 385.
Anglis, common Twayblade.
Habitat *in ſylvis et dumetis humidis.* ♃. V. VI.

cordata. 4. OPHRYS bulbo fibroſo, caule bifolio, foliis cordatis, nectarii labio bifido.
Ophrys bulbo fibroſo, caule bifolio, foliis cordatis. *Sp. pl.* 946. *Fl. ſuec.* 809.
Ophrys minima. *Bauh. pin.* 87. *pr.* 31.
Biſolium minimum. *Bauh. hiſt. III.* 534. *R. Syn.* 385.
Anglis, the leaſt Twayblade.
Habitat *in ericetis humidis, præſertim ſolo turfoſo, in comita-*

comitatibus Eboracenſi, Lancaſtrienſi *et* Weſtmorlandico *paſſim.* 4. VII.

5. OPHRYS bulbo fibroſo, ſcapo vaginato, nectarii labio integro. *paluſtris.*
Bifolium paluſtre. *Park.* 505. *R. Syn.* 385.
Orchis bifolia minor paluſtris. *Pluk. ph. t.* 247. *f.* 2.
Anglis, Marſh Twayblade.
Habitat *in paludibus. Found by* Mr. Dent *and* Mr. Dale, *on the boggy and fenny grounds near* Gamlingay *in* Cambridgeſhire; *by* Parkinſon *on the low wet grounds between* Hatfield *and* St. Albans; *and in divers places in* Romney *marſh. By* Mr. Dubois *at* Hurſthill, Tunbridge-wells. *R. Syn.* 4. VII. VIII.

** *Bulbis rotundis.*

6. OPHRYS bulbo ſubrotundo, ſcapo ſubnudo pentagono, foliorum apicibus ſcabris, nectarii labio integro. *Sp. pl.* 947. *Fl. ſuec.* 813. *paludoſa.*
Orchis minima bulboſa. *R. Syn.* 375.
Anglis, the leaſt Orchis.
Habitat

7. OPHRYS bulbo globoſo, ſcapo nudo, nectarii labio trifido. *Sp. pl.* 947. *Fl. ſuec.* 810. *Monorchis.* x
Orchis odorata moſchata, ſ. Monorchis. *Bauh. pin.* 84. *R. Syn.* 378.
Orchis puſilla odorata. *Park.* 1354.
Anglis, yellow or Muſk Orchis.
Habitat *in paſcuis ſterilioribus, ſed rarius.* 4. VII. †

8. OPHRYS bulbo ſubrotundo, ſcapo nudo, foliis lanceolatis, nectarii labio integro, petalis dorſalibus linearibus. *Sp. pl.* 946. *Fl ſuec.* 811. *lilifolia.*
Ophrys ſcapo nudo, foliis radicalibus ovato oblongis dimidii ſcapi longitudine. *Gron. virg.* 185.
Pſeudo-orchis bifolia paluſtris. *R. Syn.* 382.
Chamæorchis lilifolia. *Bauh. pin.* 84.
Chamæorchis latifolia Zelandica. *Park.* 1354.
Anglis, Dwarf Orchis.

† Ophrys Monorchis. Knight's Inham on a bank at the edge of a little coppice lying at the upper side of a field, which is on the right hand side on the

Habitat *in paluſtribus. On* Hinton *and* Teverſham *moors near* Cambridge. *R. Syn.* 4. VII.

anthropophora. 9. OPHRYS bulbis ſubrotundis, ſcapo folioſo, nectarii labio lineari tripartito : medio elongato bifido. *Sp. pl.* 948.
Orchis anthropophora oreades. *Col. ec. I.* 320. *R. Syn.* 379. fœmina. *Park* 1348.
Orchis flore nudi hominis effigiam repræſentans, fœmina. *Bauh. pin.* 82.
Anglis, green Man Orchis.
Habitat *in cretaceis. Found by* Mr. Dale *in an old gravel-pit at* Dalingon *near* Sudbury ; *at* Northfleet *and* Greenhithe *in* Kent, *plentifully. R. Syn.* 4. VI.

muſcifera. 10. OPHRYS bulbis ſubrotundis, ſcapo folioſo, nectarii labio quadrifido.
Orchis myodes galea et alis herbidis. *Bauh. hiſt. II.* 767. *R. Syn.* 379.
Orchis muſcæ corpus referens minor, vel galea et alis herbidis. *Bauh. pin.* 83.
Orchis myodes minor. *Park.* 1352.
β Orchis myodes major. *Park.* 1351.
Anglis, Fly Orchis.
Habitat *in pratis et paſcuis paſſim.* 4. VI.

apifera. 11. OPHRYS bulbis ſubrotundis, ſcapo folioſo, nectarii labio quinquelobo, lobis ſubtus inflexis.
Orchis ſuciflora galea et alis purpuraſcentibus. *Bauh. hiſt. II.* 766. *R. Syn.* 379.
Orchis ſ. Teſticulus veſpinus, 2. Sphegodes. *Ger. Em.* 212.
Orchis fucum referens major, foliolis ſuperioribns candidis et purpuraſcentibns. *Bauh pin.* 83.
Orchis ſphegodes ſeu fucum referens. *Park.* 1350.
β Orchis ſive Teſticulus ſphegodes hirſuto flore. *Bauh. hiſt. II.* 767. *R. Syn.* 380.
Anglis, Bee Orchis.
Habitat *in pratis et paſcuis ſiccioribus.* 4. VI.

CY-

CYPRIPEDIUM. 906.

Nectarium ventricoſum, inflatum, cavum.

1. CYPRIPEDIUM radicibus fibroſis, foliis ovato lanceolatis caulinis. *Sp pl.* 951. *Fl. ſuec.* 820. *Calceolus*
Calceolus Mariæ. *Ger. Em.* 443. *R. Syn.* 385.
Helleborine flore rotundo ſeu Calceolus. *Bauh. pin.* 187.
Elleborine major ſeu Calceolus Mariæ. *Park.* 217.
Anglis, Ladies Slipper.
Habitat *in ſylvis et dumetis, ſed rarius. In ſylvula inter* Clapham *et* Ingleborough *ſed ſparſim.* 4. VII.

SERAPIAS. 903.

Nectarium ovatum, gibbum: labio ovato.

1. SERAPIAS bulbis fibroſis. nectarii labio obtuſo crenato, petalis æquali, fructibus pendulis. *latifolia.*
Serapias caule multifolio multifloro. *Hort. cliff.* 429.
Helleborine latifolia montana. *Bauh. pin.* 186. *R. Syn.* 383.
Helleborine. *Dod. pempt.* 384. *Ger. Em.* 442.
Elleborine flore viridante. *Park.* 218.
β Helleborine altera atro-rubente flore. *Bauh. pin.* 186. *R. Syn.* 383.
γ Helleborine paluſtris noſtras. *R. Syn.* 284.
Anglis, broad-leaved Baſtard Hellebore.
Habitat *in ſylvis et ſepibus.* γ *in paluſtribus.* 4. VII. VIII.

2. SERAPIAS bulbis fibroſis, nectarii labio obtuſo petalis breviore, fructibus erectis. *longifolia.*
Serapias radicibus fibroſis, nectarii labio obtuſo petalis breviore, foliis enſiformibus. *It. oel.* 144.
Helleborine flore albo. *Ger. Em.* 442. *R. Syn.* 383. vel Damaſonium montanum latifolium. *Bauh. pin.* 187.
Elleborine minor flore albo. *Park.* 218.
β Helleborine latifolia, flore albo clauſo. *R. Syn.* 384.

γ Helleborine foliis prælongis anguſtis acutis. *R. Syn.* 384.

δ Helleborine montana anguſtifolia purpuraſcens. *Bauh. pin.* 187.

Anglis, white-flowered Baſtard Hellebore.

Habitat *in ſylvis et dumetis. α in the woods near* Stoken-Church, Oxfordſhire, *R. Syn. β in a* Beach-wood, *juſt below the duke of* Bedford's *ſeat at* Cheyneis, Buckinghamſhire. *Blackſ. ſpec. bot. α, γ, δ, circa* Clapham *et* Ingleton, *in comitatu* Eboracenſi. ♃. VIII.

POLYANDRIA.

ARUM. 915.

Spatha monophylla, cucullata. *Spadix* ſupra nudus, inferne femineus, medio ſtamineus.

maculatum. 1. ARUM acaule, foliis haſtatis integerrimis, ſpadice clavato. *Hort. cliff.* 8. *Sp. pl.* 966. *Roy. lugdb.* 8. Arum. *Bauh. hiſt. II.* 783. *R. Syn.* 266. vulgare. *Ger. Em.* 834. maculatum et non maculatum. *Park.* 373.

Arum vulgare maculatum. *Bauh. pin.* 195.

Anglis, Wake-Robin, Cuckow-pint.

Habitat *in umbroſis et ad ſepes.* ♃. V.

Pharmac. Ari *Radix.*

ZOSTERA. 919.

Spadix linearibus, altero latere fructifero. *Calyx* nullus. *Cor.* nulla. *Stam.* alterna. *Semina* ſolitaria alterna.

marina. 1. ZOSTERA. *It. IV—goth.* 166. *t.* 4. *f.* 1. *Sp. pl.* 968.

Alga. *Ger. Em.* 1569 *R. Syn.* 52. anguſtifolia vitriariorum. *Bauh. pin.* 364. *hiſt. III.* 794. *R. Syn.* 53.

Fucus marinus ſive alga, marina graminea. *Park.* 1242.

β Fucus

β Fucus ſ. alga marina graminea anguſtifolia ſeminifera ramoſior. *R. Syn.* 52.

γ Fucus marinus ſeu Alga marina graminea minor. *R. Syn.* 52.

δ Potamogeton marinum in utriculis epiphylloſpermon minus. *R. Syn.* 53.

Anglis, Graſs Wrack.

Habitat *in littoribus maritimis.* ♃.

Classis XXI.

MONOECIA

MONANDRIA.

ZANNICHELLIA. 920.

Masculi. *Cal.* o. *Cor.* o.
Feminei. *Cal.* monophyllus. *Cor.* o. *Germina* circiter quatuor. *Sem.* totidem.

palustris. 2. ZANNICHELLIA. *Fl. lapp.* 321. *suec.* 824. *Sp. pl.* 969.
Zannichellia palustris major foliis gramineis acutis. *Mich. gen.* 71. *t.* 34. *f.* 1. 2.
Aponogiton aquaticum graminifolium, staminibus singularibus. *Pont. anth.* 117. *R. Syn.* 135.
Potamogitoni similis Graminifolia ramosa et ad geniculo polyceratos. *Pluk. ph. t.* 102. *f.* 7.
Anglis, horned Pondweed.
Habitat *in fossis et stagnis frequens.* ☉. VII.

DIANDRIA.

LEMNA. 923.

Masc. *Cal.* monophyllus. *Cor.* nulla.
Fem. *Cal.* monophyllus. *Cor.* nulla. *Stylus* unus. *Capsf.* unilocularis.

trisulca. 1. LEMNA foliis petiolaris lanceolatis. *Fl. lapp.* 370. *suec.* 828. *Sp. pl.* 970.
Lenticula aquatica trisulca *Bauh. pin.* 362. *R. Syn.* 129.
Hederula aquatica. *Ger. Em.* 830.
Ranunculus hederaceus aquaticus. *Park.* 1260.
Anglis,

Anglis, Ivy-leaved Duck's-meat.
Habitat *in foſſis et ſtagnis*. 4. V. VI.

2. LEMNA foliis ſeſſilibus utrinque planiuſculis, radicibus ſolitariis. *Hort. cliff.* 417. *Fl. ſuec.* 827. *Sp. pl.* 970. *minor.*
Lens paluſtris. *Ger. Em.* 829. *Bauh. hiſt. III.* 784. *R. Syn.* 129. *t.* 4. *f.* 1.
Lens paluſtris vulgaris. *Bauh. pin.* 362.
Lens paluſtris ſ. aquatica vulgaris. *Park.* 1262.
Anglis, the leaſt Duck's-meat.
Habitat *in ſtagnis*. 4. VI.

3. LEMNA foliis ſeſſilibus, radicibus confertis. *Hort. cliff.* 477. *Fl. ſuec.* 825. *Sp. pl.* 970. *polyrhiza.*
Lenticula paluſtris major. *Comm. Cat. pl. Holl. R. Syn.* 129. *t.* 4. *f.* 2.
Anglis, greater Duck's-meat.
Habitat *in foſſis*. ☉. VI. VII.

TRIANDRIA.

TYPHA. 924.

Maſc. *Amentum* cylindricum. *Cal.* triphyllus. *Cor.* o.
Fem. *Amentum* cylindricum infra maſculos. *Cal.* capillo villoſo. *Cor.* o. *Sem.* unicum, inſidens pappo capillari.

1. TYPHA foliis ſubenſiformibus, ſpica maſcula femineaque approximatis. *It. ſcan.* 168. *Sp. pl.* 971. *Fl. ſuec.* 831. *latifolia.*
Typha. *Ger. Em.* 46. paluſtris major. *Bauh. pin.* 20. *hiſt. II.* 539. *R. Syn.* 436.
Typha paluſtris maxima. *Park.* 1204.
Anglis, great Cat's-tail, or Reed-mace.
Habitat *ad ripas fluviorum, piſcinarum, paladium frequens*. 4. VII.

2. TYPHA foliis ſemicylindricis, ſpica maſcula femineaque remotis. *It. ſcan.* 198. *Fl. ſuec.* 830. *Sp. pl.* 971. *anguſtifolia.*

Ty-

Typha paluſtris media. *Bauh. hiſt. II.* 540. *R. Syn.* 436.
Typha paluſtris clava gracili. *Bauh. pin.* 20.
Typha minor. *Park.* 1204.
Anglis, narrow-leaved Cat's-tail.
Habitat *in foſſis, et ſtagnis.* ♃. VII.

SPARGANIUM. 925.

Maſc. *Amentum* ſubrotundum. *Cal.* triphyllus. *Cor.* o.
Fem. *Amentum* ſubrotundum. *Cal.* triphyllus. *Cor.* o. *Stigm.* bifidum. *Drupa* exſucca, diſperma.

erectum. 1. SPARGANIUM foliis triquetris erectis: *Syſt. nat.* 1260. *Sp. pl.* 971. *Fl. ſuec.* 831. *lapp.* 345.
Sparganium ramoſum. *Park.* 1205. *Ger. Em.* 45. *Bauh. pin.* 15. *R. Syn.* 437.
β Sparganium non ramoſum. *Bauh. pin.* 15.
Anglis, great Bur-reed.
Habitat *in foſſis, paludibus et ad ripas fluviorum.* ♃. VII.

natans. 2. SPARGANIUM foliis decumbentibus planis. *Sp. pl.* 971. *Fl. ſuec.* 832.
Sparganium foliis complanatis natantibus, ſpicis pauciſſimis. *Hall. helv.* 260.
Sparganium minimum. *R. hiſt.* 1910. *ſyn.* 437.
Anglis, the leaſt Bur-reed.
Habitat *in ſtagnis et fluviis leniter fluentibus, ſed rarius.* ♃. VII.

CAREX. 928.

Masc. *Amentum* imbricatum. *Cal.* monophyllus. *Cor.* o.
Fem. *Amentum* imbricatum. *Cal.* monophyllus. *Cor.* o. *Nectarium* inflatum, tridentatum. *Stigm.* tria. *Sem.* triquetrum, intra nectarium..

* *Spica unica ſimplici.*

dioica. 1. CAREX ſpica ſimplici dioica. *Hort. cliff.* 438. *Fl. ſuec.* 833. *Sp. pl.* 972.
Gramen cyperoides minimum ſpica ſimplici caſſa. *Hiſt. ox. III.* 244. *ſ* 8. *t.* 12. *f.* 22.
Gramen cyperoides minus ranunculi capitulo longiore. *R. Syn.* 425. *An-*

Anglis, ſmall Carex.
Habitat *in paludibus turfoſis*. ♃. VI.

2. CAREX ſpica ſimplici androgyna ovata: ſuperne maſcula, capſulis imbricatis patulis. *Syſt. nat.* 1261. *capitata.*
Gramen cyperoides minimum ranunculi capitulo rotundo. *Hiſt. ox. III.* 245. *ſ.* 8. *t.* 12. *f.* 36. *R. Syn.* 425.
Gramen cyperoides ſpica echinata ſimplici. *Mer. pin.*
Anglis, round-headed Carex.
Habitat *in paludibus turfoſis*, *in* Sherley *common*, *prope* Croydon. ♃. VI.

3. CAREX ſpica ſimplici androgyna: ſuperne maſcula, capſulis divaricatis retroflexis. *Syſt. nat.* 1261. *Sp. pl.* 972. *pulicaris.*
Gramen cyperoides minimum, ſeminibus deorſum reflexis puliciformibus. *R. Syn.* 424. *Pluk. phyt. t.* 34. *f.* 10. *Hiſt. ox. III.* 244. *ſ.* 8. *t.* 12. *f.* 21.
Anglis, Flea Carex.
Habitat *in paludibus limoſis*. *In ericeto* Hampſtediano *et* Sherley *common prope* Croydon. ♃. VI.

** *Spicis androgynis.*

4. CAREX racemo compoſito, ſpiculis androgynis. *Cent. pl.* 93. *Syſt. nat.* 1262. *panicuata*
Gramen cyperoides paluſtre elatius, ſpica longiore laxa. *R. Syn.* 422. *Hiſt. ox. III.* 244. *ſ.* 8. *t.* 12. *f.* 23.
Anglis, Panicled Carex.
Habitat *in paluſtribus putridis*, *et aquoſis*, *in ſylvula* Hampſtead *wood dicta prope* Hampſtedium. ♃. VI. VII.

5. CAREX ſpica compoſita ſubdiſticha, ſpiculis ovatis imbricatis androgynis, foliolo longiori inſtructis, culmo triquetro. *diſticha.*
Gramini cyperoidi ex monte Ballon ſimile, ſpica totali e pluribus ſpicis compoſita. *R. Syn.* 423. *Pluk. ph. t.* 34. *f.* 7.
Gramen cyperoides elegans multifera ſpica. *Park.* 1172. Gramen

β Gramen cyperoides elegans ſpica compoſita molli. *Pluk. ph. t.* 34. *f.* 4.
Anglis, ſoft Carex.
Habitat *in paluſtribus*. ♃. V. VI.

diviſa. 6. CAREX ſpica compoſita ſpiculis rotundis confertis androgynis, foliolo longiori inſtructis, culmo ſubtereti.
Gramen cyperoides paluſtre majus ſpica divulſa. *Bauh. pin*, 6.
Gramen cyperoides ex monte Ballon ſpica divulſa. *Bauh. hiſt. II.* 498. *R. Syn.* 423.
Gramen cyperoides parvum. *Ger. Em.* 21.
Gramen cyperoides paluſtre minus. *Park.* 1287.
Anglis, Marſh Carex.
Habitat *in paluſtribus, ſed rarius. In the meadows near the* Hithe *at* Colcheſter *in* Eſſex, Mr. Newton; *by* Hithe *in* Kent, Mr. J. Sherard. *R. Syn.* ♃. VII.

leporina. 7. CAREX ſpica compoſita, ſpiculis ovatis ſeſſilibus approximatis androgynis nudis. *Sp. pl.* 973. *Fl. ſuec.* 837.
Carex ſpicis ternis ſeſſilibus confertis androgynis. *Fl. lapp.* 322.
Gramen cyperoides ſpica e pluribus ſpicis brevibus mollibus compoſita. *R. Syn.* 422. *Sch. agr.* 456. *t.* 10. *f.* 15.
Gramen cyperoides paluſtre majus ſpica diviſa. *Bauh. pin.* 6. *Hiſt. ox. III.* 244. *ſ.* 8. *t.* 12. *f.* 29.
Anglis, naked Carex.
Habitat *in paluſtribus et aquoſis* ♃. VI. VII.

arenaria. 8. CAREX ſpica compoſita, ſpiculis androgynis: inferioribus remotioribus foliolo longiori inſtructis, culmo triquetro. *It. oel.* 139. *Sp. pl.* 973. *Fl. ſuec.* 835.
Gramini cyperoides ex monte Ballon ſimile humilius. in maritimis et arenoſis naſcens. *R. Syn.* 423. *Pluk. ph. t.* 34. *f.* 7.

Gramen

Gramen cyperoides elegans multifera ſpica. *Park.* 1172.
Anglis, Sea Carex.
Habitat *in arenoſis maritimis paſſim.* ♃. VI. VII.

9. CAREX ſpica compoſita diſticha nuda, ſpiculis androgynis oblongis contiguis patentibus, culmo nudo. *Cent. pl.* 91. *Syſt. nat.* 1262. *brizoides.*
Gramen cyperoides paluſtre elegans ſpica compoſita aſperiore. *R. Syn.* 423.
Anglis, rough Carex.
Habitat *in paluſtribus et aquoſis ſed rarius.* ☉. VI.

10. CAREX ſpica ſupradecompoſita inferne laxiore, ſpiculis androgynis glomeratis : ſuperne maſculis. *Fl. ſuec.* 838. *Sp. pl.* 973. *vulpina.*
Gramen cyperoides paluſtre majus, ſpica compacta. *Bauh. pin.* 6. *R. Syn.* 423. *Hiſt. ox. III.* 244. *ſ.* 8. *t.* 12. *f.* 24.
Gramen paluſtre cyperoides. *Ger. Em.* 21.
Gramen cyperoides paluſtre majus. *Park.* 1266.
Anglis, great Carex.
Habitat *ad ripas fluviorum.* ♃. VII.

11. CAREX ſpiculis ſubrotundis approximatis androgynis capſulis ovatis acutis. *ſpicata.*
Gramen cyperoides parvum. *Ger. Em.* 18.
Gramen cyperoides ſpicis minoribus minuſque compactis. *Bauh. pin.* 6. *pr.* 13. *hiſt. II.* 497.
Gramen cyperoides ſpicatum minus. *R. Syn.* 424.
Anglis, ſpiked Carex.
Habitat *in aquoſis.* ♃. V. VI.

12. CAREX ſpiculis ſubovatis ſeſſilibus remotis androgynis capſulis acutis divergentibus ſpinoſis. *Fl. ſuec.* 839. *Sp. pl* 974. *muricata.*
Gramen cyperoides ſpicatum minimum ſpica divulſa aculeata. *R. Syn.* 424.
Gramen nemoroſum ſpicis parvis aſperis. *Bauh. pin.* 7. *th.* 100: *Hiſt. ox. III.* 344. *ſ.* 8. *t.* 12. *f.* 26.
Gramen cyperoides echinatum minimum. *Park.* 1272.

Anglis,

Anglis, prickly Carex.
Habitat *in paluſtribus et ſylvis humidis.* ♃. VI.

caneſcens. 13. CAREX ſpiculis ſubrotundis remotis ſeſſilibus obtuſis androgynis capſulis ovatis obtuſiuſculis. *Fl. ſuec.* 842. *Sp. pl.* 974.
Gramen cyperoides ſpicatum minus, ſpica longa divulſa ſeu interrupta. *R. Syn.* 424.
Gramen cyperoides ſpicis curtis divulſis. *Fl. pr.* 117. *t.* 32.
Anglis, grey Carex.
Habitat *ad ſepes et in ſylvis humidis.* ♃. V.—VIII.

remota. 14. CAREX ſpicis ovatis ſubſeſſilibus remotis androgynis foliis caulinis culmum æquantibus. *Cent. pl.* 92. *Syſt. nat.* 1262.
Gramen cyperoides anguſtifolium, ſpicis parvis ſeſſilibus infoliorum alis. *R. Syn.* 424. *Hiſt. ox. III.* 243. *ſ.* 8. *t.* 12. *f.* 17. *Pluk. ph. t.* 34. *f.* 3.
Anglis, long-leaved Carex.
Habitat *in aggeribus foſſarum et ſylvis humidis.* ♃. VIII.

*** *Spicis ſexu diſtinctis : femineis ſeſſilibus.*

flava. 15. CAREX ſpicis confertis ſubſeſſilibus ſubrotundis : maſcula lineari, capſulis acutis recurvis. *Fl. ſuec.* 843. *Sp. pl.* 975.
Gramen cyperoides aculeatum germanicum vel minus. *Bauh. pin.* 7. *Hiſt. ox. III. p.* 243. *ſ.* 8. *t.* 12. *f.* 19.
Gramen paluſtre echinatum. *Bauh. hiſt. II.* 497. *Ger. Em.* 17. *R. Syn.* 421.
Gramen aculeatum Germanicum. *Park.* 1187.
β Gramen cyperoides echinatum majus. *Pet. conc. gr.* 169.
Anglis, yellow Carex.
Habitat *in paluſtribus et humidioribus pratis.* ♃. VI.

pilulifera. 16. CAREX ſpicis terminalibus confertis ſubrotundis : maſculina oblonga. *Roy. lugdb.* 75. *Sp. pl.* 976.

Gramen

Gramen cyperoides tenuifolium ſpicis ad ſummum caulem ſeſſilibus globulorum emulis. *Pluk. ph. t.* 9. *f.* 8. *R. Syn.* 422.

β Gramen cyperoides ſpicis brevibus congeſtis folio molli. *R. Syn.* 421.

Anglis, round-headed Carex.

Habitat *in pratis et paſcuis humidis paſſim.* ♃. VI. VII.

17. CAREX ſpicis tribus ovatis ſeſſilibus alternis; maſcula oblonga. *Fl. ſuec.* 848. *Sp. pl.* 976. *ſaxatilis.*

Gramen cyperoides vernum minimum. *R. Syn.* 421.

Gramen cyperoides ſpicatum. *Ger. Em.* 22.

Gramen caryophyllatæ foliis, ſpica divulſa. *Bauh. pin.* 3. *th.* 46.

Gramen ſpicatum foliis Caryophylleis. *Park.* 1160.

Anglis, vernal Carex.

Habitat *in pratis montoſis.* ♃. IV. V.

**** *Spicis ſexu diſtinctis; femineis pedunculatis.*

18. CAREX ſpicis pedunculatis erectis remotis: femineis linearibus, capſulis obtuſiuſculis inflatis. *Fl. ſuec.* 853. *Sp. pl.* 977. *panicea.*

Gramen cyperoides foliis caryophylleis, ſpicis e rarioribus et tumidioribus granis compoſitis. *R. Syn.* 418. *Pluk. ph. t.* 91. *f.* 7.

Anglis, Pink Carex.

Habitat *in paludibus turfoſis.* ♃. VI. VII.

19. CAREX ſpicis erectis cylindricis ternis ſubſeſſilibus: maſcula terminali, culmo triquetro. *Fl. ſuec.* 853. *Sp. pl.* 978. *cæſpitoſa.*

Gramen cyperoides foliis caryophylleis, ſpicis erectis ſeſſilibus, e feminibus confertis compoſitis. *R. Syn.* 418.

Gramen cyperoides anguſtifolium, ſpica ſpadiceo-viridi minus. *Bauh. pin.* 6. *pr.* 13.

Anglis, turfy Carex.

Habitat *in pratis, paſcuis et ſylvis humidis.* ♃. V. VI.

19. CA-

palleſcens. 20. CAREX ſpicis pendulis: maſcula erecta, femineis ovatis imbricatis; capſulis confertis obtuſis. *Fl. ſuec.* 852. *Sp. pl.* 977.
Carex ſpicis tribus petiolatis erectis remotis, maſcula et femineis. *Fl. lapp.* 327.
Gramen cyperoides polyſtachyon flavicans, ſpicis brevibus prope ſummitatem caulis. *R. Syn.* 419. *Hiſt. ox. III. ſ.* 8. *t.* 12. *f.* 16. *Pluk. ph. t.* 34. *f.* 5.
Anglis, pale Carex.
Habitat *in pratis et paſcuis humidis paſſim.* ♃. VI.

diſtans. 21. CAREX ſpicis remotiſſimis ſubpedunculatis, bractea vaginali, capſulis angulatis mucronatis. *Syſt. nat.* 1262.
Gramen cyperoides paluſtre, ſpicis tribus ſubrotundis vix aculeatis, ſpatio diſtantibus. *Hiſt. ox. III. t.* 12. *f.* 18.
Gramen cyperoides ſpicis parvis longiſſime diſtantibus. *R. Syn.* 420.
Anglis, looſe Carex.
Habitat *in udis turfoſis frequens.* ♃. VI.

Pſeudo-cyperus. 22. CAREX ſpicis pendulis, pedunculis geminatis, capſulis biariſtatis. *Sp. pl.* 978. *Fl. ſuec.* 854.
Gramen cyperoides ſpica pendula breviore. *Bauh. pin.* 6. *th* 86. *Hiſt. Ox. III.* 242. *ſ.* 8. *t.* 12. *f.* 5. *R. Syn.* 419.
Cyperus ſ. Pſeudo-cyperus ſpica pendula breviore. *Park.* 1266.
Pſeudo-cyperus. *Ger. Em.* 29.
Anglis, baſtard Carex.
Habitat *ad ripas foſſarum frequens.* ♃. VII.

pendula. 23. CAREX ſpicis pendulis, maſcula erecta, femineis cylindricis pedunculo longioribus, capſulis acuminatis.
Gramen cyperoides ſpica pendula longiore. *Park.* 1267. *R. Syn.* 420.
Gramen ſpica pendula longiore et anguſtiore. *Bauh. pin.* 6. *pr.* 13. *hiſt. II.* 497.

β Gramen

Gramen cyperoides polyſtachyon majuſculum latifolium, ſpicis multis, longis, ſtrigoſis. *R. Syn.* 419.
Anglis, pendulous Carex.
Habitat *in ſylvis & ſepibus humidis*; *in ſepibus inter* Hampſtead et Highgate *copioſe*. ♃. VI. VII.

22. CAREX ſpicis pendulis, maſcula erecta, femineis filiformibus pedunculo brevioribus, capſulis acutis diſtantibus. *ſylvatica*
Gramen cyperoides ſylvarum tenuius ſpicatum. *Park.* 1171. *Hiſt Ox. III.* 243. *f.* 8. *t.* 12. *f.* 9.
Anglis, Wood Carex.
Habitat *in ſylvis humidis*. ♃. V. VI.

***** *Spicis ſexudiſtinctis: maſculis pluribus.*

23. CAREX ſpicis maſculis pluribus, femineis ſubſeſſilibus, capſulis obtuſiuſculis. *Fl. ſuec.* 857. *Sp. pl.* 978 ? *acuta.*
Gramen cyperoides. *Ger. Em.* 12. latifolium ſpica rufa ſ. caule triangulo. *Bauh. pin.* 6.
Gramen cyperoides cum paniculis nigris. *Bauh. hiſt. II.* 494. *R. Syn* 417.
Gramen cyperoides majus latifolium. *Park.* 1265.
β Gramen cyperoides majus anguſtifolium. *Park.* 1265.
γ Gramen cyperoides minus anguſtifolium. *Park.* 1266.
Anglis, brown Carex.
Habitat *in aquoſis et ad rivulos*. ♃. V.

24. CAREX ſpicis maſculis pluribus, femineis pedunculatis, capſulis inflatis acuminatis. *Fl. ſuec.* 856. *Sp. pl.* 979. *veſicaria.*
Gramen cyperoides majus præcox, ſpicis turgidis teretibus flaveſcentibus. *Hiſt. Ox. III.* 242. *t.* 12. *f.* 6. *R. Syn.* 420.
Gramen cyperoides veſicarium majus. *Cat. Giſſ.* 63.
β Gramen cyperoides polyſtachyon majus, ſpicis teretibus erectis. *R. ſyn.* 419.
Anglis, greater Bladder Carex.
Habitat *in paluſtribus et aquoſis paſſim*. ⊙ VI.

inflata. 25. CAREX ſpicis maſculis pluribus, femineis ſeſſilibus capſulis ovatis inflatis acuminatis, bracteis duplo longioribus.

Gramen cyperoides paluſtre, ſpicis tribus ſubrotundis vix aculeatis, ſpatio diſtantibus. *Hiſt. Ox. III. t.* 12. *f.* 18. *R. Syn.* 420.

Gramen cyperoides veſicarium minus. *Cat. giſſ.* 63.

Anglis, leſſer Bladder Carex.

Habitat *in paluſtribus & aquoſis in comitatibus* Eboracenſi & Weſtmorlandico *paſſim.* ♃. VI. VII.

hirta. 26. CAREX ſpicis remotis, maſculis pluribus, femineis ſubpedunculatis erectis; capſulis hirtis. *Fl. ſuec.* 858.

Carex ſpicis remotis, femineis ſubſeſſilibus capſulis hirſutis. *Fl. lapp.* 335. *Sp. pl.* 975.

Gramen cyperoides polyſtachyon lanuginoſum. *R. Syn.* 418. *Hiſt. Ox. III.* 243. *ſ.* 8. *t.* 12. *f.* 10.

Gramen cyperoides Norvegicum parium lanoſum. *Park.* 1172.

Anglis, hairy Carex.

Habitat *in pratis & paſcuis humidis frequens.* ♃. VI.

TETRANDRIA.

BETULA.

Maſc. *Cal.* monophyllus, ſubtrifidus, triflorus. *Cor.* quadripartita.

Fem. *Cal.* monophyllus ſubtrifidus, biflorus. *Strobilus* cylindricus. *Sem.* utrinque membrana alata.

alba. 1. BETULA foliis ovatis acuminatis ſerratis. *Hort. cliff.* 442. *Fl. ſuec.* 859. *Sp. pl.* 982.

Betula. *Bauh. hiſt. I.* 148. pin 427. *R. Syn. Ger. Em.* 1478.

Anglis, the Birch Tree.

Habitat *in ſylvis & ſepibus humidis.* ♄. VII.

BUXUS. 934.

Maſc. *Cal.* tryphyllus. *Petala* duo. *Germinis* rudimentum.

Fem. *Cal.* tetraphyllus. *Petala* tria. *Styli* tres. *Capſ.* triroſtris, trilocularis. *Sem.* duo.

1. BUXUS.

1. BUXUS. *Bauh. hiſt. 1.* 496. *Ger. Em.* 1410. *R. Syn.* 445. *Hort. cliff.* 441. *Sp. pl.* 983. *ſempervirens.*
Buxus arboreſcens. *Bauh. pin.* 471.
Buxus arbor vulgaris. *Park.* 1428.
Buxus anguſtifolia. *R. Syn.* 445.
Anglis, Box-Tree.
Habitat *in ſylvis & ſepibus ſed rarius.* ♄ IV.
Pharmac. Buxi *folia lignum.*

URTICA. 935.

Maſc. *Cal.* tetraphyllus. *Cor.* nulla. *Nectarium* centrale cyathiforme.
Fem. *Cal.* bivalvis. *Cor.* o. *Sem.* unicum nitidum.

1. URTICA foliis oppoſitis ovatis ſerratis, amentis fructiferis globoſis. *Hort. cliff.* 440. *upſ.* 282. *Roy. lugdb.* 209. *Sp. pl.* 983. *pilulifera.*
Urtica urens pilulas ferens. *Bauh. pin.* 232.
Urtica romana. *Ger. Em.* 784. *Park.* 440.
Urtica pilulifera folio profundius urticæ majoris in modum ſerrato, ſemine magno lini. *R. Syn.* 140.
Anglis, Roman Nettle.
Habitat *in ruderatis*; *plentifully at* Great Yarmouth *in* Norfolk; Aldborough *in* Suffolk; *R. Syn.* ☉ VIII.
Pharmac. Urticæ romanæ *ſemina.*

2. URTICA foliis oppoſitis ovalibus. *Sp. pl.* 984. *Fl. ſuec.* 862. *urens.*
Urtica minor. *Ger. Em.* 704. *R. Syn.* 140.
Urtica urens minor. *Bauh. pin.* 232.
Anglis, leſſer Nettle.
Habitat *in cultis, ruderatis.* ☉. VIII.

3. URTICA foliis oppoſitis cordatis, racemis geminis, *Sp. pl.* 984. *Fl. ſuec.* 863. *dioica.*
Urtica urens. *Ger. Em.* 404. maxima. *Bauh. pin.* 232.
Urtica racemifera major perennis. *R. Syn.* 139.
Anglis, common Nettle.
Habitat *in ruderatis & ad ſepes.* ♃. VII.
Pharmac. Urticæ *ſemina, folia, cymæ.*

PENTANDRIA.

XANTHIUM. 937.

Maſc. *Cal.* communis imbricatus. *Cor.* monopetalæ, quinquefidæ, infundibuliformes. *Receptaculum* paleaceum.

Fem. *Cal.* involucrum biphyllum, biflorum. *Cor.* o. *Drupa* ſicca muricata, bifida. *Nucleus* bilocularis.

ſtrumarium. 1. XANTHIUM caule inermi. *Sp. pl.* 987. *Fl. ſuec.* 864.

Xanthium ſeu Lappa minor. *Bauh. hiſt. III.* 572. *Park.* 1222.

Lappa minor Xanthium Dioſcoridis. *Bauh. pin.* 198.

Bardana minor. *Ger. Em.* 800.

Anglis, leſſer Burdock.

Habitat *in ſimetis ſed rarius.* ☉. VIII. IX.

Pharmac. Strumariæ *Herba.*

AMARANTUS. 941.

Maſc. *Cal.* triphyllus. *Cor.* o.

Fem. *Cal.* triphyllus. *Cor.* o. *Styli* tres. *Capſ.* unilocularis circumſciſſa. *Sem.* unicum.

Blitum. 1. AMARANTUS ſpicis triandris erectiuſculis, foliis ovatis retuſis. *Syſt. nat.* 1268.

Amarantus floribus glomeratis lateralibus, foliis ovatis retuſis, caule diffuſo. *Sp pl.* 990. *Fl. ſuec.* 865.

Amaranthus ſylveſtris et vulgaris. *Tourn. pariſ.* 385.

Blitum rubrum minus. *Bauh. pin.* 118. *Cam. epit.* 235. *R. Syn.* 157.

β Blitum album minus. *Cam. epit.* 236.

Anglis, the leaſt Blite.

Habitat *in ruderatis.* ☉. VIII.

PO-

POLYANDRIA.

CERATOPHYLLUM. 944.

Maſc. *Cal.* multipartitus. *Cor.* o. *Stam.* ſedecim ad viginti.

Fem. *Cal.* multipartitus. *Cor.* o. *Piſtil.* unicum. *Stylus* o. *Sem.* unicum, nudum.

1. CERATOPHYLLUM. *Fl. ſuec.* 866. *Sp. pl.* 992. *demerſum.*
Hydroceratophyllon folio aſpero, quatuor cornibus armato. *Vaill. act. gal.* 1719. *p.* 16. *t.* 2. *f.* 1. *R. Syn.* 135.
Milleſolium aquaticum equiſetifolium, ſeu Equiſetum ramoſum aquis immerſum. *Cat. cant. ſyn. ed. II.* 280.

β Hydroceratophyllon folio lævi, octo cornibus armato. *Vaill. act. gal.* 1719. *p.* 16. *t.* 2. *f.* 2.
Anglis, horned Pondweed.
Habitat *in aquis pigrioribus et foſſis ubique.* ♃. VII.

MYRIOPHYLLUM. 945.

Maſc. *Cal.* tetraphyllus. *Cor.* o. *Stam.* octo.

Fem. *Cal.* tetraphyllus. *Cor.* o. *Piſt.* quatuor. *Stylus* o. *Sem.* quatuor nuda.

1. MYRIOPHYLLUM floribus maſculis interrupte ſpicatis. *Fl. ſuec.* 867. *Sp. pl.* 992. *ſpicatum.*
Myriophyllum vulgare majus. *Vaill. act. gal.* 1719. *p.* 30.
Potamogiton foliis pennatis. *Tourn.* 233. *R. Syn.* 150.
Milleſolium aquaticum pennatum ſpicatum. *Bauh. pin.* 141. *pr.* 73. *Park.* 1257.

β Milleſolium aquaticum pennatum minus, foliolis ſingularibus latiuſculis floſculis ſubjectis donatum. *Hiſt. ox. III.* 622. *ſ.* 15. *t.* 4. *f.* 7.
Anglis, ſpiked Water Millfoil.
Habitat *in foſſis, lacubus et aquis quietis frequens.* ♃. VI. VII.

2. MYRIOPHYLLUM floribus omnibus verticillatis. *Fl ſuec.* 868. *Sp. pl.* 992. *verticillatum.*

Myriophyllum aquaticum minus. *Cluſ. hiſt. II.* 252. *Ger. Em.* 1. 616.
Myriophyllum aquaticum minus. *Vaill. act. gal.* 1719. *p.* 31.
Pentapterophyllon aquaticum floſculis ad foliorum nodos. *Cat. giſſ.* 112. *R. Syn.* 316.
Millefolium aquaticum minus. *Park.* 1257. *Bauh. hiſt. II.* 783.
Millefolium aquaticum floſculis ad foliorum nodos. *Bauh. pin.* 141.
Anglis, verticillated Water Millfoil.
Habitat *in foſſis et aquis ſtagnantibus paſſim.* ♃. VII.

SAGITTARIA. 946.

Maſc. *Cal.* triphyllus. *Cor.* tripetala. *Filamenta* fere viginti quatuor.
Fem. *Cal.* triphyllus. *Cor.* tripetala. *Piſt.* nulla. *Sem.* multa, nuda.

ſagittifolia. 1. SAGITTARIA foliis ſagittatis acutis. *Fl. lapp.* 344. *ſuec.* 869. *Sp. pl.* 993.
Sagitta. Bauh. hiſt III. 789. R. Syn. 258. minor latifolia. *Park.* 1247.
Sagitta aquatica minor latifolia. *Bauh. pin.* 194.
β Sagitta aquatica omnium minima. *D. Pluk. R. Syn.* 258.
Anglis, Arrow-head.
Habitat *in foſſis et ad ripas fluviorum.* ♃. VI.

POTERIUM. 948.

Maſc. *Cal.* tetraphyllus. *Cor.* quadripartita. *Stam.* a triginta ad quinquaginta.
Fem. *Cal.* tetraphyllus. *Cor.* quadripartita. *Piſt.* duo. *Bacc.* e tubo corollæ indurato.

ſanguiſorba. 1. POTERIUM caulibus ſubanguloſis. *Hort. cliff.* 446. *upſ.* 288. *Sp. pl.* 994.
Poterium inerme, filamentis longiſſimis. *Roy. lugdb.* 129. *Dalib. pariſ.* 291.
Sanguiſorba minor. *Bauh. hiſt. III.* 113. *R. Syn.* 203.
Pimpinella ſanguiſorba minor hirſuta. *Bauh. pin.* 160.
Pimpinella vulgaris minor. *Park.* 582.

Pim-

Pimpinella ſylveſtris. *Ger. Em.* 1045.
β Sanguiſorba major flore ſpadiceo. *Bauh. hiſt. III.* 120.
Anglis, Burnet.
Habitat *in pratis montoſis præſertim ſolo cretaceo*, β *in pratis humidis.* ♃. VII.
Pharmac. Pimpinellæ ſ. *Sanguiſorbæ Herba.*

QUERCUS. 949.

Maſc. *Cal.* quinquefidus feræ. *Cor.* o. *Stam.* a quinque ad decem.
Fem. *Cal.* monophyllus, integerrimus, ſcaber. *Cor.* o. *Stylus* unus. *Sem.* unicum, ovatum.

1. QUERCUS foliis deciduis oblongis ſuperne latioribus : ſinubus acutioribus ; angulis obtuſis. *Fl. ſuec.* 870. *Sp. pl.* 996. *Hall. helv.* 152. *Roy. lugdb.* 80. *Robur.*
Quercus vulgaris. *Ger. Em.* 1339.
Quercus latifolia. *Park.* 1385. *R. Syn.* 440.
Quercus cum longo pediculo. *Bauh. pin.* 420.
β Quercus latifolia mas quæ brevi pediculo eſt. *Bauh. pin.* 419.
Anglis, the common Oak.
Habitat *in ſylvis et ſepibus.* ♄. IV.
Pharmac. Quercus *Cortex, Folia, Glandes, Cupulæ.*

FAGUS. 951.

Maſc. *Cal.* quinquefidus, campanulatus. *Cor.* o. *Stam.* duodecim.
Fem. *Cal.* quadridentatus. *Cor.* o. *Styli* tres. *Capſ.* muricata quadrivalvis. *Sem.* duo.

*1. FAGUS foliis lanceolatis acuminato-ſerratis ſubtus nudis. *Hort. cliff.* 447. *upſ.* 287. *Roy. lugdb.* 79. *Sp. pl.* 997. *Caſtanea.*
Caſtanea. *Bauh. hiſt. I.* 121. *Ger. Em.* 1442. *R. Syn.* 440. vulgaris. *Park.* 1400.
Caſtanea ſylveſtris. *Bauh. pin.* 419.
β Caſtanea ſativa. *Bauh. pin.* 419.
Anglis, Cheſnut Tree.
Habitat *in ſylvis et ſepibus in Cantio frequens.* ♄. V.
Pharmac. Caſtaneæ *Fructus.*

ſylvatica. 2. FAGUS foliis ovatis obſolete ſerratis. *Fl. ſuec.* 871. *Sp. pl.* 998.
Fagus. *Ger. Em.* 1444. *Bauh. pin.* 419. *Park.* 1403. *R. Syn.* 439.
Anglis, Beach Tree.
Habitat *in ſylvis et ſepibus in* Cantio, Suſſexia, Southamptonia *vulgatiſſima. R. Syn.* ♄. V.

CARPINUS. 952.

Maſc. *Cal.* monophyllus, ſquama ciliata. *Cor.* o. *Stam.* viginti.
Fem. *Cal.* monophyllus, ſquama ciliata. *Cor.* o. *Germina* duo. *Styli* ſingulis duo. *Nux* ovata.

Betulus. 1. CARPINUS ſquamis ſtrobilorum planis. *Hort. cliff.* 447. *Sp. pl.* 998.
Carpinus. *Dod. pempt.* 841.
Oſtrya ulmo ſimilis, fructu in umbilicis foliaceis. *Bauh. pin.* 427. *R. Syn.* 451.
Oſtrys ſive Oſtrya. *Park.* 1406.
Betulus ſive Carpinus. *Ger. Em.* 1479.
Anglis, the Horn or Hard-beam Tree, Horſe or Horn-beech Tree.
Habitat *in ſylvis.* ♄. V.

CORYLUS. 953.

Maſc. *Cal.* monophyllus, trifidus, ſquamæ formis uniflorus. *Cor.* o. *Stam.* octo.
Fem. *Cal.* diphyllus lacerus. *Cor.* o. *Styli* duo. *Nux* ovata.

Avellana. 1. CORYLUS ſtipulis ovatis obtuſis. *Hort. cliff.* 448. *Fl. ſuec.* 873. *Mat. med.* 431. *Sp. pl.* 998.
Corylus ſylveſtris. *Ger. Em.* 1479. *Bauh. pin.* 418. *R. Syn.* 439.
Corylus ſ. Nux Avellana ſylveſtris. *Park.* 1416.
Anglis, the Haſel-nut Tree.
Habitat *in ſylvis et ſepibus.* ♄. III.
Pharmac. Coryli ſ. Avellanæ *Fructus.*

MO-

MONADELPHIA.

PINUS. 956.

Maſc. *Cal.* tetraphyllus. *Cor.* o. *Stam.* plurima. *Antheræ* nudæ.

Fem. *Cal.* ſtrobili: ſquama biflora. *Cor.* o. *Piſt.* unum. *Nux* Ala membranacea excepta.

*1. PINUS foliis geminis: primordialibus ſolitariis glabris. *Fl. ſuec.* 874. *Sp. pl.* 1000. *ſylveſtris.*

Pinus ſylveſtris. *Bauh. pin.* 491.

Pinus ſylveſtris foliis brevibus glaucis, conis parvis albentibus. *R. Syn.* 442.

Anglis, Scotch Firr.

Habitat *in alpibus Scoticis.* ♄. V.

2. PINUS foliis ſolitariis emarginatis. *Sp. pl.* 1001. *Picea.*

Abies. *Ger. Em.* 1363. *Park.* 1539.

Abies conis ſurſum ſpectantibus ſ. mas. *Bauh. pin.* 505.

Anglis, the Yew-leaved Firr.

Habitat *in alpibus Scoticis?*

Pharmac. Abietis *Summitates*, *Reſina.*

3. PINUS foliis ſubulatis mucronatis lævibus bifariam verſus. *Sp. pl.* 1002. *Fl. ſuec.* 875. *Abies.*

Abies mas Theophraſti. *R. Syn.* 441.

Picea. Park. 1538. major. *Ger. Em.* 1354.

Picea major prima, ſive Abies rubra. *Bauh. pin.* 493.

Anglis, common Firr, or Pitch Tree.

Habitat *in alpibus Scoticis?*

Pharmac. Abietis *Reſina.*

Claſſis

Classis XXII.

DIOECIA
DIANDRIA.

SALIX. 976.

Masc. *Amenti* squamæ. *Cor.* o. *Glandula* baseos nectarifera.
Fem. *Amenti* squamæ. *Cor.* o. *Stylus* bifidus. *Capſ.* unilocularis, bivalvis. *Sem.* pappoſa.

* *Foliis glabris ſerratis.*

hermaphroditica 1. SALIX foliis ſerratis glabris, floribus hermaphroditis diandris. *Sp. pl.* 1015. *Fl. ſuec.* 878.
Salix latifolia folio ſplendente. *R. Syn.* 450.
Anglis, ſhining Willow.
Habitat *in ſepibus humidis.* *About* Aſton *in* Cumberland. *R. Syn.* ♄. III.

pentandra. 2. SALIX foliis ſerratis glabris, floſculis pentandris. *Hort. cliff.* 454. *Fl. ſuec.* 879. *Sp. pl.* 1016.
Salix folio laureo, ſeu lato glabro odorato. *Ph. br. R. Syn.* 449.
Anglis, ſweet Willow.
Habitat *in montoſis in comitatibus* Weſtmorlandico, Cumberlandico, Eboracenſi, *frequens.* ♄. IV.

vitellina. *3. SALIX foliis ſerratis ovatis acutis glabris: ſerraturis cartilagineis, petiolis calloſo-punctatis. *Sp. pl.* 1016.
Salix ſativa lutea, folio coenato. *Bauh. pin.* 473.
Anglis, yellow Willow.
Habitat *in Salicetis paſſim.* ♄. IV. V.

4. SA-

4. SALIX foliis ſerratis glabris lanceolatis petiolatis, ſtipulis trapeziformibus. *Roy. lugdb.* 83. *Fl. ſuec.* 881. *amygdalina.*
Salix perſicæ folio auriculato. *Hall. helv.* 151.
Salix folio auriculato ſplendente flexilis. *Cat. cantab. R. Syn.* 448.
Salix folio Amygdalino utrinque virente aurito. *Bauh. pin.* 473.
Salix viminalis nigra. *Park.* 1431.
Anglis, Almond-leaved Willow.
Habitat *in Salicetis et ad ripas fluviorum.* ♄. V.

5. SALIX foliis ſerratis glabris ovato-lanceolatis, petiolis dentato-glanduloſis. *Fl. lapp.* 359. *t.* 8. *f.* 13. *ſuec.* 883. *Sp. pl.* 1017. *fragilis.*
Salix folio longo latoque ſplendente fragilis. *R. Syn.* 448.
Salix fragilis. *Bauh. pin.* 474. *Park.* 1431.
Salix ſpontanea fragilis amygdalino folio auriculata et non auriculata. *Bauh. hiſt. I.* 214.
β Salix folio Amygdalino utrinque aurito corticem abjiciens. *R. Syn.* 448.
Anglis, Crack Willow.
Habitat *in aquoſis.* ♄. V.

6 SALIX foliis ſubſerratis glabris lanceolatis : inferioribus oppoſitis. *Sp. pl.* 1017. *purpurea.*
Salix folio longo ſubluteo non auriculata viminibus rubris. *R. Syn.* 450.
Anglis, Purple Willow.
Habitat *in ſalicetis ſed rarius, ad ripam* Thameſis *inter* Vauxhall *et* Nine-Elms, *prope* Londinum. ♄. IV. V.

7. SALIX foliis ſerratis glabris lanceolato-linearibus : ſuperioribus oppoſitis obliquis. *Roy. lugdb.* 83. *Dalib. pariſ.* 299. *Sp. pl.* 1017. *Helix.*
Salix foliis utrinque lævibus : inferne glaucis, ſquamis et capſulis tomentoſis. *Hall. helv.* 153.
Anglis, Roſe Willow.
Habitat *in aquoſis ſed rarius.* ♄. V.

8. SA-

herbacea. 8. SALIX foliis ſerratis glabris orbiculatis. *Fl. lapp.* 355. *t.* 8. *f. N. et t.* 7. *f.* 3, 4. *Fl. ſuec.* 887. *Sp. pl.* 1018.
Salix alpina alni rotundo folio repens. *Bocc. muſ. P. II. E. I. R. Syn.* 448.
Salix ſaxatilis minima. *Bauh. pin.* 474.
Anglis, herbaceous Willow.
Habitat *in aſcenſu montis* Snowdon *copioſe*, D. G. Sherard. *R. Syn. et in montibus* Weſtmorlandicis. ♃. VI.

** *Foliis glabris integerrimis.*

reticulata. 9. SALIX foliis integerrimis glabris ovatis obtuſis. *Fl. ſuec.* 888. *Sp. pl.* 1018.
Salix foliis integris ovatis ſubtus reticulatis. *Fl. lapp.* 359. *t.* 8. *f. L. et t.* 7. *f.* 1, 2.
Salix pumila folio rotundo. *Bauh. hiſt. I.* 12. *Sch. it. alp.* 43. 340. *R. Syn.* 449.
Anglis, round-leaved Willow.
Habitat *in montibus* Cambrobritanicis, Eboracenſibus, Weſtmorlandicis *paſſim.* ♃. VI.

rubra. 10. SALIX foliis integris, glabris lineari-lanceolatis acutis.
Salix minime fragilis, foliis longiſſimis, utrinque viridibus, non ſerratis, D. Sherard. *R. Syn.* 449.
Anglis, red Willow.
Habitat *in Salicetis ſed rarius. In the Oſier-holt between* Maidenhead *and* Windſor; *and near* Saliſbury, by Mr. Sherard *and* Mr. Rand. *R. Syn.* ♃. IV. V.

Foliis integerrimis, villoſis.

arenaria. 11. SALIX foliis integris ovatis acutis ſupra ſubvilloſis, ſubtus tomentoſis. *Fl. ſuec.* 894. *Sp. pl.* 1019.
Salix foliis integris ſubtus villoſis ovatis acutis. *Hall. helv.* 155. *t.* 5. *f.* 2.
Salix pumila foliis utrinque candicantibus et lanuginoſis. *R. Syn.* 447. *t.* 19. *f.* 3.
Anglis, Sand Willow.

Habitat

Habitat *in paſcuis arenoſis. Obſerved by* Sandown-caſtle *by* Mr. J. Sherard. *R. Syn.* 4. VI.

12. SALIX foliis integerrimis lanceolatis utrinque ſub- *repens.*
piloſis caule repente. *Fl. ſuec.* 896. *Sp. pl.* 1020.
Salix pumila anguſtifolia inferne lanuginoſa. *Bauh. hiſt. I.* 212. *R. Syn.* 447.
Salix pumila brevi anguſtoque folio incano. *Bauh. pin.* 474.
Salix humilis anguſtifolia repens. *Park.* 1434.
β Salix alpina pumila rotundifolia repens, inferne ſubcinerea. *Bauh. pin.* 474. *R. Syn.* 448.
Anglis, creeping Willow.
Habitat *in paludibus turfoſis.* 4. V.

13. SALIX foliis integerrimis ovatis ſubtus villoſis niti- *fuſca.*
dis. *Fl. lapp.* 364. *t.* 8. *f.* 13. *ſuec.* 897. *Sp. pl.* 1020.
Salix pumila anguſtifolia prona parte cinerea. *Bauh. hiſt.* 213. *R. Syn.* 447.
Salix pumila linifolia incana. *Bauh. pin.* 474.
Salix pumila anguſtifolia recta. *Park.* 1434.
Chamæitea ſive Salix pumila. *Ger. Em.* 1391.
Anglis, brown Willow.
Habitat *in ericetis humidis.* 4. V. VI.

14. SALIX foliis integerrimis lanceolato linearibus *roſmarini*
ſtrictis ſeſſilibus ſubtus tomentoſis. *Roy. lugdb.* 84. *folio. Fl. ſuec.* 898.
Salix pumila Rhamni ſecundi Cluſii folio. *R. Syn.* 447.
Salix oblongo incano acuto folio. *Bauh. pin.* 159.
Salix humilis repens anguſtifolia. *Lob. ic. P.* 2. 137. *Bauh. hiſt. I.* 214.
Anglis, Roſemary-leaved Willow.
Habitat *in montoſis udis.* 4. V.

15. SALIX foliis integerrimis utrinque villoſis obovatis *aurita.*
appendiculatis. *Fl. lapp.* 369. *t.* 8. *f.* Y. *ſuec.* 891. *Sp. pl.* 1019.
Salix folio rotundo minore. *Dill. cat. giſſ.* 38. *R. Syn.* 450.

β Salix

β Salix caprea pumila folio ſubrotundo, ſubtus incano. *R. Syn.* 450.
Anglis, round-leaved Willow.
Habitat *in ſylvis et ſepibus.* ♃. V.

**** *Foliis ſubſerratis, villoſis.*

caprea. 16. SALIX foliis ovatis rugoſis ſubtus tomentoſis undatis ſuperne denticulatis. *Roy. lugdb.* 83. *Fl. ſuec.* 900. *Sp. pl.* 1020.
Salix folio rugoſo obiter ſerrato ſubtus lanuginoſo, julo craſſiſſimo. *Hall. helv.* 155.
Salix caprea rotundifolia. *Ger. Em.* 1319.
Salix latifolia rotunda. *Bauh. pin.* 474. *Park.* 1432. *R. Syn.* 449.
β Salix folio ex rotunditate acuminato. *Bauh. pin.* 474.
Anglis, common Sallow.
Habitat *in ſylvis et ſepibus.* ♃. IV. V.

vimenalis. 17. SALIX foliis ſubintegerrimis lanceolato linearibus longiſſimis acutis ſubtus ſericeis, ramis virgatis. *Fl. ſuec.* 901. *Sp. pl.* 1021.
Salix folio longiſſimo. *Cat. Cant.*
Salix anguſtis et longiſſimis foliis criſpis ſubtus albicantibus. *Bauh. hiſt. I.* 212.
Anglis, the Oſier.
Habitat *in ſalicetis.* ♃. IV.

alba. 18. SALIX foliis lanceolatis acuminatis ſerratis utrinque pubeſcentibus: ſerraturis infimis glanduloſis. *Fl. ſuec.* 903. *Sp. pl.* 1021.
Salix. *Ger. Em.* 1389. *R. Syn.* 447. arborea anguſtifolia, alba vulgaris. *Park.* 1430.
Salix vulgaris alba arboreſcens. *Bauh. pin.* 473.
Anglis, common or white Willow.
Habitat *in ſylvis et ſepibus.* ♃. IV.
Pharmac. Salicis *Folia*, *Cortex.*

TRI-

TRIANDRIA.

EMPETRUM. 977.

Maſc. *Cal.* tripartitus. *Cor.* tripetala. *Stam.* longa.
Fem. *Cal.* tripartitus. *Cor.* tripetala. *Styli* novem. *Sem.* 9-ſperma.

1. EMPETRUM procumbens. *Fl. ſuec.* 904. *Sp. pl. nigrum.* 1022.
Empetrum montanum, fructu nigro. *Tourn.* 579. *R. Syn.* 444.
Erica baccifera procumbens nigra. *Bauh. pin.* 486.
Erica baccifera procumbens. *Ger. Em.* 1383.
Erica baccifera nigra. *Park.* 1485.
Anglis, black-berried Heath, Crow, or Crake-berries.
Habitat *in montibus udis* Derbienſibus, Eboracenſibus. ♃. IV. V.

TETRANDRIA.

VISCUM. 979.

Maſc. *Cal.* quadripartitus. *Cor.* o. *Filamenta* o. *Antheræ* calyci adnatæ.

Fem. *Cal.* tetraphyllus, ſuperus. *Stylus* o. *Cor.* o. *Bacca* monoſperma.

1. VISCUM foliis lanceolatis obtuſis, caule dichotomo, *album.* ſpicis axillaribus. *Fl. ſuec.* 905. *Sp. pl.* 1023.
Viſcum. *Ger. Em.* 1315. *R. Syn.* 464. vulgare. *Park.* 1392.
Viſcum baccis albis. *Bauh. pin.* 423.
Anglis, white Miſſel, or Miſſeltoe.
Habitat *in arboribus*, *frutex paraſiticus.* ♄. V.
Pharmac. Viſci *Folia.*

HIP-

HIPPOPHAE. 980.

Maſc. *Cal.* bipartitus. *Cor.* o.
Fem. *Cal.* bifidus. *Cor.* o. *Stylus* unicus. *Bacca* monoſperma.

Rhamnoides. 1. HIPPOPHAE foliis lanceolatis. *Fl. ſuec.* 906. *Sp. pl.* 1023.
Rhamnoides fructifera, foliis ſalicis, baccis leviter flaveſcentibus. *Tourn. Cor.* 53. *R. Syn.* 445.
Rhamnus. 2 *Cluſ. hiſt.* 110. *Ger. Em.* 1334.
Rhamnus ſalicis folio anguſto, fructu flaveſcente. *Bauh. pin.* 477.
Rhamnus primus Dioſcoridis Lobelio, ſive littoralis. *Park.* 1006.
Anglis, Sallow-thorn, or Sea Buck-thorn.
Habitat *in littoribus maritimis.* ♄. IV.

MYRICA. 981.

Maſc. *Amenti* ſquama lunata. *Cor.* o.
Fem. *Amenti* ſquama lunata. *Cor.* o. *Styli* duo. *Bacca* monoſperma.

Gale. 1. MYRICA foliis lanceolatis ſubſerratis, caule ſuffruticoſo. *Pl. ſuec.* 907. *Sp. pl.* 1024.
Gale frutex odoratus ſeptentrionalium, Elæagnus Cordi. *Bauh. hiſt. I.* 223. *R. Syn.* 443.
Rhus myrtifolia Belgica. *Bauh. pin.* 414.
Rhus ſylveſtris ſive Myrtus Brabantica vel Anglica. *Park.* 1451.
Myrtus Brabantica ſ. Elæagnus Cordi. *Ger. Em.* 1414.
Anglis, Goule, Sweet Willow, Dutch Myrtle. Sweet Gale
Habitat *in paludibus ſed rarius.* ♄. V. On Baginol Heath near the XXI mile stone, plentifully.

PEN-

PENTANDRIA.

HUMULUS. 989.

Maſc. *Cal.* pentaphyllus. *Cor.* o.
Fem. *Cal.* monophyllus, oblique patens, integer. *Cor.* o. *Styli* duo. *Sem.* unicum, intra calycem planum.

1. HUMULUS. *Sp. pl.* 1028. *Fl. ſuec.* 908. *Lupulus.*
Lupulus mas et fœmina. *Bauh. hiſt. II.* 151. *pin.* 298. *R. Syn.* 137.
Lupulus ſylveſtris. *Park.* 176.
Lupus ſalictarius. *Ger. Em.* 885.
Anglis, Hops.
Habitat *in ſepibus.* ♃. VI.
Pharmac. Lupuli *ſtrobili.*

HEXANDRIA.

TAMUS. 991.

Maſc. *Cal.* ſexpartitus. *Cor.* o.
Fem. *Cal.* ſexpartitus. *Cor.* o. *Stylus* trifidus. *Bacca* trilocularis, infera. *Sem.* duo.

1. TAMUS foliis cordatis indiviſis. *Sp. pl.* 1028. *communis.*
Tamnus racemoſa, flore minore luteo palleſcente. *Tourn.* 103. *R. Syn.* 262.
Bryonia nigra. *Ger. Em.* 869.
Bryonia ſylveſtris nigra. *Park.* 178.
Bryonia lævis ſ. nigra racemoſa. *Bauh. pin.* 297.
Anglis, black Briony.
Habitat *ad ſepes et in dumetis.* ♃. VI.
Pharmac. Bryoniæ nigræ *Folia, Radix.*

OCTANDRIA.

POPULUS. 996.

Maſc. *Amenti Cal.* lamina lacera. *Cor.* turbinata, obliqua, integra.
Fem. *Amenti Cal. et Cor.* maris. *Stigma* quadrifidum. *Capſ.* bilocularis. *Sem.* multa, pappoſa.

alba. 1. POPULUS foliis ſubrotundis dentato-angulatis ſubtus tomentoſis. *Fl. ſuec.* 911. *Sp. pl.* 1034.
Populus alba. *Ger. Em.* 1486. *Park.* 1400. *R. Syn.* 446. majoribus foliis. *Bauh. pin.* 429.
Anglis, white Poplar.
Habitat *in ſepibus et ad rivulos.* ♄. III.

nigra. 2. POPULUS foliis deltoidibus acuminatis ſerratis. *Sp. pl.* 1034. *Fl. ſuec.* 910.
Populus nigra. *Ger. Em.* 1485. *Bauh. pin.* 429. *Park.* 1410. *R. Syn.* 446.
Anglis, black Poplar.
Habitat *in umbroſis humidis et ad fluvios.* ♄. III.
Pharmac. Populi nigri. *Folia*, *Germinæ.*

tremula. 3. POPULUS foliis ſubrotundis dentato-angulatis utrinque glabris. *Sp. pl.* 1034. *Fl. ſuec.* 909.
Populus lybica. *Ger. Em.* 1487. *Park.* 1411. *R. Syn.* 446.
Populus tremula. *Bauh. pin.* 429.
Anglis, trembling Poplar, or Aſp.
Habitat *in ſylvis humidis.* ♄. III.

RHODIOLA. 997.

Maſc. *Cal.* quadripartitus. *Cor.* tetrapetala.
Fem. *Cal.* quadripartitus. *Cor.* o. *Nectaria* quatuor. *Piſt.* quatuor. *Capſ.* quatuor Polyſpermæ.

Roſea. 1. RHODIOLA. *Fl. lapp.* 378. *ſuec.* 912. *Sp. pl.* 1035.
Anacampſeros radice roſam ſpirante major. *Tourn.* 264. *R. Syn.* 269.

Rhodia

Rhodia radix. *Bauh. pin.* 286. *hiſt. III.* 683. *Ger. Em.* 532. *Park.* 729.
Anglis, Roſewort.
Habitat *in montibus* Weſtmorlandicis, Cumberlandicis Eboracenſibus et Cambrobritannicis *frequens*. ♃. VI. VII.

ENNEANDRIA.

MERCURIALIS. 998.

Maſc. *Cal.* tripartitus. *Cor.* o. *Stam.* a novem ad duodecem. *Antheræ* globoſæ didymæ.
Fem. *Cal.* tripartitus. *Cor.* o. *Styli* duo. *Capſ.* dicocca, bilocularis monoſperma.

1. MERCURIALIS caule ſimpliciſſimo, foliis ſcabris. *perennis*, *Fl. ſuec.* 913. *Sp. pl.* 1035.
Mercurialis perennis repens Cynocrambe dicta. *R. Syn.* 138.
Mercurialis montana ſpicata et Mercurialis montana ſpicata. *Bauh. pin.* 122.
Mercurialis ſylveſtris Cynocrambe dicta vulgaris, mas et fœmina. *Park.* 295.
Cynocrambe mas et fœmina. *Ger. Em.* 333.
Anglis, Dog's Mercury.
Habitat *in ſylvis et ſepibus*. ♃. IV. V.

2. MERCURIALIS caule brachiato, foliis glabris. *Sp. annua*, *pl.* 1035.
Mercurialis annua glabra vulgaris. *R. Syn.* 139.
Mercurialis teſticulata ſ. mas. *Bauh. pin.* 121.
Mercurialis ſpicata ſ. fœmina. *Bauh. pin.* 121.
Mercurialis mas fœmina. *Ger. Em.* 333.
Mercurialis vulgaris mas et fœmina. *Park.* 295.
Anglis, French Mercury.
Habitat *in ruderatis, cultis, circa* Londinum *frequens*. ☉. IX.

HYDROCHARIS. 999.

Maſc. *Spatha* diphylla. *Cal.* trifidus. *Cor.* tripetala. *Filamenta* tria interiora ſtylifera.

Fem. *Cal.* trifidus. *Cor.* tripetala. *Styli* ſex. *Capſ.* ſexlocularis polyſperma, infera.

Morſus ranæ. 1. HYDROCHARIS. *Fl. ſuec.* 914. *Sp. pl.* 1036.
Nymphæa alba minima. *Bauh. pin.* 193. ſ. Morſus ranæ. *Park.* 1252.
Morſus ranæ. *Ger. Em.* 818.
Stratiotes foliis aloes, ſemine rotundo. *R. Syn.* 290.
Anglis, Frog-bit.
Habitat *in foſſis et aquis leniter fluentibus.* ♃. VI.

MONADELPHIA.

JUNIPERUS. 1005.

Maſc. *Amenti* Calyx ſquamæ. *Cor.* o. *Stam.* tria.
Fem. *Cal.* tripartitus. *Petala* tres. *Styli* tres. *Bacca* triſperma, tribus tuberculis calycis inæqualis.

communis. 1. JUNIPERUS foliis ternis patentibus mucronatis, bacca longioribus. *Syſt. nat.* 1297. *Fl. ſuec.* 915. *Sp. pl* 1040.
Juniperus vulgaris baccis parvis purpureis. *Bauh. hiſt. I.* 293. *R. Syn.* 444.
Juniperus. *Ger. Em.* 1372. vulgaris. *Park.* 1028. fruticoſa. *Bauh. pin.* 488.
β Juniperus Alpina. *Bauh. hiſt. I.* 301.
Anglis, common Juniper.
Habitat *in ericetis et montoſis.* ♄. V.
Pharmac. Juniperi *Baccæ*, *Lignum*, *Reſina*.

TAXUS. 1006.

Maſc. *Cal.* triphyllus gemmæ. *Cor.* o. *Stamina* multa. *Antheræ* peltatæ octofidæ.
Fem. *Cal.* triphyllus gemmæ. *Cor.* o. *Stylus* o. *Sem.* unicum calyculo baccato, integerrimo.

baccata. 1. TAXUS foliis approximatis. *Fl. ſuec.* 916. *Sp. pl.* 1040.
Taxus. *Ger. Em.* 1370. *Park.* 1412. *Bauh. hiſt. I.* 241. *pin.* 505. *R. Syn.* 445.
Anglis, Yew Tree.

Habitat

Habitat *in montibus* Weſtmorlandicis, Cumberlandicis, Herefordienſibus *frequens*. ♄. III. IV.

SYNGENESIA.

RUSCUS. 1008.

Maſc. *Cal.* hexaphyllus. *Cor.* o. *Nectarium* centrale, ovatum, apice perforatum.

Fem. *Calyx, Corolla et Nectarium* Maris. *Stylus* unus. *Bacca* trilocularis. *Sem.* duo.

1. RUSCUS foliis ſupra floriferis nudis. *Sp. pl.* 1041. *aculeatus.* *Dalib. pariſ.* 304.

Ruſcus. *Bauh. pin.* 470. *hiſt. I.* 579. *Park.* 253. *R. Syn.* 262.

Ruſcus ſive Bruſcus. *Ger. Em.* 907.

Anglis, Knee Holly, or Butcher's Broom.

Habitat *in ſylvis, dumetis, et ericetis frequens*. ♄. III. IV.

Pharmac. Ruſci *Radix.*

BRYONIA.

Maſc. *Cal.* quinquedentatus. *Cor.* quinquepartita. *Filamenta* tria.

Fem. *Cal.* dentatus. *Cor.* quinquepartita. *Stylus* trifidus. *Bacca* ſubgloboſa, polyſperma.

1. BRYONIA foliis palmatis utrinque calloſo-ſcabris. *alba.* *Fl. ſuec.* 876. *Sp. pl.* 1012.

Bryonia alba. *Ger. Em.* 869. *R. Syn.* 261. vulgaris. *Park.* 178.

Bryonia aſpera ſ. alba baccis rubris. *Bauh. pin.* 297.

Anglis, white Briony.

Habitat *in ſepibus et dumetis*. ♃. V.

Pharmac. Bryoniæ *Radix.*

Classis XXIII.

POLYGAMIA
MONOECIA.

HOLCUS. 1015.

Hermaphroditus. *Calyx.* Gluma biflora. *Cor.* Gluma ariſtata. *Stamina* tria. *Styli* duo. *Sem.* unicum.

Maſc. *Cal.* Gluma bivalvis. *Cor.* 0. *Stam.* tria.

lanatus. 1. HOLCUS glumis biſloris villoſis: hermaphrodito mutico maſculo ariſta recurva. *Fl. ſuec.* 917. *Sp. pl.* 1048.

Aira foliis pubeſcentibus, panicula contracta: floſculo hermaphrodito mutico, maſculo ariſta uncinata calyce breviore. *It. oel.* 122. *Fl. ſuec. ed. I.* 67.

Gramen pratenſe paniculatum molle. *Bauh. pin.* 2. *pr.* 3. *th.* 37. *Sch. agr.* 234. *Park.* 1155.

Gramen miliaceum paniculatum molle. *Pet. conc. gr.* 124. *R. Syn.* 404.

Anglis, Meadow Soft-graſs.

Habitat *in pratis et paſcuis.* ♃. VI.

mollis. 2. HOLCUS glumis biſloris nudiuſculis: hermaphrodito mutico maſculo ariſta geniculata. *Syſt. nat.* 1305.

Gramen miliaceum ariſtatum molle. *Pet. conc. gr.* 125. *R. Syn.* 404.

Gramen caninum longius radicatum majus et minus. *Bauh. pin.* 1.

Gramen paniculatum molle, radice graminis canini repente. *Hiſt. ox. III.* 202.

Anglis, creeping Soft-graſs.

Habitat *in pratis, paſcuis et ad ſepes.* ♃. VII.

ÆGILOPS

ÆGILOPS. 1018.

Hermaphrod. *Cal.* Gluma ſolitaria, bipartita. *Cor.* Gluma calyci contraria. *Stamina* tria. *Styli* duo. *Sem.* unicum.

Maſc. *Cal.* et *Cor.* Gluma ut in priore. *Stam.* tria.

1. ÆGILOPS ſpica ſubulata mutica incurva. *Sp. pl. incurva.* 1051.
Nardus ſpica cylindrica articulata. *Sp. pl.* 53.
Gramen parvum marinum ſpica loliacea. *Ger. Em.* 78. *R. Syn.* 395.
Gramen loliaceum maritimum ſpicis articulatis. *Hiſt. ox. III.* 182. *ſ.* 8. *t.* 2. *f.* 8.
Gramen loliaceum minus ſpica ſimplici. *Bauh. pin.* 9. *pr.* 19.
Phoenix aceroſa aculeata. *Park.* 1145.
Anglis, Sea Hard-graſs.
Habitat *in littoribus maritimis.* ☉. VII. VIII.

VALANTIA. 1019.

Hermaphrod. *Cal.* o. *Cor.* quadripartita. *Stam.* quatuor. *Stylus* bifidus. *Sem.* unicum.

Maſc. *Cal.* o. *Cor.* quadripartita. *Stam.* quatuor. *Piſt.* obſoletum.

1. VALANTIA floribus maſculis quadrifidis, pedunculis diphyllis. *Hort. upſ.* 303. *Sp. pl.* 1052. *cruciata.*
Gallium foliis quaternis, floſculis in alis confertis. *Hall. helv.* 462.
Cruciata. *Ger. Em.* 1123. *R. Syn.* 223.
Cruciata vulgaris. *Park.* 566.
Cruciata hirſuta. *Bauh. pin.* 335.
Anglis, Croſwort, or Mugweed.
Habitat *in dumetis et ad ſepes.* ♃. V. VI.
Pharmac. Cruciatæ *Herba.*

PARIETARIA. 1020.

Hermaphrod. *Cal.* quadrifidus. *Cor.* o. *Stam.* quatuor. *Stylus* unicus. *Sem.* unicum, ſuperum, elongatum.

Fem. *Cal.* quadrifidus. *Cor.* o. *Stylus* unicus. *Sem.* unicum, ſuperum, elongatum.

officinalis, 1. PARIETARIA foliis lanceolato-ovatis, pedunculis dichotomis calycibus diphyllis. *Syſt. nat.* 1308. *Sp. pl.* 1052.
Parietaria. *Ger. Em.* 331. *Bauh. hiſt. II.* 976. *R. Syn.* 158.
Parietaria vulgaris. *Park.* 437.
Parietaria officinarum et Dioſcoridis. *Bauh. pin.* 121.
Anglis, Pellitory of the Wall.
Habitat *in muris et ruderatis.* ♃. V. IX.
Pharmac. Parietariæ *Herba.*

ATRIPLEX. 1021.

Hermaphrod. *Cal.* pentaphyllus. *Cor.* o. *Stam.* quinque. *Stylus* bipartitus. *Sem.* unicum, depreſſum.
Fem. *Cal.* diphyllus. *Cor.* o. *Stylus* bipartitus. *Sem.* unicum compreſſum.

portulacoides, 1. ATRIPLEX caule fruticoſo, foliis obovatis. *Fl. ſuec.* 919. *Sp. pl.* 1035.
Atriplex maritima fruticoſa, Halimus et Portulaca marina dicta, anguſtifolia. *R. Syn.* 153.
Halimus ſeu portulaca marina. *Bauh. pin.* 120.
Halimus vulgaris ſ. Portulaca marina. *Ger. Em.* 323.
Portulaca marina noſtras. *Park.* 724.
Anglis, Sea Purſlane.
Habitat *in litteribus maritimis.* ♄. VIII.

laciniata, 2. ATRIPLEX caule herbaceo, foliis deltoideo-dentatis ſubtus argenteis. Sp. pl. 1053. Fl. ſuec. 920.
Atriplex maritima. Bauh. hiſt. II. 974. R. Syn. 152.
Atriplex maritima laciniata. Bauh. pin. 120.
Atriplex marina. Ger. Em. 326. repens. Park. 758.
Anglis, jagged Sea Orache.
Habitat *in litteribus maritimis.* ☉. VIII.

erecta. 3. ATRIPLEX caule herbaceo, foliis haſtatis dentatis.
Atriplex anguſtifolia laciniata. *R. Syn.* 152.
Anglis, Spear-leaved Orache.

Habitat

Habitat *in ruderatis. On the entrance into* Batterſea *meadow from* Nine-Elms, Mr. Martin. *R. Syn.* ⊙. VIII.

4. ATRIPLEX caule herbaceo, valvulis femineis magnis deltoidibus ſinuatis. *Fl. ſuec.* 921. *Sp. pl.* 1053. *haſtata.*
Atriplex ſylveſtris, folio haſtato ſeu deltoide. *R. Syn.* 151.
Atriplex ſylveſtris annua, folio deltoide triangulari ſinuato et mucronato, haſtæ cuſpidi ſimili. *Hiſt. ox. II.* 607. *ſ.* 5. *t.* 32. *f.* 14.
β Atriplex maritima perennis folio deltoide ſeu triangulari minus incano. *Hiſt. ox. II.* 607. 19.
γ Atriplex maritima noſtras procerior, foliis anguloſis incanis, admodum ſinuatis. *Pluk. alm.* 60.
δ Atriplex maritima ad foliorum baſin auriculata procumbens et ne vix ſinuata. *Pluk. alm.* 61.
Anglis, wild Orache.
Habitat *in ruderatis, ſimetis et litteribus maritimis.* ⊙. VIII. IX.

5. ATRIPLEX caule herbaceo patulo, foliis ſubdeltoideo-lanceolatis calycibus ſeminum diſco dentatis, *patula.*
Fl. ſuec. 922. *Sp. pl.* 1053.
Atriplex caule herbaceo, foliis ſuperioribus lanceolatis integerrimis. *Hort. cliff.* 469. *Roy. lugdb.* 218.
Atriplex ſylveſtris anguſtifolia. *Ger. Em.* 326. *Park.* 748. *R. Syn.* 151.
Atriplex anguſto oblongo folio. *Bauh. pin.* 119.
Anglis, narrow-leaved Orache.
Habitat *in ruderatis et ad ſepes.* ⊙. VIII.

6. ATRIPLEX caule herbaceo erecto, foliis linearibus ſerratis. *ſerrata.*
Atriplex anguſtifolia maritima dentata. *R. Syn.* 152.
Atriplex maritima anguſtifolia. *Bauh. pin.* 152.
Atriplex anguſtifolia dentata. *Pet. h. br. t.* 7. *f.* 4.
Anglis, indented Sea Orache.
Habitat *in ruderatis et litteribus maritimis.* ⊙. VIII.

7. ATRIPLEX caule herbaceo erecto, foliis omnibus linea- *literalis.*

linearibus integerrimis. *Roy. lugdb.* 218. *Fl. ſuec.* 923. *Sp. pl.* 1054.

Atriplex anguſtiſſimo et longiſſimo folio. *H. L. Bat.* 79. *Tourn.* 505. *R. Syn.* 153.

Atriplex graminea maritima. *Pet. h. br. t.* 7. *f.* 6.

β Atriplex maritima ſcopariæ folio. *D. Dale. R. Syn.* 153.

γ Atriplex maritima anguſtifolia, obtuſiore folio. *R. Syn.* 153.

Anglis, Graſs-leaved Orache.

Habitat *in ruderatis, ſimetis et littoribus maritimis.* ⊙. VIII. IX.

pedunculata. 8. ATRIPLEX caule herbaceo divaricato, foliis lanceolatis obtuſis integris calycibus fœmineis pedunculatis. *Lent. pl.* 101. *Syſt. nat.* 1309.

Atriplex marina ſemine lato. *Ph. br. R. Syn.* 153.

Atriplex maritima Halimus dicta, humilis erecta, ſemine folliculis membranaceis bivalvibus in latitudinem expanſis et utrinque recurvis, longo pediculo inſidentibus, clauſo. *Pluk. ph. t.* 36. *f.* 1.

β Atriplex maritima noſtras Ocymi minoris folio. *D. Pluk. R. Syn.* 253.

Anglis, Stalked Sea Orache.

Habitat *in littoribus maritimis*; *prope* Scirbeck *vicum milliare a* Boſtonia *diſtantem, copioſe provenit* D. Plukenet. *Found in the iſle of* Thanet, *near the ferry-houſe, in great plenty, by* Mr. J. Sherard. *R. Syn.* ⊙. VIII. IX. Near Ramsgate on the beach.

ACER. 1023.

Hermaphrod. *Cal.* quinquefidus. *Cor.* pentapetala. *Stam.* octo. *Piſtil.* unicum. *Capſ.* duæ ſ. tres monoſpermæ, ala terminatæ.

Maſc. *Cal.* quinquefidus. *Cor.* pentapetala. *Stam.* octo.

Pſeudo platanus. 1. ACER foliis quinquelobis inæqualiter ſerratis floribus racemoſis. *Sp. pl.* 1054.

Acer montanum candidum. *Bauh. pin.* 430.

Acer majus. *Ded. pempt.* 840. *Ger. Em.* 1484. *R. Syn.* 470.

Acer

Acer majus latifolium, Sycomorus falſo dictum. *Park.* 1425.
Anglis, the greater Maple, or Sycomore-tree.
Habitat *in ſepibus et ad domos.* ♄. V. VI.

2. ACER foliis lobatis obtuſis emarginatis. *Sp. pl.* 1055. *campeſtre. Fl. ſuec.* 925.
Acer minus. *Ger. Em.* 1484. *R. Syn.* 470.
Acer minus et vulgare. *Park.* 1426.
Acer campeſtre et minus. *Bauh. pin.* 431.
β Acer campeſtre et minus, fructu rubente. *Vaill. bot. pariſ. R. Syn.* 470.
Anglis, common Maple.
Habitat *in ſepibus et dumetis.* ♄. V. VI.

DIOECIA.

FRAXINUS. 1026.

Hermaphrod. *Cal.* quadripartitus. *Cor.* 0. *Stam.* duo. *Piſt.* unicum. *Sem.* unicum lanceolatum.
Fem. *Piſt.* unicum. *Sem.* unicum lanceolatum.

1. FRAXINUS foliis ſerratis, floribus apetalis. *Sp. pl. excelſior.* 1057. *Fl. ſuec.* 926.
Fraxinus. *Ger. Em.* 1472. *R. Syn.* 469.
Fraxinus excelſior. *Bauh. pin.* 416.
Anglis, common Aſh-tree.
Habitat *in ſylvis et ſepibus.* ♄. III. IV.

Claſſis

Claſſis XXIV.

CRYPTOGAMIA
FILICES.

EQUISETUM. 1033.

Spica fructificationibus peltatis, baſi dehiſcentibus multivalvi.

ſylvaticum. 1. EQUISETUM caule ſpicato, frondibus compoſitis. *Fl. ſuec.* 927. *Sp. pl.* 1061.
Equiſetum ſylvaticum. *Tab. ic.* 253. *Ger. Em.* 1114. *R. Syn.* 130.
Equiſetum ſylvaticum tenuiſſimis ſetis. *Bauh. pin.* 16.
Equiſetum omnium minus tenuifolium. *Park.* 1201.
β Equiſetum ſylvaticum, procumbens, ſetis uno verſu diſpoſitis. *R. Syn.* 131.
γ Equiſetum paluſtre tenuiſſimis et longiſſimis ſetis. *Bauh. pin.* 16. *pr.* 24.
Anglis, Wood Horſe-tail.
Habitat *in ſylvis et umbroſis humidis.* ♃. IV. V.

arvenſe. 2. EQUISETUM ſcapo fructificante nudo; ſterili frondoſo. *Sp. pl.* 1061. *Fl. ſuec.* 928.
Equiſetum arvenſe longioribus ſetis. *Bauh. pin.* 16. *Park.* 1202. *R. Syn.* 130.
Equiſetum ſegetale. *Ger. Em.* 1114.
β Equiſetum pratenſe longiſſimis ſetis. *Bauh. pin.* 16.
Anglis, Corn Horſe-tail.
Habitat *in arvis humidis.* ♃. III.

paluſtre. 3. EQUISETUM caule angulato, frondibus ſimplicibus. *Fl. ſuec.* 929. *Sp. pl.* 1061.
Equiſetum paluſtre brevioribus ſetis. *Bauh. pin.* 16.
Equiſetum paluſtre. *Lob. ic.* 795. *Ger. Em.* 1114. *R. Syn.* 131. *Fl. lapp.* 392. minus. *Park.* 1200.

Equiſetum

β Equiſetum paluſtre minus polyſtachion. *Bauh. pin.* 16. *pr.* 24. *R. Syn.* 131. *t.* 5. *f.* 3.
Anglis, Marſh Horſe-tail.
Habitat *in aquoſis*. ♃. VI.

4. EQUISETUM caule ſtriato, frondibus ſubſimplicibus. *Fl. ſuec.* 930. *Sp. pl.* 1062. *fluviatile.*
Equiſetum caule non ſulcato latiſſimo, verticillis denſiſſimis. *Hall. helv.* 144.
Equiſetum majus. *Ger. Em.* 1115. *R. Syn.* 130. paluſtre. *Park.* 1200.
Equiſetum paluſtre longioribus foliis. *Bauh. pin.* 15.
Anglis, River Horſe-tail.
Habitat *in aquoſis et ad ripas lacuum et fluviorum frequens*. ♃. V.

5. EQUISETUM caule ſubnudo lævi. *Fl. ſuec.* 931. *Sp. pl.* 1062. *limoſum.*
Equiſetum nudum lævius noſtras. *R. Syn.* 131. *t.* 5. *f.* 2.
Anglis, ſmooth Horſe-tail.
Habitat *in paluſtribus et aquoſis*. ♃. VI.

6. EQUISETUM caule nudo ſcabro baſi ſubramoſo. *Fl. ſuec.* 932. *Sp. pl.* 1062. *hyemale.*
Equiſetum nudum. *Ger. Em.* 1113. *R. Syn.* 131.
Equiſetum junceum ramoſum. *Park.* 1207.
Equiſetum foliis nudum ramoſum. *Bauh. pin.* 16.
β Equiſetum nudum minus variegatum Baſilienſe. *Bauh. pin.* 16. *pr.* 25. *hiſt. III.* 730.
γ Equiſetum foliis nudum non ramoſum ſ. junceum. *Bauh. pin.* 16.
Equiſetum junceum ſ. nudum. *Park.* 1201.
δ Equiſetum læve pæne nudum. *Pet. conc. gr.* 238.
Anglis, rough Horſe-tail, or Shave-graſs.
Habitat *in paluſtribus et aquoſis ſed rarius*. ♃. VII. VIII.

OPHIOGLOSSUM. 1035.

Spica articulata, diſticha: articulis tranſverſim dehiſcentibus.

1. OPHI-

vulgatum 1. OPHIOGLOSSUM fronde ovata. Fl. ſuec. 932. Sp. pl. 1062.
Ophiogloſſum. *Ger. Em.* 404. *Bauh. hiſt. III.* 708. *R. Syn.* 128. ſ. Lingua ſerpentina. *Park.* 506.
Ophiogloſſum primum ſ. vulgatum. *Bauh. pin.* 354.
Anglis, Adder's Tongue.
Habitat *in pratis et paſcuis humidis*; *in ericeto* Hampſtediano. 4. V.
Pharmac. Ophiogloſſi *herba.*

OSMUNDA. 1036.

Spica ramoſa: fructificationibus globoſis.

* *Scapis inſidentibus cauli ad baſin frondis.*

Lunaria. 1. OSMUNDA ſcapo caulino ſolitario, fronde pinnata ſolitaria. *Fl. ſuec.* 934. *Sp. pl.* 1064.
Oſmunda fronde pinnata caulina, pinnis lunatis. *Hort. cliff.* 472.
Lunaria minor. *Ger. Em.* *Park.* 507. *R. Syn.* 128.
Lunaria racemoſa minor. *Bauh pin.* 354.
β Lunaria minor foliis diſſectis. *R. Syn.* 129.
Anglis, Moon-wort.
Habitat *in pratis et paſcuis montoſis. In comitatibus* Weſtmorlandico, Cumberlandico, Eboracenſi, *frequens.* 4. V.

** *Fronde ipſa fructificationes ferente.*

regalis. 2. OSMUNDA fronde bipinnata apice racemifera. *Fl. ſuec.* 933. *Sp. pl.* 1065.
Oſmunda regalis ſ. Filix florida. *Park.* 1038.
Filix ramoſa non dentata florida. *Bauh. pin.* 357.
Filix florida ſ. Oſmunda regalis. *Ger. Em.* 1131.
Anglis, flowering Fern, or Oſmund Royal.
Habitat *in aquoſis et paluſtribus putridis paſſim.* 4. VII. VIII.

*** *Frondibus aliis foliaceis; aliis fructificantibus.*

Spicant. 3. OSMUNDA frondibus lanceolatis pinnatifidis: laciniis conniventibus integerrimis parallelis. *Fl. ſuec.* 936. *Sp. pl.* 1066.

Lon-

Lonchitis aſpera. *Ger. Em.* 1140. *R. Syn.* 118.
Lonchitis aſpera minor. *Bauh. pin.* 359. *Park.* 1042.
Anglis, rough Spleen-wort.
Habitat *in nemoroſis et ericetis humidis.* 4. VII.

4. OSMUNDA frondibus ſupradecompoſitis : pinnis alternis ſubrotundis inciſis. *Sp. pl.* 1067. *criſpa.*
Adiantum album criſpum alpinum. *Schwenckf. cat.* 10. *R. Syn.* 126.
Adiantum album floridum, ſ. Filicula petræa criſpa perelegans. *R. ſyn. ed. II.* 51. *Pluk. ph. t.* 9. *f.* 3.
Anglis, Stone Fern.
Habitat *in petris et rupibus. In comitatibus* Eboracenſi, *et* Weſtmorlandico, *frequens.* 4. VIII.

ACROSTICHUM. 1037.

Fructificationes diſcum totum frondis tegentes.

* *Fronde ſimplici diviſa.*

1. ACROSTICHUM fronde nuda lineari-laciniata. *Fl. lapp.* 380. *ſuec.* 937. *Sp. pl.* 1068. *ſeptentrionale.*
Filix ſaxatilis corniculata. *Bauh. pin.* 358.
Filix ſaxatilis Tragi. *Bauh. hiſt. III.* 755. *Park.* 1045. *R. Syn.* 120.
Anglis, forked, or horned Fern.
Habitat *in fiſſuris rupium. Ad cacumen montis* Carnedh-Lhewelyn *prope* Lhan-Lhechyd *in agro* Arvonienſi *invenit*, D. Lhwyd. *In muris antiquis* Lhan-Dethylæ *uno circiter milliari a* Lhan-Rhooſt *aquilonem verſus*, D. Richardſon. *R. Syn. in montibus ſupra* Ambulſide, *in comitatu* Weſtmorlandico. 4. VIII.

** *Fronde ſub-bipinnata.*

2. ACROSTICHUM fronde ſub-bipinnata : pinnis oppoſito-coadunatis obtuſis ſubtus hirſutis baſi integerrimis. *Fl. ſuec.* 938. *Sp. pl.* 1071. *ilvenſe.*
Filix alpina, pedicularis rubræ foliis ſubtus villoſis. *D. Lhwyd. R. Syn.* 118.
Filix pumila, lonchitidis Maranthæ ſpecies Cambro-bri-

britanica; an Lonchitis aſpera ilvenſis. *Pluk. ph. t.* 89. *f.* 8.
Anglis, Hairy Fern.
Habitat *in fiſſuris rupium. It grows on a moiſt black rock almoſt at the top of* Clogwyn y Garnedh, *facing north-weſt, directly above the lower lake.* D. Richardſon. *R. Syn.* 4.

Thelypteris. 3. ACROSTICHUM fronde pinnata: pinnis pinnatifidis integerrimis. *Fl. ſuec.* 939. *Sp. pl.* 1071.
Filix minor paluſtris repens. *R. Syn.* 122.
Dryopteris. *Lob. ic.* 814. *Ger. Em.* 1135. ſ. Filix querna repens. *Park.* 1041.
Anglis, Marſh Fern.
Habitat *in paluſtribus ceſpitoſis. In* Weſtmorlandia *paſſim.* 4. VIII.

PTERIS. 1038.

Fructificationes in lineis marginalibus.

aquilina. 1. PTERIS fronde ſupradecompoſita: foliolis pinnatis: pinnis lanceolatis: infimis pinnatifidis; ſuperioribus minoribus. *Hort. cliff.* 473. *Fl. ſuec.* 940. *Sp. pl.* 1075.
Filix fœmina. *Ger. Em.* 1128. *R. Syn.* 124. vulgaris. *Park.* 1037.
Filix ramoſa major pinnulis non dentatis. *Bauh. pin.* 357.
β Filicula ſaxatilis ramoſa maritima noſtras. *R. Syn.* 125. *Pluk. ph. t.* 182. *f.* 1.
Anglis, Female Fern, or Brakes.
Habitat *in ſylvis et ericetis ubique.* 4. VIII.

ASPLENIUM. 1042.

Fructificationes in lineolis diſci frondis, ſparſis.

* *Fronde ſimplici.*

Scolopendrium. 1. ASPLENIUM frondibus ſimplicibus cordato-lingulatis integerrimis ſtipitibus hirſutis. *Sp. pl.* 1079.
Aſplenium frondibus enſiformibus integris: baſi cordatis inflexis, petiolis hirſutis. *Vir. cliff.* 103. *Hall. helv.* 134.

Phyllitis.

Phyllitis. *Ger. Em.* 1138. *R. Syn.* 116. ſ. Lingua Cervina vulgaris *Park.* 1046.
Lingua Cervina officinarum. *Bauh. pin.* 353.
Anglis, Hart's-tongue.
Habitat *in umbroſis ſaxoſis, paſſim.* ♃.
Pharmac. Phyllitidis *Folia.*

** *Fronde pinnatifida:*

2. ASPLENIUM frondibus pinnatifidis: lobis alternis confluentibus. *Hort. cliff.* 474. *Hall. helv.* 135. *Dalib. pariſ.* 310. *Ceterach*
Aſplenium ſ. Ceterach. *Bauh. hiſt. III.* 749. *Ger. Em.* 1138. *Park.* 1046. *R. Syn.* 118.
Ceterach officinarum. *Bauh. pin.* 354.
Anglis, Spleenwort.
Habitat *in muris antiquis et fiſſuris rupium humidis paſſim. Circa* Briſtolium *copioſe.* ♃.
Pharmac. Ceterach ſ. Aſplenii *Herba.*

*** *Fronde pinnata.*

3. ASPLENIUM frondibus pinnatis; pinnis ſubrotundis crenatis. *Fl. lapp.* 388. *ſuec.* 942. *Sp. pl.* 1080. *Trichomanes.*
Trichomanes. *Park.* 1051. *R. Syn.* 119. ſ. Polytrichum officinarum. *Bauh pin.* 356.
Trichomanes mas. *Ger. Em.* 1146.
Anglis, common Maidenhair.
Habitat *in ſaxoſis, muris antiquis, et umbroſis frequens.* ♃.
Pharmac. Trichomanis *Herba.*

4. ASPLENIUM fronde pinnata: pinnis ſubrotundis baſi truncatis. *viridi.*
Trichomanes coſta viridi. *D. Lhwyd.*
Trichomanes ramoſum. *Bauh. hiſt. III.* 755. *R. Syn.* 119.
Trichomanes fœmina. *Ger. Em.* 1146.
β Trichomanes ramoſum majus et minus. *Bauh. pin.* 356.
Anglis, green Maidenhair.

Habitat *in rupibus humidis in comitatibus* Eboracenſi *et* Weſtmorlandico, *paſſim.* 4.

marinum. 5 ASPLENIUM fronde pinnata : pinnis obovatis ſerratis ſuperne gibbis obtuſis baſi cuneatis. *Hort. cliff.* 474. *Hall. helv.* 136. *Sp. pl.* 1081.

Filix marina anglica. *Park.* 1045.

Filicula petræa fœmina ſ. Chamæfilix marina anglica. *Ger. Em.* 1143.

Chamæfilix marina anglica. *Baub. hiſt. III.* 737. *R. Syn.* 119. *Hiſt. ox. III.* 575. *t.* 3. *f.* 25.

Anglis, Sea Maidenhair, or Fern.

Habitat *in rupibus maritimis. On the rocks about* Preſtholm *iſland, near* Beaumaris, *and at* Llandwyn *in the iſle of* Angleſea ; *about the caſtle of* Haſtings *in* Suſſex ; *in rupibus maritimis in* Cumberlandiæ, 4.

**** *Fronde decompoſita.*

Ruta muraria. 6. ASPLENIUM frondibus alternatim decompoſitis : foliolis cuneiformibus crenulatis. *Roy. lugdb.* 498. *Fl. ſuec.* 943. *Sp. pl.* 1081.

Ruta muraria. *Bauh. pin.* 356. *hiſt. III.* 753. *Ger. Em.* 1144. *R. Syn.* 122. ſ. Salvia vitæ. *Park.* 1050.

Adiantum album. *Tab ic.* 796.

β Adiantum album tenuifolium, Rutæ murariæ accedens. *Baub. hiſt. III.* 753 *R. Syn.* 123. *Pluk. ph. t.* 3. *f.* 3

Anglis, white Maidenhair.

Habitat *in rimis petrarum.* 4.

Pharmac. Adianti albi, *Herba.*

Adiantum nigrum. 7. ASPLENIUM frondibus ſubtripinnatis : foliolis alternis ; pinnis lanceolatis inciſo-ſerratis. *Sp. pl.* 1081.

Aſplenium frondibus duplicato-pinnatis ; foliis inferioribus majoribus : foliolis ovatis ſuperne crenatis. *Roy lugdb.* 498.

Adiantum nigrum officinarum. *Bauh. hiſt. III.* 742. *R. Syn.* 126.

Adian-

Adiantum nigrum vulgare. *Park.* 1046.
Adiantum foliis longioribus, pulverulentis, pediculo nigro. *Bauh. pin.* 356.
Onopteris mas. *Ger. Em.* 1137.
β Filix elegans, adianto nigro accedens, ſegmentis rotundioribus. *R. Syn.* 127.
γ Filix pumila petræa noſtras, adianti nigri foliorum æmula, ſaxorum interveniis prorumpens. *Pluk. alm.* 91. *R. Syn.* 127.
δ Filix minor longifolia, tarſis raris, pinnulis longis, tenuiſſimis et oblongis laciniis fimbricatis. *D. Sherard. R. Syn.* 127.
Anglis, black Maidenhair.
Habitat *in umbroſis et muris antiquis frequens.* ♃.
Pharmac. Adianti nigri, *Herba.*

POLYPODIUM. 1043.

Fructificationes in punctis ſubrotundis, ſparſis, per diſcum frondis

* *Fronde pinnatifida lobis coadunatis.*

1. POLYPODIUM frondibus pinnatifidis: pinnis oblongis ſubſerratis, obtuſis, radice ſquamata. *Fl. ſuec.* 944. *Sp. pl.* 1085. *vulgare.*
Polypodium vulgare *Bauh. pin.* 359. *Park.* 1039.
Polypodium. *Ger. Em.* 1138. *R. Syn.* 117.
β Polypodium murale pinnulis ſerratis. *Pet. bot. hort.* 11. *pl.* 1. *R. Syn.* 117.
Anglis, common Polypody.
Habitat *in muris antiquis, umbroſis et ad radices arborum.* ♃.
Pharmac. Polypodii *Herba.*

2. POLYPODIUM frondibus pinnatis, pinnis lanceolatis lacero-pinnatifidis ſerratis. *Sp. pl.* 1086. *Cambricum.*
Polypodium Cambrobritannicum, pinnulis ad margines laciniatis. *R. Syn.* 117.
Polypodium Cambrobritannicum lobis foliorum profunde dentatis. *Hiſt. ox. III.* 565. *ſ.* 14. *t.* 2. *f.* 8.
Filix ampliſſima, lobis foliorum laciniatis cambrica. *Pluk. ph. t.* 30. *f.* 1.

Anglis, jagged Polypody.
Habitat *on a rock in a wood near* Dennys Powys Caſtle, *not far from* Caerdiff *in* Glamorganſhire. *R. Syn.* 4.

** *Fronde pinnata.*

Lonchitis. 3. POLYPODIUM frondibus pinnatis: pinnis lunulatis ciliato-ſerratis declinatis, petiolis ſtrigoſis. *Sp. pl.* 1088. *Gron. virg.* 123.
Lonchitis aſpera major. *Ger. Em.* 1140. *R. Syn.* 118.
Lonchitis aſpera. *Bauh pin.* 359.
Lonchitis aſpera major Matthiolo. *Park.* 1042.
Anglis, great Polypody, or Spleenwort.
Habitat *in fiſſuris rupium in* Wallia, *prope* Bingley *in agro* Eboracenſi. 4.

phegopteris. 4. POLYPODIUM frondibus ſubbipinnatis: foliolis infimis reflexis: paribus pinnula quadrangulari coadunatis. *Fl. ſuec.* 945. *Sp pl* 1089.
Filix minor britannica, pediculo pallidiore, alis inferioribus deorſum ſpectantibus. *Hiſt. ox. III.* 575. *ſ.* 14. *t.* 4. *f.* 17. *R. Syn.* 122.
Anglis, Wood Polypody.
Habitat *in rimis petrarum humidis et umbroſis in comitatibus* Eboracenſi *et* Weſtmorlandico *paſſim.* 4.

fragrans. 5. POLYPODIUM frondibus ſubbipinnatis lanceolatis: foliolis confertis: lobis obtuſis ſerratis, ſtipite paleaceo. *Sp. pl.* 1089.
Dryopteris rubrum idæum ſpirans. Amm. euth 251.
Anglis, ſweet Polypody.
Habitat *in rimis petrarum humidis*; *prope* Keſwick *in comitatu* Weſtmorlandico. 4.

fontanum. 6. POLYPODIUM fronde ſubpinnata lanceolata: foliolis ſubrotundis, ſtipite lævi. *Sp. pl.* 1089
Polypodium pinnarum pinnis bidentatis et tridentatis breviſſimis *Hall helv.* 140.
Filicula fontana minor. *Bauh. pin.* 358.

Filix

Filix ſaxatilis non ramoſa minima. *R. cat. eur. Pluk. ph. t.* 89. *f.* 2.

β Filix ſaxatilis omnia minima elegantiſſima. *Hort. reg. pariſ. Pluk ph. t.* 89. *f.* 3.

Anglis, Rock Polypody.

Habitat *in fiſſuris rupium et muris antiquis. Supra* Hammerſham *church*, D Bradney; *in locis ſaxoſis ſupra* Wybourn *in* Weſtmorlandia. 4.

7. POLYPODIUM fronde bipinnata pinnulis obtuſis crenulatis, ſtipite paleaceo. *Hort. cliff.* 475. *Sp. pl.* 1090. *Fl. ſuec.* 946. *Filix mas.*

Filix mas vulgaris. *Park.* 1036. *R. Syn.* 120.

Filix mas non ramoſa dentata. *Bauh. pin.* 258.

Filix mas non ramoſa, pinnulis latis denſis minutim dentatis *Ger. Em.* 1129.

Anglis, Male Polypody, or Fern.

Habitat *in ſylvis, ericetis, locis ſaxoſis.* 4.

Pharmac. Filicis maris *Radix.*

8. POLYPODIUM fronde bipinnata: pinnulis lanceolatis pinnatifidis acutis. *Fl. lapp.* 386. *ſuec.* 947. *Sp. pl.* 1090. *F. femina*

Filix mas non ramoſa, pinnulis anguſtis raris profunde dentatis. *Ger. Em.* 1130. *Pluk. ph. t.* 130. *f.* 4. *Hiſt. ox. III.* 579. *ſ.* 14. *t.* 3. *f.* 8. *R. Syn.* 121.

Anglis, Female Polypody.

Habitat *in paluſtribus et umbroſis frequens.* 4.

9. POLYPODIUM fronde bipinnata: pinnis lanceolato-ovatis dentato-ciliatis, ſtipite ſtrigoſo. *aculeatum.*

Polypodium fronde bipinnata: pinnis lanceolatis dentatis, ſtipite ſtrigoſo. *Roy lugdb.* 500. *Sp. pl.* 1090.

Filix mas aculeata major. Bauh pin. 358. pr. 151.

Filix mas non ramoſa, pinnulis latis auriculatis ſpinoſis. *Ger. Em.* 1130. *Pluk. ph. t.* 179. *f.* 6. *R. Syn.* 121.

β Filix aculeata major, pinnulis auriculatis crebrioribus, foliis integris anguſtioribus. *R. Syn.* 121.

γ Filix mas aculeata noſtras, alis expanſis muſcoſa lanugine aſperſa. *Pluk. ph. t.* 180. *f.* 1.

Anglis, prickly Polypody.
Habitat *in umbroſis*. ♃.

lobatum. 10. POLYPODIUM fronde bipinnata: pinnis lanceolato-ovatis dentato-ciliatis ſuperne baſi lobatis, ſtipite ſtrigoſo.
Filix lonchitidis affinis. *R. Syn.* 121. *Pluk. ph. t.* 180. *f.* 3.
Anglis, lobed Polypody.
Habitat *in umbroſis*. ♃.

criſtatum. 11. POLYPODIUM frondibus ſubbipinnatis: foliolis ovato-oblongis; pinnis obtuſiuſculis apice acute ſerratis. *Sp. pl.* 1090.
Filix mas ramoſa, pinnulis dentatis. *Ger. Em.* 1129. *Pluk. ph.* 181. *f.* 2. *R. Syn.* 124.
β Filix montana ramoſa minor argute denticulata. *D. Lhwyd. R. Syn.* 124.
Anglis, creſted Polypody.
Habitat *in ſylvis et umbroſis humidis, In ericeto* Hampſtediano. ♃.

rhæticum. 12. POLYPODIUM fronde bipinnata; foliolis pinniſque remotis lanceolatis ſerraturis acuminatis. *Sp. pl.* 1091.
Filix rhætica tenuiſſime denticulata. *Bauh. hiſt. III.* 740.
Filix fontana major ſ. Adiantum album filicis folio. *Bauh. pin.* 351.
Filix pumila ſaxatilis altera. *Cluſii* 1043. *R. Syn.* 122.
Anglis, Stone Polypody.
Habitat *in montibus ſaxoſis in* Weſtmorlandia *paſſim*. ♃.

fragile. 13. POLYPODIUM fronde bipinnata: foliolis remotis pinnis ſubrotundis inciſis. *Fl. lapp.* 384. *ſuec.* 948. *Sp. pl.* 1091.
Filix ſaxatilis caule tenui fragile. *R. Syn.* 125. *Pluk. ph. t.* 180. *f.* 5.
β Adiantum nigrum pinnulis cicutariæ diviſura. *D. Bolart. R. Syn.* 126.

Anglis,

Anglis, brittle Polypody.
Habitat *in aridis lapidoſis*. 4.

*** *Fronde ſupradecompoſita.*

14. POLYPODIUM fronde ſupradecompoſita: foliolis ternis bipinnatis. *Fl. ſuec.* 949. *Sp. pl.* 1093. *Dryopteris.*
Filix ſaxatilis ramoſa nigris maculis punctata. *Bauh. pin.* 358.
Filix ramoſa minor. *Bauh. hiſt. III.* 741. *R. Syn.* 125.
Filix pumila ſaxatilis prima Cluſii. *Park.* 1043.
Dryopteris Tragi. *Ger. Em.* 1135.
Anglis, branched Polypody.
Habitat *in aridis ſaxoſis in comitatibus* Eboracenſi, Lancaſtrienſi, Weſtmorlandico *et* Cumberlandico *frequens*. 4.

ADIANTUM. 1044.

Fructificationes in maculis terminalibus, ſub replicato margine frondis.

* *Fronde decompoſita.*

1. ADIANTUM frondibus decompoſitis: foliolis alternis: pinnis cuneiformibus lobatis pedicellatis. *Sp. pl.* 1096. *Capillus veneris.*
Adiantum foliis coriandri. *Bauh. pin.* 355.
Adiantum verum, ſ. Capillus veneris verus. *Park.* 1049.
Capillus veneris verus. *Ger. Em.* 1144. *R. Syn.* 123.
Anglis, true Maidenhair.
Habitat *in rupibus*. *Found by* Mr. Lhwyd *at* Barry *iſland, and* Porth Kirig *in* Glamorganſhire. *R. Syn.* 4.
Pharmac. Adianti veri *Herba*.

** *Fronde ſupra decompoſita.*

2. ADIANTUM frondibus ſupradecompoſitis: foliolis alternis: pinnis rhombeis inciſis utrinque fructificantibus. *Sp. pl.* 1097. *trapeziforme.*
Adiantum majus coriandri folio, adianto vero affine, pediculo pallide rubente. *Sibb. pr.* 7. *R. Syn* 124.

Adianto vero affinis minor Scotica, folio obtuſo, ſaturate viridi, &c. *Sibb. pr.* 8. *R. Syn.* 124.
Adiantum ramoſum pediculis lucidis et nigris. *Plum. fil. amer.* 78 *t.* 95.
Anglis, ſhining Maidenhair.
Habitat *in Scotia. R. Syn.*

TRICHOMANES. 1045.

Fructificationes ſolitariæ, ſtylo ſetaceo terminatæ, margini ipſi frondis inſertæ.

pyxidiferum. 1. TRICHOMANES frondibus ſubbipinnatis: pinnis alternis lobatis linearibus. *Sp. pl* 1098.
Filix pyxidifera. *Plum. fil.* 74 *t* 50.
Filix humilis repens, foliis pellucidis et ſplendentibus caule alato. D. Richardſon. *R. Syn.* 127. *t.* 3. *f.* 3, 4.
Dareæ tunbrigenſis facie. *Pet. fil.* 104 *t.* 13. *f.* 13.
Anglis, Cup Trichomanes.
Habitat *in petris et rupibus aqua humentibus. Found by* Dr. Richardſon *at* Belbank, *ſcarce half a mile from* Bingley, *at the head of a remarkable ſpring. R. Syn.* 4.

tunbrigenſe. 2. TRICHOMANES frondibus pinnatis: pinnis lobatis oblongis crenulatis. *Sp pl.* 1098.
Adiantum petræum perpuſſilum anglicum, foliis bifidis trifidiſque. *R. Syn.* 123.
Adiantum radicoſum humis parſum, ſ Filicula pellucida noſtras, coriandri foliis mollicellis, globuliferum. *Pluk. ph. t.* 3. *f.* 5, 6.
Darea tunbrigenſis minor. *Pet muſ.* 761.
Anglis, Tunbridge Trichomanes.
Habitat *in fiſſuris rupium humidis. Found upon the moiſt rocks in* Wales, *and near* Settle, *by* Dr. Richardſon; *near* Tunbridge, *by* Mr. Dare; *at* Cockbuſh, *ſix miles from* Chicheſter, *by* Mr. Rand, *and* Mr. Sherard. *R. Syn. in montibus* Weſtmorlandicis *paſſim.* 4. VIII.

P I-

PILULARIA. 1047.

Flores *Maſculi* ad latus frondis.
Fructificationes *Feminea* ad radicem, globoſa quadrilocularis.

1. PILULARIA. *Fl ſuec.* 950. *Sp. pl.* 1100. *globulifera.*
Pilularia paluſtris juncifolia. *Vaill. pariſ.* 159. t. 15. f. 6. *Dill. muſc.* 538. t. 79. f. 1.
Graminifolia paluſtris repens, vaſculis granorum piperis æmulis. *R. Syn.* 136.
Gramen piperinum. *Merr. pin.*
Anglis, Pepper-graſs.
Habitat *in inundatis præſertim ſolo arenoſo, prope fontes medicatos* Strethamenſes, Dr. Wilmer; *in ericeto* Hounſlejano, *prope* Whitton. *R. Syn. in ericeto* Hampſtediano. ♃. VI. IX.

ISOETES. 1048.

Flores Maſculi *Anthera* intra baſin frondis.
Flores Feminei *Capſula* bilocularis, intra baſin frondis.

1. ISOETIS. *It. ſcan.* 417. t. 419. *Fl. ſuec.* 951. *Sp. pl.* 1100. *lacuſtris.*
Calamaria folio longiore et graciliore. *Dill. muſc.* 541. t. 80. f. 2.
Subularia vulgaris erecta, folio rigidiſſimo. *R. Syn.* 306.
β Subularia repens folio minus rigido. *R. Syn.* 306.
γ Subularia fragilis, folio longiore et tenuiore. *R. Syn.* 307.
Anglis, Quillwort.
Habitat *in fundo lacus exigui prope ſummitatem montis* Snowdon Phynon-vrech *dicti*. *R. Syn.*

MUSCI.

LYCOPODIUM. 1049.

Anthera bivalvis, ſeſſilis; *Calyptra* nulla.

1. LYCOPODIUM foliis ſparſis filamentoſis, ſpicis teretibus pedunculatis geminis. *Fl. ſuec.* 952. *Sp. pl.* 1101. *clavatum.*

Ly-

Lycopodium vulgare piloſum anfragoſum et repens. *Dill. muſc.* 441. *t.* 58. *f* 1.
Lycopodium. *Tabern. ic.* 814. *R. Syn.* 107.
Muſcus terreſtris clavatus. *Bauh pin.* 360.
Muſcus clavatus ſ. Lycopodium. *Ger. Em.* 1562. *Park.* 1307.
Anglis, common Club-moſs.
Habitat *in ericetis et montibus* Weſtmorlandicis, Cumberlandicis, Eboracenſibus, &c. *copioſe ut et in ericeto* Hounſlejano. 4. VII.
Pharmac. Muſci clavati *Herba* Lycopodii *ſemina.*

inundatum. 2. LYCOPODIUM foliis ſparſis integerrimis, ſpicis terminalibus folioſis. *Sp. pl.* 1102. *Fl. ſuec.* 954.
Lycopodium paluſtre repens, Clava ſingulari. *Vaill. pariſ.* 123. *t.* 16. *f.* 11. *Dill. muſc.* 452. t. 62. *f.* 7.
Muſcus terreſtris repens, clavis ſingularibus folioſis erectis. *Cat. pl. ang. R. Syn.* 108.
Anglis, Marſh Club-moſs.
Habitat *in ericetis humidis paſſim.* 4. VII.

annotinum. 3. LYCOPODIUM foliis ſparſis quinquefariis ſubſexratis ſurculis annotino-articulatis, ſpicis terminalibus glabris erectis. *Sp. pl.* 1103. *Fl. ſuec.* 956.
Lycopodium elatius, juniperinum, clavis ſingularibus ſine pediculis. *Dill muſc.* 455. *t.* 63. *f.* 9. *R. Syn.* 107.
Muſcus clavatus, juniperinis foliis reflexis, clavis ſingularibus ſiue pediculis. *Hiſt. ox. III.* 624. *ſ.* 15. *t* 5. *f.* 3.
Anglis, Welſh Club-moſs.
Habitat *in Alpibus Arvoniæ ſed rarius; copioſum obſervavimus in monte* Rhiwr Glyder *ſupra lacum* Lhyn y own, *prope eccleſiam* S. Periſii, *nec rarius in depreſſis ejuſdem montis* y Glyder, *qua rupem* y Trivan ſpectat. D. Lhwyd. *R. Syn.* 4. VII.

alpinum. 4. LYCOPODIUM foliis quadrifariam imbricatis acutis, ſurculis erectis dichotomis, ſpicis ſeſſilibus teretibus. *Sp. pl* 1104. *Fl. ſuec.* 957.

Ly-

Lycopodium ſabinæ facie. *Dill. muſc.* 445. *t.* 58. *f.* 2. *R. Syn.* 108.
Muſcus clavatus cupreſſiformis. *Park.* 1309.
Muſcus clavatus foliis Cupreſſi. *Bauh. pin.* 360. *Ger. Em.* 1562.
Anglis, Mountain Club-moſs.
Habitat *in montibus*; *in comitatibus* Eboracenſi, Cumberlandico, Weſtmorlandico, *et in montibus* Wallicis. ♃. VIII. IX.

5. LYCOPODIUM foliis ſparſis octifariis, ſurculo dichotomo erecto faſtigiato, floribus ſparſis. *Sp. pl.* 1102. *Fl. ſuec.* 955. *Selago.*
Selago vulgaris abietis rubræ facie. *Dill. muſc.* 435. *t.* 56. *f.* 1.
Selago foliis et facie abietis. *Fl. jen.* 330. *R. Syn.* 106.
Chamæpeuce. *Turn. part.* 1. *p.* 129.
Muſcus erectus ramoſus ſaturate viridis. *Bauh. pin.* 360.
Anglis, Firr Club-moſs.
Habitat *in ericetis montoſis. On* Snowdon *and other high Mountains in* Wales; *in comitatibus* Eboracenſi, Weſtmorlandico, Cumberlandico, Lancaſtrienſi, *frequens.* ♃. VIII.

6. LYCOPODIUM foliis ſparſis ciliatis lanceolatis ſpicis ſolitariis terminalibus folioſis. *Sp. pl.* 1101. *Fl. ſuec.* 953. *Selaginoides.*
Selaginoides foliis ſpinoſis. R. Syn. 106. *Dill. muſc.* 460. *t.* 88. *f.* 1.
Anglis, Prickly Club-moſs.
Habitat *in locis turfoſis, in comitatibus* Eboracenſi, Lancaſtrienſi, Weſtmorlandico, Cumberlandico, *frequens.* ♃. VIII.

SPHAGNUM. 1051.

Anthera operculata: ore lævi Calyptra *nulla.*

1. SPHAGNUM ramis deflexis. *Fl. lapp.* 415. *ſuec. paluſtre.* 959. *Sp. pl.* 1106.
Sphagnum paluſtre molle deflexum, ſquamis cymbiformibus. *Dill. muſc.* 240. *t.* 32. *f.* 1.

Sphag-

Sphagnum cauliferum et ramoſum paluſtre molle candicans, reflexis ramulis, foliolis latioribus. *Cat. giſſ.* 229 *R. Syn.* 104.

Muſcus paluſtris albicans terreſtri ſimilis, capitulis erectis brevibus, pediculis etiam breviſſimis inſidentibus. *R. Syn. ed. II.* 37.

β Sphagnum paluſtre molle deflexum, ſquamis capillaceis. *Dill. muſc.* 243. *t.* 32. *f.* 2

Sphagnum cauliferum et ramoſum paluſtre molle candicans, reflexis ramulis, foliolis anguſtioribus. *Cat. giſſ* 229. *R. Syn.* 104.

Anglis, Grey Bog-moſs.

Habitat *in paludibus turfoſis.* ♃. VII. VIII.

alpinum. 2. SPHAGNUM ſubramoſum erectum. *Sp. pl.* 1106.

Sphagnum ſubulatum viridiſſimum, capſulis ovatis. *Dill. muſc.* 245. *t.* 32. *f.* 2.

Anglis, Green Bog-moſs

Habitat *in paludibus turfoſis in montibus* Cader Idæris et Snowdon *copioſe.* Dill. IX. X.

arboreum. 3. SPHAGNUM ramoſum repens, antheris lateralibus ſecundis.

Sphagnum heteromallum polycephalum. *Dill muſc.* 248. *t.* 32. *f.* 6.

Sphagnum cauliferum et ramoſum minus hirſutum, capitulis crebris piloſis per ramulorum longitudinem adnaſcentibus. *R. Syn.* 105.

Muſcus trichoides, capitulis apodibus per longitudinem caulium adnaſcentibus. *Buddl. hort. ſicc. V.* 1. *f.* 29.

Anglis, Creeping Bog-moſs.

Habitat *in arborum truncis. In Saltu* Enfieldenſi. *Dill. muſc.* XI. XII.

PHASCUM. 1052.

Anthera operculata: ore ciliata. *Calyptra* nulla.

acaulon. 1. PHASCUM acaule, anthera ſeſſili, foliis ovatis imbricatis.

Phaſcum acaule anthera ſeſſili. *Sp. pl.* 1106. *Fl. ſuec.* 960.

Sphagnum

Sphagnum acaulon bulbiforme, majus. *Dill. muſc.* 251. *t.* 32. *f.* 11.
Sphagnum acaulon, foliis in bulbi formam congeſtis, majus. *Cat. giſſ.* 230. *R. Syn.* 105.
β Sphagnum acaulon bulbiforme, minus. *Dill. muſc.* 252. *t.* 32. *f.* 12.
Sphagnum acaulon, foliis in bulbi formam congeſtis, minus. *Cat. giſſ.* 230. *R. Syn.* 105.
Anglis, Oval Phaſcum.
Habitat *in aggeribus foſſarum præſertim ſolo arenoſo.* ☉. I. II.

2. PHASCUM acaule, anthera ſeſſili, foliis ſubulatis patentibus. *ſubulatum*
Sphagnum acaulon trichoides. *Cat giſſ.* 229. *R. Syn.* 105. *Dill. muſc.* 251. *t.* 32. *f.* 10.
β Sphagnum acaulon maximum, foliis in centro ciliaribus. *Hall. helv.* 97. *t.* 3. *f.* 3. *Dill. muſc.* 253. *t.* 32. *f.* 13.
Anglis, ſubulated Phaſcum.
Habitat *in ericetis ſolo arenoſo*, β *et in pratis arenoſis, circa* Snowdon *in* Arvonia, Dill. *prope* Clapham *in comitatu* Surrienſi. ☉. III. IV.

3 PHASCUM acaule, anthera pedunculata.
Bryum ampullaceum, foliis ſerpylli pellucidis collo craſſiore. *Dill. muſc.* 344. *t.* 44. *f.* 4. *pedunculatum.*
Bryum erectis gigartinis capitulis foliis ſerpylli pellucidis obtuſis. *R. Syn.* 93. *t.* 3. *f.* 2.
Anglis, Upright Phaſcum.
Habitat *in ericetis humidis. In paſcuis* Emottmore *dictis, in* Lancaſtrienſis *comitatus finibus*, Dill. muſc. *in ericetis montoſis* Moors *dictis in comitatu* Weſtmorlandico *paſſim.* V.

4. PHASCUM cauleſcens repens. *Sp. pl.* 1107. *repens.*
Sphagnum vermiculare repens, capſulis intra foliorum ſquamoſorum alas minimis. *Dill. muſc.* 550. *t.* 85. *f.* 16.
Anglis, Creeping Phaſcum.
Habitat *in arborum truncis in comitatu* Eboracenſi. D. Richardſon. ♃. V.

FON-

FONTINALIS. 1053.

Anthera operculata. *Calyptra* ſeſſilis, perichætio incluſa.

antipyretica. 1. FONTINALIS foliis complicato-carinatis trifariis acutis, antheris lateralibus. *Fl. ſuec.* 961. *Sp. pl.* 1107.

Fontinalis triangularis major complicata e foliorum alis capſulifera. *Dill. muſc.* 254. *t.* 33. *f.* 1.

Fontinalis major foliis triangularibus complicatis capitulis in foliorum alis ſeſſilibus. *R. Syn.* 79.

Muſcus aquaticus viticulis longis minus ramoſis lucidis, foliis acutis triangularibus cinctis. *Hiſt. ox. III.* 626. *S.* 15. *t.* 6. *f.* 32.

Anglis, Greater Water-moſs.

Habitat *in fluviis laniter fluentibus.* ♃. V.

minor. 2. FONTINALIS foliis ovatis concavis trifariis acutis, antheris terminalibus. *Sp. pl.* 1107.

Fontinalis triangularis minor carinata, e cymis capſuliferis. *Dill. muſc.* 257. *t.* 33. *f.* 2.

Fontinalis minor foliis triangularibus minus complicatis, capitulis in ſummis ramulis ſeſſilibus. *R. Syn.* 79.

Anglis, Leſſer Water-moſs.

Habitat *ad ripam* Thameſis *circa* Londinum *frequens.* ♃. IX. X.

ſquamoſa. 3. FONTINALIS foliis imbricatis ſubulato-lanceolatis capitulis lateralibus. *Sp pl.* 1108.

Fontinalis ſquamoſa tenuis ſericea atrovirens. *Dill. muſc.* 250. *t.* 33. *f.* 3.

Fontinalis minor lucens. *Bauh. hiſt. III.* 778.

Anglis, Scaly Water-moſs.

Habitat *in rivulis prope* Llanberris *in* Arvonia, *et in rivulis montoſis in* Weſtmorlandia. ♃. VIII. IX.

pennata. 4. FONTINALIS foliis bifariis patentibus, capſulis lateralibus. *Sp. pl.* 1108.

Sphagnum pennatum undulatum, vagina ſquamoſa. *Dill. muſc.* 250. *t.* 32. *f.* 9.

Sphagnum

Sphagnum cauliferum et ramoſum, foliis criſpis, crebris per caulem capitulis. *Hall. helv.* 96. *t.* 3. *f.* 2.

β Sphagnum pennatum undulatum, vagina piloſa. *Dill. muſc.* 249. *t.* 32. *f.* 8.

Sphagnum pennatum planum. *Dill. muſc.* 249. *t.* 32. *f.* 7.

Anglis, Feathered Water-moſs.

Habitat *in arborum truncis in ſylvis inter* Troutbeck *et* Ambulſide *in* Weſtmorlandia. ♃. VIII. IX.

SPLACHNUM. 1054.

Anthera inſidens apophyſi maximæ colorata. *Calyptra* caduca.

Stella feminea in diſtincto individus.

1. SPLACHNUM umbraculo ampullaceo clauſo. *Sp. pl.* 1108. *Amen. acad.* II. 280. *Fl. ſuec* 965. *ampullaceum.*

Bryum ampullaceum, foliis thymi pellucidis, collo ſtrictiore. *Dill. muſc.* 343. *t.* 44. *f.* 3.

Bryum erectis gigantinis capitulis, foliis ſerpilli pellucidis acutis. *R. Syn.* 93.

Muſcus aureus capillaris minor, capitulis geminatis erectis, mutuo incumbitu adnatis. *Hiſt. ex. Ill.* *p.* 629. *f.* 15. *t.* 16. *f.* 10.

Anglis, Common Splachnum.

Habitat *in paludibus turfoſis. About* Hitchin-ferry, *near* Southampton, *and in the Bogs by* Weſt-Wickham *and* Addington, *near* Croydon, Dr. Sherard. R. Syn. III. IV.

POLYTRICHUM. 1055.

Anthera operculata, apophyſi minimæ inſidens. *Calyptra* villoſa.

Stella feminea in diſtincto individuo.

1. POLYTRICHUM caule ſimplici, anthera parallelepipeda. *Sp. pl.* 1109. *Fl. ſuec.* 966. *commune.*

Polytrichum quadrangulare vulgare, Yuceæ foliis ſerratis. *Dill. muſc.* 420. *t.* 54. *f.* 1.

Polytrichum vulgare et majus capſula quadrangulari. *Cat. giſſ. R. Syn.* 90.

Poly-

Polytrichum aureum majus. *Bauh. pin.* 359. *Park.* 1052.

Muſcus capillaris ſ. Adiantum aureum majus. *Ger. Em.* 1559.

β Polytrichum quadrangulare, juniperi foliis brevioribus et rigidioribus. *Dill. muſc.* 424. *t.* 54. *f.* 2.

Polytrichum montanum et minus, capſula quadrangulari. *Cat. giſſ. R. Syn.* 90.

Polytrichum aureum medium. *Bauh. pin.* 356.

γ Polytrichum quadrangulare majus, juniperi foliis piloſis. *Dill. muſc.* 426. *t.* 54. *f.* 3.

Anglis, Common Polytrichum; or, Great golden Maidenhair.

Habitat *in ſylvis ericetis, uliginoſis et ſteriliſſimis.* ♃. V.

ſubrotundum. 2. POLYTRICHUM caule ſimplici, anthera ſubrotunda.

Polytrichum nanum, capſulis ſubrotundis galeritis, aloes folio non ſerrato. *Dill. muſc.* 428. *t.* 55. *f.* 6.

Polytrichum minus, capſulis ſubrotundis, calyptra quaſi lacera coronatis. *Cat. giſſ. R. Syn.* 91.

Mnium calyptra villoſa. *Sp. pl.* 1112.

Muſcus coronatus rigidus minor et humilior capitulis villoſis brevioribus. *Hiſt. ox. III.* 630. *ſ.* 15. *t.* 7. *f.* 7.

β Polytrichum parvum, aloës folio ſerrato, capſulis oblongis. *Dill. muſc.* 429. *t.* 55. *f.* 7.

Anglis, dwarf Polytrichum.

Habitat *in ericetis.* X—III.

urnigerum. 3. POLYTRICHUM caule ramoſiſſimo, pedunculis axillaribus. *Sp. pl.* 1109. *Fl. ſuec.* 967.

Polytrichum ramoſum ſetis ex alis urnigeris. *Dill. muſc.* 427. *t.* 55. *f.* 5.

Muſcus ramoſus erectus, calyptra villoſa. *Vaill. pariſ.* 131. *t.* 28. *f.* 13.

β Polytrichum alpinum ramoſum, capſulis e ſummitate ellipticis *Dill. muſc.* 427. *t.* 55. *f* 4.

Anglis, branched Polytrichum.

Habitat *ad radicem montis* Caderideris *prope* Dolgelle *in* Mervinia. Dill. VI.

4. PO-

4. POLYTRICHUM caule ramoſo, antheris ſubſeſſilibus terminalibus, calyptris ſurſum piloſis. *ſtriatum.*
Polytrichum calyptra ſtriata ſurſumve piloſa. *Fl. ſuec. ed. I.* 869. *Dalib. pariſ.* 314.
Polytrichum bryi ruralis facie, capſulis ſeſſilibus majus. *Dill. muſc.* 430. *t.* 55. *f.* 8.
Polytrichum capſulis ſubrotundis pedicalis breviſſimis inſidentibus, calyptra ſtriata, arboreum ramoſum, majus. *Cat. giſſ.* 222. *R. Syn.* 91.
Muſcus apocarpos arboreus ramoſus. *R. Hiſt. III.* 40. *Vaill. pariſ.* 129. *t.* 25. *f.* 5, 6.
β Polytrichum bryi ruralis facie, capſulis ſeſſilibus minus. *Dill. muſc.* 430. *t.* 55. *f.* 9.
Polytrichum capſulis ſubrotundis, pedicalis breviſſimis inſidentibus, calyptra ſtriata, arboreum et terreſtre minus ramoſum et breve. *Cat. giſſ.* 222. *R. Syn.* 91.
γ Polytrichum capſulis ſeſſilibus, foliis brevibus, rectis, carinatis. *Dill. muſc.* 432. *t.* 55. *f.* 10.
δ Polytrichum capillaceum criſpum, calyptris acutis piloſiſſimis. *Dill. muſc.* 433. *t.* 55. *f.* 11.
Polytrichum capſulis oblongo-rotundis, calyptris piloſiſſimis. *R. Syn.* 91.
Anglis, Tree Polytrichum.
Habitat *in arboribus et muris paſſim.* δ *in ſylvis.* II. III.

MNIUM. 1056.

Anthera operculata, *Calyptra* lævis.
Fem. capitulum nudum, pulverulentum, remotum.

1. MNIUM foliis diſtichis integerrimis. Sp. pl. 1114. Fl. ſuec. 985. *trichomanis.*
Mnium trichomanis facie, foliolis integris. *R. Syn.* 79. *Dill. muſc.* 236. *t.* 31. *f.* 5.
Anglis, Fern Mnium.
Habitat *in locis udis et umbroſis circa* Eltham, Woolwich, *et* Hampſtead. *R. Syn.* II. III.

2. MNIUM foliis diſtichis bifidis. *Sp. pl.* 1114. *fiſſum.*
Mnium trichomanis facie, foliolis bifidis. *R. Syn.* 79. *Dill. muſc.* 237. *t.* 31. *f.* 6.

Anglis, Forked Mnium.
Habitat *in umbroſis paſſim.* III. IV.

jungermannia. 3. MNIUM foliis diſtichis, pinnis ſubtus auriculatis. *Sp. pl.* 1114. *Fl. ſuec* 984
Mnium caule procumbente ſimplici, foliis imbricatis integerrimis alternis antice appendiculatis. *Fl. ſucc. ed. I.* 914.
Lichenaſtrum alpinum purpureum, foliis auritis et cochleariformibus. *Dill. muſc.* 479. *t.* 69 *f.* 1.
Lichenaſtrum trichomanis facie, prælongum, foliis concavis unam partem ſpectantibus. *R. Syn.* 112.
Muſcus trichomanoides purpureus, alpinis rivulis innatans *R. Syn. ed. I.* 18. *ed. II.* 40.
Anglis, purple Mnium
Habitat *in rivulis et paluſtribus*; *in montibus* Cambriæ *altiſſimis*, Cader-Idæris, Snowdon *et* Glyder. Dill.

pellucidum. 4. MNIUM caule ſimplici, foliis ovatis. *Sp. pl.* 1109. *Fl ſuec* 968.
Mnium ſerpilli foliis tenuibus et pellucidis. *Dill. muſc.* 232. *t.* 31. *f.* 2.
Mnium minus non ramoſum, anguſtioribus et pellucidis foliis. *R. Syn.* 78.
Muſcus coronatus minimus, capillaceis foliis, capitulis oblongis. *Vaill. pariſ.* 130. *t.* 24. *f.* 7.
β Mnium minimum non ramoſum anguſtiſſimis et pellucidis foliis. *R. Syn.* 78.
Anglis, tranſparent Mnium.
Habitat *in umbroſis udis*; *in ericetis juxta* Woolwich. *R. Syn.* III.

paluſtre. 5. MNIUM caule dichotomo, foliis ſubulatis. *Sp. pl.* 1110. *Fl. ſuec.* 970.
Mnium majus, ramis longioribus bifurcatis. *R. Syn.* 78. *Dill. muſc.* 233. *t.* 31. *f.* 3.
Muſcus paluſtris flagellis erectis luteolis, raro diviſis capitulis oblongis adianti. *Hiſt. ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 9.
Anglis, Marſh Mnium.

Habitat

Habitat *in paludibus turfoſis. In comitatu* Weſtmorlandico *copioſe, in ericeto* Hampſtediano. 4. VI. VII.

6. MNIUM caule ramoſo erecto, pedunculis femineis axillaribus. *ramoſum.*

Mnium majus, minus ramoſum, capitulis pulverulentis crebrioribus. *R. Syn.* 78. *Dill. muſc.* 235. *t.* 31. *f.* 4.

Muſcus pulverulentis (forſitan variis) capitulis Vernon. *Buddl. hort. ſicc. Vol. II. f.* 32.

Anglis, branched Mnium.

Habitat *in paludibus*; *in the* New-foreſt, Hampſhire, D. Vernon.

7. MNIUM caule ramoſo, androgynum. *Fl. ſuec.* 971. *Sp. pl.* 1110. *androgynum.*

Mnium peranguſtis et brevibus foliis. *Cat. giſſ.* 214. *R. Syn.* 78. *Dill. muſc.* 230. *t.* 31. *f* 1.

Muſcus coronatus humilis minimus, foliolis pediculis et capitulis erectis. *Hiſt. ox. III.* 631. *ſ.* 15. *t.* 7. *f.* 20.

Anglis, upright Mnium.

Habitat *in ſylvis et umbroſis udis. In ericeto* Hampſtediano. III.

BRYUM. 1057.

Anthera operculata. *Calyptra* lævis. *Filamentum* e tuberculo terminali ortum.

Stella feminea in diſtincto individuo.

* *Antheris ſeſſilibus.*

1. BRYUM antheris ſeſſilibus terminalibus, calyptra minima. *Sp. pl.* 1115. *Fl. ſuec.* 986. *apocarpum.*

Sphagnum nodoſum hirſutum incanum. *Dill. muſc.* 246. *t* 32. *f.* 5.

Sphagnum cauliferum et ramoſum ſaxatile hirſutum incanum, capitulis virentibus. *Cat. giſſ.* 229. *R. Syn.* 105.

Anglis, hairy Bryum.

Habitat *in ſaxis et arboribus. In comitatibus* Eboracenſi *et* Weſtmorlandico, *frequens.* XII.

** *Antheris pedunculatis erectis.*

pomiforme 2. BRYUM antheris erectis ſphæricis. *Fl. ſuec.* 988. *Dalib. pariſ.* 317. *Sp. pl.* 1115.
Bryum capillaceum, capſulis ſphæricis. *Dill. muſc.* 339. *t.* 44. *f.* 1. *Fl. lapp.* 400.
Bryum trichoides vireſcens, erectis majuſculis capitulis maliformibus. *Cat. giſſ.* 224. *R. Syn.* 97.
Muſcus trichoides minimus ſericeus capillaceus, capitulis ſphæricis. *Hiſt. ox. III.* 628. *ſ.* 15. *t.* 6. *f.* 6.
Anglis, Round-headed Bryum.
Habitat *in ericetis. On* Hampſtead Heath, *about* Woolwich *and* Shooter's Hill. *R. Syn.* III.

fontanum. 3. BRYUM antheris obliquis ſubrotundis, caule ſimplici geniculis inflexo.
Bryum paluſtre, ſcapis teretibus ſtellatis, capſulis magnis ſubrotundis. *Dill. muſc.* 340. *t.* 44. *f.* 2.
Mnium caule ſimplici geniculis inflexo. *Fl. lapp.* 414. *ſuec* 969. *Sp. pl.* 1110.
Muſcus paluſtris adianto aureo affinis ſcapis tenuibus, foliolis brevibus. *R Syn. ed. I.* 19. *III.* 98.
Muſcus trichoides paluſtris erectus coronatus, capitulis ſphæricis amplioribus. *Hiſt. ox. III.* 628. *ſ.* 15. *t.* 6. *f.* 8.
Anglis, Marſh Bryum.
Habitat *ad fontes et in ſaludibus turfoſis.* VII. VIII.

pyriforme. 4. BRYUM antheris erectis ovatis, calyptra ſubulata, ſurculis acaulibus, foliis ovatis muticis. *Sp. pl.* 1116. *Fl. ſuec.* 989.
Bryum ſerpillifolium pellucidum, capſulis pyriformibus. *Dill. muſc.* 345. *t.* 44. *f.* 6.
Bryum parvum erectis pyriformibus majuſculis capitulis, foliolis ſerpylli pellucidis. *Cat. giſſ.* 223. *R. Syn* 93.
Muſcus coronatus humilis ſtellaris, foliis latiuſculis, capitulis pyriformibus erectis turgidiuſculis. *Hiſt. ox. III.* 631. *ſ.* 15. *t.* 7. *f.* 16.
Anglis, Pear-headed Bryum.
Habitat *in ſratis arenoſis et ad aggeris.* III.

5. BRY-

5. BRYUM anthera erecta oblonga minori, calyptris laxis æqualibus. *Fl ſuec.* 990. *Dalib. pariſ.* 325. *Sp pl.* 1116. *extinctorium.*
Bryum calyptra extinctorii forma minus. *Dill. muſc.* 349. *t* 45. *f.* 8.
Bryum erectis capitulis, calyptra laxa conica, foliis ſerpilli pellucidis anguſtioribus. *Cat. giſſ.* 223. *R. Syn* 92.
Muſcus capillaceus minimus, calyptra longa conoide nitida. *Vaill. pariſ.* 137. *t.* 26. *f.* 1.
β Bryum calyptra extinctorii figura, majus et ramoſum. *Dill. muſc.* 350. *t* 45 *f.* 9.
Anglis, Conic Bryum.
Habitat *in pratis arenoſis, ſed rarius.* II.

6. BRYUM antheris erectis ſubulatis, ſurculis acaulibus *Sp. pl* 1116. *Fl ſuec.* 991 *ſubulatum*
Bryum capſulis longis ſubulatis. *Dill. muſc.* 350. *t.* 45. *f.* 10.
Bryum erectis longis et acutis falcatis capitulis, calyptra ſubfuſca, foliis ſerpilli pellucidis. *Cat. giſſ.* 223. *R. Syn.* 92.
Muſcus capillaris, corniculis longiſſimis incurvis. *R. Syn. ed II.* 29
Anglis, ſubulated Bryum.
Habitat *in aggeribus terrenes humidiuſculis et ſylvis.* III.

7. BRYUM antheris erectiuſculis, foliis piliferis recurvis. *Fl. ſuec.* 992. *Sp pl.* 1116. *Dalib. pariſ.* 320. *It. ſcan.* 118. *rurale.*
Bryum caule erecto, foliis reflexis ſeta terminatis, capitulis falcatis. *Fl. lapp* 397.
Bryum rurale unguiculatum hirſutum elatius et ramoſius. *Dill. muſc.* 352. *t.* 45 *f.* 12.
Bryum majus erectis falcatis capitulis, foliis latiuſculis extantibus, in pilum caneſcentem deſinentibus. *R. Syn.* 94.
Muſcus erectus hirſutus capitulis longis acutis, unguiculis avicularum ſimilibus vulgatiſſimus. *Hiſt. ox. III.* 628. *ſ.* 15. *t.* 6. *f.* 1.

Anglis, Grey Bryum.
Habitat *in muris, tectis, et ad arborum truncos.* III.

murale. 8. BRYUM antheris erectis, foliis piliferis rectiuſculis, ſurculis ſimplicibus ceſpitoſis. *Sp. pl.* 1117. *Fl. ſuec.* 993
Bryum tegulare humile piloſum et incanum. *Dill. muſc* 355 *t.* 45. *f.* 14.
Bryum minus erectis minus falcatis capitulis, foliis latiuſculis congeſtis in pilum caneſcentem deſinentibus. *R. Syn.* 94.
β Bryum humile, pilis carens, viride et pellucidum. *Dill. muſc* 356. *t.* 45 *f.* 15.
Anglis, Wall Bryum
Habitat *in muris, tectis et locis arenoſis.* III.

ſalinum. 9. BRYUM antheris erectiuſculis, pedunculis aggregatis, foliis ſecundis recurvatis, caule declinato. *Fl. ſuec.* 995. *Sp. pl.* 1117.
Bryum reclinatum, foliis falcatis, ſcoparum effigie. *Dill. muſc.* 357. *t.* 46. *f.* 16.
Bryum erectis capitulis anguſtifolium, caule reclinato. *Cat. giſſ.* 222. *R. Syn.* 95.
Muſcus coronatus medius, foliis tenuiſſimis pallidis longioribus, capitulis erectis acutis. *Hiſt. ox. III.* 630. *ſ.* 15. *t.* 7. *f.* 11.
Anglis, Broom Bryum.
Habitat *in ericetis.* III. IV.

undulatum. 10. BRYUM antheris erectiuſculis, pedunculis ſubſolitariis, foliis lanceolatis carinatis undulatis patentibus ſerratis. *Sp. pl.* 1117. *Fl. ſuec.* 996.
Bryum phyllitidis folio rugoſo acuto, capſulis incurvis. *Dill. muſc.* 360. *t.* 46. *f.* 18.
Bryum capitulis oblongis rubentibus, foliis oblongis anguſtis pellucidis rugoſis. *Cat. giſſ.* 222. *R. Syn.* 95.
Anglis, curled Bryum.
Habitat *in aggeribus umbroſis et ſylvis.* XII, I.

11. BRY-

11. BRYUM antheris erectiuſculis, operculo arcuato, foliis erectis, imbricatis, ſurculis ramoſis. *Sp. pl.* 1118. *Fl ſuec.* 994 *glaucum.*
Bryum albidum et glaucum fragile majus, foliis erectis ſetis brevibus. *Dill muſc.* 362. *t.* 46. *f* 20.
Bryum trichoides erectis capitulis, albidum fragile. *Cat. giſſ.* 225. *R. Syn.* 97.
Muſcus trichoides montanus albidus fragilis. *Hiſt. ox. III* 630 *ſ.* 15. *t.* 6. *f.* 22.
Anglis, white Bryum.
Habitat *in ericetis montoſis.* X, XI.

12. BRYUM antheris erectiuſculis, foliis recurvis acutis caule hirſuto. *Sp. pl* 1118. *Fl. ſuec* 997. *pellucidum.*
Bryum paluſtre pellucidum, capſulis et foliis brevibus recurvis. *Dill. muſc.* 364. *t.* 46 *f.* 23.
Bryum erectis capitulis ſubrotundis fuſcis, foliis minoribus pellucidis rugoſis. *R. Syn* 96.
β Bryum erectis capitulis brevibus, foliis reflexis. *Dill. muſc.* 365. *t.* 46. *f.* 24.
Anglis, pellucid Bryum
Habitat *in paluſtribus et umbroſis humidis.*

13 BRYUM antheris erectis, operculo aciformi, foliis erectis ſubſecundis. *Sp. pl.* 1118. *aciculare.*
Bryum montanum hemiheterophyllum, operculis acutis *Dill. muſc.* 366. *t* 46. *f.* 25.
Bryum hypnoides erectum montanum, erectis capitulis acutis. *R. Syn.* 94
Anglis, Mountain Bryum.
Habitat *in montoſis in Occidentalibus* Eboracenſis *comitatus*, D. Richardſon; *prope* Llanberris *in* Arvonia, D. Dillenius. VIII.

14 BRYUM antheris erectis, foliis ſetaceis, pedunculis flexuoſis. *Sp. pl* 1118. *Fl. ſuec.* 998. *flexuoſum.*
Bryum piloſum molle, ſetis intortis. *Dill. muſc.* 373. *t.* 47 *f* 33.
Bryum trichoides capitulis erectis, pediculis intortis tenuibus virentibus. *Cat. giſſ.* 225. *R. Syn.* 97.
Anglis, ſoft Bryum.
Habitat *in rupibus circa* Llanberris. Dill.

heteromallum. 15. BRYUM antheris erectis, foliis ſetaceis ſecundis. *Sp. pl.* 1118. *Fl. ſuec.* 999.
Bryum heteromallum. *Dill. muſc.* 375. *t.* 47. *f.* 37.
Bryum trichoides reclinatis cauliculis, capitulis erectis acutis. *R. Syn* 96.
β Bryum piloſum interrupte falcatum. *Dill. muſc.* 376. *t.* 47. *f.* 38.
Anglis, Heath Bryum.
Habitat *in ericetis.* X.

tortuoſum. 16. BRYUM antheris erectis, foliis ſetaceis imberbibus: arefactione retortis. *Sp. pl* 1119. *Fl. ſuec.* 1000.
Bryum alpinum crinium criſporum ſimile, capſula barbata. *Hall helv.* 110. *t.* 4. *f.* 2.
Bryum cirratum, ſetis et capſulis longioribus. *Dill. muſc.* 377. *t* 48. *f.* 40.
Bryum trichoides longiſolium craſſiuſculis cauliculis, capitulis erectis aduncis acutis. *R. Syn.* 98.
Anglis, twiſted Bryum.
Habitat *in montoſis*; *in comitatu* Eboracenſi, D. Richardſon, *in* Cambria. *Dill. muſc.* VIII. X.

truncatulum. 17. BRYUM antheris erectis ſubrotundis, operculo mucronato. *Sp. pl.* 1119 *Fl. ſuec* 1001.
Bryum exiguum, creberrimis capſulis rufis. *Dill. muſc.* 347. *t.* 45 *f.* 7.
Bryum exiguum erectis parvis ſubrotundis creberrimis capitulis rufis, foliolis ſerpilli anguſtis pellucidis. *Cat. giſſ.* 223. *R. Syn* 94
Muſcus coronatus minimus, foliis et capitulis oblongis in pediculis breviſſimis. *Hiſt. ox. III.* 631. *ſ.* 15. *t.* 7. *f.* 18.
β Bryum parvum erectis ſubrotundis majuſculis capitulis ſubfuſcis, foliis ſerpilli pellucidis. *Cat. giſſ.* 223. *R. Syn.* 93.
Anglis, brown Bryum.
Habitat *in pratis et paſcuis.* II.

viridulum. 18. BRYUM antheris erectis ovatis, foliis lanceolatis acuminatis imbricato-patulis. *Fl. ſuec.* 1002. *Sp. pl.* 1119.

Bryum

Bryum capillaceum breve, pallide et læte virens, capſulis ovatis. *Dill. muſc* 380. *t.* 48 *f.* 43.
Bryum trichoides exile, erectis capitulis in pediculis breviſſimis. *Cat giſſ.* 224. *R. Syn.* 97.
Anglis, green Bryum.
Habitat *in aggerribus foſſarum et ad margines ſepium arenoſos.* XII, II.

19. BRYUM antheris erectis, foliis arefactione revolutis. *cirratum.*
Bryum cirratum et ſtellatum, tenuioribus foliis. *Dill. muſc.* 379. *t.* 48. *f.* 42.
Bryum trichoides exile, erectis capitulis in pediculis longioribus rubris. *Cat. giſſ.* 224 *R. Syn* 97.
Mnium foliis arefactione revolutis. *Sp. pl.* 1111.
Muſcus coronatus minimus, capillaceis foliis, capitulis oblongis. *Hiſt. ox. III* 631. *ſ.* 15. *t.* 7. *f.* 19.
β Bryum trichoides erectis ſublongis capitulis, extremitatibus per ſiccitatem ſtellatis. *R. Syn.* 98.
Bryum cirratum, ſetis et capſulis brevioribus et pluribus. *Dill. muſc.* 378. *t.* 48. *f.* 41.
γ Bryum peranguſtis et breviſſimis foliis, extremitatibus ſtellatis. *Cat giſſ.* 226. *R. Syn.* 98.
Anglis, ſtarry Bryum.
Habitat *in ſylvis et ad ſepes.* III.

20. BRYUM antheris erectis ore non ciliato foliis carinatis patulis. *imberbe.*
Bryum tenue imberbe et pallidum, foliis crebrioribus. *Dill. muſc.* 382. *t.* 48. *f.* 46.
Bryum peranguſtis foliis et cauliculis, foliis crebrioribus et circa extremitates magis congeſtis, capitulis erectis, ad ſummitatem magis egredientibus. *Cat. giſſ.* 225. *R. Syn.* 99.
Anglis, Beardleſs Bryum.
Habitat *in locis arenoſis gramineis et ad ſepes.* III.

21. BRYUM antheris erectis, operculis filiformibus longitudine capitulorum. *ſetaceum.*
Bryum ſtellare nitidum pallidum, capſulis tenuiſſimis. *Dill. muſc.* 381. *t.* 48. *f.* 44.

Bryum

Bryum trichoides exile pallidum, erectis capitulis e ſurculis annotinis egredientibus. *R. Syn.* 96.

Mnium antheris erectis, operculis filiformibus longitudine capitulorum. *Sp. pl.* 1111 *Fl. ſuec.* 974.

β Bryum ſtellare lacuſtre, foliis rubris capillaceis. *Dill. muſc.* 382. *t* 48. *f.* 45.

Anglis, pale Bryum.

Habitat *in aggeribus foſſarum, ſepibus et muris.* III.

unguiculatum. 22. BRYUM antheris erectis oblongis, pedunculis axillaribus, foliis erectis acutis carinatis.

Bryum unguiculatum et barbatum, ſurculis in ſummitate craſſioribus. *Dill muſc.* 383. *t.* 48. *f.* 47.

Bryum anguſtis viridibus foliis, capitulis erectis, brevibus pediculis inſidentibus, calyptra falcata vel avium unguiculos referente *R. Syn.* 96

Muſcus capillaris, capitulis erectis lageniformibus. *Buxb. cent. II.* 9. *t.* 2. *f.* 9.

Anglis,

Habitat *in muris et locis arenoſis.* III.

Obſ. *Caule erecto ſubramoſo. Foliis luteo-viridibus. Pedunculis brevibus ex alis foliorum enaſcentibus.*

paludoſum 23. BRYUM acaulon, foliolis ſetaceis, antheris obtuſiſſimis patulis. *Sp. pl.* 1119. *Fl. ſuec.* 1004.

Bryum trichoides acaulon paluſtre minimum, ſetis et capſulis breviſſimis. *Dill. muſc* 387. *t.* 49. *f.* 53.

Anglis, dwarf Bryum.

Habitat *in paluſtribus in comitatu* Eboracenſi. D. Richardſon. III.

Hypnoides 24. BRYUM antheris erectis, caule erectiuſculo, ramis lateralibus brevibus fertilibus. *Fl. lapp.* 396. *ſuec.* 1003. *Sp. pl.* 1119.

Bryum hypnoides, hirſute caneſcens, vulgare. *Dill. muſc.* 368 *t.* 47. *f.* 27.

Bryum trichoides erectis capitulis, lanuginoſum. *Cat. giſſ.* 224. *R. Syn.* 97.

β Bryum hypnoides, hirſute vireſcens faſciculare alpinum. *Dill. muſc.* 370. *t.* 47 *f.* 28

γ Bryum hypnoides alpinum, ſetis et capſulis exiguis. *Dill. muſc.* 370. *t.* 47. *f.* 29.

δ Bryum hypnoides alpinum, operculis obtuſis. *Dill. muſc.* 271. *t.* 47 *f.* 30.

ε Bryum hypnoides, ericæ facie, capſulis barbatis alpinum. *Dill. muſc.* 371 *t* 47. *f.* 31.

Bryum hypnoides capitulis plurimis erectis, non lanuginoſum. *R. Syn.* 478.

ζ Bryum hypnoides polycephalon lanuginoſum alpinum. *Dill. muſc* 372. *t.* 47 *f.* 32.

Bryum hypnoides capitulis plurimis erectis, lanuginoſum. *R Syn.* 97.

Muſcus terreſtris vulgari ſimilis lanuginoſus. *R. Syn. ed. I.* 18. *ed. II.* 37. *Hiſt. ox. III.* 625. *f.* 15. *t.* 5. *f.* 7.

η Bryum hypnoides aquaticum calyptris nigris acutis. *Dill. muſc* 367. *t.* 46. *f.* 26.

Bryum hypnoides repens aquaticum, erectis capitulis acutis. *R. Syn.* 94.

Anglis, Woolly Bryum.

Habitat *in montoſis in comitatibus* Eboracenſi, Weſtmorlandico *et* Cumberlandico *frequens*, *in monte* Snowdon *dicto in* Cambria *copioſe* : Dill. XII.

25. BRYUM antheris erectis, pedunculis arefactione contortis foliis piliferis, ſurculis faſtigiatis. *Sp. pl. tum.* 1120. *verticillatum*

Bryum piloſum verticillatum. *Dill. muſc.* 374. *t.* 47. *f.* 35.

Brium trichoides brevifolium anguſtis cauliculis, capitulis erectis parvis et minus aduncis. *R. Syn.* 98.

β Bryum piloſum, ſphagni ſubulati facie. *Dill. muſc.* 374. *t.* 47. *f.* 34.

Anglis, verticillated Bryum.

Habitat *in montoſis in comitatu* Eboracenſi, D. Richardſon. *R. Syn. in rupibus maritimis prope* Bangor. D. Brewer. Dill.

26. BRYUM antheris erectis ſubrotundis, axillaribus, foliis ſubulatis diſtantibus. *paluſtre.*

Bryum paluſtre æſtivum, confervæ facie. *Dill. muſc.* 375. *t.* 47. *f.* 36.

Bryum anguſtiſſimis foliis crebrioribus, capitulis erectis

tis brevibus, pediculis e ſurculis novis et longis enaſcentibus. *R. Syn.* 99.

Anglis, Water Bryum.

Habitat *in paluſtribus in comitatu* Eboracenſi. D. Richardſon. III.

purpureum. 27. BRYUM antheris obliquis, caule dichotomo, axillis pedunculiferis, foliis carinatis.

Bryum tenue ſtellatum, ſetis purpureis. *Dill. muſc.* 386. *t.* 49. *f.* 51.

Bryum peranguſtis foliis et cauliculis, foliis crebrioribus et circa ſummitates magis congeſtis, capitulis erectis e ſurculis annotinis egredientibus. *Cat. giſſ.* 226. *R. Syn.* 99.

β Bryum unguiculatum et barbatum, tenuius et ſtellatum. *Dill. muſc.* 384. *t.* 48. *f.* 48.

γ Bryum tenue barbatum, foliis anguſtioribus et rarioribus. *Dill. muſc.* 385. *t.* 48. *f.* 49.

Bryum peranguſtis foliis et cauliculis foliis rarioribus cinctis, capitulis erectis, e ſurculis annotinis egredientibus. *Cat. giſſ.* 225. *R. Syn.* 99.

δ Bryum polytrichoides paluſtre, ſetis longioribus rubris ſericeis. *Dill. muſc.* 387. *t.* 49. *f.* 52.

Bryum peranguſtis crebrioribus foliis, capitulis erectis longiuſculis, pediculis e ſurculis annotinis naſcentibus. *R. Syn.* 99.

Anglis, purple Bryum.

Habitat *in muris ericetis et paſcuis glareoſis.* III. IV.

*** *Antheris nutantibus.*

aureum. 28. BRYUM antheris pendulis turbinatis, ſtipite filiformi, foliis enſiformibus nitidis.

Bryum trichoides aureum, capitulis pyriformibus nutantibus Cat. Nottingh. app. Dill. muſc. 391. t. 50 f. 60.

Mnium antheris pendulis turbinatis, ſtipite filiformi, floribus femineis ſetiferis. Sp. pl. 1112.

Anglis, golden Bryum.

Habitat *in rupibus* Parci Nottinghamenſis. D. Car. Deering. IV. V.

29. BRY-

29. BRYUM antheris pendulis, ſurculis cylindricis imbricatis lævibus. *Sp. pl.* 1120. *Fl. ſuec.* 1008. *argenteum*
Bryum pendulum julaceum argenteum et ſericeum. *Dill. muſc.* 392. *t.* 50. *f.* 62.
Bryum capitulis ſubrotundis reflexis, cauliculis teretibus argenteis. *Cat. giſſ* 226. *R. Syn.* 100.
Muſcus minimus e viridi argenteus, capitulis oblongis cernuis. *Hiſt. ox. III.* 629. *ſ.* 15 *t* 6. *f.* 17.
β Bryum pendulum, ſurculis teretibus viridibus. *Dill. muſc.* 394. *t.* 50. *f.* 63.
Anglis, ſilver Bryum.
Habitat *in tectis, muris et apricis.* XII.

30. BRYUM antheris ſubrotundis, pedunculis reflexis, foliis piliferis. *Fl. ſuec.* 1009. *Sp. pl.* 1121. *Datum. lib. pariſ* 321. *pulvinatum*
Bryum orbiculare pulvinatum hirſutie caneſcens, capſulis immerſis. *Dill. muſc.* 395. *t.* 50. *f.* 65.
Bryum trichoides hirſutie caneſcens, capitulis ſubrotundis reflexis, in perbrevibus pediculis. *Cat. giſſ.* 226. *R. Syn.* 100.
Muſcus trichoides hirſutus, capitulis oblongis reflexis, pediculis brevibus inſidentibus. *R. Syn. ed. I.* 243. *Hiſt ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 21.
Anglis, grey Bryum.
Habitat *in muris et tectis.* IV.

31. BRYUM anthera oblonga nutante, foliis ſubulatis, caule ſimpliciſſimo, medio pedunculifero. *rubrum.*
Bryum trichoides, capſulis rubris cernuis. Dill. muſc. 390. t. 50. f. 59.
Anglis, red Bryum.
Habitat *in locis gramineis ſed rarius.*

32 BRYUM antheris pendulis, foliis lanceolatis acuminato-ſetaceis, pedunculis longiſſimis. *Sp. pl.* 1121. *Fl. ſuec* 1010. *cæſpiticium.*
Bryum pendulum ovatum cæſpiticium et piloſum, ſeta bicolori. *Dill. muſc.* 396. *t.* 50. *f.* 66.

Bryum

Bryum trichoides capitulis reflexis, pediculis ima medietate rubris, ſumma luteo-virentibus. *Cat. giſſ.* 226. *R. Syn.* 100.

Muſcus trichoides capitulo parvo reflexo, pediculo ima medietate rubro, ſumma luteo-viridi. *Hiſt. ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 15.

Anglis, matted Bryum.

Habitat *in muris antiquis et glareoſis.* III.

capillare. 33. BRYUM antheris pendulis, foliis ovatis ſetiferis carinatis, pedunculis longiſſimis. *Sp. pl.* 1121.

Bryum foliis latiuſculis congeſtis, capſulis longis nutantibus. *Dill. muſc.* 398. *t.* 50. *f* 67.

Bryum capitulis reflexis, foliolis latiuſculis congeſtis. *Cat. giſſ.* 227. *R. Syn.* 100.

Muſcus capillaris foliolis latiuſculis congeſtis, capitulis oblongis reflexis. *Hiſt. ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 19.

β Bryum capitulis reflexis foliis congeſtis latioribus et pellucidis. *R. Syn.* 101.

Anglis, capillary Bryum.

Habitat *in ſylvis et ericetis ſolo glareoſo.* III.

annotinum 34. BRYUM antheris oblongis nutantibus, foliis ovatis acuminatis pellucidis, pedunculis ſubradicalibus.

Bryum annotinum lanceolatum pelludicum, capſulis oblongis pendulis. *Dill. muſc.* 399. *t.* 50. *f.* 68.

Mnium foliis ovatis acuminatis pellucidis, pedunculis radicalibus, anthera nutante. *Sp. pl.* 1111.

Anglis, long-leaved Bryum.

Habitat *in ſylvis et umbroſis humidis.* III.

carneum. 35. BRYUM antheris pendulis ſubgloboſis, foliis acutis alternis. *Sp. pl.* 1122. *Fl. ſuec.* 1011.

Bryum lanceolatum pellucidum capſulis rotundis pendulis, carneis. *Dill. muſc.* 400. *t* 5. *f.* 69.

Bryum nitidum foliis ſerpilli pellucidis anguſtioribus reflexis capitulis ſubrotundis, carnei coloris. *R. Syn.* 102

β Bryum nitidum peranguſtis ſerpillinis pellucidis foliis, reflexis capitulis ſubrotundis virentibus. *R. Syn.* 102.

Anglis,

Anglis, ſhining Bryum.
Habitat *in locis udis* ; *ad foſſulas pratorum inter* Blackheath *et* Eltham, *et prope* Darking *in* Surrienſi *comitatu*. *Dill. muſc.* III.

36. BRYUM antheris oblongis pendulis, calyptra recurvata, foliis ovatis acutis pellucidis *crudum*.
Bryum pendulum hornum molle, foliis et lanceolatis et gramineis. *Dill. muſc.* 401. *t.* 50. *f.* 70.
Mnium antheris pendulis, calyptra recurvata, foliis pellucidis. *Sp. pl.* 1112.
Anglis, Spear-leaved Bryum.
Habitat *in locis udis in* Cambra. Dill. muſc. III.

37. BRYUM anthera oblonga pendula: foliis ovatis acuminatis carinatis, furculis ramoſis, axillis pedunculiferis. *alpinum*.
Bryum hypnoides pendulum ſericeum, coma inſigni atro-rubente. *Dill. muſc.* 394. *t.* 50. *f.* 64.
Anglis, Alpine Bryum.
Habitat *prope Caſtellum quoddam dirutum, non longe a* Llanberris, *in rupibus tenui terra tectis*. Dill. muſc.

38. BRYUM antheris oblongis nutantibus, pedunculo curvato, foliolis ovatis margine ſcabris. *hornum*.
Bryum ſtellare hornum ſylvarum, capſulis magnis nutantibus. *Dill. muſc.* 402. *t.* 51. *f.* 71.
Bryum nitidum capitulis majoribus reflexis, calyptra imum virgente, pediculis oblongis e cauliculis novis egredientibus. *R. Syn.* 102.
Mnium antheris pendulis, pedunculo curvato, furculo ſimplici, foliolis margine ſcabris. *Sp. pl.* 1112. *Fl. ſuec.* 977.
β Bryum nitidum foliis ſerpilli anguſtioribus, medium. *Cat. giſſ.* 228. *R. Syn.* 103.
Muſcus polytrichoides humilior, foliis brevioribus rariis, pallide viridantibus et vix pellucidis. *Hiſt. ox. III.* 630. *ſ.* 15. *t.* 6. *f.* 3.
Anglis, rough Bryum.
Habitat *in ſylvis et ericetis*. IV. V.

39 BRY-

triquetrum. 39. BRYUM antheris oblongis pendulis, foliis trifaris ſubulato-lanceolatis carinatis, furculis ramoſis.

Bryum annotinum paluſtre, capſulis ventricoſis pendulis. *Dill. muſc.* 404. *t.* 51. *f.* 72.

Bryum nitidum foliis ſerpilli anguſtioribus, majus. *Cat. giſſ.* 228. *R. Syn.* 102.

Mnium foliis trifariis patulis ſubulato-lanceolatis carinatis. *Sp. pl.* 1114.

Muſcus capillaris major et elatior, capitulis longis et obtuſis deorſum reflexis et veluti pendulis prælatis pediculis rubris. *Hiſt. ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 20.

β Bryum lanceolatum bimum, ſetis et capſulis longis pendulis. *Dill. muſc.* 405. *t.* 51. *f.* 73.

Bryum nitidum foliis ſerpilli pellucidis anguſtis, capitulis tumidis nutantibus, prælatis pediculis e furculis annotinis egredientibus. *R. Syn.* 102.

γ Bryum paluſtre complicatum rubens, capſulis turbinatis pendulis. *Dill. muſc.* 406. *t.* 51. *f.* 74.

Bryum nitidum rubens capitulis reflexis, foliis anguſtis pellucidis, caulinis proliferis. *R. Syn.* 102.

Anglis, triangular Bryum.

Habitat *in paludibus turfoſis.* IV.

tetragonum. 40. BRYUM anthera nutante, calyptra reflexa tetragona.

Bryum bulbiforme aureum, calyptra quadrangulari, capſulis piriformibus nutantibus. Dill. muſc. 407. *t.* 52. *f.* 75.

Bryum aureum, capitulis reflexis piriformibus, calyptra quadrangulari, foliis in bulbi formam congeſtis. R. Syn. 101.

Muſcus capillaris, ſ. adiantum aureum minus. Ger. Em. 1559.

Polytrichon aureum minus. Park. 1052.

Anglis, yellow Bryum.

Habitat *in ſylvis, cricetis, hortis et ad ſemitas.* IV.

ſerpyllifolium. 41. BRYUM antheris pendulis, pedunculis aggregatis, foliis patentibus pellucidis.

Mnium

Mnium pedunculis aggregatis, foliis obovatis integerrimis obtuſis punctatis. *Sp pl* 1113. punctatum.
Bryum pendulum ſerpillifolio rotundiore pellucido, capſulis ovatis. *Dill. muſc.* 416. *t.* 53. *f.* 81.
Bryum nitidum ſerpilli rotundis et latioribus foliis pellucidis. *R. Syn.* 103.
Muſcus polytrichoides paluſtris major, ſerpilli latiori folio pellucido. *Hiſt. ox. III.* 627. *ſ.* 15 *t.* 6. *f.* 39, 40.
β Mnium pedunculis aggregatis foliis alternis acutis ſerratis. *Sp. pl.* 1113. cuſpidatum.
Bryum pendulum, foliis variis pellucidis capſulis ovatis. *Dill. muſc.* 413. *t.* 53. *f.* 79.
γ Bryum pendulum, ſerpilli folio longiore pellucido, capſulis oblongis cuſpidatis. *Dill. muſc.* 416. *t.* 53. *f* 80.
δ Mnium pedunculis aggregatis foliis roſaceo-congeſtis lanceolatis acutis. *Sp pl.* 1113. proliferum.
Bryum ſtellare roſeum majus capſulis ovatis pendulis. *Dill. muſc.* 411. *t.* 52. *f.* 77.
Bryum roſeum majus, foliis oblongis. *R. Syn.* 92.
Muſcus coronatus humilis, foliolis latioribus ſtellatim naſcentibus donatus. *Hiſt. ox. III.* 630. *ſ.* 15. *t.* 7. *f.* 9.
ε Bryum ſtellare roſeum pendulum minus, capſulis et ſetis longioribus. *Dill. muſc.* 412. *t.* 52. *f.* 78.
Bryum roſeum minus, foliis ſubrotundis. *R. Syn.* 92.
Muſcus parvus ſtellaris. *Bauh. pin.* 361. *Ger. Em.* 1563. *Park.* 1308.
ζ Mnium pedunculis aggregatis, foliis oblongis undulatis. *Sp. pl.* 1113 undulatum.
Bryum dendroides polycephalon, phyllitidis folio undulato pellucido, capſulis ovatis pendulis. *Dill. muſc.* 410. *t.* 52. *f.* 76.
Bryum nitidum foliis oblongis undulatis, capitulis cernuis arbuſculam referens. *Cat. giſſ.* 227. *R. Syn.* 103.
Muſcus ad polytrichoidem accedens ramoſus, foliis longis lucidis et veluti criſpis. *Hiſt. ox. III.* 630. *ſ.* 15 *t* 6. *f.* 1.
Anglis, Thyme-leaved Bryum.
Habitat *in ſylvis et ericetis humidiuſculis.* III, IV.

HYPNUM. 1058.

Anthera *operculata*. Calyptra *lævis*. *Filamentum laterale ortum e pericbætio.*

Fem. *Piſtilli ſolitarii, ex alis foliorum, nudæ plumulæ.*

* *Frondibus pinnatis.*

bryoides. 1. HYPNUM fronde ſimpliciſſima pinnata lanceolata apice pedunculifera. *Sp. pl.* 1123. *Fl. ſuec.* 1012.

Hypnum taxiforme exiguum, verſus ſummitatem capſuliferum. *Dill muſc.* 262. *t.* 34. *f.* 1.

Hypnum repens filicifolium non ramoſum, pediculis brevibus verſus foliorum ſummitatem egredientibus. *R. Syn.* 88.

Muſcus polytrichoides exiguus, capitulis in extremis cauliculis ſ. foliis, ſubrotundis erectis. *Hiſt. ox. III.* 629. *ſ.* 15. *t.* 6. *f.* 11.

Anglis, Fern Hypnum.

Habitat *in umbroſis et ad ſepes.* II.

taxifolium 2. HYPNUM fronde ſimpliciſſima pinnata lanceolata baſi pedunculitera. *Sp. pl.* 1122. *Fl. ſuec.* 1013.

Hypnum taxiforme minus, baſi capſulifera. *Dill. muſc.* 263. *t.* 34. *f.* 2.

Hypnum repens filicifolium non ramoſum, pediculis brevioribus ad radicem egredientibus. *R. Syn.* 88.

Muſcus pennatus, capitulis adianti. *Vaill. pariſ.* 136. *t.* 24. *f.* 11.

Anglis, Yew-leaved Hypnum.

Habitat *in ſylvis et umbroſis.* II.

denticulatum. 3. HYPNUM fronde pinnata ſimplici : pinnis duplicatis, baſi pedunculifera. *Sp. pl.* 1122. *Fl. ſuec.* 1014.

Hypnum denticulatim pennatum, pinnulis duplicatis recurvis. *Dill. muſc.* 266. *t.* 34 *f.* 5.

Hypnum repens filicifolium non ramoſum, pediculis et capitulis longioribus ad radicem egredientibus, foliolis utrinque duplicatis. *Cat. giſſ.* 218. *R. Syn.* 88.

Muſcus

Muſcus pennatus capitulis adianti. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 6. *f.* 36.
Anglis, Feathered Hypnum.
Habitat *in ſylvis et umbroſis humidis*. IV.

4. HYPNUM fronde pinnata ramoſa procumbens: foliolis acutis, medio pedunculifera. *ſylvaticum.*
Hypnum denticulatim pennatum, pinnulis ſimplicibus rectioribus. *Dill. muſc.* 267. *t.* 34. *f.* 6
Hypnum repens filicifolium ramoſum, pedunculis et capitulis longioribus e foliorum alis egredientibus, foliolis utrinque ſimplicibus. *R. Syn.* 88.
Anglis, Wood Hypnum.
Habitat *in ſylvis ad arborum radices*. IV.

5. HYPNUM fronde pinnata ramoſa erecta medio pedunculifera. *Sp. pl.* 1123. *adiantoides.*
Hypnum taxiforme paluſtre ramoſum majus et erectum. *Dill. muſc.* 264. *t.* 34. *f.* 3.
Hypnum erectum filicifolium ramoſum, pinnulis acutis. *R. Syn.* 87.
Muſcus taxiformis ramoſus. *Vaill. pariſ.* 136. *t.* 28. *f.* 5.
Anglis, upright Hypnum.
Habitat *in paludoſis*. III.

6. HYPNUM fronde pinnata ramoſa: foliolis imbricatis acutis complicatis compreſſis. *Sp. pl.* 1123. *Fl. ſuec.* 1015. *complanatum.*
Hypnum pennatum compreſſum et ſplendens, capſulis ovatis. *Dill. muſc.* 268. *t.* 34. *f.* 7.
Hypnum repens filicifolium ramoſum, ramulis appreſſis et magis complanatis. *Cat. giſſ.* 218. *R. Syn.* 87.
β Hypnum pennatum trichomanoides ſplendens ramoſum. *Dill. muſc.* 269. *t.* 34. *f.* 8.
Hypnum erectum filicifolium ramoſum pinnulis obtuſis. *R. Syn.* 87.
Anglis, Flat Hypnum.
Habitat *ad truncos arborum in ſylvula* Hampſtead Wood *dicta*. III. IV.

** *Surculis vagis.*

lucens. 7. HYPNUM ſurculis ramoſis, frondibus ſubpinnatis foliolis punctatis *Sp. pl* 1124.
Hypnum pennatum aquaticum lucens, longis latiſque foliis. *Dill muſc.* 270. *t.* 34 *f.* 10
Hypnum repens filicifolium ramoſum, foliolis majoribus magiſque crebris. *R. Syn.* 88.
Anglis, ſhining Hypnum.
Habitat *in umbroſis udis et ad foſſas ſed rarius.* III.

undulatum. 8. HYPNUM ſurculis ramoſis, frondibus ſubpinnatis, foliolis undulatis complicatis. *Sp. pl.* 1124.
Hypnum pennatum undulatum, lycopodii inſtar ſparſum. *Dill muſc.* 271. *t.* 36. *f.* 11.
Hypnum repens criſpum, cauliculis compreſſis, lycopodii in morem per terram ſparſis. *R. Syn.* 88.
Anglis, waved Hypnum.
Habitat *in ſylvis*, *in* Biſhop's-Wood, Hampſtead, Mr. Buddle. *R. Syn.* V.

criſpum. 9. HYPNUM ſurculis ramoſis, frondibus ſubpinnatis: foliolis undulatis planis. *Sp. pl.* 1124.
Hypnum pennatum undulatum criſpum, ſetis et capſulis brevibus. *Dill. muſc.* 273. *t.* 36. *f.* 12.
Hypnum repens criſpum, ramulis compreſſis, filicinorum more diſpoſitis. *Cat. giſſ.* 217. *R. Syn.* 89.
Anglis curled Hypnum.
Habitat *ad ripam* Thameſis *prope* Graveſend, D. Doody. *R. Syn. in rupe* S. Vincentii *prope* Briſtolium. *Dill.* III.

triquetrum. 10. HYPNUM ramis vagis recurvis, foliis ovatis recurvatis patulis. *Sp. pl.* 1124 *Fl. ſuec.* 1016.
Hypnum vulgare triangulum maximum et pallidum, *Dill. muſc.* 293. *t.* 38. *f.* 28.
Hypnum repens triangularibus majoribus et pallidioribus foliis. *Cat. giſſ.* 219. *R. Syn.* 80.
Anglis, triangular Hypnum.
Habitat *in ſylvis et ſepibus.* II.

11. HYPNUM ſurculis vagis ramoſiſſimis, ramis filiformibus, antheris obliquis. *filiciforme.*
Hypnum ſericeum ramoſius et tenuius capſulis acuminatis. *Dill. muſc.* 327. *t.* 42. *f.* 62.
Hypnum repens trichoide terreſtre, priori viridius et minus, capitulis cernuis minus tumidis. *Cat. giſſ.* 216. *R. Syn.* 84.
Uſnea ſeu Muſcus cranio humano innatus. *Dood. R. Syn. ed. II.* 36.
Anglis, green Hypnum.
Habitat *in truncis arborum.* II.

12. HYPNUM ramis vagis ſubrepentibus, foliolis ovatis mucronatis imbricatis. *Sp. pl.* 1124. *rutabulum.*
Hypnum dentatum vulgatiſſimum, operculis obtuſis. *Dill. muſc.* 295. *t.* 38. *f.* 29.
Hypnum repens ttiangularibus anguſtioribus foliis. *R. Syn* 80.
Muſcus denticulatus minor ſericeus noſtras, capitulis adianti. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 6. *f.* 35.
β Hypnum paluſtre erectum breve, foliis brevibus anguſtis tenuibus confertis. *Cat. giſſ.* 219. *R. Syn.* 83.
γ Hypnum vulgare dentatum, operculis cuſpidatis. *Dill muſc.* 297. *t.* 38. *f.* 30.
Hypnum repens, triangularibus minoribus foliis pediculis et capitulis brevioribus et tumidioribus, minus. *R. Syn.* 80.
Anglis, Toothed Hypnum.
Habitat *in ericetis, ſylvis et ſepibus.* XII.

13. HYPNUM ſurculis vagis procumbentibus, foliis ſubulatis, antheris obliquis. *luteſcens.*
Hypnum ſericeum, ſurculis longioribus et rectioribus, capſulis incurvis. *Dill. muſc.* 325. *t.* 42. *f.* 60.
Anglis, yellow Hypnum.
Habitat *in collibus cretaceis inter* Northfleet *et* Graveſend. *Dill* I, II.

*** *Surculis pennatis.*

filicinum. 14. HYPNUM ſurculis pennatis: ramulis diſtantibus, foliis imbricatis incurvis acutis ſecundis. *Sp. pl.* 1125. *Fl. ſuec.* 1017.
Hypnum repens filicinum criſpum. *R. Syn.* 85. *Dill muſc.* 282. *t.* 36. *f* 19.
β Hypnum repens filicinum, trichoides paluſtre. *R. Syn.* 83. *Dill. muſc.* 286. *t.* 35. *f.* 21.
γ Hypnum repens trichoides paluſtre vernum fuſcum capitulis oblongis incurvis. *R. Syn.* 85.
Anglis, Bog Hypnum.
Habitat *in paluſtribus.* III.

proliferum. 15. HYPNUM ſurculis proliferis plano-pinnatis, pedunculis aggregatis. *Sp. pl.* 1125. *Fl. lapp.* 405. *ſuec.* 1018.
Hypnum filicinum, tamariſci foliis minoribus non ſplendentibus. *Dill. muſc.* 276. *t* 35. *f.* 14
Hypnum repens filicinum minus, luteo-virens. *Cat. giſſ.* 217. *R. Syn.* 86.
Anglis, Proliferous Hypnum.
Habitat *in ericetis et ſylvis.* II.

parietinum. 16. HYPNUM ſurculis plano-pinnatis continuatis, pedunculis aggregatis *Fl. lapp.* 406. *ſuec.* 1020. *Sp. pl.* 1125.
Hypnum filicinum, tamariſci foliis majoribus ſplendentibus. *Dill. muſc.* 274. *t.* 35. *f.* 13.
Hypnum repens filicinum, veluti ſpicatum. *Cat. giſſ.* 217. *R Syn.* 86.
Muſcus filicinus major. *Ger. Em.* 1561. *Park.* 1309. *Bauh. pin.* 360.
Anglis, Wall Hypnum
Habitat *in ſylvis et umbroſis.* III.

prælongum. 17. HYPNUM ſurculis ſubpinnatis decumbentibus: ramulis remotis, foliis ovatis, antheris cernuis. *Sp. pl.* 1125. *Fl. ſuec.* 1021.

Hypnum

Hypnum filicinum, triangularibus parvis foliis, prælongum. *Cat. giſſ.* 219. *R. Syn.* 80. *Dill. muſc.* 278. *t.* 35. *f.* 15.
Anglis, Trailing Hypnum.
Habitat *in arborum truncis, lignis putreſcentibus et terris.* II, III.

18. HYPNUM ſurculis pinnatis repentibus, ramis confertis foliis imbricatis ſubulatis, antheris erectis. *plumoſum.*
Hypnum repens filicinum plumoſum. *R. Syn.* 86. *Dill. muſc.* 280. *t.* 35. *f.* 16.
Muſcus ſericeus quidam, forte arboreus. *Bauh. hiſt. III.* 765.
Anglis, Winged Hypnum.
Habitat *in muris lateritiis circa* Londinum, *et ad arborum truncos et radices in ſylva* Enfieldenſi. II.

19. HYPNUM ſurculis pinnatis: ramulis approximatis: apicibus recurvis. *Fl. ſuec.* 1022. *Sp. pl.* 1125. *criſta caſtrenſis.*
Hypnum filicinum, criſtam caſtrenſem repræſentans. *Dill. muſc.* 284. *t.* 36. *f.* 20.
Muſcus filicifolius luteus, folio craſſo et undulato. *D. Richardſon. R. Syn.* 86. *ſub num.* 32.
Muſcus terreſtris repens ſubflavus, foliolis criſpis minoribus, ramuliſque denſius confertis. *Hiſt. ox. III.* 625. *ſ.* 15. *t.* 5. *f.* 12.
Muſcus criſtam caſtrenſem repræſentans, flaveſcens nemoroſus ramoſus caſſubicus. *Hiſt. ox. III.* 625. *ſ.* 15. *t.* 5. *f.* 8.
Anglis, creſted Hypnum.
Habitat *in collibus cretaceis inter* Graveſend *et* Northfleet *in* Cantio. *Dill.* II.

20. HYPNUM ſurculis pinnatis compreſſis: foliis acutis incurvis, antheris erectiuſculis ovatis. *compreſſum.*
Hypnum filicinum ſericeum, molle et pallidum mucronibus aduncis. *Dill. muſc.* 286. *t.* 36 *f.* 22.
Hypnum arboreum erectum, fruticuli ſpecie ramulis compreſſis. *Cat. giſſ.* 220.
Anglis, Shrubby Hypnum.
Habitat *in arborum truncis in ſylva prope* Tottenham *non longe a* Londino. *Dill.* IV.

abietinum. 21. HYPNUM ſurculis pinnatis teretiuſculis remotis inæqualibus. *Fl. lapp.* 408. *ſuec.* 1023. *Sp. pl.* 1126.
Hypnum luteſcens, alis ſubulatis tenacibus. *Dill. muſc.* 280. *t.* 35. *f* 17.
Hypnum repens filicinum trichoides montanum, ramulis teretibus luteſcentibus non diviſis. *Cat. giſſ.* 218. *R. Syn.* 86.
Muſcus terreſtris ſurculis filamentoſis tenacibus abietinis, ſemel tantum diviſis. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 5. *f.* 22.
Anglis, Firr Hypnum.
Habitat *in montoſis. In comitatu* Oxonienſi.

**** *Foliis reflexis*

cupreſſiforme. 22. HYPNUM ſurculo ſubpinnato, foliis ſecundis recurvis apice ſubulatis. *Fl. ſuec.* 1024. *Sp. pl.* 1126.
Hypnum criſpum cupreſſiforme, foliis aduncis. *Dill. muſc.* 287. *t.* 37. *f.* 23.
Hypnum repens criſpum cupreſſiforme. *R. Syn.* 89.
β Hypnum repens trichoides terreſtre, foliolis uno verſu diſpoſitis. *R. Syn.* 85.
Anglis, Cypreſs Hypnum.
Habitat *in ſylvis ad radices arborum.* II.

aduncum. 23. HYPNUM ſurculo erectiuſculo ſubramoſo, foliis ſecundis recurvis ſubulatis ramis recurvatis. *Sp. pl.* 1126. *Fl. ſuec.* 1025.
Hypnum paluſtre erectum ſummitatibus aduncis. *R. Syn.* 82. *Dill. muſc.* 292. *t.* 37. *f.* 26.
Anglis, hooked Hypnum.
Habitat *in paluſtribus.* V.

ſcorpioides 24. HYPNUM ramis vagis procumbentibus recurvis, foliis ſecundis acuminatis. *Sp. pl.* 1127. *Fl. ſuec.* 1026
Hypnum ſcorpioides paluſtre magnum, Lycopodii inſtar ſparſum. *Dill. muſc* 290. *t.* 37. *f.* 25.
Anglis, Scorpion Hypnum.

Habitat

Habitat *in paludibus*. *Prope* Biſhop's-Caſtle *in agro* Salopienſi, *et circa* Pentir, *tribus milliaribus a monte* Glyder *in* Wallia. Dill.

25. HYPNUM ſurculis repentibus, ramis vagis tereti bus, foliis patulis acuminatis. *Sp. pl.* 1127. *viticulo-ſum.*

Hypnum ſubhirſutum, viticulis gracilibus erectis, capſulis teretibus. *Dill. muſc.* 307. *t.* 39. *f.* 43.

Hypnum repens trichoides arboreum majus, capſulis et ſurculis erectis, minus ramoſis. *Cat. giſſ.* 216. *R. Syn.* 85.

Muſcus montanus, flagellis longis tenuibus cupreſſinis, ut plurimum indiviſis. *Hiſt. ox. III.* 624. *ſ.* 15. *t.* 5. *f* 7.

Anglis, Mountain Hypnum.

Habitat *in arborum ſtipitibus et ericetis. In collibus cretaceis inter* Northfleet *et* Graveſend *in* Cantio. *Dill.* III.

26. HYPNUM ramis vagis, foliis ovatis apice ſubulatis undique reflexis. *Fl. ſuec.* 1727. *Sp. pl.* 1127. *ſquarroſum.*

Hypnum repens, triangularibus reflexis foliis, majus. *R. Syn.* 82. *Dill. muſc.* 303. *t* 39. *f.* 38.

Muſcus terreſtris erectior, foliis reflexis. *Hiſt. ox. III.* 624. *ſ.* 15. *t.* 5. *f* 2.

β Hypnum repens, triangularibus reflexi foliis, minus. *R. Syn.* 82. *Dill. muſc.* 304. *t.* 39. *f.* 39.

Anglis, common Hypnum.

Habitat *in pratis humidis*. IV.

27. HYPNUM ſurculis repentibus, ramis vagis erectis, foliis ſecundis, antheris ſubrotundis. *Sp. pl.* 1127. *loreum.*

Hypnum loreum montanum, capſulis ſubrotundis. *Dill. muſc.* 305. *t* 39 *f.* 40.

Hypnum repens, ſurculis magis erectis, foliis reflexis longioribus cinctis, operculo capituli magno. *R. Syn* 82.

Muſcus terreſtris vulgaris. *Ger. Em.* 1370. *alter. Park.* 1306.

Muſcus

Muſcus repens major, foliis et flagellis longis et tenuibus donatus. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 5. *f.* 24.

Anglis, Ground Hypnum.

Habitat *in montoſis prope* Gloceſtriam. D. Cole, Dill.

***** *Surculis dendroidibus.*

dendroides 28. HYPNUM ſurculo erecto, ramis faſciculatis terminalibus ſimpliciuſculis, antheris erectis. *Fl. ſuec.* 1028. *Sp. pl.* 1128.

Hypnum dendroides ſericeum, ſetis et capſulis longioribus erectis. *Dill. muſc.* 313. *t.* 40. *f.* 48.

Hypnum erectum arbuſculam referens, ramulis ſubrotundis, confertim naſcentibus. *R. Syn.* 81.

Muſcus dendroides elatior, ramulis crebris minus ſurculoſis capitulis pedunculis brevibus inſidentibus. *Hiſt. ox III.* 626. *ſ.* 15. *t.* 5. *f.* 31.

Anglis, Tree Hypnum.

Habitat *in ſylvis ſubhumidis.* III.

alopecurum. 29. HYPNUM ſurculo erecto, ramis faſciculatis terminalibus ſubdiviſis antheris nutantibus. *Sp. pl.* 1128. *Fl. ſuec.* 1029.

Hypnum dendroides obſcurius, ſetis et capſulis brevioribus nutantibus. *Dill. muſc.* 315. *t.* 41. *f.* 49.

Hypnum paluſtre erectum arbuſculam referens, ramulis ſubrotundis. *Cat. giſſ.* 220. *R. Syn.* 81.

Muſcus dendroides ſylvarum erectus ramulis kali æmulis, radice repente. *R. Syn. ed. II.* 32. *Hiſt. ox. III.* 626 *ſ.* 15. *t* 5. *f.* 30.

Anglis, Fox-tail Hypnum.

Habitat *in ſylvis et nemoroſis humidiuſculis.* IV.

****** *Surculis teretiuſculis.*

curtipendulum. 30. HYPNUM ſurculis vagis teretibus, foliis ovatis acutis patulis, antheris pendulis. *Fl. ſuec.* 1030. *Sp. pl* 1128.

Hypnum dentatum curtipendulum, viticulis rigidis. *Dill. muſc.* 333. *t.* 43. *f.* 69.

Hypnum

Hypnum arboreum repens, capſulis reflexis, brevibus pediculis inſidentibus. *Cat. giſſ.* 220. *R. Syn.* 89. *Anglis*, pendulous Hypnum.
Habitat *ad radices arborum et in locis ſaxoſis.* II.

31. HYPNUM ſurculis pinnato-ſparſis ſubulatis, foliis ovatis obtuſis conniventibus. *Fl. ſuec.* 1031. *Sp. pl.* 1128. *purum.*
Hypnum ramis inæqualibus ſparſis, foliis ovatis imbricatis, capſulis obliquis. *Fl. lapp.* 410.
Hypnum cupreſſiforme vulgare, foliis obtuſis. *Dill. muſc.* 309. *t.* 40. *f.* 45.
Hypnum terreſtre erectum, ramulis teretibus, foliis inter rotunda et acuta medio modo ſe habentibus. *Cat. giſſ.* 220. *R. Syn.* 81.
β Hypnum cupreſſiforme tenuius et compreſſius. Dill. muſc. 312. t. 40. f 47.
Hypnum longum erectum, foliis anguſtis caulibus appreſſis. R. Syn. 83.
Anglis, Meadow Hypnum.
Habitat *in ſylvis et paſcuis.* II.

32. HYPNUM ſurculis ramiſque vagis teretibus erecti-uſculis obtuſis. *Sp. pl.* 1129. *Fl. ſuec.* 1032. *illecebrum.*
Hypnum cupreſſiforme rotundius vel Illecebræ æmulum. *Dill. muſc.* 311. *t.* 40. *f.* 46.
Hypnum terreſtre erectum, ramulis teretibus, foliis ſubrotundis albo-virentibus cinctis. *Cat. giſſ.* 220. *R. Syn.* 81
Muſcus terreſtris, ſurculis kali geniculati aut illecebræ æmulis, foliolis ſubrotundis, ſquamatim incumbentibus. *R. Syn. ed II.* 37. *Hiſt. ox. III.* 626.
Anglis, geniculated Hypnum.
Habitat *in ericetis.* III, IV.

33 HYPNUM ſurculis teretibus ramoſis, foliis acutis patulis diſtantibus. *Sp. pl.* 1129. *Fl. ſuec.* 1033. *riparium.*
Hypnum aquaticum, flagellis et teretibus et pennatis. *Dill. muſc.* 308. *t.* 40. *f.* 44.
Hypnum ramoſum fluitans pennatum. *R. Syn.* 81.
Anglis, floating Hypnum.

Habitat

Habitat *in fluvio prope* Hackney, *et ad ripam* Thameſis *ſupra* Londinum. *Dill.* XII. I.

cuſpidatum. 34. HYPNUM ſurculis vagis: apice foliis convolutis acuminato. *Sp. pl.* 1129. *Fl. ſuec.* 1035.
Hypnum paluſtre extremitatibus cuſpidatis et pungentibus. *Dill. muſc.* 300. *t.* 39. *f.* 34.
Hypnum repens paluſtre, foliis triangularibus per caules expanſis extremitatibus convolutis et acuminatis. *Cat. giſſ.* 219. *R. Syn.* 82.
Anglis, pointed Hypnum.
Habitat *in paluſtribus.* III, IV.

******* *Surculis confertis.*

ſericeum. 35. HYPNUM ſurculo repente, ramis confertis erectis, foliis ſubulatis, antheris erectis. *Sp. pl.* 1129. *Fl. lapp.* 412. *ſuec.* 1036.
Hypnum vulgare ſericeum recurvum, capſulis erectis cuſpidatis. *Dill. muſc.* 323. *t.* 42. *f.* 59.
Hypnum repens trichoides terreſtre, luteo-virens vulgare majus, capitulis erectis. *Cat. giſſ.* 215. *R. Syn.* 84.
Muſcus terreſtris luteo-viridis, ſericeus, repens. *R. Syn. ed. II.* 38. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 5. *f* 25.
Anglis, ſilky Hypnum.
Habitat *in muris, truncis arborum et paſcuis.* XII, I.

velutinum. 36. HYPNUM ſurculo repente, ramis confertis erectis, foliis ſubulatis, antheris ſubnutantibus. *Fl. ſuec.* 1037. *Sp. pl.* 1129.
Hypnum velutinum, capſulis ovatis cernuis. *Dill. muſc* 326. *t.* 42. *f.* 61.
Hypnum repens trichoides terreſtre viridius minus, capitulis tumidioribus cernuis. *Cat. giſſ.* 216. *R. Syn.* 84.
β Hypnum repens trichoides terreſtre minimum et breve, capitulis tumidioribus cernuis. *R. Syn.* 84.
Anglis, Velvet Hypnum.
Habitat *in umbroſis et ad ſepes.* II.

37. HYPNUM ſurculo repente, ramis conſertis erectis, foliis ovatis, antheris erectiuſculis. *paluſtre.*
Hypnum heterophyllum aquaticum polycephalum, repens. *Dill. muſc.* 293. *t.* 37. *f.* 27.
Hypnum repens filicifolium ramoſum, ramulis ſurrectis et minus complanatis. *Cat. giſſ.* 218. *R. Syn.* 87.
Anglis, Marſh Hypnum.
Habitat *ad ripam* Thameſis *prope* Batterſeam. I, II.

38. HYPNUM ſurculis repentibus, ramis filiformibus, foliis obliteratis. *Sp. pl.* 1130. *ſerpens.*
Hypnum trichoides ſerpens, ſetis et capſulis longis erectis. *Dill. muſc.* 329 *t.* 42. *f.* 64
Hypnum repens trichoides terreſtre minimum, capitulis majuſculis, oblongis erectis. *Cat. giſſ.* 216. *R Syn.* 85.
Muſcus terreſtris omnium minimus, capitulis majuſculis oblongis erectis. *Hiſt. ox. III.* 626. *ſ.* 15. *t.* 5 *f.* 14. 21.
Anglis, creeping Hypnum.
Habitat *in racemoſis et ad radices arborum.* IV.

39. HYPNUM ſurculis erectis ramoſis incurvatis. *Sp. pl.* 1130. *ſciuroides.*
Hypnum arboreum ſciuroides. *Dill. muſc.* 319. *t.* 41. *f.* 54.
Hypnum trichoides erectum, ramulis recurvis, obſcuri coloris. *R. Syn.* 83.
Anglis, Squirrel-tail Hypnum.
Habitat *in arborum truncis.* II, IV.

40. HYPNUM ſurculis ramoſiſſimis: ramis ſubulatis utrinque attenuatis teretibus. *Sp. pl.* 1130. *myoſuroides.*
Hypnum myoſuroides tenuius, capſulis nutantibus. *Dill. muſc.* 317. *t.* 41. *f.* 51.
Hypnum polyanthon, triangularibus anguſtis foliis. *R. Syn* 83.
Muſcus trichoides humilis ramoſus, capitulis oblongis tumidiuſculis donatus. *Hiſt. ox. III.* 628. *ſ.* 15. *t.* 6. *f.* 3.

β Hyp-

β Hypnum myoſuroides craſſius, capſulis erectis. *Dill. muſc.* 316. *t.* 41. *f.* 50.
Hypnum repens triangularibus anguſtis foliis, ramulis ſubrotundis. *R. Syn.* 83.
γ Hypnum myoſuroides brevius et craſſius, capſulis cernuis. *Dill. muſc.* 318. *t.* 41. *f.* 52.
δ Hypnum myoſuroides ſericeum tenuius, capſulis erectis. *Dill. muſc.* 318. *t.* 41. *f.* 53.
Anglis, Mouſe-tail Hypnum.
Habitat *in ſylvis locis ſaxoſis et muris.* II.

ornithopoides. 41. HYPNUM ſurculis repentibus, ramis faſciculatis teretibus erectiuſculis, antheris erectis ovatis.
Hypnum gracile ornithopoides. Dill. muſc. 320. t. 41. f. 55.
Anglis, Bird's-foot Hypnum.
Habitat *in Fagis in ſaltu* Enfieldienſi *copioſa*; *ad ſaxa per campeſtria lata* Grey-Weathers *dicta*. S. Brewer. IV.

clavellatum. 42. HYPNUM repens, ramulis erectis confertiſſimis, antheris incurvis: operculis inflexis. *Sp. pl.* 1130.
Hypnum clavellatum parvum repens, ſetis brevibus. *Dill. muſc.* 551. *t.* 81. *f.* 17.
Anglis, Club Hypnum.
Habitat *in arborum truncis et lignis putridis paſſim.* XII.

ALGÆ.

JUNGERMANNIA.

Maſc. pedunculatus, nudus. *Anthera* quadrivalvis.
Fem. ſeſſilis, nudus, ſeminibus ſubrotundis.

* *Frondibus pinnatis ſtrictis.*

aſplenioides. 1. JUNGERMANNIA frondibus ſimpliciter pinnatis: foliolis ovatis ſubciliatis. *Sp. pl.* 1131.
Lichenaſtrum aſplenii facie, pinnis laxioribus. *Dill. muſc* 482. *t* 69. *f.* 5.
β Lichenaſtrum aſplenii facie, pinnis confertioribus. *Dill. muſc.* 483. *t.* 69. *f.* 6.

Liche-

Lichenaſtrum trichomanis facie, capitulis e foliorum ſummitate enaſcentibus, majus. *R. Syn.* 112.
Muſcus trichomanoides, foliis rotundioribus pellucidis, ſquamatim conjuncte ſibi incumbentibus. *Hiſt. ox. III.* 627. *ſ.* 15. *t.* 6. *f.* 42.
Anglis, Spleenwort Jungermannia.
Habitat *in ſylvis et umbroſis humidis.* II.

2 JUNGERMANNIA frondibus ſimpliciter pinnatis : foliolis ſubulatis. *Sp. pl.* 1131. *viticuloſa.*
Jungermannia terreſtris, viticulis longis, foliis perexiguis denſiſſimis ex rotunditate acuminatis. *Mich. gen.* 8. *t.* 5. *f.* 4.
Lichenaſtrum trichomanis facie e baſi et medio florens. *Dill. muſc.* 484. *t.* 69. *f.* 7.
Lichenaſtrum capitulis nudis, trichomanis facie, foliolis denſius congeſtis majus. *Cat. giſſ.* 211. *R. Syn.* 111.
Anglis, ſtraggling Jungermannia.
Habitat *in ſylvis et umbroſis in comitatu* Eboracenſi, D. Richardſon ; *circa* Slingfoldiam *in* Suſſexia. *Dill.* IV.

3. JUNGERMANNIA fronde pinnata ſimplici baſi flo- *multiflora.*
rifera, foliolis acutis.
Lichenaſtrum multiflorum exile, foliis anguſtiſſimis. *Dill. muſc.* 481. *t.* 69. *f.* 4.
Anglis, Many-flowered Jungermannia.
Habitat *in ſylvula collis* Shooter's-hill *dicti prope* Londinum. *Dill. muſc.* III.

4. JUNGERMANNIA frondibus ſimpliciter pinnatis : *polyanthos.*
foliolis integerrimis imbricatis convexis. *Sp. pl.* 1131.
Jungermannia paluſtris repens, foliis denſiſſimis ex rotunditate acuminatis. *Mich. gen.* 8. *t.* 5. *f.* 5.
Lychenaſtrum trichomanis facie, polyanthemum breve et repens. *Dill. muſc.* 486. *t.* 70. *f.* 9.
Anglis, imbricated Jungermannia.
Habitat *in paluſtribus* ; *in* Lead-hill *in* Surreja. IV.

5. JUN-

lanceolata. 5. JUNGERMANNIA frondibus ſimpliciter pinnatis lanceolatis apice floriferis, foliolis integerrimis. *Sp. pl.* 1131

Jungermannia paluſtris minima repens, foliis ſubrotundis denſiſſimis læte virentibus. *Mich. ged.* 8. *t.* 5. *f.* 6.

Lichenaſtrum trichomanis facie minus, ab extremitate florens. *Dill. muſc.* 486. *t.* 70. *f.* 10.

Lichenaſtrum capitulis nudis, trichomanis facie, foliolis denſius congeſtis, minus. *Cat. giſſ.* 212. *R. Syn.* 112.

Anglis, Spear-leaved Jungermannia.

Habitat *in umbroſis humidis.* II.

bidentata. 6. JUNGERMANNIA frondibus ſimpliciter pinnatis apice floriferis, foliolis bidentatis. *Sp. pl* 1132.

Jungermannia major repens, foliis bifidis. *Mich. gen.* 8. *t.* 5. *f.* 12.

Lichenaſtrum pinnulis acutioribus et concavis, bifidis, majus. *Dill. muſc.* 487. *t* 70. *f.* 11.

Lichenaſtrum trichomanis facie, foliolis bifidis, majus. *R. Syn.* 113.

Muſcus lichenoides, foliis pinnatis bifidis, minor. *R. Syn Hiſt. ox. III.* 627. *ſ.* 15. *t.* 6. *f.* 47.

Anglis, Bifid Jungermannia

Habitat *in ſylvis et ericetis humidiuſculis.* X, XI.

bicuſpidata. 7. JUNGERMANNIA frondibus ſimpliciter pinnatis medio floriferis, foliolis bidentatis. *Sp. pl* 1132.

Jungermannia minima repens, foliis bifidis, vagina florum cylindracea. *Mich. gen.* 9. *t.* 6. *f.* 17.

Lichenaſtrum pinnulis acutiſſime bifidis, minimum. *Dill. muſc* 488. *t.* 70. *f.* 13.

Lichenaſtrum trichomanis facie, foliolis bifidis. *Cat. giſſ.* 213 *R. Syn.* 113

Anglis, forked Jungermannia

Habitat *in umbroſis humidis.* III.

** *Frondibus*

8. JUNGERMANNIA fronde pinnata ramoſa apice florifera, foliolis apice quinquedentatis. *quinquedentata.*
Lichenaſtrum multifidum majus, ab extremitate florens. *Dill. muſc.* 494. *t.* 71. *f.* 23.
Lichenaſtrum trichomanis facie, foliolis multifidis, capitulis e ſummis ramulis naſcentibus. *R. Syn.* 113.
Anglis, Toothed Lichenaſtrum.
Habitat *in comitatu* Eboracenſi. *D. Richardſon.* IV.

** *Frondibus pinnatis: pinnulis auriculatis ſuperne tectis.*

9. JUNGERMANNIA frondibus ſupra bipinnatis apice floriferis, foliolis ſubrotundis integerrimis. *Sp. pl.* 1131. *undulata.*
Lichenaſtrum pinnulis auriculatis majoribus et non crenatis. *Dill. muſc.* 490. *t.* 71. *f.* 17.
Anglis, Eared Jungermannia.
Habitat *in umbroſis.* III.

10. JUNGERMANNIA frondibus ſupra bipinnatis apice floriferis, foliolis ciliatis. *Sp. pl.* 1132. *nemorea.*
Lichenaſtrum auriculatum, pinnis minoribus crenatis. *Dill. muſc.* 490. *t.* 71. *f.* 18.
Anglis, Wood Lichenaſtrum.
Habitat *in ſylvis udis in comitatu* Weſtmorlandico. III.

11. JUNGERMANNIA frondibus ſupra bipinnatis inferne floriferis: foliolis crenulatis imbricatis rotundis. *Sp. pl.* 1132. *Fl. ſuec.* 1038. *reſupinata.*
Jungermannia ſurculoſa reſupinata, foliolis pinnato-imbricatis deflexis rotundis integris: auricula laterali. *Fl. ſuec. ed. l.* 926.
Lichenaſtrum auriculatum, pinnulis rotundis criſpum. *Dill. muſc.* 491. *t.* 71. *f.* 19.
Lichenaſtrum trichomanis facie, capitulis foliorum ſummitate enaſcentibus, medium. *R. Syn.* 112.
Anglis, curled Jungermannia.
Habitat *in fiſſuris rupium.* IV.

albicans. 12. JUNGERMANNIA frondibus ſupra bipinnatis apice floriferis: foliolis linearibus recurvatis. *Sp. pl.* 1133. *Fl. ſuec.* 1039.
Lichenaſtrum auriculatum, pinnulis anguſtis, planis, recurvis. *Dill. muſc.* 492. *t.* 71. *f.* 20.
Lichenaſtrum trichomanis facie, capitulis e foliorum ſummitate enaſcentibus minus. *R. Syn.* 112.
Anglis, white Jungermannia.
Habitat *in ſylvis humidis.* III.

trilobata. 13. JUNGERMANNIA frondibus ſubtus bipinnatis, foliolis quadratis obſolete trilobis. *Sp. pl.* 1133. *Fl. ſuec.* 1040.
Jungermannia foliis latiuſculis obtuſis undulatis et veluti anguloſis. *Mich. gen.* 7. *t.* 5. *f.* 10.
Lichenaſtrum pinnulis obtuſe trifidis nervo geniculato. *Dill. muſc.* 493. *t.* 71. *f.* 22.
Anglis, Trifid Jungermannia.
Habitat *in* Cambria. *Dill. muſc.*

reptans. 14. JUNGERMANNIA frondibus ſubtus bipinnatis apice reptantibus, foliolis quadridentatis. *Sp. pl.* 1133.
Lichenaſtrum multifidum exiguum ad baſin florens per ſiccitatem imbricatum. *Dill. muſc.* 494. *t.* 71. *f.* 24.
Lichenaſtrum trichomanis facie, foliolis multifidis, capitulis ex imis cauliculis naſcentibus. *R. Syn.* 113.
Anglis, creeping Jungermannia.
Habitat *in umbroſis udis.* IV.

*** *Frondibus imbricatis.*

complanata. 15. JUNGERMANNIA ſurculis repentibus: foliolis inferne auriculatis duplicato-imbricatis, ramis æqualibus. *Sp. pl* 1133. *Fl. ſuec.* 1041.
Lichenaſtrum imbricatum majus, ſquamis compreſſis et planis. *Dill. muſc.* 496. *t.* 72. *f.* 26.
Lichenaſtrum imbricatum majus. *R. Syn.* 111.
Anglis, Flat Jungermannia.
Habitat *ad arborum truncos frequens.* IV.

16.

16. JUNGERMANNIA ſurculis repentibus, foliolis inferne auriculatis duplicato-imbricatis, ramis apice latioribus. *Sp. pl.* 1133. *Fl. ſuec.* 1042. *dilatata.*
Lichenaſtrum imbricatum minus, ſquamis convexo-concavis. *Dill. muſc.* 497. *t.* 72. *f* 27.
Lichenaſtrum imbricatum, minus. *R. Syn.* 111.
Anglis, ſcaly Jungermannia.
Habitat *ad truncos arborum.* III, IV.

17. JUNGERMANNIA foliis imbricatis ſerie duplici: ſuperioribus ſubrotundis convexis obtuſis quadruplo majoribus. *Sp. pl* 1134 *Fl ſuec.* 1043. *tamariſcifolia.*
Lichenaſtrum imbricatum tamariſci narbonenſis facie. *Dill. muſc.* 499. *t.* 72. *f.* 31.
Anglis, Tamariſk Jungermannia.
Habitat *in rupibus et truncis arborum comitatu* Eboracenſi *paſſim.* III.

18. JUNGERMANNIA ſurculis procumbentibus ſubtus imbricatis, foliolis cordatis acutis. *Sp. pl.* 1134. *platyphylla.*
Lichenaſtrum arboris vitæ facie, foliis minus rotundis. *Dill. muſc.* 501. *t.* 72. *f.* 32.
Muſcus muralis floridus, foliis ſubrotundis creberrime imbricatim diſpoſitis. *Hiſt. ox. III.* 627. *ſ.* 15. *t.* 6. *f.* 44.
Anglis, Wall Jungermannia.
Habitat *ad truncos arborum et muros.* III, IV.

19. JUNGERMANNIA ſurculis repentibus, foliolis duplicato-imbricatis, inferne auriculatis ciliatis. *Sp. pl.* 1134. *Fl. ſuec.* 1044. *ciliaris.*
Lichenaſtrum filicinum pulchrum villoſum. *Dill. muſc.* 503. *t.* 73. *f.* 35.
Lichenaſtrum filicinum criſpum. *R. Syn.* 111.
Anglis, Fern Jungermannia.
Habitat *in ericetis udis et ad rivulos*; *in comitatu* Eboracenſi, D. Richardſon. *Found by Mr.* Dandridge *in a ſmall Current of Water, which runs through a Wood called* Old-fall, *between* Highgate *and* Muſcle-hill. *R. Syn.* IV.

varia. 20. JUNGERMANNIA ſurculis erectiuſculis bifariam imbricatis, foliolis bipartitis. *Sp. pl.* 1135.
Lichenaſtrum foliis variis. *R. Syn.* 113. *Dill. muſc.* 505. *t.* 73. *f.* 36.
Anglis, upright Jungermannia.
Habitat *in ſylvis et umbroſis humidis.* III.

**** *Surculis undique imbricatis foliolis ſparſis.*

julacea. 21. JUNGERMANNIA ſurculis teretibus, foliolis undique imbricatis, floribus pedunculatis. *Sp. pl.* 1135.
Lichenaſtrum alpinum Bryi juliacei argentei facie. *Dill. muſc.* 506. *t.* 73. *f.* 38.
Anglis, round Jungermannia.
Habitat *in rupibus udis, in montibus* Snowdon *et* Glyder. *Dill.* IX.

ruſcoſtris. 22. JUNGERMANNIA ſurculis teretibus, foliolis ſubulatis ſecundis. *Sp. pl.* 1135. *Fl. ſuec.* 1045.
Lichenaſtrum alpinum nigricans, foliis capillaceis reflexis. *Dill. muſc.* 507. *t.* 73. *f.* 40.
Anglis, Rock Jungermannia.
Habitat *in rupibus humentibus in montibus* Snowdon *et* Glyder *in* Arvonia. Dill. IV. V.

trichophylla. 23. JUNGERMANNIA ſurculis teretibus foliolis capillaceis æqualibus. *Sp. pl.* 1135 *Fl. ſuec.* 1046.
Lichenaſtrum trichoides minimum, in extremitate florens. *Dill. muſc.* 505. *t.* 73. *f.* 37.
Anglis, hairy Jungermannia.
Habitat *in ericetis turfoſis prope* North Bierly *in comitatu* Eboracenſi, *D. Richardſon.*

alpina. 24 JUNGERMANNIA ſurculis teretibus, foliolis ovatis patentibus, calycibus imbricatis. *Sp. pl.* 1135.
Lichenaſtrum alpinum atro-rubens teres, calycibus ſquamoſis. *Dill. muſc.* 506. *t.* 73. *f.* 39.
Anglis, Mountain Jungermannia.
Habitat *in paluſtribus montoſis*; *in montibus* Snowdon, Llanberris *et* Cader Idæris. *Dill.* IX. X.

***** *Acaules*

***** *Acaules frondibus ſimplicibus.*

25. JUNGERMANNIA acaulis, foliolis frondi innato. *epiphylla.*
Sp. pl. 1135. *Fl. ſuec.* 1047.
Lichenaſtrum capitulis rotundis, e foliorum medio enaſcentibus. *R. Syn.* 110. *Dill. muſc.* 508. *t.* 74. *f.* 41.
Lichen petræus, cauliculo calceato. *Bauh. pin.* 362.
Lichen alter minor, folio calceato. *Park.* 1314.
Anglis, broad-leaved Jungermannia.
Habitat *in umbroſis udis et ad rivulos.* III.

26. JUNGERMANNIA acaulis, fronde oblonga ſinu- *pinguis.*
ata pingui. *Sp. pl.* 1136. *Fl. ſuec.* 1048.
Lichenaſtrum capitulis oblongis, juxta foliorum diviſuras enaſcentibus. *R. Syn.* 110. *Dill. muſc.* 509. *t.* 74. *f.* 42.
Anglis, jagged Jungermannia.
Habitat *in paludibus.* IV.

27. JUNGERMANNIA acaulis, fronde bipinnatifida. *multifida.*
Sp. pl. 1136. *Fl. ſuec.* 1049.
Lichenaſtrum ambroſiæ diviſura. *R. Syn.* 111. *Dill. muſc* 511. *t.* 74. *f.* 43.
Anglis, dwarf Jungermannia.
Habitat *in ſylvis et umbroſis humidis. In ſylvula* Canewood *dicta prope* Hampſtedium. D. Doody. *prope* Charlton *in* Cantio. Dill. IV.

28. JUNGERMANNIA acaulis, fronde lineari ramo- *furcata.*
ſa: extremitatibus furcatis obtuſiuſculis. *Sp. pl.* 1136.
Lichenaſtrum tenuifolium furcatum, thecis globoſis piloſis. *Dill. muſc.* 512. *t.* 74. *f.* 45.
Ulva ſaxatilis furcata, latiuſculis et tenerioribus ſegmentis. *R. Syn.* 63.
Anglis, Globe Jungermannia,
Habitat *in ſylvis.* IV.

29. JUNGERMANNIA acaulis, fronde ſubpinnatifi- *puſilla.*
da, lobis imbricatis, perichætio plicato. *Sp. pl.* 1136. *Fl. ſuec.* 1080.

Lichenaſtrum exiguum, capitulis nigris lucidis e cotylis parvis naſcentibus. *Dill. muſc.* 513. *t.* 74. *f.* 46.

Anglis, ſhining Jungermannia.

Habitat *in ericetis*; *in ericetis prope* Woolwich. *Dill.* Iſl. IV.

TARGIONIA. 1060.

Cal. bivalvis, includens globum.

hypophylla 1. TARGIONIA. *Sp. pl* 1136.

Targionia minima et vulgaris. *Mich. gen.* 3. *t.* 3.

Lichen petræus minimus, fructu orobi. *Bauh. pin.* 362. *Dill. muſc.* 532. *t.* 78. *f.* 9

Lichenaſtrum capitulo oroboide. *R. Syn.* 110.

Lichen petræus minimus acaulos. *Park.* 1315.

Anglis, Vetch Targionia.

Habitat *in locis muſcoſis in comitatu* Eboracenſi. D. Richardſon.

MARCHANTIA. 1061.

Maſc. *Cal.* peltatus, ſubtus tectus. *Corollis* monopetalis. *Antheræ* multifidæ.

Fem. *Cal.* ſeſſilis, campanulatis, polyſpermus.

polymorpha. 1. MARCHANTIA calyce communi decemfido. *Fl. lapp.* 422. *Suec.* 1051. *Sp. pl.* 1137. *Roy. lugdb.* 507.

Marchantia major, capitulo ſtellato: radiis teretibus. *Mich. gen.* 2. *t.* 1. *f.* 1

Lichen fontanus major ſtellatus æque ac umbellatus et cyathophorus. *Dill muſc.* 523. *t.* 76. *f.* 6.

Lichen petræus latifolius, ſive Hepatica fontana. *Bauh. pin.* 362. *R. Syn.* 115.

β Marchantia capitulo ſtellato, radiis teretibus. *Mich. gen.* 2. *t.* 1. *f.* 2.

Lichen domeſticus minor ſtellatus æque ac umbellatus et cyathophorus. *Dill. muſc.* 527. *t.* 77. *f.* 7.

Lichen petræus ſtellatus. *Bauh. pin.* 362. *R. Syn.* 115.

Anglis, common Marchantia.

Habitat

Habitat *a juxta aquas locis umbroſis et ad fontes*; β *in umbroſis areis et ambulacris hortorum.* VIII.

2. MARCHANTIA calyce communi quadripartito: laciniis tubuloſis. *Hort. cliff.* 477. *Sp. pl.* 1137. *cruciata.*
Lichen ſeminifer lunulatus, florifer pileatus tandem cruciatus. *Dill. muſc.* 521. *t.* 75. *f.* 5.
Lichen pileatus parvus, capitulo crucis inſtar ſe expandente. *R. Syn.* 115.
Lunaria vulgaris. *Mich. gen.* 4. *t.* 4.
Anglis, croſs-headed Marchantia.
Habitat *in umbroſis.* VII, VIII.

3. MARCHANTIA calyce communi quinquefido hemiſphærico, perichætio nullo. *Fl. ſuec.* 1052. *lapp.* 424. *Sp. pl.* 1138. *hemiſphærica.*
Lichen pileatus parvus, foliis crenatis. *R. Syn.* 114. *Dill. muſc.* 519. *t.* 75. *f.* 2.
Hepatica media, capitulo hemiſphærico. *Mich. gen* 3. *t.* 2. *f.* 2.
Anglis, Marſh Marchantia.
Habitat *in paludoſis*; *in a ſmall Water-courſe, near* Dulwich-wells, Mr. Dandridge. *R. Syn.* IV, V.

4. MARCHANTIA calyce communi quinque loculari ſubovato. *Sp. pl.* 1138. *conica.*
Lichen vulgaris major pileatus et verrucoſus. *Dill. muſc.* 516. *t.* 75. *f.* 1.
Lichen petræus pileatus. *Park.* 1314. *R. Syn.* 114.
Lichen petræus cauliculo pileolum ſuſtinente. *Bauh. pin.* 362.
Anglis, Wart Marchantia.
Habitat *in umbroſis et ad rivulos.* IV.

BLASIA. 1062.

Maſc. *Cal.* cylindricus granis repletus.
Fem. *Cal.* nudus. *Fructu* ſubrotundo, foliis immerſo, polyſpermo.

1. BLASIA. *Fl. ſuec.* 1053. *Sp. pl.* 1138. *puſilla.*
Blaſia puſilla, lichenis pyxidati facie. *Mich. gen.* 14. *t.* 7.

Mnium lichenis facie. *Dill. muſc.* 237. *t.* 31. *f.* 7. *Anglis*, Dwarf Blaſia.
Habitat *prope* Mancheſter. *Dill. muſc.*

RICCIA. 1063.

Maſc. nudus. *Antheræ* ſubulata truncata.
Fem. nudus. *Capſ.* globoſa, unilocularis, polyſperma.

minima. 1. RICCIA frondibus glabris bipartitis acutis. *Fl. ſuec.* 1054. *Sp. pl.* 1139.
Riccia minima nitida, ſegmentis anguſtioribus acutis. *Mich. gen.* 107. *t.* 57. *f.* 6.
Lichen omnium minimus, foliolis fiſſis ſuper terram expanſis. *Cat. giſſ.* 210. *R. Syn.* 115. *Dill. muſc.* 534. *t.* 78. *f.* 11.
Anglis, ſmall Riccia.
Habitat *in inundatis*; *in ericeto* Blackheath *dicto*. *R. Syn.* XI.

fluitans. 2. RICCIA frondibus dichotomis lineari-filiformibus. *Sp. pl.* 1139.
Lichenaſtrum aquaticum fluitans tenuiſolium furcatum. *Dill. muſc.* 514. *t.* 74. *f.* 47.
Ulva paluſtris furcata, anguſtioribus et firmioribus ſegmentis. *R. Syn.* 63.
Anglis, Floate Riccia.
Habitat *in aquis ſtagnantibus*. *In a ditch near* Deptford Dock, Mr. Petiver. *R. Syn.* v. Barnes comm.

natans. 3. RICCIA frondibus obcordatis ciliatis. *Syſt. nat.* 1339.
Lychen parvus vernus cordiformis, ima parte fimbriatus, Lentis paluſtris modo aquæ innatans. *Buddl. hort. ficc. Vol. II.* 15. *R. Syn.* 116.
Anglis, fringed Riccia.
Habitat *in aquis ſtagnantibus prope* Henley. *R. Syn.*

glauca. 4. RICCIA frondibus glabris canaliculatis bilobis obtuſis. *Sp. pl.* 1139.

Riccia

Riccia minima pinguis, foliis latiuſculis ample ſulcatis e glauco virescentibus. *Mich. gen.* 107. *t.* 57. *f.* 4.

Lichen minimus, foliis venoſis bifariam vel trifariam ſe dividendo progredientibus. *R. Syn. ed. II.* 41. *Dill. muſc.* 533. *t.* 78. *f.* 10.

Lichen ſ. Hepatica foliis craſſis, Rutæ murariæ aut Chamædryos foliis laciniatis quodammodo ſimilibus. *R. Hiſt. III* 48.

Anglis, Marſh Riccia.

Habitat *in paludibus*; *in ericeto* Woolwicenſi. *Dill. muſc.* III.

5. RICCIA frondibus ramoſis, laciniis ſinuatis apice dilatatis crenatis. *ſinuata.*

Lichenoides gelatinoſum, foliis latioribus tuniformibus. *Dill. muſc.* 142. *t.* 19. *f.* 29.

Anglis, Rock Riccia.

Habitat *ad rupes prope* Wigmore *in* Herefordienſi *comitatu*. L. Brown. *Dill.*

ANTHOCEROS. 1064.

Maſc. *Cal.* ſeſſilis, cylindricus, integer. *Anth.* ſubulata longiſſima, trivalvis.

Fem. *Cal* ſexpartitus. *Sem.* tria.

1. ANTHOCEROS frondibus indiviſis ſinuatis punctatis. *Sp. pl.* 1139. *punctatus.*

Anthoceros foliis minoribus magis laciniatis. *Dill. muſc.* 476. *t.* 68. *f.* 1.

Lichenaſtrum gramineo pediculo et capitulo, oblongo, bifurco. *R. Syn.* 109.

Anglis, ſpotted Anthoceros.

Habitat *in umbroſis ſed rarius. Prope* Farnhurſt *in* Suſſexia; *in ericeto* Woolwicenſi, &c. *Dill. muſc.* IV.

LICHEN. 1065.

Maſc. *Receptaculum* ſubrotundum, planiuſculum, nitidum.

Fem. *Farina* foliis adſperſa.

* *Leproſi*

* *Leproſi tuberculati.*

ſcriptus. 1. LICHEN leproſus albicans, lineolis nigris ramoſis characteriformibus. *Fl. ſuec.* 1057. *Sp. pl.* 1140.
Lichenoides cruſta tenuiſſima, peregrinis velut litteris inſcripta. *R. Syn.* 71. *Dill. muſc.* 125. *t.* 18. *f.* 1.
Anglis, Lettered Liverwort.
Habitat *in corticibus arborum frequens.*

geographicus. 2. LICHEN leproſus flaveſcens lineolis nigris mappam referens. *Fl ſuec.* 1058. *Sp pl.* 1140.
Lichenoides nigro-flavum tabulæ geographicæ inſtar pictum. *Dill. muſc.* 126. *t.* 18. *f.* 5.
Anglis, Mapp Liverwort.
Habitat *in rupibus calcaris in comitatibus* Lancaſtrienſi, Eboracenſi et Cumberlandico.

rugoſus. 3. LICHEN leproſus albicans, lineolis ſimplicibus punctiſque nigris conſertis. *Sp. pl.* 1140. *Fl. ſuec.* 1059
Lichenoides punctatum et rugoſum nigrum. *Dill. muſc.* 125. *t.* 18. *f.* 2.
Anglis, wrinkled Liverwort.
Habitat *in corticibus arborum.*

ſanguinarius. 4. LICHEN leproſus cinereo-vireſcens, tuberculis atris. *Fl. ſuec.* 1060. *Sp. pl.* 1140.
Lichenoides leproſum, cruſta cinereo-vireſcente, tuberculis nigerrimis. *Cat. giſſ.* 205. *R. Syn.* 71. *Dill. muſc.* 126. *t.* 18. *f.* 3.
Anglis, black nobbed Liverwort.
Habitat *in rupibus et truncis arborum.*

fuſco-ater. 5. LICHEN leproſus fuſcus tuberculis atris. *Sp. pl.* 1140. *Fl. ſuec.* 1063.
Anglis, Wall Liverwort.
Habitat *in muris antiquis paſſim.*

calcareus. 6. LICHEN leproſus candidus, tuberculis atris. *Fl. ſuec.* 1061. *Sp. pl.* 1140.

Li-

Lichenoides tartareum tinctorium candidum, tuberculis atris. *Dill. muſc.* 128. *t.* 18. *f.* 8.
Anglis, Dyer's Liverwort.
Habitat *in rupibus calcareis in comitatu* Weſtmorlandico; *in monte* Glyder *in* Arvonia. Dill.

7. LICHEN leproſus albus, tuberculis albis farinaceis. *Sp. pl.* 1141. *Fl. ſuec.* 1066. *fagineus.*
Anglis, white Liverwort.
Habitat *in carpini et ulmi truncis et ramis.*

8. LICHEN lichen leproſus cinerius tuberculis albidis fugoſis. *Sp. pl.* 1141. *Fl. ſuec.* 1067. *carpinus.*
Lichen gecographicus. *It. ſcan.* 48.
Anglis, Horn-beam Liverwort.
Habitat *in carpini, corylli et Fraxini, truncis.*

9. LICHEN leproſus candidus, tuberculis incarnatis. *Fl. ſuec.* 1068. *Sp. pl.* 1141. *ericetorum.*
Lichenoides fungiforme, cruſta leproſa candida, capitulis et pediculis incarnatis. *R. Syn.* 70.
Coralloides fungiforme carneum, baſi leproſa. *Dill. muſc.* 76. *t.* 14. *f.* 1.
Anglis, Heath Liverwort.
Habitat *in ericetis udis in comitatu* Eboracenſi. D. Richardſon. X—IV.

10. LICHEN leproſus fuſcus, tuberculis pedunculatis planis ſubfuſcis. *rufus.*
Coralloides fungiforme, ſaxatile, pallide fuſcum. *Dill. muſc.* 78. *t.* 14. *f.* 4.
Anglis, brown Liverwort.
Habitat *in muris antiquis.* XII—II.

11. LICHEN leproſus vireſcens, tuberculis flavo-rubeſcentibus. *flavo-rubeſcens.*
Anglis. Orange Liverwort.
Habitat *in truncis arborum inter* Hampſtead *et* Highgate.

12.

ferrugineus. 12. LICHEN leprosus albicans, tuberculis rufis.
Lichenoides leprosum, tuberculis fuscis et ferrugineis. *Dill. musc.* 126. *t.* 18. *f.* 4. *t.* 55. *f.* 8.
Anglis, rusty Liverwort.
Habitat *in corticibus arborum.*

** *Leprosi scutellati.*

candelarius. 13. LICHEN crustaceus flavus, scutellis luteis. *Sp. pl.* 1141. *Fl. suec.* 1069.
Byssus farinacea flava. *It. oel.* 30. *W-goth.* 159.
Anglis, yellow Liverwort.
Habitat *in corticibus arborum et muris.* XII—VI.

tartareus. 14. LICHEN crustaceus albidus, scutellis luteis: margine albo. *Sp. pl.* 1141. *Fl. suec.* 1070.
Lichenoides crustaceum et leprosum acetabulis majoribus luteis, limbis argenteis. *R. Syn.* 71. *Dill. musc.* 132. *t.* 18. *f.* 13.
Anglis, Welsh Liverwort.
Habitat *in rupibus*; *in* Arvonia, D. Lhwyd. *In comitatu* Eboracensi. *D. Richardson.*

pallescens. 15. LICHEN crustaceus albicans, scutellis pallidis. *Fl. suec.* 1071. *Sp. pl.* 1142.
Lichenoides crustosum orbiculare incanum. *Dill. musc.* 135. *t.* 18. *f.* 17.
Lichenoides cinereum mere crustaceum eleganter expansum. *R. Syn.* 71.
Lichenoides crustaceum et leprosum, scutellis cinereo-virescenti. *R. Syn.* 71.
Anglis, pale Liverwort.
Habitat *in muris, et arborum truncis.*

subfuscus. 16. LICHEN crustaceus albicans, scutellis subfuscis: margine cinereo subcrenato. *Fl. suec.* 1072. *Sp. pl.* 1142.
Lichenoides crustaceum et leprosum, scutellis subfuscis. *R. Syn.* 71. *Dill. musc.* 134. *t.* 18. *f.* 16.
Anglis, browniſh Liverwort.
Habitat *in corticibus arborum et muris.*

17.

17. LICHEN cruſtaceus cinereus, ſcutellis planis albis farinaceis. *albeſcens.*
Lichen cruſtaceus albeſcens, ſcutis farinaceis. *Pet. Vaill. Pariſ.* 116.
Lichenoides candidum et farinaceum, ſcutellis fere planis. *Dill. muſc.* 131. *t.* 18. *f.* 11.
Lichenoides cruſta tenuiſſima, ſulcis cochleæ formibus inſignita. *R. Syn.* 71.
Anglis, mealy Liverwort.
Habitat *in muris et corticibus arborum.*

18. LICHEN cruſtaceus cinereus, ſcutellis vireſcentibus. *verucoſus.*
Lichenoides verucoſum et rugoſum, cinereum, glabrum. *Dill. muſc.* 128. *t.* 18. *f.* 9.
Anglis, Warty Liverwort.
Habitat *in corticibus arborum et muris.*

19. LICHEN cruſtaceus albicans, ſcutellis rugoſis nigris. *ater.*
Lichenoides cruſtaceum et leproſum, ſcutellis nigricantibus majoribus et minoribus. *Cat. giſſ.* 205. *R. Syn.* 71. *Dill. muſc.* 133. *t.* 18. *f.* 15.
Anglis, black cupped Liverwort.
Habitat *in arboribus et muris frequens.*

20. LICHEN cruſtaceus luteo-vireſcens, ſcutellis flavis. *flaveſcens.*
Lichenoides cruſtoſum, orbiculis et ſcutellis flavis. *Dill. muſc.* 136. *t.* 18. *f.* 18.
Anglis, yellowiſh Liverwort.
Habitat *in muris.*

*** *Imbricati.*

21. LICHEN imbricatus, foliolis multifidis obſolete læ- *centrifu-*
vibus albidis centrifugis, ſcutellis rufo-fuſcis. *Sp. gus.* *pl.* 1142. *Fl. ſuec.* 1074.
Lichenoides imbricatum viridans, ſcutellis badis. *Dill. muſc.* 180. *t.* 24. *f.* 75.
Anglis, ſpreading Liverwort.
Habitat *ſupra ſaxis grandioribus prope* Dolgelle *in* Mervinia *et circa* Llanberris *in* Arvonia. *Dill.*

22.

ſaxatilis. 22. LICHEN imbricatus, foliolis ſinuatis ſcabris lacunoſis, ſcutellis folio concoloribus. *Sp. pl.* 1142. *Fl. ſuec.* 1075.

Lichen opere phrygio ornatus. *Vaill. pariſ. t.* 21. *f.* 5.

Lichenoides vulgatiſſimum cinereo-glaucum lacunoſum et cirroſum. *Dill. muſc.* 188. *t.* 24. *f.* 83.

Lichenoides cruſta folioſa, ſuperne cinereo-glauca, inferne nigra et cirroſa, ſcutellis nigricantibus. *Cat. giſſ.* 206. *R. Syn.* 72.

β Lichenoides arboreum purpuraſcens tenue et læve, ſcutellis majoribus. *R. Syn.* 73.

Anglis, Stone Liverwort.

Habitat *in ſaxis et truncis arborum frequens.*

omphalodes. 23. LICHEN imbricatus, foliolis multifidis glabris obtuſis incanis, punctis vagis eminentibus. *Sp. pl.* 1143. *Fl. ſuec.* 1076.

Lichen nigricans omphalodes. *Vaill. pariſ. t.* 20. *f.* 10.

Lichen petræus purpureus derbienſis. *Park.* 1315.

Lichenoides ſaxatile tinctorium, ſolils piloſis purpureis. *R. Syn.* 74. *Dill. muſc.* 185. *t.* 24. *f.* 80.

Anglis, purple Liverwort.

Habitat *in monte* Steiperſtone *in* Salopienſi *comitatu et in pleriſque rupibus* Cambriæ. *Dill.*

olivaceus. 24. LICHEN imbricatus, foliolis lobatis nitidis lividis. *Sp. pl.* 1143. *Fl. ſuec.* 1077.

Lichenoides olivaceum, ſcutellis amplioribus verrucoſis. *Dill. muſc* 184. *t.* 24. *f.* 78.

β Lichenoides olivaceum, ſcutellis lævibus. *Dill. muſc. t.* 24. *f.* 77.

Lichenoides cruſta folioſa ſcutellata, pullum. *Cat. giſſ.* 206. *R Syn.* 72.

γ Lichenoides arboreum et ſaxatile, cruſta folioſa tenui, fuſco-virente, in ſegmenta latiora plerumque diviſa. *R. Syn* 74.

Anglis, Olive Liverwort.

Habitat *in rupibus et arboribus*; *in ſyluula prope* Shooters-Hill, *in* Cantio. Dill.

25.

25. LICHEN imbricatus, dentato-ciliatus, ſcutellis folio majoribus. *Sp. pl.* 1143. *criſtatus.*
Lichenoides gelatinoſum, foliis imbricatis et criſtatis. *Dill. muſc.* 140. *t.* 19. *f.* 26.
Lichenoides gelatinoſum tenerius laciniatum, ex plumbeo colore cæruleſcens, ſcutellis fuſcis. *R. Syn.* 72.
β Lichenoides foliis piloſis craſſioribus, obſcure virentibus, ſcutellis fuſcis. *R. Syn.* 74.
Anglis, creſted Liverwort.
Habitat *in rupibus et muris*; *circa* Ludloam *in* Salopia. Littl. Brown, Dill.

26. LICHEN imbricatus, foliis lobatis truncatis crenatis atro-viridibus, ſcutellis folio concoloribus. *criſpus.*
Lichenoides gelatinoſum atro-virens, criſpum et rugoſum *Dill. muſc.* 139. *t.* 19. *f.* 23.
Anglis, curled Lichen.
Habitat *in locis umbroſis ſaxoſis et ad murorum baſes.*

27. LICHEN imbricatus, foliolis criſpis fulvis, peltis concoloribus fulvis. *Sp. pl.* 1143. *Fl. ſuec.* 1080. *parietinus.*
Lichenoides vulgare ſinuoſum, foliis et ſcutellis luteis. *Dill. muſc.* 180. *t.* 24. *f.* 76.
Lichenoides cruſta folioſa ſcutellata, flaveſcens. *Cat. giſſ.* 206. *R. Syn.* 72.
Anglis, common Liverwort.
Habitat *in corticibus arborum et muris.*

28. LICHEN imbricatus: laciniis obtuſis ſubinflatis. *Sp. pl.* 1144. *Fl. ſuec.* 1081. *phyſodes.*
Lichen arboreus albeſcens, ſegmentis cornigeris, ſubtus aterrimmus. *Pet. Gaz. t.* 14. *f.* 6.
Lichenoides ceratophyllon obtuſius et minus ramoſum. *R. Syn.* 76. *Dill. muſc.* 154. *t.* 20. *f.* 49.
Anglis, inflated Liverwort.
Habitat *in ericetis in comitatibus* Eboracenſi *et* Weſtmorlandico *paſſim.*

29.

ſtellaris. 29. LICHEN imbricatus: foliolis oblongis laciniatis anguſtis cinereis, ſcutellis pullis. *Sp. pl.* 1144. *Fl. ſuec.* 1082.
Lichenoides cinereum, ſegmentis argutis ſtellatis, ſcutellis nigris. *Dill. muſc.* 176. *t.* 24. *f.* 70.
Lichenoides arboreum, cruſta folioſa albo-cinerea tenuiter et eleganter diſſecta, ſcutellis nigris. *R. Syn.* 74.
Anglis, ſtarry Liverwort.
Habitat *in corticibus Fraxini, et Pruni ſylveſtris frequens.*

**** *Foliacei.*

ciliaris. 30. LICHEN foliaceus erectiuſculus: laciniis linearibus ciliatis, ſcutellis pedunculatis crenatis. *Sp. pl.* 1144. *Fl. ſuec.* 1085.
Lichenoides hiſpidum majus et rigidius, ſcutellis nigris. *Dill. muſc.* 150. *t.* 20. *f.* 45.
Lichenoides arboreum folioſum cinereum, ſcutellis nigris foliorum extremitatibus hiſpidis et piloſis. *Cat. giſſ.* 207. *R. Syn.* 73.
Muſco fungus arboreus cinereus ſcutellatus, marginibus piloſis. *Hiſt. ox. III.* 634. *ſ.* 15. *t.* 7. *f.* 6.
Anglis, Hairy Liverwort.
Habitat *in arborum truncis frequens.*

perlatus. 31. LICHEN foliaceus repens lobatus glaber, ſubtus atris, ſcutellis pedunculatis integris.
Lichenoides glaucum perlatum, ſubtus nigrum et cirroſum. *Dill. muſc.* 147. *t.* 20. *f* 39.
Muſco-fungus lichenoides arborum, anguſtior, foliis ſuperne cinereis, ſubtus nigricantibus villoſis. *Hiſt. ox III.* 634.
Anglis, Pearl Liverwort.
Habitat *in truncis arborum paſſim.*

iſlandicus. 32. LICHEN foliaceus adſcendens laciniatus; marginibus elevatis ciliati. *Sp. pl.* 1145. *Fl. ſuec.* 1085.
Lichen terreſtris, foliis eryngii. Buxb. cent. II. *t.* 6. *f.* 1. 2.

Lichenoides

32. This is used by the Icelanders for food.

Lichenoides rigidum, eryngii folia referens. *R. Syn.* 77. *Dill. muſc.* 209. *t.* 28 *f.* 111.

β Lichenoides Eryngii folia referens, tenuioribus et criſpioribus foliis. *Celſ. upſ.* 31. *Dill. muſc.* 212. *t.* 28. *f.* 112.

γ Coralloides tenuiſſimum nigricans, mundi muliebris inſtar textum. *Dill. muſc.* 113. *t.* 17. *f.* 32.

Anglis, Eryngo-leaved Liverwort.

Habitat *in ericetis et montoſis*; *in montibus* Walliæ. Dill; *in comitatibus* Eboracenſi *et* Weſtmorlandico, *frequens.*

33. LICHEN foliaceus repens lobatus glaber, lobis ſinuatis, ſcutellis fulvis. *laciniatus.*

Lichen pulmonarius arboribus adnaſcens maximus, inferne obſcurus, deſuper e glauco-cinereus, receptaculis florum rubris, ſeminibus nigricantibus. *Mich. gen.* 88. *t.* 46.

Lichenoides ſubglaucum cumatile, foliis tenacibus, eleganter laciniatis. *Dill. muſc.* 197. *t.* 26. *f.* 99.

Anglis, jagged Liverwort.

Habitat *ſecus viam inter* Carno *et* Main-Lloyne *in* Mervinia. Dill.

34. LICHEN foliaceus laciniatus obtuſus glaber: ſupra lacunoſus; ſubtus tomentoſus. *Sp pl.* 1145. *Fl. ſuec.* 1087. *pulmonarius.*

Lichen arborum. *Ger. Em.* 1566.

Lichenoides pulmoneum reticulatum vulgare, marginibus peltiferis. *Dill. muſc.* 212. *t.* 219. *f.* 113.

Lichenoides peltatum arboreum maximum. *Cat. giſſ.* 208. *R. Syn.* 76.

Muſcus pulmonarius. *Bauh. pin.* 361. ſ. Lichen arborum. *Park.* 1311.

Anglis, Tree Liverwort, or Lungwort.

Habitat *in arborum truncis præſertim* Querci, Fraxini.

35. LICHEN foliaceus decumbens laciniatus, laciniis apice trifidis, ſcutellis ſubſuſcis. *decumbens.*

Lichenoides gelatinoſum fuſcum, Jacobææ maritimæ diviſura. *Dill. muſc.* 140. *t.* 19. *f.* 25.
Anglis, tranſparent Liverwort.
Habitat *prope* Lucton *in* Herefordia *legit* Littl. Brown.

nigreſcens. 36. LICHEN foliaceus rugoſus lobatus atro-virens, ſcutellis confertis rufis.
Lichenoides gelatinoſum membranaceum, tenue, nigricans. *Dill. muſc.* 138. *t.* 19. *f.* 20.
Lichenoides ſaxatile membranaceum gelatinoſum tenue nigreſcens. *Cat giſſ. R. Syn.* 72.
Muſcus licheniformis membranaceus nigricans pellucidus, bracteolis innumeris conglomeratis. *Buddl. hort. ſicc. Vol. II. f.* 6.
Anglis, blackiſh Liverwort.
Habitat *in arborum truncis et muris, in ſylva* Bagley-Wood *dicta prope* Oxonium, *in* Cambria *copioſe ad rupes et arborum truncos.* Dill.

furfuraceus. 37. LICHEN foliaceus decumbens furfuraceus: laciniis acutis: ſubtus lacunoſis atris. *Sp. pl.* 1146. *Fl. ſuec.* 1088.
Lichenoides cornutum amarum: deſuper cinereum: inferne nigrum. *Dill. muſc.* 157. *t.* 21. *f.* 52.
Muſcus amarus abſinthii folio. *Bauh. hiſt. III.* 764.
Anglis, Branny Liverwort.
Habitat *in* Arvonia *et ad palos vivarii* Croft-Caſtle *in* Herefordia *obſervavit*, Littl. Brown. Dill.

ampullaceus. 38. LICHEN foliaceus planiuſculus lobatus crenatus, peltis globoſis inflatis. *Sp. pl.* 1146.
Lichen foliis laciniatis, marginibus convolutis in veſiculam abeuntibus. *Roy. lugdb.* 509.
Lichenoides tinctorium glabrum veſiculoſum. *Dill. muſc.* 188. *t.* 24. *f.* 82.
Lichenoides ſaxatile tinctorium, foliis latioribus non piloſis, veſiculas proferens. *R. Syn.* 74.
Anglis, Bladder Liverwort.
Habitat *in paſcuis montanis* Emmot-Paſture *dictis prope* Coln, *in* Lancaſtrienſi *comitatu*, D. Richardſon.

39.

39. LICHEN foliaceus erectus compreſſus ramoſus farinaceus: lateribus verrucoſis. *Sp. pl.* 1146. *Fl. ſuec.* 1089. *farinaceus*

Lichen cinereus anguſtior, ſcutis in marginibus ſegmentorum. *Vaill. pariſ. t.* 20. *f.* 13. 14. 15.

Lichenoides ſegmentis anguſtioribus ad margines verrucoſis et pulverulentis. *Dill. muſc.* 172. *t.* 23. *f.* 63.

Lichenoides arboreum ramoſum cinereo-candicans, ſegmentis anguſtioribus. *R. Syn.* 76.

β Lichenoides arboreum ramoſum, cinereo-vireſcens ſegmentis anguſtioribus, circa margines criſpis. *R. Syn.* 76.

γ Lichenoides non tuſuloſum πλατυδασύφυλλον tuberculis pulverulentis donatum. *R. Syn.* 66.

Anglis, mealy Liverwort.

Habitat *in arborum truncis.*

40. LICHEN foliaceus erectus linearis ramoſus lacunoſus convexus mucronatus. *Sp. pl.* 1146. *Fl. ſuec.* 1090. *calicaris.*

Lichenoides coralliforme roſtratum et canaliculatum. *Dill. muſc.* 170. *t.* 23. *f.* 62.

Lichenoides arboreum ramoſum anguſtioribus cinereo-vireſcentibus. *R. Syn.* 76.

Muſco-fungus arboreus, capitulis roſtratis. *Hiſt. ox. III.* 634. *ſ.* 15. *t.* 7. *f.* 5.

Anglis, channeled Liverwort.

Habitat *in rupibus et corticibus arborum. In* Cambria, D. Lhwyd; *circa* Slingfoldiam *in* Suſſexia, *et copioſe ad rupes montis* Steiperſtone *in* Salopienſi *comitatu.* Dill.

41. LICHEN foliaceus erectus oblongus lanceolatus ſublaciniatus lacunoſus glaber, ſcutellis ſubpedunculatis. *Sp. pl.* 1146. *Fl. ſuec.* 1091. *fraxineus.*

Lichenoides longifolium rugoſum rigidum. *Dill. muſc.* 165. *t.* 22. *f.* 59.

Lichenoides arboreum ramoſum ſcutellatum majus et rigidius, colore vireſcente. *R. Syn.* 75.

Muſco-fungus quernus latifolius cinereus. *Hiſt. ox. III.* 634. *ſ.* 15. *t.* 7. *f.* 14. 3. 4.
Anglis, Aſh Liverwort.
Habitat *in arborum truncis præſertim Fraxinis et Querci.*

prunaſtri. 42. LICHEN foliaceus erectiuſculus lacunoſus: ſubtus tomentoſus albus. *Sp. pl.* 1147. *Fl. ſuec.* 1092.
Lichenoides cornutum, bronchiale molle ſubtus incanum. *Dill. muſc.* 160. *t.* 21. *f.* 55.
Lichenoides arboreum ramoſum majus et mollius, colore candicante. *R. Syn.* 75.
β Lichenoides corniculatum candidum molle, ſegmentis anguſtis. *Dill. muſc.* 159. *t.* 21. *f.* 54.
Anglis, Thorn Liverwort.
Habitat *in Fraxinis, Salicibus, præſertim in Prunis ſpinoſis aliiſque frequens.*

capreatus. 43. LICHEN pallide viridis rugoſus margine undulatus. *Sp. pl.* 1147.
Lichenoides capreatum, roſacee expanſum, e ſulphureo virens. *Dill. muſc.* 193. *t.* 25. *f.* 97.
Lichenoides cruſta folioſa, ex cinereo et luteo vireſcente, inferne nigra et lævi. *Cat. giſſ.* 207. *R. Syn.* 73.
Muſco-fungus lichenoides, cruſtæ modo adnaſcens major cinereus. *Hiſt. ox. III.* 633. *ſ.* 15. *t.* 7. *f.* 1.
Anglis, Roſe-leaved Liverwort.
Habitat *in ſaxis et arboribus paſſim.*

juniperinus. 44. LICHEN foliaceus laciniatus criſpus fulvus, peltis lividis. *Sp. pl.* 1147. *Fl. ſuec.* 1093.
Lichen fulvus ſinubus dædaleis laciniatus. *Fl. lapp.* 450. *Roy. lugdb.* 510.
Anglis, Juniper Liverwort.
Habitat *in ramis et truncis arborum.*
Convenit cum L. parietino ſed differt colore luteo-viridi; foliis laxis erectiuſculis; peltis diſco bruneis.

45.

45. LICHEN foliaceus depreſſus lobatus glaber, margine criſpo farinaceo. *Sp. pl.* 1148. *Fl. ſuec.* 1094. *glaucus.*
Lichenoides endiviæ foliis criſpis ſplendentibus ſubtus nigricantibus. *Dill. muſc.* 192. *t.* 25. *f.* 96.
Muſco-fungus lichenoides arborum criſpus cinereus ſubtus nigricans. *Hiſt. ox. III.* 633. *ſ.* 15. *t.* 7. *f.* 4.
Anglis, ſhining Liverwort.
Habitat *in paſcuis montoſis* Emmot-moor *dictis prope* Coln *in* Lancaſtria; *in ericeto* Banſtead-downs *dicto*. Th. Manningham. *Dill. muſc.*

***** *Coriacei.*

46. LICHEN foliaceus repens lobatus, peltis marginalibus poſticis. *Sp. pl.* 1148. *Fl. ſuec.* 1096. *reſupinatus.*
Lichenoides fuſcum, peltis poſticis ferrugineis. *Dill. muſc.* 206. *t.* 28. *f.* 105.
Lichenoides ſaxatile fuſcum, peltis in averſa foliorum ſuperficie locatis. *R. Syn.* 77.
Anglis, livid Lichenoides.
Habitat *ad lapides minores* Pebbles *vocatos in ora maritima* Suſſexiæ *ad rupes circa* Biſhops-caſtle, *in* Salopia. *Dill. muſc.*

47. LICHEN foliaceus repens laciniatus lacunoſus, peltis marginalibus adſcendentibus. *ſylvaticus.*
Lichenoides polyſchides villoſum et ſcabrum, peltis parvis. *Dill. muſc.* 199. *t.* 27. *f.* 101.
Anglis, rough Liverwort.
Habitat *in ſylvis paſſim.*

48. LICHEN foliaceus repens lobatus obtuſus glaber, peltis marginalibus horizontalibus planis. *horizontalis.*
Lichenoides ſubfuſcum, peltis horizontalibus planis. *Dill. muſc.* 205. *t.* 28. *f.* 104.
Anglis, flat Sheild Liverwort.
Habitat *in ſylvis*; *in ſylva* Enfieldenſi. Dill.

49. LICHEN foliaceus repens ſubrotundus, planus peltis immerſis. *immerſus.*

Lichenoides lichenis facie, peltis acetabulis immerſis. *Dill. muſc.* 221. *t.* 30. *f.* 121.
Anglis, round Liverwort.
Habitat *in faucibus rupium*, Chedder-rocks *dictarum in* Somerſetia, *et in monte* Snowdon *in* Cambria. Dill.

caninus. 50. LICHEN foliaceus repens lobatus obtuſus planus: ſubtus venoſus villoſus, pelta marginali adſcendente. *Sp. pl.* 1149. *Fl. ſuec.* 1100.
Lichen terreſtris cinereus R. Cat. Ang. 185.
Lichenoides digitatum cinereum, lactucæ foliis ſinuoſis. *Dill. muſc.* 200. *t.* 27. *f.* 102.
Lichenoides peltatum terreſtre cinereum majus, foliis diviſis, *R. Syn.* 76.
Anglis, Aſh-coloured Ground Liverwort.
Habitat *in ericetis*.
Pharmac. Lichenis cinerei terreſtris.

****** *Umbilicati, ſqualentes quaſi fuligine.*

miniatus. 51. LICHEN umbilicatus gibbus punctatus ſubtus fulvus. *Sp. pl.* 1149.
Lichen pulmonarius alpinus cinereus punctatus. *Hall. helv.* 75. *t.* 2. *f.* 2.
Lichenoides coriaceum nebuloſum cinereum punctatum ſubtus fulvum. *Dill. muſc.* 223. *t.* 30. *f.* 127.
Anglis, cloudy Liverwort.
Habitat *ad rupes* Cheddarenſes *in* Somerſetia, *et in ſummis rupibus udis* Hiſvaë *in* Cambria. Dill.

vellaus. 52. LICHEN umbilicatus ſubtus hirſutiſſimus. *Sp. pl.* 1150. *Fl ſuec.* 1103.
Lichenoides coriaceum, latiſſimo folio umbilicato et verrucoſo. *Dill. muſc.* 545. *t.* 82. *f.* 5.
Anglis, fleecy Liverwort.
Habitat *in rupibus prope* Settle *in comitatu* Eboracenſi. D. Richardſon.

puſtulatus 53. LICHEN umbilicatus ſubtus lacunoſus. *Sp pl.* 1150. *Fl. ſuec.* 1107.

Lichenoides

Lichenoides puſtulatum cinereum et veluti ambuſtum. *Dill. muſc.* 226. *t.* 30. *f.* 131.
Anglis, ſinged Liverwort.
Habitat *in* Cambriæ *comitatu* Radnorienſi *primus et ſolus adhuc obſervavit* Littl. Brown, *in rupibus meridiem ſpectantibus, ſubter arcem* Keven Lees Caſtle, *dictam, copioſe.* Dill. muſc.

54. LICHEN umbilicatus undique lævis. *Sp. pl.* 1150. *deuſtus.* *Fl. ſuec.* 1105.
Lichenoides coriaceum cinereum, peltis atris compreſſis. *Dill muſc.* 218. *t.* 29. *f.* 117.
Lichenoides ſaxatile, foliis minus diviſis, cinereo-fuſcis. *R. Syn.* 73.
Anglis, Sooty Liverwort.
Habitat *in rupe* Sancti Vincentii *prope* Briſtoliam, D. Dare.

55. LICHEN umbilicatus polyphyllus undique lævis crenatus. *Sp. pl.* 1150. *Fl. ſuec.* 1104. *polyphyllus*
Lichenoides tenue pullum, foliis utrinque glabris. *Dill. muſc.* 225. *t.* 30. *f.* 129.
Anglis, ſmooth Liverwort.
Habitat *in monte* Snowdon *ad rupes* Llyn Llydaw *dictas.* *Dill.*

56. LICHEN umbilicatus polyphyllus utrinque lævis polyrhizos. *Sp. pl.* 1151. *Fl. ſuec.* 1108. *polyrhizos.*
Lichenoides pullum ſuperne et glabrum, inferne nigrum et cirroſum. *Dill. muſc.* 226. *t.* 30. *f.* 130.
Anglis, Fibrous Liverwort.
Habitat *cum priore.*

******* *Scyphiferi.*

57. LICHEN ſcyphifer ſimplex integerrimus, ſtipite cylindrico, tuberculis coccineis. *Sp. pl.* 1151. *Fl. ſuec.* 1109. *Mat. med.* 496. *cocciferus.*
Coralloides ſcyphiforme, tuberculis coccineis. *Dill. muſc.* 82. *t.* 14. *f.* 7.
Lichenoides tubuloſum pyxidatum, tuberculis amæne coccineis. *R. Syn.* 69.

Anglis, red Liverwort.
Habitat *in ericetis et nemoroſis.* XI, II.

cornucopioides. 58. LICHEN ſcyphifer ſimplex folio brevior, tuberculis coccineis. *Sp. pl.* 1151. *Fl. ſuec.* 1110.
Coralloides ſcyphiforme, marginibus radiatis et foliatis. *Dill. muſc.* 85. *t.* 14. *f.* 9.
Lichenoides pyxidatum, marginibus eleganter foliatis. *R. Syn.* 69.
Anglis, radiated Liverwort.
Habitat *in ericetis* Hampſtedienſi *et nigro prope* Londinum. Dill. II.

pyxidatus. 59. LICHEN ſcyphifer ſimplex crenulatus, tuberculis fuſcis. *Sp. pl.* 1151. *Fl. ſuec.* 1111.
Lichen pyxidatus major. *Vaill. pariſ. t.* 21. *f.* 8. *Mich. gen.* 82. *t.* 41. *f.* 1.
Coralloides ſcyphiforme, tuberculis fuſcis. *Dill. muſc.* 79. *t.* 14. *f.* 6.
Muſcus pyxoides terreſtris. *Bauh. pin.* 361.
Lichenoides tubuloſum pyxidatum cinereum. *Cat. giſſ.* 204. *R. Syn.* 68.
β Lichenoides tubuloſum pyxidatum proliferum. *R. Syn.* 69.
γ Lichenoides tubuloſum pyxidatum, tuberculis fuſconigris, proliferum. *R. Syn.* 69.
Anglis, Cup Liverwort, or Moſs.
Habitat *in ericetis et ſylvis.*

fimbriatus 60. LICHEN ſcyphifer ſimplex denticulatus, ſtipite cylindrico. *Sp. pl.* 1152. *Fl. ſuec.* 1112.
Lychen pyxidatus minor. *Vail. pariſ. t.* 21. *f.* 6. *Mich. gen.* 83. *t* 41. *f.* 45.
Coralloides ſcyphiforme gracile, marginibus ſerratis. *Dill. muſc.* 84. *t.* 14. *f.* 8.
Lichenoides tubuloſum pyxidatum, marginibus ſerratis. *Cat. giſſ.* 204. *R. Syn.* 69.
β Lichenoides pyxidatum proliferum, marginibus ſerratis. *R. Syn.* 69.
Anglis, indented Cup Liverwort.
Habitat *in ſylvis et ericetis.*

filiformis. 61. LICHEN ſcyphifer ſimplex integerrimus filiformis tuberculis fuſcis. Li-

Lichenoides tubuloſum pyxidatum exiguum, fuſco-virens. *R. Syn.* 70.
Coralloides ſcyphis gracilibus tubiformibus, pedicularis folio. *Dill. muſc.* 85. *t.* 14. *f.* 10.
Anglis, Trumpet Liverwort.
Habitat *in muris et ericetis.*

62. LICHEN foliis ſuberectis laciniatis criſpis ſcyphiferis, ſcyphis breviſſimis conicis. *foliaceus.*
Lichenoides cartilaginoſum, tubulis et pyxidulis exiguis. *R. Syn.* 70.
Coralloides ſcyphiforme, foliis alcicorniformibus cartilaginoſis. *Dill. muſc.* 87. *t.* 14. *f.* 12.
Anglis, Leafy Liverwort.
Habitat *in ericetis montoſis paſſim.*

63. LICHEN ſcyphifer ramoſus denticulatus filiformis. *Sp. pl.* 1152. *Fl. ſuec.* 1113. *gracilis.*
Coralloides ſcyphiforme ſerratum elatius, caulibus gracilibus glabris. *Dill. muſc.* 88. *t.* 14. *f.* 13.
Lichenoides pyxidatum cinereum elatius, ramulis pyxidatim deſinentibus. *R. Syn.* 69.
Anglis, tall Liverwort.
Habitat *in ericetis et locis petroſis.*

64. LICHEN ſcyphifer ramoſiſſimus: ramis cylindricis calycibus integris nodoſis. *Sp. pl.* 1152. *Fl. ſuec.* 1114. *digitatus.*
Coralloides ramuloſum, tuberculis coccineis. *Dill. muſc.* 96. *t.* 15. *f.* 19.
Lichenoides coralliforme, apicibus coccineis. *R. Syn.* 68.
Anglis, Fingered Liverwort.
Habitat *in ericetis et ſylvis.* II.

65. LICHEN ſcyphifer ramoſiſſimus ventricoſus, ſcyphis dentatis, tuberculis fuſcis. *ventricoſus.*
Lichenoides tubuloſum cinereum, valde cruſtaceum, ramulis brevioribus et crebrioribus ex acetabulis enaſcentibus. *R. Syn.* 68.
Coralloides cornu-copioides incanum, ſcyphis criſtatis. *Dill. muſc.* 94. *t.* 15. *f.* 17.

Anglis,

Anglis, crufted Liverwort.
Habitat *in ſylvis.*

cornutus. 66. LICHEN ſcyphifer ſimpliciuſculus ſubventricoſus, calycibus integris. *Sp. pl.* 1152. *Fl. ſuec.* 1115.
Coralloides vix ramoſum, ſcyphis obſcuris. *Dill. muſc.* 00. *t.* 15. *f.* 14.
Lichenoides tubuloſum cinereum, non ramoſum. *R. Syn.* 27.
Anglis, plain Liverwort.
Habitat *in ericetis.* XI. II.

difformis. 67. LICHEN ſcyphifer ſimpliciuſculus ſubventricoſus, calycibus dentatis. *Sp. pl.* 1152. *Fl. ſuec.* 1116.
Lichen pyxoides teres, acetabulis minoribus repandis. *Mich gen.* 80. *t.* 41. *f.* 1.
Coralloides craſſius ſubincanum, calycibus dentatis. *Dill. muſc.* 95. *t.* 15. *f.* 18.
Lichenoides tubuloſum minus ramoſum cauliculis craſſioribus difformibus. *R. Syn.* 68.
Anglis, ſerrated Liverwort.
Habitat *in ericetis.*

******** *Fruticuloſi.*

rangiferinus. 68. LICHEN fruticuloſus perforatus ramoſiſſimus, ramulis nutantibus. *Sp. pl.* 1153. *Fl. ſuec.* 1117.
Lichenoides tubuloſum ramoſiſſimum, fruticuli ſpecie, candicans. *R. Syn.* 66.
Coralloides montanum fruticuli ſpecie, ubique candicans. *Dill. muſc.* 107. *t.* 16. *f.* 29.
Muſco-fungus coralloides montanus ramoſiſſimus cinereus vulgaris. *Hiſt. ox. III.* 633. *ſ.* 15. *t.* 7. *f.* 9.
β Coralloides fruticuli ſpecie candicans, corniculis ruſeſcentibus. *Dill. muſc.* 110. *t.* 16. *f.* 30.
Lichenoides tubuloſum ramoſiſſimum, fruticuli ſpecie, candicans, corniculis ruſeſcentibus. *R. Syn.* 67.
Anglis, Rhendeer Liverwort.
Habitat *in ſylvis et ericetis frequens.*

furcatus. 69. LICHEN fruticuloſus tubuloſus ramoſus, ramis erectis furcatis.

Liche-

Lichenoides tubuloſum cinereum, ramoſius et cruſtaceum. *R. Syn.* 67.
Coralloides corniculis brevioribus et crebrioribus. *Dill. muſc.* 104. *t* 16. *f.* 27.
Muſco-fungus montanus corniculatus. *Hiſt. ox. III.* 632. *ſ.* 15. *t.* 7. *f.* 1.
Anglis, forked Liverwort.
Habitat *in ericetis et locis montoſis.*

70. LICHEN fruticuloſus tubuloſus: ramoſiſſimus ſpinoſus, ramulis tuberculatis ſubdigitatis. *ſpinoſus.*
Lichenoides tubuloſum ramoſum rigidius, majus et craſſius, cinereo fuſcum. *R. Syn.* 16.
Coralloides ſparſum, caulibus tortuoſis et ſpinoſis. *Dill. muſc.* 101. *t.* 16. *f.* 25.
Muſcus coralloides ſaxatilis cervi cornua referens. *Bauh. pin.* 361.
Anglis, prickly Liverwort.
Habitat *in ericetis ſed rarius.*

71. LICHEN fruticuloſus perforatus, ramulis breviſſimis acutis. *Sp. pl.* 1153. *Fl. ſuec.* 1118. *uncialis.*
Coralloides perforatum minus, molle et tenue. *Dill. muſc.* 99. *t.* 16. *f.* 22.
Lichenoides tubuloſum, cauliculis mollioribus et craſſioribus, minus. *R. Syn.* 67.
Anglis, ſhort Liverwort.
Habitat *in ericeto* Woolwicenſi *in* Cantio, *et in monte* Steiperſtone *prope* Norbury *in comitatu* Salopienſi. Dill.

72. LICHEN fruticuloſus ſubdichotomus, ramis ſimplicibus ſubulatis. *Sp. pl.* 1153. *Fl. ſuec.* 1119. *ſubulatus.*
Coralloides corniculis longioribus et rarioribus. *Dill. muſc.* 102. *t.* 16. *f.* 26.
Lichenoides tubuloſum cinereum, minus cruſtaceum minuſque ramoſum. *R. Syn.* 67.
Muſcus corniculatus. *Tab. ic.* 809. *Ger. Em.* 1360. *B. hiſt. III.* 767. *Park.* 1308.
Anglis, horned Liverwort.
Habitat *in ericetis paſſim.*

73.

paſchalis. 73. LICHEN fruticuloſus ſolidus tectus foliolis cruſtaceis. *Sp. pl.* 1153. *Fl. ſuec.* 1120.
Coralloides criſpum et botryforme alpinum. *Dill. muſc.* 114. *t.* 17. *f.* 33.
Lichenoides non tubuloſum cinereum ramoſum, totum cruſtaceum. *R. Syn.* 66.
Muſco-fungus coralloides fruticoſior et lignoſior. *Hiſt. ox. III.* 633. *ſ.* 15. *t.* 7. *f.* 12.
Anglis, Woody Liverwort.
Habitat *in montibus* Cambriæ *altiſſimis*. Dill.

fragilis. 74. LICHEN fruticoſus ſolidus, ramulis teretibus obtuſis. *Sp. pl.* 1154. *Fl. ſuec.* 1121.
Coralloides alpinum, corallinæ minoris facie. *Dill. muſc.* 116. *t.* 17. *f.* 34.
Lichenoides non tubuloſum ramoſiſſimum fruticuli ſpecie cinereo fuſcum. *R. Syn.* 65.
Anglis, brittle Liverwort.
Habitat *in montibus* Cambrobritanicis *Dill. in ericetis montoſis* Moors, *dictis*, *in* Weſtmorlandia.

globoſus. 75. LICHEN fruticuloſus ſolidus ramoſiſſimus ramulis teretibus acutis furcatis tuberculis terminalibus globoſis.
Lichenoides non tubuloſum, ramulis ſcutellis nigris terminatis. *R. Syn.* 66.
Coralloides cupreſſiforme, capitulis globoſis. *Dill. muſc.* 117. *t.* 17. *f.* 35.
Muſcus coralloides tunbrigenſis, bracteolis nigerrimis. *Pet. muſ. N.* 437. *R. Hiſt. III.* 30.
Anglis, Round-headed Liverwort.
Habitat *in rupibus et locis ſaxoſis. In rupibus prope* Tunbridge, *in monte* Snowdon. Dill. *In montibus* Eboracenſibus *paſſim.*

ſiliquoſus. 76. LICHEN fruticuloſus ſolidus ſubramoſus, tuberculis lateralibus concavis.
Coralloides faſciculare verrucoſum et veluti ſiliquoſum. *Dill. muſc.* 119. *t.* 17. *f.* 38.
Muſco-fungus petræus, cornibus indiviſis et incurvatis. *Hiſt. ox. III.* 633. *ſ.* 15. *t.* 7. *f.* 4.
Anglis, Podded Liverwort.

Habitat

Habitat *in rupibus*; *in ſaxa illa grandia, quæ per campos elatos*, Grey-Weathers *in* Wiltonienſi *comitatu dictos, diſperſa jacent*. Dill.

********* *Filamentoſi.*

77. LICHEN filamentoſus pendulus, ramis implexis, ſcutellis radiatis: *Sp. pl.* 1154. *Fl. ſuec.* 1122. *Mat. med.* 495. *plicatus.*
Uſnea vulgaris, loris longis implexis. *Dill. muſc.* 56. *t.* 11. *f.* 1.
Muſcus arboreus, Uſnea officinarum. *B. pin.* 361. *R. Syn.* 64.
Muſcus quernus. *Ger. Em.* 1558.
Muſcus arboreus vulgaris et quercinus. *Park.* 1311.
Anglis, common hairy Liverwort, or Tree Moſs.
Habitat *in ſilvis denſis ſed rarius.*

78. LICHEN filamentoſus pendulus ſubarticulatus, ramis patentibus. *Sp. pl.* 1155. *Fl. ſuec.* 1123. *barbatus.*
Uſnea barbata, loris tenuibus fibroſis. *Dill. muſc.* 63. *t.* 12. *f.* 6.
Muſcus capillaceus longiſſimus. *Bauh. pin.* 361.
Anglis, bearded Liverwort.
Habitat *in ſylva dicta* Forreſt of Dean *in* Gloceſtrienſi *comitatu, et in ſylva prope* Biſhop's-Caſtle *in* Salopia. Dill.

79. LICHEN filamentoſus pendulus: axillis compreſſis. *Sp. pl.* 1155. *Fl. ſuec.* 1124. *jubatus.*
Uſnea jubata nigricans. *Dill. muſc.* 64. *t.* 12. *f.* 7.
Muſcus corallinus ſaxatilis fœniculaceus. *R. Syn.* 65.
Muſco-fungus trichoides e nigridine cinereus, ſubæ ad inſtar e ſaxis et arboribus dependens. *Hiſt. ox. III.* 633.
Anglis, Fennel Liverwort.
Habitat *in ſylvis et rupibus*; *in* Charley Foreſt, Leiceſterſhire. Petiver. *In comitatu* Eboracenſi *paſſim.* D. Richardſon.

80. LICHEN filamentoſus ramoſiſſimus decumbens implicatus opacus. *Sp. pl.* 1155. *Fl. ſuec.* 1125. *lanatus.*

Uſnea

Uſnea lanæ nigræ inſtar ſaxis adhærens. *Dill. muſc.* 66. *t.* 13. *f.* 8.
Muſcus coralloides, lanæ nigræ inſtar ſaxis adhærens. *R. Syn.* 65.
Anglis, Woolly Liverwort.
Habitat *in rupibus. In* Cornubia *D.* Stephens *in rupibus* Cambriæ *circa* Borth, *milliaris diſtantia a* Bangoria. S. Brewer; *in* Weſtmorlandia *frequens.*

chalybeiformis. 81. LICHEN filamentoſus ſubramoſus decumbens implicato-flexuoſus. *Sp. pl.* 1155. *Fl. ſuec.* 1127.
Uſnea rigida horſum vorſum extenſa. *Dill. muſc.* 66. *t.* 13. *f.* 10.
Muſcus caule rigido inſtar fili chalybei. *R. Syn.* 65.
Anglis, Wiry Liverwort.
Habitat *in truncis arborum et locis ſaxoſis. In monte* Salopiæ, Steiperſtone *dicto.* Dill.

hirtus. 82. LICHEN filamentoſus ramoſiſſimus erectus, tuberculis farinaceis ſparſis. *Fl. lapp.* 989. *ſuec.* 1128. *Sp. pl* 1155.
Uſnea vulgatiſſima tenuior et brevior ſine orbiculis. *Dill. muſc.* 67. *t.* 13. *f.* 12.
Muſcus ramoſus. *Ger.* 1372. *R. Syn.* 65.
Anglis, rough Liverwort.
Habitat *in ſylvis et ſepibus.*

vulpinus. 83. LICHEN filamentoſus ramoſiſſimus erectus faſtigiatus inæquali-anguloſus. *Sp. pl.* 1155. *Fl. ſuec.* 1129.
Uſnea capillacea citrina, fruticuli ſpecie. *Dill. muſc.* 72. *t.* 13. *f.* 16.
Muſcus aureus tenuiſſimus. *Mer. pin. R. Syn.* 65.
Anglis, Gold Liverwort.
Habitat *in ſylvis paſſim. Prope* Totteridge *in* Hartfordia. *Dill.*

articulatus. 84. LICHEN filamentoſus articulatus, ramulis tenuiſſimis punctatis. *Sp. pl.* 1156. *Roy. lugdb.* 513.

Uſnea

Uſnea capillacea et nodoſa. *Dill. muſc.* 60. *t.* 11. *f.* 4.
Muſcus arboreus nodoſus. *Bauh. pin.* 361. *R. Syn.* 65. *f.* geniculatus. *Park.* 1311.
Anglis, Jointed Liverwort.
Habitat *in ſylvis ſed rarius*; *in ſylva ad villam* Stoken-Church; *prope* Burnley *in* Lancaſtria. Dill.

85. LICHEN filamentoſus ramoſus erectus, ſcutellis radiatis. *Sp. pl.* 1156. *Fl. ſuec.* 1130. *floridus.*
Uſnea vulgatiſſima tenuior et brevior cum orbiculis. *Dill. muſc.* 69. *t.* 13. *f.* 13.
Muſcus arboreus cum orbiculis. *Bauh. pin.* 361. *R. Syn.* 65.
Muſcus ramoſus floridus. *Tab. ic.* 808. *Ger. Em.* 1560.
Anglis, Flowering Liverwort.
Habitat *in ſylvis et dumetis.*

TREMELLA. 1067.

Fructificationes vix manifeſtæ, in corpore gelatinoſo.

1. TREMELLA plicata undulata. *Sp. pl.* 1157. *Fl. ſuec.* 1136. *Noſtoc.*
Tremella terreſtris ſinuoſa pinguis et fugax. *Dill. muſc.* 52. *t.* 10. *f.* 14.
Ulva terreſtris pinguis et fugax. *R. Syn.* 64.
Noſtoc paracelſi. *Act. pariſ.* 1708. *p.* 228.
Anglis, Jelly Tremella.
Habitat *in pratis poſt pluvius.*

2. TREMELLA ſeſſilis membranacea auriformis cinerea. *Sp. pl.* 1157. *Fl. ſuec.* 1137. *auricula.*
Agaricum auriculæ forma. *Mich. gen.* 124. *t.* 66. *f.* 1.
Peziza auriculam referens. *R. Syn.* 18.
Fungus membranaceus auriculam referens, ſ. ſambucinus. *Bauh. pin.* 372.
Fungus ſambucinus, ſ. auricula Judæ. *Ger.* 1385. *Park.* 1320.

Anglis,

Anglis, Eared Tremella, or Jews-ear.
Habitat *in lignis putridis.*

Lichenoides. 3. TREMELLA erectis planis : margine crispo laciniato. *Sp. pl.* 1157. *Fl. suec.* 1138.
Lichenoides pellucidum, endiviæ foliis tenuibus crispis. *Dill. musc.* 143. *t* 19. *f.* 31.
Lichenoides tenue rufescens. *R. Syn.* 77.
Anglis, transparent Tremella.
Habitat *in ericetis et umbrosis.*

verrucosa. 4. TREMELLA tuberculosa solida rugosa. *Sp. pl.* 1158. *Fl. suec.*
Tremella fluviatilis gelatinosa et uterculosa. *Dill. musc.* 54. *t.* 10. *f.* 16.
Anglis, Warty Tremella.
Habitat *supra lapides in rivulis. In rivulis alpinis in* Arvonia. Dill. *In fluvio* Martin River *dicto in comitatu* Surriensi.

hemisphærica. 5. TREMELLA hemisphærica sparsa. *Sp. pl.* 1158. *Fl. suec.* 1141.
Anglis, Sea Tremella.
Habitat *in Confervis et Fucis marinis.*

purpurea. 6. TEMELLA subgloboſa ſeſſilis ſolitaria glabra. *Sp. pl.* 1158. *Fl. suec.* 1142.
Tremella paluſtris, veſiculis ſphæricis fungiformibus. *Dill. muſc.* 55. *t.* 10. *f.* 17.
Lichenoides fungiforme, capitulis vel veſiculis ſphæricis, aqueo humore repletis. *R. Syn.* 70.
Anglis, Purple Tremella.
Habitat *ad margines foſſarum inque foſſis exſiccatis verſus* Newington *et* Hackney *prope* Londinum. Dill.

CHARA. 1066.

Cal. biphyllus. *Anthera* globoſa ſeſſilis. *Stigmata* tria. *Sem.* unicum, ſubrotundum.

tomentoſa. 1. CHARA aculeis caulinis ovatis. *Fl. ſuec.* 1132. *Sp. pl.* 1156.

Chara

Chara major ſubcinerea fragilis. *Act. pariſ.* 1719 *p.* 18. *R. Syn.* 132.
Equiſetum fragile majus ſubcinereum aquis immerſum. *Hiſt. ox. III.* 621. *t.* 4. *f.* 9.
Equiſetum ſ. Hippuris coralloides. *Ger. Em.* 1115.
Anglis, brittle Chara.
Habitat *in foſſis et ſtagnis near* Chiſſelhurſt *in* Kent.

2. CHARA caulibus lævibus, frondibus interne dentatis. *Sp. pl.* 1156. *Fl. ſuec.* 1131. *vulgaris.*
Chara vulgaris fœtida. *Act. pariſ.* 1719. *p.* 17. *t.* 3. *f.* 1. *R. Syn.* 132.
Equiſetum fœtidum ſub aqua repens. *Ger. Em.* 1115. *Bauh. pin.* 16. *hiſt. III.* 731. *Park.* 1201.
Anglis, common Chara.
Habitat *in foſſis et ſtagnis frequens.*

3. CHARA aculeis caulinis capillaribus confertis. *Sp. pl.* 1156. *Fl. ſuec.* 1133. *hiſpida.*
Chara major caulibus ſpinoſis. *Act. pariſ.* 1719. *p.* 18. *t.* 3. *f.* 3.
Equiſetum ſ. Hippuris muſcoſus ſub aqua repens. *Pluk. ph. t.* 193. *f.* 6.
Anglis, prickly Chara.
Habitat *in foſſis et ſtagnis*; *in foſſis turfoſis in comitatu* Weſtmorlandico.

4. CHARA caulium articulis inermibus diaphanis ſuperne latioribus. *Sp. pl.* 1157. *It. gotl.* 215. *Fl. ſuec.* 1134. *flexilis.*
Chara tranſlucens minor flexilis. *R. Syn.* 133.
Anglis, ſmooth Chara.
Habitat *in foſſis. In the ponds about* Ipſwich *in* Suffolk. Buddl. *In a Bog where the ſtinking Spaw empties itſelf, nigh* Knaiſborow. Dr. Richardſon. *R. Syn.*

FUCUS. 1068.

Maſc. *Veſiculæ* villis intertextæ.
Fem. *Veſiculæ* adſperſæ granis immerſis, apice prominulis.
Sem. ſolitaria.

* *Dichotomi frondeſcentes.*

ſerratus. 1. FUCUS planus dichotomus ſerratus ad apices tuberculatus. *Sp. pl.* 1158. *Fl. ſuec.* 1144.
Fucus ſ. Alga latifolia major dentata. *R. Syn.* 42. *Hiſt. ox. III.* 648. *t.* 9. *f.* 1.
β Fucus marina humilis, latifoliæ ſerratæ ſimilis. *R. Syn.* 42.
Anglis, ſerrated Fucus, or Sea Wrack.
Habitat *in rupibus et ſaxis marinis frequens.*

veſiculoſus 2. FUCUS dichotomus integer, caule medium folium tranſcurrente, veſiculis verrucoſis terminalibus. *Sp. pl.* 1158. *Fl. lapp.* 466. *ſuec.* 1145. *Roy. lugdb.* 514. *Guett. ſtamp. II.* 401.
Fucus ſ. Alga marina latifolia vulgatiſſima. *R. Syn.* 40.
Fucus maritimus vel Quercus maritima veſiculas habens. *Bauh. pin.* 363.
Quercus marina. *Lob. ic.* 2. *p.* 252. *Ger. Em.* 1116.
Quercus marina herbacea et varietas. *Park.* 1293.
β Fucus maritimus ſ. Quercus maritima foliorum extremis tumidis. *Bauh. pin.* 365.
Anglis, common Fucus, or Sea-Oak.
Habitat *in rupibus et ſaxis marinis ubique.*

ceranoides 3. FUCUS dichotomus planus integer: apicibus bifidis veſiculoſis. *Fl. lapp.* 465. *ſuec.* 1146. *Sp. pl.* 1158.
Fucus humilis dichotomus ceranoides, latioribus foliis ut plurimum verrucoſis. *Hiſt. ox. III.* 646. *t.* 8. *f.* 13.
Fucus membranaceus ceranoides varie diſſectus. *R. Syn.* 44.
β Fucus parvus cauliculis teretibus, ſummitatibus membranaceis dilatatis et laceratis. *Buddl. hort. ſicc. I.* 47. *R. Syn.* 44.
γ Fucus membranaceus ceranoides ramoſus, per ſiccitatem obſolete vireſcens. *Pluk. alm.* 161. *R. Syn.* 44.

♂ Fucus

β Fucus ceranoides albidus, ramulorum apicibus ſtellatis. *Pluk. alm.* 161. *R. Syn.* 44.
Anglis, Buckſhorn Fucus.
Habitat *in littoribus marinis ubique.*

4. FUCUS dichotomus integer caule folium percurrente: inferne nudo, veſiculis verrucoſis terminalibus. *ſpiralis.*
Fl. lapp. 467. *ſuec.* 1147. *Sp. pl.* 1159.
Fucus ſpiralis maritimus major. *Tourn.* 568. *R. Syn.* 41.
β Fucus ſpiralis maritimus minor. *Tourn.* 568. *R. Syn.* 42.
Anglis, twiſted Fucus.
Habitat *in littore* Cantiano *et* Suſſexiano *frequens.*

5. FUCUS membranaceus linearis dichotomus divaricatus integer: ramificationibus veſiculoſis. *Sp. pl. tus.* 1159. *divaricatus.*
Fucus bullatus fruticeſcens, caule nudo, foliis rectis compreſſis bifidis. *Hiſt. ox. III.* 647. *ſ.* 15. *t.* 8. *f.* 5.
Anglis, ſhrubby Fucus.
Habitat *in littore* Inſulæ Angleſey. *Hiſt. ox. prope* Sheerneſs *in Inſula* Sheepy.

6. FUCUS dichotomus planus linearis acutus veſiculis ovatis ſparſis. *linearis.*
Fucus longo anguſto craſſoque folio. *Bauh. pin.* 364. *pr.* 155, 5. *R. Syn.* 43.
Fucus marinus ſecundus. *Dod. pemp.* 479. *Park.* 1293.
Quercus marina 2. *Ger. Em.* 1115.
Anglis, narrow-leaved Fucus, or Sea-Thongs.
Habitat *in littoribus marinis paſſim.*

** *Dichotomi cauleſcentes.*

7. FUCUS dichotomus teres uniformis faſtigiatus, veſiculis terminalibus bifidis. *faſtigiatus.*
Fucus dichotomus teres uniformis faſtigiatus. *Sp. pl.* 1162.

Fucus palmaris tenuis in orbem expanſus, in ſegmenta bifida breviora teretia diviſus. *Hiſt. ox. III.* 649. *t.* 9. *f.* 9.

Fucus ſ alga exigua dichotomus foliorum ſegmentis longiuſculis, craſſis et ſubrotundis. *R. Syn.* 45.

Anglis, forked Fucus.

Habitat *in littoribus marinis frequens.*

exciſſus. 8. FUCUS dichotomus linearis excavatus: axillis divaricatis. *Sp. pl.* 1159.

Fucus pumilus dichotomus, ſegmentis ex una parte gibboſis, ex altera excavatis. *R. Syn.* 43.

Fucus dichotomus ceranoides, angulos rotundiuſculos efformans. *Hiſt. ox. III.* 648. *t.* 8. *f.* 11.

Anglis, furrowed Fucus.

Habitat *in littoribus marinis.*

nodoſus. 9. FUCUS compreſſus dichotomus medio ramorum in veſiculam dilatato. *Roy. lugdb.* 514. *Sp. pl.* 1159. *Fl. ſuec.* 1149.

Fucus maritimus nodoſus. *Bauh. pin.* 365. *R. Syn.* 48.

Fucus maritimus, veſiculis majoribus ſingularibus per intervalla diſpoſitis. *Hiſt. ox. III.* 647. *t.* 8. *f.* 2.

Anglis, knotted Fucus.

Habitat *in rupibus et ſaxis marinis paſſim.*

*** *Ramoſi foliis diſtinctis.*

ovatus. 10. FUCUS caule teretiuſculo compreſſo, foliis oblongis integerrimis.

Anglis, Oval-leaved Fucus.

Habitat *in littore* Eboracenſi.

**** *Ramoſi fronde unita.*

ſiliquoſus. 11. FUCUS teres ramoſiſſimus, pedunculis alternis veſiculis oblongis acuminatis. *Fl. lapp.* 463. *ſuec.* 1150. *Sp. pl.* 1160.

Fucus anguſtifolius veſiculis longis ſiliquarum æmulis. *R. Syn* 48.

Fucus

Fucus maritimus alter, tuberculis pauciſſimis. *B. pin.* 368.
Quercus marina quarta. *Ger. Em.* 1569.
Anglis, Podded Fucus.
Habitat *in littoribus marinis.*

12. FUCUS veſiculis oblongis pedunculatis: foliolis linearibus. *Sp. pl.* 1161. terminatis *barbatus.*
Fucus folio tenuiſſimo diviſo ſiliquatus. *R. Syn.* 48.
Fucus folliculaceus foliis abrotani. *Bauh. pin.* 365.
Fucus maritimus foliis tumidis barbatis. *Bauh. pin.* 365.
Muſcus marinus abrotanoides. *Park.* 1290.
Anglis, Bearded Fucus.
Habitat *in littoribus* Suſſexiano *et* Cornubienſi.

13. FUCUS caule tereti ramoſiſſimo, foliis alternis ſubulatis, veſiculis rotundis imbricatis ſeſſilibus axillaribus. *tamariſcifolius.*
Fucus foliis Ericæ ſ. Tamariſci. *R. Syn.* 49.
Fucus tamariſco ſimilis maritima. *Bauh. pin.* 365.
Erica marina quibuſdam. *Bauh. hiſt. III.* 799.
Anglis, Tamariſk-leaved Fucus.
Habitat *in littoribus marinis. On the coaſt of* Cornwal. *R Syn. in littore* Eboracenſi *paſſim.*

14. FUCUS veſiculis ovatis alternis pedunculatis, frondibus multifidis linearibus. *Sp. pl.* 1161. *foeniculaceus.*
Fucus abrotanoides veſiculis parvis rotundis ornatus. *Hiſt. ox. III.* 648. *t.* 8. *f.* 17.
Fucus radicibus arborum fibroſis ſimilis. *R. Syn.* 49.
Fucus folliculaceus: foeniculi folio. *B. pin.* 365.
Anglis, Fennel-leaved Fucus.
Habitat *in littoribus* Eboracenſi *et* Lancaſtrienſi.

15. FUCUS bipinnatus ſubfiliformis: apicibus veſiculoſis dilatatis. *Sp. pl.* 1161. *abrotanifolius.*
Anglis, Jointed Fucus.
Habitat *in rupibus marinis in littore* Suſſexiano.

16. FUCUS filiformis teres, ramis geminis ramoſiſſimis, *uſneoides.*

fructificationibus innatis concatenatis, foliolis acerosis. *Syst. nat.* 1345?
Fucus anguſtifolius foliis dentatis. *R. Syn.* 48.
Fucus tenuifolius foliis dentatis. *Hiſt. ox. III.* 648. *t.* 9. *f* 4
Anglis, prickly Fucus.
Habitat *in littore* Cornubienſi *copioſe*. *R. Syn.*

***** *Fructificationibus non veſicariis.*

muſcoides. 17. FUCUS teretes ramoſiſſimus, ramis ſparſis ſpinis mollibus alternis. *Sp. pl.* 1161.
Fucus folliculaceus fuſcus ſ. nigricans ex inſula cypro. *Pet. muſ.* 219. *R. hiſt. III.* 13.
Anglis, Thorny Fucus.
Habitat *in littore* Eboracenſi *ſed rarius*.

incurvus. 18. FUCUS teres ramoſus, ramulis imbricatis, laciniis ſecundis incurvis.
Pinus maritima ſ. Fucus teres, cujus ramuli ſetis ſurſum tendentibus ſunt obſiti. *R. Syn.* 50.
Anglis, black Fucus, or Sea Pine.
Habitat *in littore* Suſſexiano *copioſe*.

plicatus. 19. FUCUS capillaris uniformis ramoſiſſimus implicatus ſubdiaphanus.
Fucus trichoides noſtras aurei coloris, ramulorum apicibus furcatis. *Pluk. ph. t.* 184. *f.* 2. *R. Syn.* 45.
β Fucus coralloides erectus. *R. Syn.* 51.
Anglis, Matted Fucus.
Habitat *in littoribus marinis*.

albus. 20. FUCUS filiformis teretiuſculus ſubdichotomus, geniculis tumidiuſculis, ramis diſtantibus acutis.
Fucus teres albus tenuiſſime diviſus. *R. Syn.* 50.
Anglis, white Fucus.
Habitat *in littore* Suſſexiano. *R. Syn.*

verrucoſus 21. FUCUS filiformis teres ramoſus, ramis ſimplicibus, veſiculis rotundis lateralibus.

Fucus

Fucus marinus purpuraſcens parvus, caule et ramulis ſ. foliolis teretibus. *R. Syn.* 50.
Anglis, Warty Fucus.
Habitat *in littoribus marinis paſſim.*

22. FUCUS filiformis teres ramoſiſſimus, ramis alternis, ramulis confertis fructiferis, fructibus globoſis. *purpureus.*
Fucus teres rubens ramoſiſſimus. *R. Syn.* 51.
β Fucus teres rubens minus ramoſus in longum protenſus. *R. Syn.* 51.
Anglis, Purple Fucus.
Habitat *in ſaxis et rupibus marinis.*

23. FUCUS caule tereti ramoſo, ramis alternis ramoſiſſimis apice inflexis. *ſcorpioides*
Fucoides erectum fruticuli ſpecie, ſummitatibus inflexis. *R. Syn.* 38. *t.* 2. *f.* 6.
Anglis, upright Fucus.
Habitat *in littore* Suſſexiano; *at* Selſey-Iſland *plentifully.* Dr. Dill. *R. Syn.*

24. FUCUS teres ſubdichotomus uniformis, ramis obtuſis verrucoſis. *rotundus.*
Fucus kali geniculato ſimilis, non tamen geniculatus. *R. Syn.* 43.
Anglis, round Fucus.
Habitat *in rupibus marinis prope* S. Ives *in* Cornubia. *R. Syn.*

25. FUCUS teres dichotomus, ramis æqualibus acutis. *lumbricalis.*
Fucus parvus ſegmentis prælongis teretibus acutis. *R. Syn.* 45. *Hiſt. ox. III.* 648. *ſ.* 15. *t.* 9. *f.* 4.
Fucus forcellata lumbricalis ſpecies. *B. pin.* 366.
Anglis, ſharp-pointed Fucus.
Habitat *in littoribus marinis paſſim.*

26. FUCUS gelatinoſus frondibus teretiuſculis ramoſis. *gelatinoſus.*
Fucus ſpongioſus nodoſus. *Johnſ. it. cant.* 3. *f.* 3. *ſus. Ger. Em.* 1570. *R. Syn.* 49.
Spongia ramoſa altera anglica. *Park.* 1304.
Anglis, Gelly Fucus.
Habitat *in littore maris prope* Sheerneſs *copioſe.*

filiformis. 27. FUCUS filiformis dichotomus planus.
Anglis, flat Fucus.
Habitat *in littore* Lancaſtrienſi.

criſpus. 28. FUCUS frondibus planis dichotomis, apicibus dilatatis bifidis.
Fucus membranaceus purpureus, variæ ramoſus. *R. Syn.* 47.
Alga criſpa ſcabioſa rubra et pallida. *B. hiſt. III.* 795.
Anglis, curled Fucus.
Habitat *in littoribus marinis frequens.*

palmatus. 29. FUCUS frondibus planis palmatis. *Roy. lugdb.* 515. *Sp. pl.* 1162.
Fucus membranaceus ceranoides. *B. pr.* 155. *R. Syn* 46.
Fucus foliaceus humilis, palmam humanam referens. *Hiſt. ox. III.* 646. *ſ.* 15. *t.* 8. *f.* 1.
Anglis, Handed Fucus.
Habitat *in littoribus marinis paſſim.*

pavonicus. 30. FUCUS fronde ſeſſili reniformi decuſſatim ſtriata. *Sp. pl.* 1162.
Fucus maritimus gallopavonis pennas referens. *Bauh. pr.* 155. *Hiſt. ox. III.* 645. *t.* 8 *f.* 7. *R. Syn.* 43.
Anglis, ſtriated Fucus, or Turkey-Feather.
Habitat *in rupibus et ſaxis marinis, ex Inſula* Angleſea, *et littore* Cornubienſi *accepit* Bobartus; *prope* Harvicum *collegit*, D Buddle; *et prope* Exmouth Devoniæ, *oppidum copioſe naſcentem obſervavit* D. Stevens. *R. Syn. in littore Inſulæ* Walney, *ſed rarius.*

ciliatus. 31. FUCUS frondibus planis ramoſis ciliatis.
Fucus membranaceus rubens anguſtifolius, marginibus ligulis armatis. *R. Syn.* 47.
Fucus humilis membranaceus acaulos elegantiſſimus ruber, capillis longis fimbriatis. *Hiſt. ox. III.* 646. 10.

β Fu-

β Fucus membranaceus purpureus latifolius pinnatus.
R. Syn. 47.
Anglis, ciliated Fucus.
Habitat *in littoribus marinis frequens.*

32. FUCUS frondibus planis ramoſis, ramis dentato-pinnatifidis marginibus calloſis. *pinnatifidus.*
Fucus dealenſis pedicularis rubræ foliis. *Muſ. pet.* 405. *R. Syn.* 48.
Alga cervi cornu diviſura. *B. hiſt. III.* 797.
Anglis, jagged Fucus.
Habitat *in ſaxis et rupibus marinis. Found about* Deal *by Mr.* Dandridge. *R. Syn. in littore* Devoniæ *frequens.*

33. FUCUS frondibus planis ſubdichotomis, ramis alternis decurrentibus bifidis. *alatus.*
Fucus dichotomus parvus coſtatus et membranaceus. *Buddl. hort. ſicc. I.* 12. *R. Syn.* 44.
Fucus purpureus tenuiter diviſus non geniculatus. *Hiſt. ox. III.* 646.
Anglis, Winged Fucus.
Habitat *in littoribus marinis frequens.*

34. FUCUS cartilagineus compreſſus ramoſiſſimus, ramulis alternatim ſecundis, fructibus globoſis lateralibus. *cartilagineus.*
Fucoides rubens varie diſſectum. *R. Syn.* 37.
Anglis, Scarlet Fucus.
Habitat *in littoribus marinis frequens.*

35. FUCUS caule teretiuſculo compreſſo ramoſo, ramis duplicato pinnatis coloratis. *plumoſus.*
Fucoides purpureum eleganter plumoſum. *R. Syn.* 38. *t.* 2. *f.* 5.
Anglis, Feathered Fucus.
Habitat *in littoribus marinis paſſim.*

36. FUCUS cartilagineus compreſſus, frondibus ſupradecompoſitis pinnatis, laciniis obtuſis. *filicinus.*
Anglis, Fern-leaved Fucus.
Habitat *in littore* Lancaſtrienſi *ſed rarius.*

37.

pinnatus. 37. FUCUS membranaceus, frondibus triplicato-pinnatis.
Anglis, Pinnated Fucus.
Habitat *in littoribus* Eboracenſi *et* Suſſexiano.

corneus. 38. FUCUS cartilagineus, caule teretiuſculo compreſſo ramoſiſſimo, ramis ſubpinnatis, laciniis acutis fructiferis.
Fucus flavicans teretifolius, ramulis pennatim enaſcentibus. *R. Syn.* 50.
Fruticulus parvus pennatus flavicans, corneus et tenax. *Buddl. hort. ſicc. II.* 2.
Anglis, Horny Fucus.
Habitat *in littore* Devoniæ *paſſim.*

ſaccharinus. 39. FUCUS caule tereti breviſſimo, fronde enſiformi ſimplici.
Fucus caule tereti breviſſimo, fronde maxima ſubſimplici. *Sp. pl.* 1161. *Fl. lapp.* 460. *ſuec.* 1151.
Fucus longiſſimo latiſſimo craſſoque folio. *Bauh. pr.* 154. *R. Syn.* 39.
β Fucus folio ſingulari longiſſimo, lato, in medio rugoſo, qui balteiformis dici poteſt. *R. Syn.* 39.
γ Fucus latiſſimus et longiſſimus oris criſpis. *R. Syn.* 38.
Anglis, ſweet Fucus.
Habitat *in rupibus et ſaxis marinis.*

confervoides. 40. FUCUS caule tereti ramoſiſſimo, ramulis alternis faſciculatis breviſſimis tuberculatis ſcabris.
Anglis, rough Fucus.
Habitat *in littore* Eboracenſi.

digitatus. 41. FUCUS caule tereti breviſſimo, fronde palmata laciniis enſiformibus.
Fucus arboreus polyſchides edulis. *B. pin.* 364. *R. Syn.* 46.
Fucus phaſganoides et polyſchides. *Ger. Em.* 1570.
Fucus maximus polyſchides. *Park.* 1292.
β Fucus membranaceus polyphyllus major. *R. Syn.* 46.

γ Fucus

γ Fucus ſcoticus latiſſimus edulis dulcis. *Sibb. pr* 26. *R. Syn.* 46.
Fucus alatus ſ phaſganoides. *Bauh. pin.* 362.
Anglis, Fingered Fucus.
Habitat *in rupibus marinis.*

42. FUCUS caule tereti ramoſo, frondibus oblon[illegible] n- *rubens.*
dulatis ſinuatis. Roy. lugdb. 514 Sp. pl. [illegible]
Alga minor ſuave rubens varie diviſa. Mart. cent. 32. *t.* 32.
Anglis, red Fucus.
Habitat *in littore* Cornubienſi.

43. FUCUS caule tereti ramoſo, frondibus oblongo- *ſanguineus*
lanceolatis undulatis integerrimis.
Fucus ſ. Alga folio membranaceo purpureo, lapathi ſanguinei figura et magnitudine. *Hiſt. ox. III.* 645. *t.* 8. *f.* 6. *R. Syn.* 49.
Anglis, Dock-leaved Fucus.
Habitat *in littoribus* Eboracenſi *et* Cornubienſi *frequens.*

44. FUCUS frondibus ramoſis membranaceus, ramis *laciniatus.*
dilatatis palmatis.
Anglis, jagged Fucus.
Habitat *in littore* Eboracenſi *copioſe.*

45. FUCUS filiformis ſimplex ſubfragilis opacus. *Sp. pl. Filum.* 1162. *Fl. ſuec.* 1152.
Fucus chordam referens teres prælongus. *R. Syn.* 40.
Filum marinum germanicum. *B. pr.* 155.
Ligula marina alba Suſſexiana. *Pet. gaz. t.* 91. *f.* 5.
Anglis, Thread Fucus.
Habitat *in rupibus marinis.*

U L V A. 1069.

Fructificationes in membrana diaphana.

1. ULVA tubuloſa ſimplex. *Fl. lapp.* 458. *ſuec.* 1154. *inteſtina-*
Sp. pl. 1163. *lis.*
Ulva marina tubuloſo, inteſtinorum figuram referens. *R. Syn.* 62.

Fucus

Fucus cavus. *Bauh. pin.* 364. *hiſt. III.* 803.
Tremella marina tubuloſa inteſtinorum figura. *Dill. muſc.* 47. *t.* 9. *f.* 7.
Anglis, Gutt Laver.
Habitat *in foſſis maritimis.*

compreſſa. 2. ULVA tubuloſa ramoſa compreſſa. *It. gotl.* 262. *Fl. ſuec.* 1155. *Sp. pl.* 1163.
Ulva marina tenuiſſima et compreſſa. *R. Syn.* 63.
Anglis, flat Laver.
Habitat *in ſaxis et rupibus marinis frequens.*

articulata. 3. ULVA tubuloſa ramoſiſſima articulata, articulis cylindricis, ramis oppoſitis.
Corallina lenta purpurea compreſſa. *R. Syn.* 34.
Fucus purpureus humilis tenuiter diviſus geniculatus. *Hiſt. ox. III.* 646. *ſ.* 15. *t.* 8. *f.* 14.
Anglis, Jointed Laver.
Habitat *in littore* Cornubiæ. *R. Syn. in littore Inſulæ* Walney *paſſim.*

ramoſa. 4. ULVA fronde ramoſa plana undulata purpurea.
Anglis, Branched Laver.
Habitat *in littore* Lancaſtrienſi.

dichotoma. 5. ULVA fronde dichotoma viridis.
Fucus membranaceus dichotomus gramineus. *R. Syn.* 45.
Anglis, Graſs-leaved Laver.
Habitat *in littore Inſulæ* Walney *paſſim.*

latiſſima. 6. ULVA oblonga plana undulata membranacea viridis. *Sp. pl.* 1163.
Fucus longiſſimo latiſſimo tenuique folio. *Bauh. pr.* 154. *R. Syn* 40.
Anglis, curled Laver.
Habitat *in littoribus marinis*; *in littore Inſulæ* Shepey. *R. Syn.*
Obſ. *Variat colore purpureo.*

7. ULVA

7. ULVA palmata prolifera membranacea: ramentis inferne anguſtatis. *Sp. pl.* 1163. *Lactuca.*
Ulva marina lactucæ ſimilis. *R. Syn.* 62.
Tremella marina vulgaris, lactucæ ſimilis. *Dill. muſc.* 42. *t.* 8. *f.* 1.
Fucus marinus, lactuca marina dictus. *Park.* 1293.
Muſcus marinus lactucæ ſimilis. *Bauh. pin.* 364.
Lichen marinus. *Ger. Em.*
β Ulva paluſtris lactucæ marinæ ſimilis, ſed multo minor et tenerior. *R. Syn.* 63.
Tremella paluſtris, vulgari marinæ ſimilis, ſed minor et tenerior. *Dill. muſc.* 43. *t.* 8. *f.* 2.
Anglis, Green Laver, or Oyſter Green.
Habitat *in mari* β *in foſſis pone* Newington *prope* Londinum. Dill.

8. ULVA fronde dilatata ſubſinuata, centro radicata. *Sp. pl.* 1163. *umbilicalis.*
Ulva marina umbilicata. *R. Syn.* 62.
Fucus umbilicus marinus dictus. *Bauh. pin.* 364.
Tremella marina umbilicata. *Dill. muſc.* 46. *t.* 8. *f.* 3.
Anglis, Navel Laver.
Habitat *in ſaxis et rupibus marinis, pone* Sheerneſs *ſparſim.* Dill. *in littoribus* Lancaſtrienſi *et* Eboracenſi *paſſim.*

9. ULVA fronde oblonga bullata. *Sp. pl.* 1163. *Linza.*
Ulva marina faſciata. *R. Syn.* 62.
Tremella marina faſciata. *Dill. muſc.* 46. *t.* 9. *f.* 6.
Fucus Linza dictus, lactucæ marinæ ſimilis. *B. hiſt. III.* 801.
Muſcus lactucæ marinæ ſimilis. *Bauh. pin.* 364.
Anglis, Ribbin Laver.
Habitat *in littore marino pone* Sheerneſs. *R. Syn.*

10. ULVA ſphærica aggregata. *Fl. ſuec.* 1160. *Sp. pl.* 1164. *granulata.*
Tremella paluſtris, veſiculis ſphæricis fungiformibus. *Dill. muſc.* 55. *t.* 10. *f.* 17.

Liche-

Lichenoides fungiforme, capitulis vel veſiculis ſphæricis, aqueo humore repletis. *R. Syn.* 70.
Anglis, Bladder Laver.
Habitat *ad margines foſſarum inque foſſis exſiccatis inter* Newington *et* Hackney *prope* Londinum. *R. Syn.*

CONFERVA. 1070.

Tubercula inæqualia, in fibris capillaribus, longiſſimis.

* *Filamentis ſimplicibus, æqualibus, geniculis deſtitutis.*

rivularis. 1. CONFERVA filamentis ſimpliciſſimis æqualibus longiſſimis. *Fl. ſuec.* 1161. *Sp. pl.* 1164.
Conferva fluviatilis ſericea vulgaris et fluitans. *Dill. muſc.* 12. *t.* 2. *f.* 1.
Conferva Plinii. *Geſn. Cat.* 23. *R. Syn.* 58.
Conferva paluſtris ſericea, filamentis craſſioribus et longioribus. *R. Syn.* 477.
Conferva paluſtris ſericea, craſſior et vaſie extenſa. *Dill. muſc.* 13. *t.* 2. *f.* 2.
Anglis, River Conferva.
Habitat *in rivulis.*

fontinalis. 2. CONFERVA filamentis ſimpliciſſimis æqualibus digito brevioribus. *Sp. pl.* 1164. *Fl. ſuec.* 1163.
Conferva minima byſſi facie. *Dill. muſc.* 14. *t.* 2. *f.* 3.
Conferva fontalis fuſca, omnium minima mollis. *R. Syn.* 58.
Anglis, Spring Conferva.
Habitat *in rivo novo verſus* Hornſey. *Dill.*

** *Filamentis ramoſis, æqualibus.*

furcata. 3. CONFERVA filamentis æqualibus extremitatibus ramoſis, ramis ſub-ſimplicibus.
Conferva capillacea, filamentis bifidis et trifidis. *Dill. muſc.* 16. *t.* 2. *f.* 6.
Conferva rivulorum bicornis, filamentis tenuiſſimis. *R. Syn.* 58.
β Conferva paluſtris, filamentis brevioribus et craſſioribus. *Dill. muſc.* 17. *t.* 3. *f.* 10.

Conferva

Conferva paluſtris ſubhirſuta filamentis brevioribus et craſſioribus. *R. Syn.* 477.
Anglis, forked Conferva.
Habitat *in rivulis* β *in foſſis paſſim.*

4. CONFERVA filamentis æqualibus ramoſiſſimis, ramis ramuliſque longiſſimis ſparſis. *foeniculacea.*
Conferva marina foeniculacea. *Dill. muſc.* 16. *t.* 2. *f.* 8.
Anglis, Fennel-leaved Conferva.
Habitat *in rupibus maritimis in* Mona Inſula. *Dill.*

5. CONFERVA filamentis æqualibus ramoſiſſimis, ramulis breviſſimis alternis. *rigida.*
Conferva fluviatilis fibrilloſa, ſubrigida. *Dill. muſc.* 21. *t.* 4 *f.* 16.
Anglis, Rough Conferva.
Habitat *in fluvio qui ericetum* Hounſlejano *percurrit. Dill. in fluvio* Lug. *prope* Mortimer's Croſs *in* Herefordienſi *comitatu.* L. Brown.

6. CONFERVA filamentis æqualibus ramoſis, exſiccatione coëuntibus in aculeos. *Sp. pl.* 1164. *Fl. ſuec.* 1164. *amphibia.*
Conferva amphibia, fibrilloſa et ſpongioſa. *Dill. muſc.* 22. *t.* 4. *f.* 17.
Conferva terreſtris exilis fibrilloſa. *R. Syn.* 59.
Fungus vel potius ſpongia viridis doliolis adnaſcenti ſimilis. *R. Syn.* 57.
Anglis, amphibious Conferva.
Habitat *ad ripam* Thameſis *frequens.*

7. CONFERVA filamentis æqualibus ramoſis, bullas aëreas includentibus. *Sp. pl.* 1164. *Fl. ſuec.* 1166. *bulloſa.*
Conferva paluſtris bombycinia. *R. Syn.* 60. *Dill. muſc.* 18. *t.* 3. *f.* 11.
Alga bombycinia. *Bauh. pin.* 363. *pr.* 155. *Park.* 1261.
Anglis, Cotten Conferva.
Habitat *in foſſis et aquis ſtagnantibus, paſſim.*

8. CON-

canalicularis. 8. CONFERVA filamentis æqualibus baſin verſus ramoſioribus. *Sp. pl.* 1164. *Fl. ſuec.* 1162.
Conferva rivulorum capillacea, denſiſſime congeſtis ramulis. *R. Syn.* 58. *Dill. muſc.* 21. *t.* 4. *f.* 15.
Alga in tubulis aquam fontanam ducentibus. *B. pin.* 364.
Anglis, Mill Conferva.
Habitat *in rivulis purioribus, inque tubulis et aſſeribus aquas ad molas deducentibus.*

tomentoſa. 9. CONFERVA filamentis æqualibus ramoſiſſimis, ramis ſimplicibus confertis fuſcis.
Conferva marina tomentoſa, tenerior et albiçans. *R. Syn.* 59. *Dill. muſc.* 19. *t.* 3. *f.* 12.
Muſcus maritimus goſſipio ſimilis. *Bauh. pin.* 663. *Hiſt. ox. III.* 649.
β Conferva marina tomentoſa, minus tenera et ferruginea. *Dill. muſc.* 19. *t.* 3. *f.* 13.
Anglis, Wool Conferva.
Habitat *in foſſis et littoribus marinis paſſim.*

æruginoſa. 10. CONFERVA filamentis ramoſis mollibus digito brevioribus viridiſſimis. *Sp. pl.* 1165.
Conferva marina capillacea brevis, viridiſſima mollis. *Dill. muſc.* 23. *t.* 4. *f.* 20.
Anglis, Sea-green Conferva.
Habitat *in fucis prope* Llanfaethly *in* Mona *inſula. Dill.*

ſpongioſa. 11. CONFERVA filamentis ramoſis æqualibus, ramulis ſimplicibus imbricatis.
Fucus teretifolius ſpongioſus piloſiſſimus. *R. Syn.* 46.
Fucus teres villis quaquaverſum abductus. *R. Syn. ed. II.* 330.
Muſcus marinus hirſutus, flagellis longis ramoſis ſubviridibus. *Hiſt. ox. III.* 650. *ſ.* 15. *t.* 9. *f.* 6. 7.
Anglis, Sponge Conferva.
Habitat *in littoribus marinis frequens.*

12. CON-

12. CONFERVA filamentis æqualibus ramoſis, ramis faciculatis breviſſimis. *nigra.*
Anglis, black Conferva.
Habitat *in littore* Eboracenſi *copioſe.*

13. CONFERVA filamentis æqualibus dichotomis. *Sp. pl.* 1165. *dichotoma.*
Conferva dichotoma, ſetis porcinis ſimilis. *Dill. muſc.* 17. *t.* 3. *f.* 9.
Conferva Plinii ſetis porcinis ſimilis. *Merr. pin. R. Syn.* 58.
Anglis, Briſtle Conferva.
Habitat *in foſſis inter* Greenwich *et* Woolwich. *R. Syn.*

14. CONFERVA filamentis proliferis faſtigiatis hirtis, *Sp. pl.* 1156. *ſcoparia.*
Conferva marina pennata. *Dill. muſc.* 24. *t.* 4. *f.* 23.
Anglis, Broom Conferva.
Habitat *in littore marino inter* Margate *et* Dover, *in littore* Devoniæ *frequens.*

15. CONFERVA filis ramoſis: filamentis alternis brevibus multipartitis digitatis. *Sp. pl.* 1165. *Fl. ſuec.* 1171. *cancellata.*
Conferva marina cancellata. *R. Syn.* 59. *Dill. muſc.* 24. *t.* 4. *f.* 22.
Anglis, Latticed Conferva.
Habitat *pone* Sheerneſs *in inſula* Sheepy. *R. Syn.*

** *Filamentis anaſtomoſantibus.*

16. CONFERVA filamentis reticulato-coadunatis. *Sp. pl.* 1165. *Fl. ſuec.* 1167. *reticulata.*
Conferva reticulata. *R. Syn.* 59. *Dill. muſc.* 20. *t.* 4. *f.* 14.
Conferva reticulata criſpa. *Pluk. ph. t.* 24. *f.* 2. *Hiſt. ox. III.* 644. *t.* 4. *f.* 4.
Anglis, Net Conferva.
Habitat *in foſſis prope* Weſtmonaſterium, *et rivulis in ericeto* Hounſlejano, *D. Doody.*

**** Filamentis nodoſis.*

fluviatilis. 17. CONFERVA filis ſimpliciſſimis ſetiformibus rectis: geniculis craſſioribus angulatis. *Sp. pl.* 1165. *Fl. ſuec.* 1168.

Conferva fluviatilis lubrica ſetoſa, Equiſeti facie *Dill. muſc.* 39. *t.* 7. *f.* 47.

Anglis, Horſe-tail Conferva.

Habitat *prope* Bangoriam *in rivo aquæ dulcis, dicto* Aſon Cegin, *inter molendinum vocatum* Pandu maes y Geirchan et Melun Eſcob *lapidibus denſe adnaſcentem invenit et miſit.* Sam. Brewer. *Dill. muſc.*

gelatinoſa. 18. CONFERVA filis ramoſis moniliformibus, articulis globoſis gelatinoſis. *Sp. pl.* 1166.

Conferva fontana nodoſa, ſpermatis ranarum inſtar lubrica, major et fuſca. *R. Syn.* 62. *Dill. muſc.* 36. *t.* 7. *f.* 42.

β Conferva fontana nodoſa, ſpermatis ranarum inſtar lubrica, minor et viridis. *Dill. muſc.* 37. *t.* 7. *f.* 43.

γ Conferva ſtagnatilis, globulis vireſcentibus mucoſis. *Dill. muſc.* 38. *t.* 7. *f.* 44.

δ Conferva alpina lubrica, filamentis nodoſis cæruleis. *Dill. muſc.* 38. *t.* 7. *f.* 45.

ε Conferva fontana nodoſa lubrica, filamentis tenuiſſimis nigris. *Dill. muſc.* 39. *t.* 7. *f.* 46.

Anglis, Frog-ſpawn Conferva.

Habitat *in fonte amplo et limpido vici* Godalmin *in* Surreia, *juxta viam regiam, et in fonte quodam prope* Ciceſtriam *in* Suſſexia; β. *in rivulo in ſaltu* Enfieldenſi; γ. δ. *prope* Mancunium; ε. *in* Mona *inſula.* Dill. *in rivulo prope* Martin *in* Surreia.

****** Filamentis geniculatis.*

capillaris. 19. CONFERVA filis geniculatis ſimplicibus, articulis alternatim compreſſis. *Sp. pl.* 1166.

Conferva filamentis longis geniculatis ſimplicibus. *Dill. muſc.* 25. *t.* 5. *f.* 25.

Con-

Conferva paluſtris, ſ. filum marinum anglicum. *R. Syn.* 60.
Conferva geniculata minima noſtras. *Pluk. ph.* t. 84. *f.* 9. *Hiſt ox. III.* 644. *t.* 4. *f.* 4.
Anglis, Thread Conferva.
Habitat *in foſſis et lucubus marinis.*

20. CONFERVA filis geniculatis ramoſis, articulis alternatim compreſſis. *tubuloſa.*
Conferva marina fiſtuloſa. *Dill. muſc.* 34. *t.* 6. *f.* 39.
Conferva marina geniculata albicans diaphragmatis diſtincta. *R. Syn.* 60.
Conferva marina nodoſa ex albo rubeſcens mollis, ſed minus lubrica. *R. Syn.* 51.
Tremella filiformis articulata: articulis alternatim compreſſis. *Sp. pl.* 1163.
Anglis, Hollow Conferva.
Habitat *in littore marino paſſim.*

21. CONFERVA filamentis geniculatis ramoſiſſimis, articulis cylindricis, ramis oppoſitis. *pellucida.*
Anglis, tranſparent Conferva.
Habitat *in littore inſulæ* Walney.

22. CONFERVA filamentis geniculatis ſubdichotomis, ramis faſciculatis nigris. *polymorpha.*
Conferva filamentis geniculatis, ramis faſciculatis. *Sp. pl.* 1167. *Fl ſuec.* 1174.
Conferva marina geniculata nigra palmata. *Dill. muſc.* 32. *t.* 6. *f.* 35.
Conferva marina geniculata ramoſiſſima lubrica, brevibus et palmatim congeſtis ramulis. *R. Syn.* 61.
Muſcus capillaceus multifidus niger. *B. pin.* 363.
Anglis, Palmated Conferva.
Habitat *in littoribus marinis frequens.*

23. CONFERVA filis geniculatis dichotomis, filamentis ramoſis, ramulis brevibus faſciculatis ſcabris. *glomerata.*
Conferva fontalis ramoſiſſima, glomeratim congeſta. *R. Syn.* 59. *Dill. muſc.* 28. *t.* 5. *f.* 31.

Conferva filamentis geniculatis, ramulis brevioribus multifidis. *Sp. pl.* 1167.

Conferva viridis capillacea, brevioribus ſetis, ramoſior, ſ. conferva minor ramoſa. *Hiſt. ox. III.* 644. *ſ.* 15. *t.* 4. *f.* 2.

Anglis, Cluſter Conferva.

Habitat *in fluviis et littoribus marinis.*

Confer. Conferva marina trichoides, ramoſiſſima, ſparſa. *Dill. muſc.* 28. *t.* 5. *f.* 30. *R. Syn.* 60.

corallinoides. 24. CONFERVA filamentis geniculatis dichotomis. *Sp. pl.* 1166.

Conferva marina gelatinoſa, corallinæ inſtar geniculata tenuior. *Dill. muſc.* 33. *t.* 6. *f.* 37.

Corallina confervoides gelatinoſa rubens, ramulis et geniculis peranguſtis. *R. Syn.* 34.

Muſcus marinus capillaris rubens non ramoſus. *Muſ. Pet.* 274.

β Conferva marina gelatinoſa, corallinæ inſtar geniculata craſſior. *Dill muſc.* 33. *t.* 5. *f.* 36.

Corallina confervoides geniculata alba, geniculis craſſiuſculis pellucidis. *R. Syn.* 34.

Anglis, Coralline Conferva.

Habitat *in littoribus marinis paſſim.*

elongata. 25. CONFERVA filamentis geniculatis ramoſiſſimis, ramulis longiſſimis diſtantibus acutis.

Conferva marina geniculata ramoſiſſima lubrica, longis ſparſiſve ramulis. *R. Syn.* 61. *Dill. muſc.* 35. *t.* 6. *f.* 38.

Anglis, Pointed Conferva.

Habitat *in littoribus marinis frequens.*

fulva. 26. CONFERVA filamentis geniculatis ramoſis, ramis ramuliſque breviſſimis alternis.

Anglis, ſhort Conferva.

Habitat *in littore* Eboracenſi.

plicata. 27. CONFERVA filis geniculatis ramoſis, filamentis ramoſiſſimis implexis.

Conferva

Conferva marina capillacea longa ramoſiſſima, mollis. *R. Syn.* 59. *Dill. muſc.* 23. *t.* 6. *f.* 19.
Anglis, matted Conferva.
Habitat *in rupibus et ſaxis marinis paſſim.*

28. CONFERVA filamentis geniculatis flexuoſis, ramis ramuliſque brevioribus. *Sp. pl.* 1167. *Fl. ſuec.* 1177. *vagabunda.*
Conferva marina trichoides, lanæ inſtar expanſa. *R. Syn.* 60. *Dill. muſc.* 30. *t.* 5. *f.* 32.
Anglis, ſpreading Conferva.
Habitat *in paludibus maritimis.*

29. CONFERVA filamentis geniculatis ramoſis, ramis alternis ramoſis viridibus. *rupeſtris.*
Conferva filamentis geniculatis ramoſiſſimis viridibus. *Sp. pl.* 1167. *Fl. ſuec.* 1176.
Conferva marina trichodes ramoſior. *Dill. muſc.* 28. *t.* 5. *f.* 29.
Conferva marina trichodes, ſ. muſcus marinus virens tenuifolius. *Pluk. mant.* 53. *t.* 182. *f.* 6. *R. Syn.* 60.
β Conferva fluviatilis trichodes, extremitatibus ramoſis. *Cat. giſſ.* 199.
Anglis, Rock Conferva, or Sea-Beard.
Habitat *in rupibus maritimis et in fluviis, paſſim.*

30. CONFERVA filamentis geniculatis ramoſis ramis faſciculatis confertis viridibus. *ſericea.*
Conferva trichodes virgata, ſericea. *Dill. muſc.* 31. *t.* 5. *f.* 33.
Conferva marina trichodes, ramulis virgatis longioribus glabris. *R. Syn.* 60.
Anglis, Silk Conferva.
Habitat *in littore inſulæ* Shepey; *in* Rivo Novo *prope* Londinum. *Dill.*

31. CONFERVA filamentis geniculatis ramoſiſſimis ramulis multifidis faſciculatiſque. *fucoides.*
Anglis, Branched Conferva.
Habitat *in littore* Eboracenſi.

fuſca. 32. CONFERVA filamentis geniculatis ramoſiſſimis, ramulis alternis ſimplicibus.
Anglis, Brown Conferva.
Habitat *in littore* Eboracenſi.

rubra. 33. CONFERVA filamentis geniculatis ramoſiſſimis compreſſis, ramis ſupradecompoſitis pinnatis coloratis.
Fucus cartaligineus, ſtipite teretiuſculo compreſſo: frondibus ſupradecompoſitis pinnatis: laciniis linearibus coloratis. *Roy. lugdb.* 515. *Sp. pl.* 1161.
Muſcus marinus folio multifido. Johnſ. *Merc. bot. II.* 27.
Muſcus pelagicus pennatus rubens, ramulis numeroſis mollibus latius ſe ſpargentibus. *Pluk. ph. t.* 48. *f.* 2.
Muſcus marinus purpureus parvus, foliis oblongis millefolii fere diviſura. *R. Hiſt. I.* 79.
Anglis, Red Conferva.
Habitat *in litteribus marinis frequens.*

pennata. 34. CONFERVA filamentis geniculatis ramoſis, ramis duplicato pinnatis fuſcis.
Conferva marina pennata. *Pet. hort. ſicc. R. Syn.* 59.
Anglis, Feathered Conferva.
Habitat *in littore marino inter* Margate *et* Dover, *R. Syn. In littore inſula* Walney.

parаſitica. 35. CONFERVA filis geniculatis pinnatis.
Anglis, Winged Conferva.
Habitat *in fucis in littore* Eboracenſi *paſſim.*

ægagropila. 36. CONFERVA filamentis geniculatis ramoſiſſimis e centro confertiſſimis globum conſtituentibus. *Sp. pl.* 1167. *Fl. ſuec.* 1169.
Conferva globoſa. *Act. Angl. Vol. XLI.* 498.
Anglis, Globe Conferva, or Moor Balls.
Habitat *in lacubus montoſis, in comitatu* Weſtmorlandico. *In* Wallingſen-Moor, Yorkſhire. *Mr. Tho. Knowlton.*

BYS-

BYSSUS. 1071.

Lanugo aut *Pulvis* ſimpliciſſimus.

* *Filamentoſæ.*

1. BYSSUS filamentis plumoſis natantibus. *Sp. pl.* 1168. *Flos aquæ*
Byſſus latiſſima, papyri inſtar ſupra aquam expanſa. *Dill. muſc.* 1. *R. Syn.* 57.
Anglis, Paper Byſſus.
Habitat *in aquis ſtagnantibus.*

2. BYSSUS lanuginoſa violacea lignis adnaſcens. *R. Syn.* 56. *Dill. muſc.* 4. *t.* 1. *f.* 6. *Sp. pl.* 1168. *phoſphorea.*
Anglis, Violet-coloured Byſſus.
Habitat *in lignis putreſcentibus.*

3. BYSSUS filamentoſa viridis. *Sp. pl.* 1168. *velutina.*
Byſſus tenerrima viridis velutum referens. *R. Syn.* 56. *Dill. muſc.* 7. *t.* 1. *f.* 14.
Anglis, Velvet Byſſus.
Habitat *in corticibus arborum et terris umbroſis.*

4. BYSSUS capillacea pulverulenta, fructificationibus ſparſis, filamentis ſimplicibus ramoſiſque. *Gleditſch. fung.* 1. *Sp. pl.* 1168. *aurea.*
Byſſus petræa crocea, glomerulis lanuginoſis, *Dill. muſc.* 8. *t.* 1. *f.* 16.
Byſſus aurea derbienſis humifuſus. *Pet. gaz. I. t.* 13. *f.* 3.
Anglis, Saffron-coloured Byſſus.
Habitat *in rupibus* Arvoniæ *paſſim.* Dill.

5. BYSSUS filamentis ramoſis rigidis atris ſaxis adnaſcens. *nigra.*
Byſſus petræa nigerrima fibroſa. *R. Syn.* 57.
Anglis, Black Byſſus.
Habitat *in rupibus calcariis prope* Ingleborough *et* Settle *in comitatu* Eboracenſi.

6. BYSSUS filamentis ramoſis fulvis. *fulva.*

Byſſus arborea crocea fibroſa. *R. Syn.* 57. *Dill. muſc.* 9. *t.* 1. *f.* 17.
Anglis, Brown Byſſus.
Habitat *in lignis putridis.*

barbata. 7. BYSSUS? filamentis erectis, ſummitatibus ramoſis.
Byſſus arborea barbata, fulvi coloris. *R. Syn.* 57. *Dill. muſc.* 9. *t.* 1. *f.* 19.
Pſeudo-ſpongia fungoides fulva lignis adnaſcens. *R. Syn. ed. II.* 334.
Anglis, Bearded Byſſus.
Habitat *in lignis putreſcentibus.*

candida. 8. BYSSUS filamentis ramoſiſſimis ramis faſciculatis albidis.
Byſſus tenerrime villoſa et elegantiſſime ramuloſa. *R. Syn.* 476. *t.* 23. *Dill. muſc.* 7. *t.* 1. *f.* 15.
Anglis, Grey Byſſus.
Habitat *in lignis et foliis putreſcentibus.*

cryptarum. 9. BYSSUS capillacea perennis cinerea tenax rupi innata. *Fl. lapp.* 527. *ſuec.* *Sp. pl.* 1168.
Byſſus albida brevis ſetacea. *Dill. muſc.* 10. *t.* 1. *f.* 20.
Anglis, Briſtle Byſſus.
Habitat *in crypta ſubteranea in comitatu* Hereſordienſi. *Dill.*

** *Pulverulentæ.*

antiquitatis. 10. BYSSUS pulverulenta atra. *It. gotl.* 298. *Sp. pl.* 1168.
Anglis, Black Powder Byſſus.
Habitat *in muris antiquiſſimis frequens.*

ſaxatilis. 11. BYSSUS pulverulenta cinerea rupes operiens. *Sp. pl.* 1169.
Anglis, Stone Byſſus.
Habitat *in rupibus calcariis in comitatibus* Weſtmorlandico *et* Eboracenſi.

12. BYS-

12. BYSSUS pulverulenta flava lignis adnaſcens. *R. candelaris. Syn.* 56. *Dill. muſc.* 3. *t.* 1. *f.* 4. *Sp. pl.* 1169.
Anglis, Yellow Byſſus.
Habitat *in corticibus arborum.*

13. BYSSUS pulverulenta viridis. *Sp. pl.* 1169. *botryoides.*
Byſſus botryoides ſaturate virens. *R. Syn.* 56. *Dill. muſc.* 3. *t.* 1. *f.* 5.
Anglis, Green Byſſus.
Habitat *in cortice arborum et terra humida, umbroſa.*

14. BYSSUS pulverulenta incana, farinæ inſtar ſtrata. *incana. R. Syn.* 56. *Dill. muſc.* 3. *t.* 1. *f.* 3. *Sp. pl.* 1169.
Anglis, Mealy Byſſus.
Habitat *in ſolo glareoſo, ad latera foſſularum, juxta vias publicas.*

15. BYSSUS pulverulenta-cruſtacea albiſſima. *Sp. pl. lactea.* 1169.
Byſſus candidiſſima, calcis inſtar Muſcos veſtiens. *Dill. muſc.* 2. *t.* 1. *f.* 2.
Anglis, White Byſſus.
Habitat *in muſcis et arborum corticibus.*

SPONGIA. 1072.

Pili intricati intertexti.

* *Tenaces.*

1. SPONGIA tenax ramoſiſſima erecta, ramis teretiuſculis obtuſis. *Sp. pl.* 1170. *oculata.*
Spongia ramoſa. *Bauh. pin.* 368. *R. Syn.* 29. Britannica. *Park.* 1304.
Anglis, Branched Sponge.
Habitat *in litteribus marinis paſſim.*

2. SPONGIA erecta dichotoma compreſſa. *dichotoma.*
Spongia dichotomos teretifolia viridis. *R. Syn.* 29.
Fucus ſpongioſus teres ramoſior viridis erectis. *Hiſt. ox. III.* 647. *t.* 8. *f.* 7.

Fucus

Fucus filiformis compreſſus dichotomus rectus : geniculis tumidiuſculis. *Sp. pl.* 1159.
Anglis, forked Sponge.
Habitat *in littoribus marinis. In* Cornubia. *R. Syn. in littore* Eboracenſi, *ſed rarius.*

* *Fragiles.*

lacuſtris. 3. SPONGIA repens fragilis, ramis teretibus obtuſis. *Sp. pl.* 1171. *Fl. ſuec.* 1190.
Spongia ramoſa fluviatilis. *R. Syn.* 30.
Anglis, creeping Sponge.
Habitat *in fundo lacuum. In comitatu* Weſtmorlandico *frequens.*

fluviatis. 4. SPONGIA erecta fragilis, ramis teretiuſculis. *Sp. pl.* 1171. *Fl. ſuec.* 1191.
Spongia fluviatilis ramoſa fragilis. *R. Syn.* 30.
Spongia fluviatilis anfractuoſa perfragilis ramoſiſſima. *Pluk. ph. t.* 112. *f.* 3.
Anglis, River Sponge.
Habitat *in fluviis. In the river* Thames *by* Swythens Wyars, *near* Oxford. *In fluvio* Camo *inter* Cantabrigiam *et* Cheſterton. *In the river by* Waltham Abby, Eſſex. *R. Syn.*

F U N G I.

AGARICUS. 1074.

Fungus horizontalis, ſubtus lamelloſus.

* *Stipitati, pileo orbiculato.*

Chantarellus. 1. AGARICUS ſtipitatus, lamellis ramoſis decurrentibus. *Sp. pl.* 1171. *Fl. ſuec.* 1207.
Fungus anguloſus et velut in lacinias ſectus. *Bauh. pin.* 371. *Vaill. pariſ. t.* 11. *f.* 14, 15.
Fungus luteus ſ. pallidus, Chanterelle dictus, ſe contorquens eſculentus. *Bauh. hiſt. III.* 832. *R. Syn.* 2.

Fungi

Fungi lethales. *Ger. Em.* 1385.
Anglis, yellow Agaric, or Champignon.
Habitat *in pratis, paſcuis et ſylvis.*

2. AGARICUS ſtipitatus, lamellis omnibus magnitudine æqualibus. *Fl. ſuec.* 1230. *Sp. pl.* 1171. *integer.*
Agaricus cauleſcens, pileo plano-concavo purpureo, lamellis ſtipiteque albis. *Fl. lapp.* 486.
Fungus major pediculo longo, modice craſſo, lamellis albis creberrimis, ſuperne ad margines apparentibus. *R Syn.* 4.
Anglis, white Agaric.
Habitat *in ſylvis.*

3. AGARICUS ſtipitatus, lamellis dimidiatis ſolitariis, ſtipite volvato: apice dilatato, baſi ovato. *Fl. ſuec.* 1236. *Sp. pl.* 1172. *muſcarius.*
Fungus pileo ſanguineo verrucoſo, lamellis albis, annulo, fugaci, pediculo bulboſo. *Hall. helv.* 39.
Anglis, reddiſh Agaric.
Habitat *in pratis inter* Hampſtead *et* Highgate, *ſed rarius.*

4. AGARICUS ſtipitatus, pileo plano carneo lacteſcente, lamellis rufis, ſtipite longo carneo. *Sp. pl.* 1172. *lactifluus.*
Fungus lacteſcens non acris. *R. Syn.* 4.
Anglis, Milky Agaric.
Habitat *in ſylvis. In ſylva* Charlton Wood *dicta.*

5. AGARICUS ſtipitatus, pileo planiuſculo lacteſcente: margine deflexo, lamellis incarnato-pallidis. *Sp. pl.* 1173. *Fl. ſuec.* 1195. *piperatus.*
Fungus piperatus albus lacteo ſucco turgens. *Bauh. hiſt. III.* 825. *R. Syn.* 4. *Mich. gen.* 141. *Hall. helv.* 34.
Fungus albus acris. *Bauh. pin.* 370.
Anglis, Pepper Agaric.
Habitat *in ſylvis. In ſylva* Charlton Wood *dicta copioſe.*

6. AGA-

campeſtris. 6. AGARICUS ſtipitatus, pileo convexo ſquamato albido, lamellis rufis. *Sp. pl.* 1173. *Fl. ſuec.* 1203.
Fungus campeſtris albus ſuperne, inferne rubens. *Baub. hiſt. III.* 824. *R. Syn.* 2. *Mich. gen.* 174.
Fungus eſculentus. *Park.* 1317.
Anglis, Field Agaric, or common Muſhroom.
Habitat *in pratis et paſcuis.*

violaceus. 7. AGARICUS ſtipitatus, pileo rimoſo: margine violaceo tomentoſo, ſtipite cæruleſcente lana ferruginea. *Sp. pl.* 1173. *Fl. ſuec.* 1226.
Fungus pileo magno, orbiculari, ſublivido, lamellis albis, pediculo brevi bulbiformi violaceo. *R. Syn.* 3.
Fungus eſculentus bulboſus dilute purpureus. *Mich. gen.* 149 *t.* 49. *f.* 1. *Hall. helv.* 52.
Anglis, Violet Agaric.
Habitat *in pratis circa* Newington. Dill. *R. Syn.* XII.

cinnamomeus. 8. AGARICUS ſtipitatus, pileo ſordide flavo, lamellis luteo-ruffis. *Sp. pl.* 1173. *Fl. ſuec.* 1205.
Fungus ovinus. *Sterb.* 64 *t.* 4. *D. E. F. R. Syn.* 2.
Fungus planus orbiculatus aureus. *B. pin.* 371.
Anglis, brown Agaric.
Habitat *in ſylvis paſſim.*

viſcidus. 9. AGARICUS ſtipitatus, pileo purpuraſcente-fuſco viſcido, lamellis fuſco-purpuraſcentibus. *Sp. pl.* 1173. *Fl. ſuec.* 1229.
Agaricus cauleſcens, pileo convexo purpuraſcente, lamellis rufis, ſtipite brevi craſſiuſculo albo. *Fl. lapp.* 485.
Amanita dura, ex fuſco-rubens quercina. *Dill. cat. giſſ. R. Syn.* 5.
Anglis, clammy Agaric.
Habitat *in ſylvis.*

equeſtris. 10. AGARICUS ſtipitatus, pileo pallido: diſco ſtellatim luteo, lamellis ſulphureis. *Sp. pl.* 1173. *Fl. ſuec.* 1219.

Agaricu

Agaricus cauleſcens, pileo convexo ſordido: margine inflexo, lamellis pallidis: baſi remotis, ſtipite cylindraceo. *Fl. lapp.* 502.
Fungus parvus parvi galeri formam exprimens rufus. *Bauh. pin.* 373. *R. Syn.* 7.
Anglis, Starry Agaric.
Habitat *in ericetis paſſim.*

11. AGARICUS ſtipitatus, pileo convexo acuminato griſeo, lamellis convexis griſeis crenatis, ſtipite nudo. *Sp. pl.* 1174. *Fl. ſuec.* 1218. *mammoſus.*
Fungus minor, capitulo pileum nauticum referente, pediculo longiore. *Buxb. cent. IV.* 13. *t.* 21. *f.* 1.
Fungus ſordide fulvus capitulo in conum faſtigiato, pediculo longiſſimo firmo ſtriato. *R. Syn.* 4.
Anglis, grey Agaric.
Habitat *in ſylvis.*

12. AGARICUS ſtipitatus, pileo hemiſphærico viſcido acuminato, lamellis albis, ſtipite longo cylindrico albo. *Fl. lapp.* 506. *ſuec.* 1216. *Sp. pl.* 1174. *clypeatus.*
Fungus major, pediculo longo, modice craſſo, lamellis albis creberrimis, ſuperne ad margines aparentibus. *R. Syn.* 4.
Anglis, long-ſtalked Agaric.
Habitat *in ſylvis.*

13. AGARICUS ſtipitatus pileo campaniformi albido lacero, lamellis niveis, ſtipite ſubbulboſo ſubulato nudo. *Sp. pl.* 1174. *Fl. ſuec.* 1196. *extinctorius.*
Anglis, Conic Agaric.
Habitat *in pratis prope* Tottenham.

14. AGARICUS ſtipitatus, pileo campanulato lacero, lamellis nigris lateraliter flexuoſis, ſtipite fiſtuloſo. *Sp. pl.* 1174. *Fl. ſuec.* 1215. *fimetarius.*
Fungus albus ovum referens. *R. Syn.* 5. *Buxb. cent. IV. t.* 27. *f.* 1.
Anglis, Egg Agaric.
Habitat *in fimetis frequens.*

15. AGA-

verrucoſus 15. AGARICUS cauleſcens, pileo convexo cinereo: verrucis lamelliſque albis, ſtipite baſi craſſiuſculo: *Fl. lapp* 512. *ſuec* 1236.
Fungus pileo plano ad oras ſtriato ſordido verrucoſo, ſubtus albus annulatus. *Hall. helv* 43.
Fungi albi venenati viſcidi. *B. hiſt. III.* 826. *Sterb. fung.* 206 *t.* 2. *f. K. R. Syn.* 7.
Anglis, Warty Agaric.
Habitat *in nemoroſis.*

campanulatus. 16. AGARICUS ſtipitatus, pileo campanulato ſtriato pellucido, lamellis adſcendentibus, ſtipite nudo. *Sp. pl.* 1175. *Fl. ſuec.* 1213.
Fungus perpuſillus, pediculo oblongo, pileo tenui utrinque ſtriato, ſeu flabelli in modum plicatili. *R. Syn.* 8.
Anglis, Bell Agaric.
Habitat *in pratis et paſcuis.*

ſeparatus. 17. AGARICUS ſtipitatus, pileo lævi livido, lamellis nigricantibus ſeparatis, ſtipite bulboſo volvato. *Sp. pl.* 1175. *Fl. ſuec.* 1220.
Fungus parvus pediculo oblongo, galericulatus, ſtriis lividis aut nigris. *R. Syn.* 8.
Anglis, blackiſh Agaric.
Habitat *in ſtercoratis.*

fragilis. 18. AGARICUS ſtipitatus, pileo convexo viſcido pellucido lamelliſque luteis, ſtipite nudo. *Sp. pl.* 1175.
Fungus pileo croceo ſplendoris particips. *Vaill. pariſ. t.* 11. *f.* 16. 17. 18.
Fungus pratenſis minor, externe viſcidus, capitulo præcædentis, ſtriis ſubtus fulvis ſ. croceis. *R. Syn.* 8.
Anglis, brittle Agaric.
Habitat *in ericetis.*

umbelliferus. 19. AGARICUS ſtipitatus, pileo plicato membranaceo, lamellis baſi latioribus. *Sp. pl.* 1175. *Fl. ſuec.* 1192.

Fungus

Fungus parvus candidiſſimus lamellatus, pediculo longo gracili. *R. Syn.* 9.
Anglis, Wood Agaric.
Habitat *inter ſemiputrida dejecta folia ſylvarum.*

20. AGARICUS ſtipitatus albus, pileo plicato membranaceo, ſtipite nigro. *Sp. pl.* 1175. *Fl. ſuec.* 1193. *Androſaceus.*
Fungus minimus adianti aurei capitulis. *R. Syn.* 9.
Fungus caule nigro capillari, androſaces capitulo. *Bocc. muſc.* 143. *t.* 104.
Anglis, Black ſtalked Agaric.
Habitat *in lignis et foliis putridis. On rotten Sticks in the Bottoms of old Lakes. R. Syn.*

* *Paraſiti acaules, dimidiati.*

21. AGARICUS acaulis, lamellis labyrinthiformibus. *Sp. pl.* 1176. *quercinus.*
Agaricus quernus lamellatis coriaceus villoſus. *Cat. giſſ. R. Syn.* 25.
Anglis, Oak Agaric.
Habitat *in truncis arborum.*

22. AGARICUS acaulis coriaceus, lamellis ſinuatis ſimplicibus. *pectinatus.*
Agaricus coriaceus longiſſimus, pectinatim inferne diviſus. *R. Syn.* 25.
Anglis, Toothed Agaric.
Habitat *in lignis putridis.*

23. AGARICUS acaulis coriaceus villoſus: margine obtuſo, lamellis ramoſis anaſtomoſantibus. *Sp. pl.* 1176. *Fl. ſuec.* 1244. *Betulinus.*
Agaricus villoſus, lamellis ſinuoſis et invicem implexis. *Cat. giſſ. R. Syn.* 24.
Anglis, Birch Agaric.
Habitat *in truncos arborum.*

24. AGARICUS acaulis, lamellis bifidis pulverulentis. *Sp. pl.* 1176. *Fl. ſuec.* 1242. *alneus.*

Aga-

Agaricus parvus lamellatus pectunculi forma elegans. *Cat. giff. R. Syn.* 25.
Anglis, Alder Agaric.
Habitat *ad truncos arborum. In the woods near* Dulwich. *R. Syn.*

BOLETUS. 1075.

Fungus horizontalis, ſubtus poroſus.

* *Paraſitici acaules.*

ſuberoſus. 1. BOLETUS acaulis pulvinatus albus lævis, poris acutis difformibus. *Sp. pl.* 1176. *Fl. ſuec.* 1253.
Agaricus intibaceus. *Tourn.* 562. *R. Syn.* 23.
β Fungus foraminoſus arboreus lævis albiſſimus. *R. Syn. ed. II.* 340.
Anglis, Cork Boletus.
Habitat *in Fraxinis in comitatu* Weſtmorlandico *frequens.*

fomentarius. 2. BOLETUS acaulis pulvinatus inæqualis obtuſus, poris teretibus æqualibus glaucis. *Sp. pl.* 1176. *Fl. ſuec.* 1252.
Agaricus poroſus igniarius Carpini. *Cat. giff. R. Syn.* 24.
Anglis, Spongy Boletus.
Habitat *in caudicibus arborum.*

verſicolor. 3. BOLETUS acaulis, faſciis dicoloribus, poris albis. *Sp. pl.* 1176. *Fl. ſuec.* 1254.
Agaricus varii coloris ſquamoſus. *Tourn.* 562. *R. Syn.* 24.
Fungus arborum et lignorum putreſcentium, coloris varii. *R. Syn. ed. II.* 18.
Anglis, ſtriped Boletus.
Habitat *in truncis arborum.*

albus. 4. BOLETUS acaulis pulvinatus lævis, poris oblongis.
Agaricus officinali ſimilis. *Cat. giff. R. Syn.* 23.
Fungus arboreus albidus maximus, ſ. Agaricus ſpurius. *R. Syn. ed. II.* 335.
Anglis, white Boletus.
Habitat *in ſalicibus.*

5. BO-

5. BOLETUS acaulis pulvinatus lævis, poris tenuiſſimis. *Fl. lapp.* 582. *ſuec.* 1256. *Sp. pl.* 1176. *igniarius.*
Agaricus pedis equini facie. *Tourn.* 562. *R. Syn.* 22.
Fungus durus ſive igniarius. *Park.* 1323.
Anglis, hard Boletus, or Touchwood.
Habitat *in arborum truncis.*

** *Stipitati.*

6. BOLETUS ſtipitatus, pileo glabro pulvinato marginato, poris compoſitis acutis: porulis angulatis brevioribus. *Sp. pl.* 1177. *Fl. ſuec.* 1246. *bovinus.*
Suillus fulvus inferne ex flavo vireſcens. *Hall. helv.* 29.
Fungus poroſus craſſus. *R. Syn.* 11.
Anglis, brown Boletus.
Habitat *in ſylvis.*

7. BOLETUS ſtipitatus, pileo pulvinato ſubviſcido, poris rotundatis convexis flaviſſimis, ſtipite albo. *Sp. pl.* 1177. *Fl. ſuec.* 1247. *luteus.*
Boletus luteus. *Cat. giſſ. R. Syn.* 10.
Suillus annulatus terreus inferne flaveſcens. *Hall. helv.* 29.
Anglis, yellow Boletus.
Habitat *in ſylvis paſſim.*

HYDNUM. 1076.

Fungus horizontalis, ſubtus echinatus.

1. HYDNUM ſtipitatum, pileo convexo imbricato. *Sp. pl.* 1178. *Fl. lapp.* 523. *ſuec.* 1257. *imbricatum.*
Erinaceus eſculentus albus craſſus. *Mich. gen.* 132. *t.* 72. *f.* 2. *Hall. helv.* 31.
Fungus pæne candidus, prona parte erinaceus. *Bauh. hiſt. III.* 828. *R. Syn.* 11.
Anglis, common Hydnum.
Habitat *in ſylvis. In ſylva quadam prope* Middleton *vicum in agro* Warwicenſi. *R. Syn.*

PHALLUS. 1077.

Fungus ſupra reticulatus, ſubtus lævis.

eſculentus. 1. PHALLUS pileo ovato, ſtipite nudo rugoſo. *Fl. ſuec.* 1262. *Sp. pl.* 1178.
Boletus eſculentus rugoſus. 1. 2. 3. *Mich. gen.* 203. *t.* 85. *f.* 1. 2.
Fungus ſavaginoſus. *Park.* 1317. *R. Syn.* 11.
Anglis, Eſculent Morel.
Habitat *in ſylvis et nemoroſis.*

impudicus. 2. PHALLUS volvatus ſtipitatus, pileo celluloſo. *Sp. pl.* 1179. *Fl. ſuec.* 1261.
Phallus vulgaris totus albus. *Mich. gen.* 201. *t.* 83.
Phallus hollandicus. *Park.* 1322.
Fungus Phalloides. *B. hiſt. III.* 843. *R. Syn.* 12.
Fungus fœtidus penis imaginem referens. *Bauh. pin.* 374.
Anglis, Stinking Morel.
Habitat *in ſylvis et ad ſepes ſed rarius.*

ELVELA. 1079.

Fungus turbinatus, lævis.

mitra. 1. ELVELA pileo deflexo adnato lobato difformi. *Fl. ſuec.* 1265. *Sp. pl.* 1180.
Fungoides fungiforme criſpum laciniatum et varie complicatum, pediculo craſſo ſtriato rimoſo et fiſtuloſo. *Mich. gen.* 204. *t.* 86. *f.* 7.
Fungus terreſtris pediculo ſtriato et cavernoſo, capitello plicatili ſubtus plano. *R. Syn.* 8.
Anglis, curled Elvela.
Habitat *in truncis putridis ſed rarius.*

PEZIZA. 1080.

Fungus campanulatus, ſeſſilis.

lentifera. 1. PEZIZA campanulata lentifera. *Sp. pl.* 1180. *Fl. ſuec.* 1271.

Fung

Fungi calyciformes ſeminiferi. *Mentz. pug. t.* 6. *R. Syn.* 20.
Fungus campaniformis niger parvus, multa ſemina in ſe continens. *Merr. pin. Pluk. ph. t.* 184. *f.* 9.
Anglis, black Peziza.
Habitat *in lignis, agris, areis hortorum paſſim.*

2. PEZIZA turbinata truncata, diſco punctato. *Fl. ſuec.* 1275. *Sp. pl.* 1180. *punctata.*
Fungus minimus infundibuliformis, ſuperne nigris punctis notatus. *R. Syn.* 12.
Fungus minimus lignoſus, diſco punctato. *Bocc. muſ.* 11. *t.* 107.
Anglis, ſpotted Peziza.
Habitat *in ſtercore equino.*

3. PEZIZA infundibuliformis, diſco patente ſinuato punctato. *Sp. pl.* 1181. *cornucopioides.*
Peziza tubæ fallopianæ æmula. *Cat. giſſ. R. Syn.* 20.
Fungoides nigricans majus cornucopiæ forma. *Vaill. pariſ. t.* 13. *f.* 2. 3.
Anglis, Cornucopia Peziza.
Habitat *in ſylvis*; *in ſylva* Hornſey Wood *dicta copioſe.*

4. PEZIZA cyathiformis, extus angulata venis ramoſis. *Sp. pl.* 1181. *acetabulum.*
Fungoides fuſcum acetabuliforme, externe ramificatum. *Vaill. pariſ. t.* 13. *f.* 1.
Peziza ſubfuſca major. *Cat. giſſ. R. Syn.* 17.
Anglis, Cup Peziza.
Habitat *in lignis putridis. Inter* Hampſtead *et* Highgate.

5. PEZIZA cyathiformis: margine obtuſo erecto. *Fl. ſuec.* 1274. *Sp. pl.* 1181. *cyathoides.*
Peziza lutea parva: marginibus lævibus. *R. Syn.* 18. *t.* 24. *f.* 4.
Anglis, Smooth Peziza.
Habitat *in ſylvis. In* Charlton Wood. *R. Syn.* XII.

ſcutellata. 6. PEZIZA plana: margine convexo piloſo. *Sp. pl.* 1181. *Fl. ſuec.* 1272.
Peziza lutea parva, marginibus piloſis. *R. Syn.* 18. *t.* 24. *f.* 3
Anglis, Hairy Peziza.
Habitat *in lignis putridis. In a lane near* Chicheſter, Southgate. Dill. *R. Syn.*

CLAVARIA. 1081.

Fungus lævis, oblongus.

* *Indiviſæ.*

piſtillaris. 1. CLAVARIA clavæformis ſimpliciſſima. *Fl. ſuec.* 1266. *Sp. pl.* 1182.
Clavaria alba piſtilli forma. *Vaill. pariſ.* 39. *t.* 8. *f.* 5.
Fungoides clavatum minus. *Cat. giſſ. R. Syn.* 14.
Anglis, ſimple Clavaria.
Habitat *in ſylvis et ericetis paſſim.*

ophioglo-ſſoides. 2. CLAVARIA clavata integerrima compreſſa obtuſa. *Guett. ſtamp.* 1. *p.* 8. *Dalib. pariſ.* 385. *Sp. pl.* 1182.
Clavaria ophioglooſſoides nigra. *Vaill. pariſ. t.* 7. *f.* 4.
Fungus ophioglooſſoides. *Pb. br. R. Syn.* 14.
Anglis, black Clavaria.
Habitat *in ſylvis.*

** *Ramoſæ.*

digitata. 3. CLAVARIA ramoſa lignea nigra. *Sp. pl.* 1182.
Fungus piperi æthiopico ſimilis, vel digitatus niger. *Merr. pin. R. Syn.* 14.
Lythophyton terreſtre digitatum nigrum. *Comm. Ac. R. Sc. Ann.* 1711.
Anglis, Fingered Clavaria.
Habitat *in lignis ſemiputridis.*

Hypoxy-lon. 4. CLAVARIA ramoſo-cornuta compreſſa. *Sp. pl.* 1182. *Fl. ſuec.* 1267.

Fungus

Fungus ramoſus, niger, compreſſus, parvus, apicibus albidis. *R. Syn.* 15.

β Fungus cornu dorcadis facie. *E. N. C. Dec.* 1. *Ann.* 4. 195.
Agaricus ramoſus cornu rangiferi referens. *D. Mill. Blackſ. ſp. bot.* 2. *t.* 1.
Anglis, Flat Clavaria.
Habitat *in lignis putridis.*

5. CLAVARIA ramis confertis ramoſiſſimis inæqualibus *Sp. pl.* 1182. *Fl. ſuec.* 1268. *coralloides*
Corallo-fungus flavus. *Vaill. pariſ. t.* 8. *f.* 4.
Fungus ramoſus flavus et albidus. *Bauh. hiſt. III.* 837. *R. Syn.* 16.
Barba caprina. *Sterb. fung.* 96. 97. *t.* 11. *f. A. B. C. D.*
Anglis, yellow Clavaria
Habitat *in ericetis et ſylvis.*

6. CLAVARIA ramis confertis ramoſiſſimis faſtigiatis. *Sp. pl.* 1183. *Fl. ſuec.* 1269. *faſtigiata.*
Fungoides fungiforme luteum fœtidum et minus ramoſum. *R. Syn.* 479. *t.* 24. *f.* 5.
Anglis, ſtinking Clavaria.
Habitat *in ſylvis.*

7. CLAVARIA ramis ramoſis acuminatis inæqualibus luteis. *Sp. pl.* 1183. *Fl. ſuec.* 1270. *muſcoides.*
Fungus parvus ramoſus luteus. *R. Syn.* 16. *t.* 24. *f.* 7.
Anglis, Pointed Clavaria.
Habitat *in ſylvis et ericetis.*

LYCOPERDON. 1082.

Fungus ſubrotundus ſeminibus farinaceis repletis.

* *Solida, ſubterranea abſque radice.*

1. LYCOPERDON ſolidum muricatum, radice deſtitutum. *Sp. pl.* 1183. *Fl. ſuec.* 1282. *Tuber.*
Tuber brumale, pulpa obſcura odorata. *Mich. gen.* 221. *t.* 164.

Tubera. *Bauh. pin.* 376. *hiſt. III.* 849. *R. Syn.* 28, terræ. *Ger. Em.* 1385. edulia. *Park.* 1319.
Anglis, ſolid Puff-balls, or Truffles.
Habitat *ſub terra*; *in* Ruſhton Park, Northamptonſhire. *R. Syn.*

cervinum. 2. LYCOPERDON ſolidiuſculum centro farinifero, radice deſtitutum. *Sp. pl.* 1183. *Fl. ſuec.* 1276.
Lycoperdaſtrum tuberoſum arrhizon fulvum, cortice duriore craſſo et granulato, medulla ex albo purpuraſcente, ſemine nigro craſſiore. *Mich. gen.* 220. *t.* 99. *f.* 4.
Tubera pernicioſa terreſtria ſ cervina. *Sterb. fung.* 315. *t.* 32. *f. B. B. B. R. Syn.* 28.
Tubera cervina. *Bauh. pin.* 376.
Anglis, Branny Puff-ball.
Habitat *in ſylvis*. *In* Canewood, Hampſtead, *R. Syn.*

** *Pulverulenta, radicata ſupra terram.*

Boviſta. 3. LYCOPERDON ſubrotundum, lacerato dehiſcens. *Sp. pl.* 1183 *Fl. lapp.* 525. *ſuec.* 1280.
Lycoperdon vulgare. *Tourn.* 563.
Fungus maximus rotundus pulverulentus, dictus germanis Boviſt. *Bauh. hiſt. III.* 848.
Anglis, common Puff-ball.
Habitat *in pratis et paſcuis.*

ſtellatum. 4. LYCOPERDON volva multifida patente, capitulo glabro: ore acuminato dentato. *Sp. pl.* 1184. *Fl. ſuec.* 1277.
Fungus pulverulentus, crepitus lupi dictus, coronatus et inferne ſtellatus. *R. Syn.* 27. *t.* 1. *f.* 1.
Anglis, Star Puff-ball.
Habitat *in pratis et paſcuis.*

fornicatum. 5. LYCOPERDON volva quadrifida erecta fornicata, capitulo glabro; ore obtuſo ciliato.
Geaſter volvæ radiis et operculo elevatis. *D. Watſon Act. Angl.* No. 474. *p.* 234.

Fungus

Fungus pulverulentus turriculam fornicatam referens. *D. Rand. Blackſ. ſpec. bot.* 24. *t.* 2.
Anglis, Turret Puff-ball.
Habitat *in pratis et paſcuis ſed rarius. At* Bucklebury, *ten miles from* Reading, Berkſhire, *and about* Wickham, *near* Bromley *in* Kent. *Blackſ. ſpec. bot.*

6. LYCOPERDON ſtipite longo, capitulo globoſo glabro: ore cylindrico integerrimo. *Sp. pl.* 1184. *Fl. ſuec.* 1276. *pedunculatum.*
Lycoperdon pariſienſe minimum pediculo donatum. *Tourn.* 563. *t.* 331. *f. E. F.*
Fungus pulverulentus minimus, pediculo longo inſidens. *R. Syn.* 27.
Anglis, Stalked Puff-ball.
Habitat *in paſcuis frequens.*

MUCOR. 1083.

Fungus veſiculis ſtipitatis.

* *Perennes.*

1. MUCOR perennis, ſtipite filiformi nigro, capitulo globoſo cinereo. *Fl. ſuec.* 1286. *Sp. pl.* 1185. *ſphærocephalus.*
Sphærocephalus niger, villo ochroleuco. *Hall. helv. III. t.* 1. *f.* 3.
Fungus pileatus minimus, pediculo tenui capillaceo. *R. Syn.* 12.
Anglis, Round-headed Mucor.
Habitat *in lignis putridis frequens.*

2. MUCOR perennis ſtipite ſubulato nigro, capitulo lenticulari cinereo. *Fl. ſuec.* 1287. *Sp. pl.* 1185. *Lichenoides.*
Coralloides fungiforme arboreum nigrum vix cruſtoſum. *Dill. muſc.* 78. *t.* 14. *f.* 3.
Anglis, Grey-headed Mucor.
Habitat *in lignis putridis.*

3. MUCOR ſeta nigra, villo fuſco. *Sp. pl.* 1185. *Fl. ſuec.* 1288. *Embolus.*

Embolus nigerrimus, villo albo adſperſus. *Hall. helv.* 8. *t.* 1. *f.* 1.
Anglis, black Mucor.
Habitat *in lignis putridis.*

** *Fugaces.*

Mucedo. 4. MUCOR ſtipitatus, capſula globoſa. *Sp. pl.* 1185. *Fl. ſuec.* 1284.
Mucor vulgaris capitulo lucido per maturitatem nigro, pediculo griſeo. *Mich. gen.* 215. *t.* 95. *f.* 1. *Hall. helv.* 7.
Fungus bombycinus murini coloris, e fimo felino, tenuiſſimis capillis. *Pluk. alm.* 164. *R. Syn.* 13.
Anglis, Cotten Mucor.
Habitat *in variis putridis; pane, plantis, &c.*

leproſus. 5. MUCOR ſetaceus, ſeminibus radicalibus. *Sp. pl.* 1185.
Aſpergillus ceſpitoſus denſiſſimus, initio niveus, deinde aureus, ſeminibus ovatis. *Mich. gen.* 213. *t.* 91. *f.* 5
Anglis, yellowiſh Mucor.
Habitat *in celluiis formicatis et cavernis.*

glaucus. 6. MUCOR ſtipitatus capitulo ſubrotundo, aggregato. *Sp. pl.* 1186.
Aſpergillus capitatus, capitulo glauco, ſeminibus rotundis. *Mich. gen.* 212. *t.* 91. *f.* 1.
Anglis, greeniſh Mucor.
Habitat *in Pomis, Melonibus, aliiſque corruptis.*

cruſtaceus. 7. MUCOR ſtipitatus, ſpicis digitatus. *Sp. pl.* 1186.
Mucor cruſtaceus albus, capitulis ſetiſque aqueis. *Fl. ſuec. ed. I.* 1118.
Botrytis non ramoſa alba, ſeminibus rotundis. *Mich. gen.* 212. *t.* 91. *f.* 3.
Anglis, Fingered Mucor.
Habitat *in cibis corruptis.*

* * * * * * * *

APPEN-

APPENDIX.

OMISSA.

VERBENA.

Cor. infundibuliformis ſubæqualis, curva. *Calycis* unico dente truncato. *Semina* quatuor nuda. *Stamina* quatuor.

1. VERBENA tetrandra, ſpicis filiformibus paniculatis, foliis multifido-lanceolatis, caule ſolitario. *Sp. pl.* 20. *Fl. ſuec.* 30. *officinalis.*
Verbena vulgaris. *Bauh. biſt. III.* 443. *R. Syn.* 236.
Verbena mas, ſ. recta et vulgaris. *Park.* 674.
Verbena communis Ger. Em. 664. cæruleo flore. *Bauh. pin.* 269.
Anglis, Vervain.
Habitat *in areis et ad vias publicas.*
Pharmac. Verbenæ *Herba.*

ILEX.

Hermaph. *Cal.* quadridentatus. *Cor.* quadripartite rotata. *Stam.* quatuor. *Stylus* o. *Stig.* quatuor. *Bacca* tetraſperma.
Maſc. *Cal. Cor. Stam.* prioris.

1. ILEX foliis ovatis acutis ſpinoſis. *Hort. cliff.* 40. *Sp. pl.* 125. *aquifolium.*
Ilex aculeata baccifera. *Bauh. pin.* 425.
Agrifolium. *Ger. Em.* 1338. ſ. Aquifolium. *Park.* 1486. *R. Syn.* 466.
Anglis, Holly-tree.
Habitat *in ſylvis, ericetis et ſepibus.* ♄.

Alnus. 2. BETULA pedunculis ramoſis. *Sp. pl.* 983. *Fl. ſuec.* 861.

Alnus. *Ger. Em.* 1249. *R. Syn.* 442. vulgaris. *Park.* 1408.

Alnus rotundifolia glutinoſa viridis. *Bauh. pin.* 428.

β Alnus vulgaris, ſub-conis ligulis membranaceis rubris donata. *R. Syn.* 442.

Anglis, Common Alder.

Habitat *in aquoſis.* ♄. VII.

INDEX

INDEX

NOMINUM LATINORUM

Generica nomina Romana Charactere traduntur:

Curſivis Literis Synonyma.

Primus numerus Genùs deſignat; cæteri Synonyma.

A

	Page
ABIES	361
Abrotanum	311
Abſinthium	311, 312
Acanthium	308
Acer	378, 379
Acetoſa	135, 136
Acetoſella	136
Achillea	324, 325
Acinos	228, 230
Aconitum	201
Acorus	128, 13
Acroſtichum	383, 384
Actæa	201
Adiantum	392, 383, 386, 387, 390
Adonis	209
Adoxa	150
Ægilops	41
Ægopodium	111
Æthuſa	107
Agaricus	490—497
Agaricum	463
Agrifolium	505
Agrimonia	180
Agroſtemma	173
Agroſtis	26—28
Aira	28—31, 374
Ajuga	219
Aizoon	170, 172
Alcea	269
Alchemilla	59, 60, 160
Alga	342, 473, 475, 479
Aliſma	137, 138
Alliaria	251
Allium	120—122
Alnus	83, 505
Aloe	208
Alopecurus	23, 24, 47
Alſinanthemos	139
Alſinaſtrum	151
Alſine	113, 2, 6, 7, 11, 48, 51, 64, 120, 128, 139, 163, 166—169 175—178, 225, 241
Alſinella	63, 64
Alſinoides	10
Althæa	267
Amanita	492
Amara dulcis	79
Amaranthus	356
Ambroſia	248

Ana-

INDEX NOMINUM LATINORUM.

	Page
Anacampſeros	170, 370
Anagallis	73, 74, 51, 79
aquatica	4, 5
Anblatum	233
Anchuſa	66
Andromeda	154
Androſæmum	291
Anemone	208, 209
Anethum	110
Angelica	103, 111
Anonis	273
Anthemis	323, 324
Anthericum	127, 128
Anthoceros	441
Anthoxanthum	10, 135
Anthyllis	273, 120, 167
Antirrhinum	236—239
Aparine	57—69
Aphaca	275
Aphanes	60
Apium	111, 100, 102
Aponogeton	344
Aquilegia	207, 208
Arabis	254
Aracus	279, 280
Arbutus	155
Arctium	304
Arenaria	167—169
Argemone	202, 204
Argentina	195
Aria	187
Armeria	161, 162, 166
Armerius	174
Artemiſia	311, 312
Arum	342
Arundo	43, 21
Aſarum	179
Aſcyron	291, 292
Aſparagus	126
Aſpergillus	504
Aſperugo	69
Aſperula	55
Aſphodelus	125, 128
Aſplenium	384—386
After	319, 314, 320
Aſtragalus	281, 282, 274
Athamanta	100
Atriplex	376—378, 90 —92
Atropa	79
Avena	41, 42
Auricula muris	168, 175

B

Baccharis	314
Balladonna	79
Ballota	227
Balſamine	332
Barba capræ	191
Barbarea	251
Bardana	304, 356
Bartſia	233
Becabunga	4
Bellis	320, 321
Berberis	119
Beta	93
Betonica	220, 240
Betula	354
Betulus	360
Behen album	163
Bidens	309, 310
Bifolium	338, 339
Biſtorta	146, 147
Blackſtonia	146
Blaſia	439
Blattaria	77
Blitum	89—93, 356
Boletus	496—498
Bonus Henricus	89
Borrago	68, 66, 69
Botrytis	504
Braſſica	252—255, 261
Briza	32
Bromus	39—41

Bry-

INDEX NOMINUM LATINORUM.

	Page
Bryonia	373, 369
Bryum	403—417, 397
Bucca-ferrea	63
Bufonia	10
Bugloſſum	66, 68, 69, 294
Bugula	219, 220
Bulbocaſtanum	105
Bulbocodium	122
Bulboſa alpina	122
Bunium	105
Buphthalmum	324
Bupleurum	97
Burſa paſtoris	243, 247, 249
Butomus	152
Buxus	354, 355
Byſſus	487—489

C

Cakile	261
Calamagroſtis	25, 43
Calamaria	393
Calamintha	224, 230
Calamus aromaticus	128
Calceolus	341
Callitriche	2
Caltha	214, 215
Camelina	243, 251
Cameraria	48
Campanula	80—82
Canabina	309
Cannabis	226
Capillus veneris	391
Caprifolium	80
Cardamine	255—258, 245
Cardiaca	228
Carduus	305—308, 49, 326
Carex	346—354
Carlina	309
Carpinus	360
Caruifolia	106
Carum	110
Caryophyllata	198, 199
Caryophyllus	64, 114, 161, 162, 166, 174, 176
Caſſida	231, 232
Catanance	275
Caſtanea	359
Caucalis	98, 99
Cauda muris	118
equina	1
Centaurea	325, 326
Centaurium	88, 89, 146
Centunculus	51
Ceraſtium	175—177
Ceraſus	186, 187
Ceratophyllum	357
Cerefolium	108
Cerinthe	67, 68
Ceterach	385
Chærefolium	109
Chærophyllo ſimilis	60
Chærophyllum	108, 109
Chamæciſſus	205, 206
Chamædrys	218, 5, 199
Chamæfilix	386
Chamælea	145
Chamælinum	116, 117
Chamæmelum	322—324
Chamænerion	140, 142
Camæorchis	339
Chamæpericlymenum	58
Chamæpitys	219
Chamæitea	365
Chara	464, 465
Cheiranthus	250
Chenopodium	89—93
Chelidonium	201, 202, 214
Chondrilla	296
Chriſtophoriana	201
Chryſanthemum	321
Chryſoſplenium	156, 241

Cicho-

INDEX NOMINUM LATINORUM.

Page

Cichorium 303, 294, 301
Cicuta 106, 100, 107
Cicutaria 107, 108
Circæa 9, 10
Cirſium 305—307
Ciſtus 204—206, 155
Clavaria 500, 501
Clematis 291
Clynopodium 228, 230, 233
Clymenum 291
Cnicus 309
Cochlearia 247, 248
Colchicum 136
Conferva 478—486
Conium 100
Conſolida 207, 219, 220
Convallaria 126, 127
Convolvulus 74, 75, 149
Conyza 314, 320, 327
Corallina 479
Coralloides 443, 449, 455—460, 503
Corallo-fungus 501
Coriandrum 107
Cornu Cervi 53
Coronopus 52, 53, 248
Corrigiola 86
Corylus 360
Cotyledon 169, 96, 157
Cracca 277, 280
Crambe 260
Craſſula 170
Cratægus 187, 188
Cratæogonon 235, 236
Crepis 301, 297
Crithmum 97, 101, 320
Criſtagalli 234
Crocus 13
Cruciata 89, 375
Cucubalus 163, 164, 174
Cuminum 110

Page

Cuſcuta 89
Cyanus 325
Cymbalaria 237
Cynocrambe 371
Cynogloſſum 67, 68
Cynoſorchis 333—335
Cynoſurus 47
Cyperus 15, 14, 19
Cypripedium 341

D

DActylis 25
Damaſonium 137, 138
Daphne 145
Datura 78
Daucus 99, 100
Delphinium 207
Dens leonis 297, 301
Dentaria 249
Dianthus 161, 162
Diapenſia 96
Digitalis 240
Dipſacus 49
Dortmanna 329
Draba 243, 244
Dracunculus 325
Droſera 117
Dryas 199
Dryopteris 384, 388, 391

E

EBulus 113
Echium 69, 70, 65, 68
Echinophora 97, 99
Elatine 151, 237
Elleborine 341
Eleoſelinum 111
Elichryſum 313
Elymus 44, 45
Embolus 504
Elvela 498
Empetrum 367

Epi-

INDEX NOMINUM LATINORUM.

Page

Epilobium 140—142
Equiſetum 380, 381, 1, 151
Erica 144, 145, 119, 143, 155, 367, 469
Ericoides 151
Erigeron 314, 316
Erinaceus 497
Eriophorum 19, 20
Eruca 243, 250, 251, 253, 258, 259, 261
Ervum 279, 280, 275
Eryngium 95
Eryſimum 250, 251, 150, 259
Eryſimo ſimilis 254
Eſula 182
Euonymus 84
Eupatorium 310, 180, 309
Euphorbia 181—185
Euphraſia 234, 235, 233

F

FAgus 359, 360
Fegopyrum 149, 150
Feſtuca 36—40
Ferrum equinum 281
Ficaria 213, 214
Filago 328, 329, 313
Filipendula 105, 190
Filix 382—392
Filicula 384
Filum marinum 475
Fœniculum 100
Fontalis 147
Fontinalis 60, 398
Flos adonis 209
cuculi 256
Fœnumgræcum 283
Fœnum burgundiacum 288
Fragaria 194, 195
Franca 119
Frangula 83
Frankenia 119, 120
Fraxinus 379, 189
Fritillaria 125
Fucus 465—477, 342, 343, 465, 480, 486, 490
Fucoides 473
Fumaria 270
Fungoides 498—501
Fungus 463, 479, 490—504

G

GALE 368
Galeopſis 225—227
Galium 55—58, 375
Geaſter 502
Geniſta 271, 272
Gentiana 87, 88, 146
Gentianella 88
Geranium 262—267
Geum 198, 199, 157, 158
Gladiolus 13, 152, 329
Glaſtum 261
Glaux 86, 281, 282
Glecoma 224
Glycyrrhiza 281
Gnaphalium 312, 313, 328, 329
Gramen 14—48, 114, 130—133, 166, 346, 354, 371, 374
Graminifolia 242, 393
Groſſularia 84, 85
Gratiola 180
Gypſophylla 232

H

HAlimus 376
Hedera 85
terreſtris 224
Hederula 344

He-

INDEX NOMINUM LATINORUM.

Page

Hedyſarum 281
Helenium 319
Helianthemum 205, 206
Helleborine 341, 342
Helleboraſter 215
Helleborus 215, 214
Helxine 149
Hepatica 439
Heracleum 102
Herba dyſenterica 320
Gerardi 111
Paris 150
trientalis 139
Herniaria 94, 11
Heſperis 251
Hieracium 297—303, 294 295
Hippophaë 368
Hippoſelinum 109
Hippocrepis 281
Hippuris 1
Holcus 374
Holoſteum 118, 176
Hordeum 46
Horminum 9
Hottonia 72
Humulus 369
Hyacinthus 123, 124
Hydnum 497
Hydroceratophyllum 357
Hydrocharis 372
Hydrocotyle 96
Hydrolapathum 135
Hyoſcyamus 77
Hyoſeris 302
Hypericum 290—292
Hypnum 418—430
Hypochæris 302, 303
Hypopitys 153
Hyſſopifolia 180

J

Page

JACEA 325, 226
Jacobæa 316, 317, 327
Jaſione 329
Iberis 249
Ilex 505
Illecebrum 85, 171
Impatiens 332
Inula 319, 320
Irio 259
Iris 13
Iſatis 261
Iſchæmon 22
Iſoetes 393
Juncellus 14, 16—18
Juncifolia 242
Juncus 129—132, 14, 16, 18, 20
Juncus Floridus 152
Jungermannia 430—438
Juniperus 372

K

KALI 92, 93
geniculatum 1
Keiri 250
Knawel 160

L

LActuca 295, 296, 13
Lagopodium 285
Lagopus 285
Lamium 225—227, 231
Lampſana 303
Lantana 112
Lapathum 89, 133—136
Lappa 304, 356
Lapſana 303
Lathræa 233

La-

INDEX NOMINUM LATINORUM.

Page

Lathyrus 274—277
Lavatera 267
Laureola 145
Ledum 155
Lemna 344, 345
Lens paluſtris 345
Lentibularia 8
Lenticula 344, 345
Leontodon 296, 297
Leonurus 228, 226
Lepidium 244, 245
Leucoium 250, 330
Leucanthemum 321
Lichen 437—463, 477
Lichenaſtrum 402, 430—438
Lichenoides 441—460, 464
Liguſticum 102
Liguſtrum 3
Ligula marina 475
Lilium convallium 126
Limnopeuce 1
Limodorum 336
Limonium 114, 115
Limoſella 241
Linagroſtis 19
Linaria 86, 237, 238
Lingua cervina 385
Linum 115—117
Lithoſpermum 65, 66
Lobelia 329
Lolium 44
Lonchitis 383, 388
Lonicera 80
Lotus 288, 289
Loto affinis 274
Lunaria 244, 382, 439
Lupulus 369
Luteola 181
Lychnis 174, 119, 160, 163—166, 173

Page

Lychnoides 173
Lycoperdon 501—503
Lycopodium 393—395
Lycopſis 69, 70
Lycopus 8
Lyſimachia 72, 73, 140—142, 179, 180, 232
Lythrum 179, 180
Lythophyton 500

M

MALVA 267—269
Malus 190
Marchantia 438, 439
Marjorana 229
Marubium 228, 8, 227
Matricaria 321—323
Medica 287
Medicago 287, 288, 282
Melampyrum 235, 236
Melica 31
Melilotus 282
Meliſſa 230, 231
Meliſſophyllon 231
Mentha 220—224
Menthaſtrum 221
Menyanthes 71
Mercurialis 371, 332
Mezerion 145
Meſpilus 190, 187, 188
Meum 100
Milium 25
Milleſolium 8, 62, 72, 325, 357, 358
Militaris 208
Mnium 404—406, 409, 414—417, 440
Mollugo 57, 58
Monotropa 153
Montia 48
Morſus diaboli 50

INDEX NOMINUM LATINORUM.

	Page
Morſus ranæ	372
Moſcatellina	150
Mucor	503
Mucipula	163, 174
Muſcus	394—432, 449, 450, 459, 477, 480, 483, 486
Muſco-fungus	448, 451—463
Myagrum	241, 251
Myoſotis	65
Myoſurus	118
Myriophyllum	357, 358
Myrrhis	108
Myrtus	368

N

NAPUS	253
Narciſſus	122, 123
Nardus	20, 28, 374
Nartheſium	127, 128
Naſturtium	243—245, 248, 249, 255—257, 259
Nepeta	220
Nidus avis	336, 338
Noli me tangere	256
Noſtoc paracelſi	463
Nucula terreſtris	106
Nummularia	73
Nux veſicaria	113
Nymphæa	206, 270, 71, 373

O

OCymum	230
Oenanthe	104, 105
Onobrychis	281
Ononis	273
Onopordon	308
Onopteris	387
Ophiogloſſum	382
Ophrys	338—340
Opulus	112
Orchis	333—340
Origanum	229
Ornithopus	280
Ornithopodium	280
Ornithogalum	124, 125
Ornus	189
Orobanche	232, 233, 153
Orobus	274, 275
Oſmunda	282, 283
Oſtrya	360
Othonna	327
Oxalis	173, 136
Oxyacantha	188
Oxycoccus	143
Oxys	173

P

PADUS	187
Palma Chriſti	335, 336
Panicum	21, 22, 26, 47
Panax coloni	227
Papaver	201—204, 163
Paralyſis	71
Parietaria	376
Paris	150
Parnaſſia	114
Paronichia	159, 243—245
Pecten veneris	108
Pedicularis	236, 234
Peloria	238
Pentaphylloides	118, 195, 196, 200
Pentaphyllum	59, 195—198
Pentapterophyllon	358
Peplis	128, 181
Peplus	182
Percepier	60

Per-

Page

Perfoliata 97, 252
Periclymenum 58
Perſicaria 147, 148, 332
Pes anſerinus 90
Petaſites 315
Petroſelinum 109
Peucedanum 101
Peziza 498—500, 463
Phalangium 127, 128
Phalaris 20, 21, 32
Phallus 498
Phaſcum 396, 397
Phellandrium 107
Phleum 22, 23, 21
Phyllitis 385
Phyteuma 83
Picea 361
Picris 294
Pilularia 393
Piloſella 255, 290, 299
Pimpinella 110, 111, 54, 358, 359
Pinguicula 7
Pinus 361, 470
Piperitis 244
Piſtacea 113
Piſum 274
Plantaginella 241
Plantago 51—53, 137, 138
Pneumonanthe 87
Poa 32—35, 25, 29, 36
Podagraria 111
Polemonium 75
Polygala 271, 86
Polygalon 281
Polygonatum 126, 127
Polygonum 146—150, 60, 86, 94, 117, 119, 120, 160
Polymonium 165
Polytrichum 399—401, 416
Populago 215
Populus 370
Portulaca 48, 128, 376
Potamogeton 60—63, 147 357, 358
Potentilla 195—197
Poterium 358
Prenanthes 296
Primula 70, 71
Prunella 231
Prunus 186, 187
Pſeudo-aſphodelus 127
Cyperus 352
Helleborus 214
melanthium 173
narciſſus 122
orchis 337
Ptarmica 325
Pteris 384
Pulegium 224
Pulmonaria 67, 299, 300
Pulſatilla 209
Pyrola 153, 154, 139
Pyrus 189
Pyraſter 189

Q

Quercus 358, 466
Quinquefolium 196, 197, 200

R

Radiola 117
Radix cava 150
Ranunculus 208—214, 150, 344
Rapa 253

INDEX NOMINUM LATINORUM.

	Page
Rapum	253
geniſtæ	232
Raphanus	252, 244, 248, 258, 261
Raphaniſtrum	252
Rapiſtrum	252, 258, 260
Rapunculus	81, 83, 96, 329
Rapuntium	81
Regina prati	199
Reſeda	181
Rhamnoides	368
Rhamnus	83, 368
Rhinanthus	234
Rhodia	371
Rhodiola	370
Rhus	368
Ribes	84, 85
Riccia	440, 441
Rorella	117
Ros ſolis	117
Roſa	191, 192
Roſmarinum	155
Rubeola	54, 55
Rubus	193, 194
Rumex	133—136
Ruppia	63
Ruſcus	373
Ruta muraria	386

S

SAgina	63, 169
Sagitta	358
Salcaria	17 180
Salicornia	1
Salix	362—366
Salſola	93
Salvia	9
S. mbucus	112, 113
S. molus	79
Sanguiſorba	53, 54, 358, 359
Sanicula	96, 7, 157
Santolina	328
Saponaria	160, 161
Satyrium	336—338
Saxifraga	156—159, 55, 63, 64, 102, 106, 178
Scabioſa	50, 51, 326, 329
Scandix	107, 108
Schoenus	14, 15
Scilla	123, 124
Scirpus	16—19
Sclarea	9
Scleranthus	160
Scordium	120
Scorodonia	219
Scorodoprafum	120
Scrophularia	239, 240
Scutellaria	231, 232
Secale	46, 44
Sedum	170—173, 93, 156, 160, 185
Selaginoides	395
Selago	395
Selinum	100, 104
Sempervivum	185, 171, 172
Senecio	315—318, 301
Serapias	341, 336, 337
Serpyllum	229, 230
Serratula	304, 305
Seſamoides	163
Seſamum	243
Seſeli	106
Sherardia	54
Sibbaldia	118
Sibthorpia	241
Sideritis	226, 227, 220, 224

INDEX NOMINUM LATINORUM.

Page

Silene 164, 165, 174
Sinapi 260
Sinapis 260
Siſon 104
Siſymbrium 257 — 259, 223
Sium 103, 104, 106, 256
Smilax 74
Smyrnium 109, 102
Solanum 78, 79, 150
Solanifolia 9, 10
Solidago 317—319, 327
Soldanella 75
Sonchus 294—296
Sophia 259
Sorbus 188, 189
Sparganium 346
Spartium 271
Spartum 20, 24, 25, 44
Spergula 177, 178, 169
Sphagnum 395—399, 403
Spherocephalus 503
Sphondylium 102
Spina alba 308
acida 119
cervina 83
Splachnum 399
Spongia 489—490, 471
Stachys 226, 227
Staphylodendron 113
Statyce 114, 115
Staphylæa 113
Stipa 24
Stramonium 78
Stratiotes 208, 372
Subularia 242, 393
Suillus 497
Swertia 87
Symphytum 68, 67
Synanchica 55

T

Page

TAMUS 369
Tamnus 369
Tanacetum 310
Targionia 438
Taxus 372
Telephium 170
Teucrium 218, 219, 199
Thalictrum 216
Thapſus 75
Theſium 86
Thlaſpi 245—248, 243
Thymus 229, 230
Tilia 204
Tithymalus 181—185
Tordilyum 98, 99
Tormentilla 197, 198, 59
Trachelium 81, 82
Tragopogon 293
Tragorchis 334, 337
Tremella 463, 464, 476, 477, 483
Tribulus 61
Trichomanes 385
Trifolium 282—288, 71, 173
Triglochin 183
Triorchis 338
Tripolium 319
Triticum 45
Trollius 214
Tuber 501, 502
Tunica 162
Turritis 254, 255
Tuſſilago 315
Typha 345, 346

V

Stellaria 166

INDEX NOMINUM LATINORUM.

V

Page

VAccinium 142, 143, 155
Valantia 375
Valeriana 12, 13, 75
Valerianella 12, 13
Vella 243
Verbaſcum 75, 76
Verbaſculum 70, 71
Verbena 505
Verbeſina 309, 310
Vermicularis 93, 170, 171
Veronica 3—7, 237
Viburnum 112
Vicia 277—280, 275
Vinca 77
Viola 330—332, 7, 72, 250
Virga aurea 317—319
paſtoris 5
Viſcaria 161
Viſcago 164
Viſcum 367
Vitis idæa 142, 143, 155
Volubilis 145
Vulneraria 273

U

ULEX 272
Ulmaria 191
Ulmus 94, 95
Ulva 475, 437, 440, 463
Umbilicus veneris 169
Urtica 355, 226
Uſnea 461—463
Utricularia 8

X

XAnthium 356
Xyris 13

Z

ZAnichellia 344
Zoſtera 342

INDEX

INDEX

NOMINUM ANGLICANORUM.

A

	Page
ADders tongue	382
Agaric	491—496
Agrimony	180
Dutch	310
Hemp	309, 310
Alder, common	505
berry bearing	84
Alexanders	109
Alkanet, baſtard	66
All-heal	226, 227
ſeed	117
Aloe water	208
Angelica	103
Anthoceros	441
Anemone	208, 209
Apple-tree	190
thorny	78
Archangel	225
Arrow-head	358
Arſmart	147, 148
Aſarabacca	179
Aſh-tree	379
mountain	189
Aſhweed	111
Aſp	370
Aſphodel	127, 128
Avens	198, 199
Awl-wort	242

B

	Page
BALM, baſtard	231
Bane-berries	201
Barberry	119
Barley	46
Baſil	228
Beam-tree, white	188
Bears-foot	215
Bedſtraw	56, 57
Beech-tree	360
Beet	93
Bell-flower	80—82
Betony, Paul's	4
water	240
wood	220
Bill-berries	142, 143
Bind-weed	74, 75
black	149
Birch-tree	354
Birds-cherry	187
eye	71
foot	280
neſt	99, 152, 336
tongue	318
Biſtort	147
Bitter-ſweet	79
Blaſia	440
Blite	90—92, 356
Bloodwort	133

Blue-

	Page
Blue-bottle	325
Boletus	496, 497
Borage	68
Box-tree	355
Bramble	193, 194
Brank	150
Briar, common	193
fweet	191
Brooklime	4
Broom	271
rape	232
Briony, black	369
white	372
Bryum	403—417
Buck-bean	71
wheat	150
Bugle	219, 220
Bugloſs	69, 70
Cowſlips	67
Bullace-tree	186
Burdock 304.	345
leſſer	356
Burnet	54, 359
Bur reed	347
Butchers-broom	373
Butter-cups	211
wort	7
Byſſus	487—489

C

CAbbage	253
Calamint	230
Calamus	128
Caltrops	61
Calves-ſnout	239
Cammock	273
Camomile	222, 224
Campion	163, 164, 174
Canterbury-bells	82
Carex	346—354
Carrot	99
Caraways	100
Cat-mint	220
Cats-tail	345, 346
Catchfly	163—166, 174
Celandine, greater	202
leſſer	214
Centaury	88, 89, 146
Champignon	491
Charlock	252, 260
Chara	465
Cheeſe-rening	56
Cherry-tree	187
Chervil, wild	108
Cheſnut-tree	359
Chickweed, baſtard	11
berry-bearing	163
breakſtone	64
common	113, 167 —169
germander	6
mouſe-ear	176, 177
ſtar-headed	2
water	48
winter-green	139
Cicely, wild	108
Cinquefoil	195—197
baſtard	118
marſh	200
Ciſtus, dwarf	205, 206
marſh	155
Clary	9
Clavaria	500, 501
Claver	288
Climber	217
Clot-bur	304
Cloud-berry	194
Clover	283, 284
Cockle	173
Cock's-comb	234
head	281
Codlings and Cream	141

	Page
Colewort	262
Coltsfoot	315
Columbines	207, 208
Comfrey	68
Conferva	478—486
Coral-wort	249
Coriander	107
Cows lungwort	46
weed	108
wheat	233—236
Cowſlips	71
Crab-tree	190
Cranberries	143
Craneſbill	262—267
Creſs, baſtard	245
bitter	256
penny	246
rocket	243
rock	249
ſwines	248
water	257
winter	251
Croſſwort	58, 374
Crow-foot	211—213
berries	367
Cudweed	212—214, 328, 329
Currants	84, 85
Cyperus, baſtard	14, 19
millet	19
ſweet	15

D

	Page
DAffodil	123
chequered	125
Daiſy	321
Dandelion	297
Danewort	113
Deptford pink	161
Devil's bit	50, 298
Devil's guts	89
Dew-berry	193
Dier's-weed	181, 243
Dock	134, 135
Dodder	89
Dropwort	190
water	105
Ducks meat	345
Dwale	79

E

	Page
ELDER	112, 113
water	113
Elecampane	319
Elm	95
Elvela	498
Eryngo	95
Eyebright	234, 235
cow-wheat	233, 234

F

	Page
FEllwort	88
Fennel	110
hogs	101
Fern	382—384
Feverfew	322
Figwort	239, 240
Finckle	110
Flag, ſweet ſmelling	128
Flax	115—117
Fleabane	314, 320
Flixweed	259
Flos adonis	209
Flower de luce	13
Fluellin	3, 237
Fool-ſtones	333, 334
Fox-glove	240
Framboſe	193
Fritillary	125
Frog-bit	373

372

INDEX NOMINUM ANGLICANORUM.

	Page
Fucus	466—475
Fumitory	270
Furze	272
G	
Galingale	15
Garlick	120, 121
Gentian	87, 88
Germander	5, 218
Gillyflower, ſtock	250
ſea	114
Gladdon, ſtinking	13
Gladiole	152, 330
Gladwyn	13
Glaſſwort	1, 92, 93
Globe-flower	214
Goats-beard	293
ſtones	337
Goldilocks	211
Gold of Pleaſure	242
Golden rod	319
Gooſe-corn	130
foot	90
graſs	56—59
tongue	325
Gorſe	272
Goule	368
Gout-weed	111
Graſs, arrow-headed	133
barley	46
bent	26—28
brome	39—41
canary	20, 21
cats-tail	23
cocks-foot	25
cotton	19
couch	45
darnel	44
dogs	45
tail	47, 48
feather	24
Graſs, feſcue	36—38
five-leaved	197
fox tail	23, 24
hard	375
hair	28—31
knot	160
lyme	45
meadow	33—35
melic	32
mat	20
millet	26
oat	41—43
panic	21, 22
parnaſſus	114
poly	180
quaking	32
quick	45
rye	46
reed	43, 44
ſoft	374
ſpring	10
ſea	63
ſcurvy	75
ſpiked ſea	133
vernal	10
wheat	45
Greymill	66
Gromill	66
Gromwell	66
Ground-ivy	224
pine	219
Groundſel	316
H	
Hard-beam	360
Hare-bells	123
ſtrong	101
Hares-ear	97
Harts-tongue	385
Haſel-nut-tree	360
wych	95

Page

Hawk-weed 294, 298—303
Hawthorn 188
Hearts-eaſe 331
Heath 144, 145
berried 367
ſea 120
Hedge hyſſop 180
Hellebore, baſtard 215, 341, 342
Hellweed 84
Hemlock 100
water 106, 107
Henbane 78
Henbit 225
Hep-tree 192
Herb Chriſtopher 201
Gerard 111
Paris 150
Robert 269
High-taper 76
Hindberry 193
Holly-tree 505
knee 373
Honeyſuckle 80
Hops 369
Horehound, baſe 226
black 228
ſtinking 228
water 9
white 228
Horn beam 360
beech 360
Horſe-beech 360
radiſh 249
tail 380, 381
Houſeleek 185
Hounds tongue 67
Hyacinth 123, 124
Hydnum 497
Hypnum 428—430

J

Page

JAck-by-the-hedge 251
Jacob's ladder 75
Jews-ear 464
Jungermannia 430—438
Juniper 372
Ivy 85

K

KIdney-wort 157, 169
vetch 275
Knapweed 326
Knawel 160
Knot-berries 194
graſs 149
German 160
verticillate 86
Knout-berries 194

L

LAdies bedſtraw 56, 57
finger 274
hair 32
mantle 59
ſlipper 341
ſmock 255—257
traces 338
Lambs lettuce 13
Larkſpur 207
Laver 476—478
Laurel, ſpurge 145
Lavender, ſea 115
Lettuce 296
frogs 61
Lilly, of the valley 126
water 71, 206, 207
Lime-tree 204
wort 161
Linden-tree 204
Livelong 170

	Page
Liverwort	442, 463
Lizard flower	337
Locker-gowlons	214
Lookinglaſs, Venus's	82
Looſeſtriſe, ſpiked	180
yellow	72, 73
Louſewort	236
Lucern	288
Lungwort, cows	76
French	300
golden	300
tree	449

M

MAdder, baſtard	56
croſſwort	58
field	54
wild	54, 56
Madwort	69
Maidenhair	285—287
golden	400
true	391, 392
Maithes	209
Mallow	267—269
Maple	379
Marjoram, wild	229
Mares-tail	2
Marigold, corn	321
marſh	215
Matfellon	326
Mayweed	323
Meadowſweet	191
Medick	289
Medlar	190
Melilot	282
Mercury	89, 371
Milfoil	325
water	357, 358
Milkwort	271
ſea	80
purple	282
Miſſel, or Miſſeltoe	367
Mnium	401—403
Money-wort	73
baſtard	272
baud	100
Moonwort	382
Moorberries	143
Morel	498
Moſchatel	151
Moſs-berries	143
bog	396
cup	456
club	394, 395
water	358, 359
Mother of thyme	230
wort	228
Mucor	503, 504
Mouſe-ear, codded	255
creeping	298
ſcorpion-graſs	65
tail	118
Mug-wort	312
weed	375
Mullein	76
Muſhroom	494
Muſcovy	262
Muſtard, common	260
hedge	250—259
mithridate	245
tower	254
treacle	246
white	260
wild	260
Myrtle	368

N

NAVEW	253
Navelwort	169
Needle, ſhepherd's	108
Nep mint	225
Nettle, common	355

	Page
Nettle, hemp	226
hedge	227
roman	355
Nightſhade	78, 79
enchanters	9, 10
Nipplewort	303
Nut, earth	106
bladder	113

O

OAK	359
ſea	466
Orach	376—378
wild	91
Orpine	170
Orchis	333—336
Oſier	366
Oſmund royal	382
Ox-eye	321
tongue	294
Oyſter-green	477

P

PAGIL	71
Panſies	331
Park-leaves	291
Parſley, baſtard	98, 99
corn	98, 104
fools	107
hedge	99
knotted	98
piert	60
ſea	102
ſtone	100, 104
Parſnep, cows	102
ſea	97
water	103, 104
wild	109
Paſque flower	209
Pearlwort	64
Pear-tree	189
Peaſe-heath	274
ſea	274
Pellitory, wall	378
Penny-royal	224
wort, marſh	66
wall	169
Pepper-graſs	303
wall	171
water	146
wort	264
Periwinkle	77
Peziza	499, 500
Phaſcum	397
Pheaſant's eye	209
Pilcorn	41
Pilewort	214
Pimpernel, baſtard	51
male	74
water	79
yellow	73
Pink	161, 162
Pine, ſea	470
Pipperidge-buſh	119
Plantain	51—53
baſtard	241
water	137, 138
Plowman's ſpikenard	314
Polypody	387—389
Polytrichum	400, 401
Pondweed	60—63
horned	357
Poplar	370
Poppy	202—204
Prick-madam	170
wood	84
Prim	3
Primroſe	70
peerleſs	123
Privet	3
Puff-balls	502, 503
Purging-thorn	85

Page

Purſlane, water 128
ſea 379

Q

QUick in hand 332
Quicken-tree 189
Quill-wort 393

R

RAdiſh, horſe 249
water 258
Ragwort 317, 318, 327
Rampions 81, 83
Ramſons 122
Raſpberry 193
Rattle, yellow 234
Reed 43, 345
Reſt-harrow 273
Ribwort 52
Riccia 440, 441
Rocket, baſe 181
wall 258
ſea 261
water 258
wild 254
winter 251
Ros ſolis 191, 192
Roſewort 371
Roſemary, wild 155
Rue, meadow 216
Rupture-wort 94
leaſt 117
Ruſh 129, 132
bog 14
bull 17
club 16—18
flowering 152
graſs 15
hare's-tail 20

S

Page

SAGE of Jeruſalem 67
wood 219
Saffron 13, 122, 136
Saintfoin 281
St. John's wort 290, 291
St. Peter's wort 292
Sallow 366
Saltwort 1
black 86
Sampire 1, 97, 101, 320
Sanicle 96
Yorkſhire 7
Satyrion 337
Sauce alone 251
Saw-wort 304, 305
Saxifrage, burnet 110, 111
Cornwall 102
Engliſh 178
golden 156
meadow 106
white 159
Scabious 50, 51
ſheeps 329
Scurvygraſs 75, 247, 248
Self-heal 231
Sea-beard 485
Sengreen 157
Septfoil 198
Service 188
Setterwort 215
Shepherd's-purſe 247
Sicklewort 219
Silverweed 195
Sloe-tree 186
Smallage 111
Snakeweed 147
Snapdragon 239
Sneezewort 325

Soapwort

Page

Soapwort 161
Soldier, freſh-water 208
Solomon's ſeal 126, 127
Sorb 188, 189
Sorrel 136
wood 173
Southernwood 311
Sow-thiſtle 295
bane 90
Sparagus 126
Spearwort 210
Speedwell 3—7
Sperage 126
Spignel 100
Spikenard 314
Spindle-tree 84
Splachnum 399
Spleenwort 383, 385, 388
Sponge 489, 490
Spurge 182—185
laurel 145
olive 145
Spurrey 169, 177, 178
Squinancy-berries 85
wort 55
Star of Bethlehem 124, 125
of the Earth 53
wort 2, 319
Stitchwort 64, 166
Stonecrop 170—173
Strawberry 195
tree 155
Succory, ſwines 302
wild 304
yellow 294
Sun-dew 117
flower 205
Sycomore 379

T

Page

TANSEY 311
wild 195
Tare 279, 280
Targionia 438
Teaſel 49, 50
Thiſtle 305—309, 326
Thongs, ſea 467
Thorn, black 186
buck 83
ſea 368
ſallow 368
white 188
Thorow-wax 97
Thrift 114
Throatwort 81, 82
Thyme 230
Toadflax, baſtard 86
common 237, 238
Toothwort 233
Touch me not 332
Touchwood 497
Tormentil 198
Travellers Joy 217
Trefoil 282—289
marſh 71
Tremella 463, 469
Trichomanes 392
True-love 150
Truffles 502
Turneps 253
Tutſan 291
Twablade 338, 339

V

VAlerian 12, 13
greek 75
Venus's comb 108

Ver-

	Page
Vervain	505
Vetch	275—282
Violet	330—332
calathian	87
corn	82
dame's	252
water	72
W	
Wake-robin	342
Wall-flower	250
wort	113
Wartwort	183
Water-wort	151
Way-bread	51
faring-tree	112
Whin	272
White-rot	96
Whitlow-graſs	159, 243, 244
Whortle-berries	142, 143
Wilding	190
Williams, wild	174
Willow	362—366
herb podded	141, 142
hooded	232
purple	180
roſe-bay	140
yellow	72
Winter-green	139, 154
Woad, wild	181
Wood-binde	80
green	272
roof	55
waxen	272
Worm-ſeed, treacle	251
wood	311, 312
Wrack, graſs	343
ſea	466
Y	
Yarrow	325
Yellow-weed	181
Yew-tree	372

F I N I S.